

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
1	1	4,235,675	0.723	1.00E+00	25212	23557
1	4,235,799	42,076,566	0.815	0.00E+00	252929	266313
1	42,076,686	51,649,045	0.853	2.54E-12	55154	60797
1	51,649,542	52,768,386	0.937	1.79E-06	5444	6589
1	52,768,409	55,311,810	0.809	9.67E-12	18120	18953
1	55,311,934	81,011,518	0.898	0.00E+00	124603	144583
1	81,012,101	108,174,764	0.926	2.47E-08	117902	141087
1	108,175,741	117,447,468	0.881	5.64E-12	49401	56222
1	117,447,640	118,386,917	1.109	0.00E+00	5250	7522
1	118,386,948	144,099,850	0.888	2.41E-22	10159	11659
1	144,100,024	146,182,173	1.914	0.00E+00	6619	16370
1	146,182,195	146,295,195	1.389	1.07E-07	410	736
1	146,295,684	148,716,371	1.858	3.70E-06	2998	7197
1	148,716,400	151,421,625	1.504	8.92E-18	13901	27015
1	151,425,633	154,448,669	1.374	7.72E-11	18739	33269
1	154,448,690	154,453,195	0.580	1.32E-41	392	294
1	154,453,232	154,777,517	1.340	0.00E+00	2602	4506
1	154,777,780	155,837,111	1.599	2.42E-10	7551	15601
1	155,837,536	165,643,013	1.213	6.25E-70	53988	84651
1	165,643,177	165,680,639	0.900	1.07E-05	356	414
1	165,681,499	171,420,963	1.274	2.61E-07	28650	47156
1	171,421,011	175,144,308	1.158	1.67E-15	19097	28584
1	175,144,720	179,147,475	1.254	6.25E-10	20783	33678
1	179,147,523	179,190,861	0.929	6.01E-07	455	546
1	179,190,884	191,567,999	1.238	1.59E-06	55363	88559
1	191,568,157	191,739,441	2.190	0.00E+00	400	1132
1	191,740,203	199,910,218	1.257	2.78E-18	34838	56600
1	199,910,952	205,245,298	1.178	1.21E-11	36025	54837
1	205,245,568	206,119,265	1.330	1.03E-08	4102	7048
1	206,119,345	206,314,346	1.120	4.00E-06	1630	2360
1	206,314,482	208,482,628	1.297	1.01E-05	13653	22887
1	208,482,738	211,663,982	1.200	5.95E-08	18348	28448
1	211,664,099	223,946,702	1.287	5.74E-11	61103	101606
1	223,946,756	225,267,525	1.134	7.54E-19	9124	13372
1	225,267,872	225,954,492	1.297	7.98E-07	2978	4991
1	225,955,585	226,535,187	1.119	1.34E-06	4342	6278
1	226,535,295	226,569,287	0.789	2.65E-07	404	412
1	226,569,454	229,448,748	1.186	2.88E-10	19091	29248
1	229,448,887	232,963,093	1.274	2.34E-08	20645	33975
1	232,963,367	242,967,423	1.207	4.19E-07	48151	75094
1	242,967,941	244,081,963	1.056	1.35E-15	6734	9189
1	244,082,129	244,812,184	1.191	8.96E-06	3574	5498
1	244,812,237	244,900,406	0.660	5.42E-20	456	389
1	244,901,206	247,249,718	1.135	0.00E+00	7456	10934
2	1	3,788,425	0.775	1.00E+00	25590	25641
2	3,788,625	7,312,573	0.835	3.47E-08	19098	20605
2	7,312,812	7,352,480	0.585	8.02E-06	308	233
2	7,352,656	10,590,299	0.832	9.44E-06	22335	24025
2	10,590,362	30,197,517	0.884	2.63E-09	115432	131809

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
2	30,197,584	42,570,641	0.919	1.13E-08	60419	71745
2	42,571,057	79,378,884	0.884	1.03E-09	188729	215538
2	79,378,985	80,859,074	0.814	1.59E-07	7816	8216
2	80,859,199	85,111,314	0.920	3.76E-11	17119	20361
2	85,113,638	94,946,926	0.852	2.84E-07	16076	17701
2	94,947,398	98,921,040	1.025	0.00E+00	19420	25712
2	98,921,196	105,174,160	1.130	0.00E+00	34169	49900
2	105,175,069	119,400,990	1.086	7.43E-06	58360	81901
2	119,401,063	136,006,549	1.036	5.32E-11	80936	108380
2	136,006,801	136,361,442	0.789	1.01E-18	1874	1910
2	136,361,634	140,449,937	1.096	0.00E+00	19710	27905
2	140,450,687	148,404,299	0.885	2.89E-71	35539	40662
2	148,404,536	151,725,896	1.348	0.00E+00	15837	27594
2	151,726,140	171,147,237	1.104	9.56E-72	88096	125639
2	171,147,339	180,429,012	1.016	7.50E-29	48323	63441
2	180,429,072	184,047,880	0.956	4.29E-07	16157	19953
2	184,048,030	197,470,393	1.018	1.11E-07	52845	69539
2	197,470,443	198,794,667	0.632	5.98E-163	6543	5342
2	198,795,118	198,856,668	1.006	1.92E-08	334	434
2	198,856,911	201,959,364	0.687	1.95E-06	15480	13737
2	201,959,392	202,780,362	0.464	1.72E-56	4687	2807
2	202,781,757	205,204,732	0.705	0.00E+00	10916	9940
2	205,204,985	205,615,572	0.508	2.39E-17	1647	1081
2	205,615,725	206,246,834	0.912	0.00E+00	3355	3955
2	206,247,556	207,076,301	0.602	1.12E-39	5516	4291
2	207,077,400	217,211,943	0.703	5.86E-14	46751	42490
2	217,212,451	220,421,672	0.649	3.94E-12	23779	19937
2	220,422,008	230,440,080	0.686	1.11E-06	52428	46480
2	230,440,474	233,926,772	0.630	5.54E-13	21300	17327
2	233,926,887	238,694,770	0.668	3.90E-06	33060	28555
2	238,695,064	242,951,148	0.601	6.00E-19	28442	22073
3	1	7,833,806	0.856	1.00E+00	36993	40933
3	7,834,045	8,317,261	0.992	6.56E-07	2304	2953
3	8,317,514	20,146,966	0.836	5.46E-09	74868	80885
3	20,147,930	36,536,911	0.902	0.00E+00	76205	88786
3	36,536,991	39,113,615	0.856	9.77E-06	16636	18406
3	39,113,715	39,198,870	0.640	6.74E-09	789	652
3	39,198,984	48,199,600	0.864	1.17E-09	53126	59277
3	48,199,723	51,949,005	0.808	4.04E-10	24784	25873
3	51,949,473	52,547,091	0.730	5.35E-07	6094	5752
3	52,547,221	64,851,512	0.867	0.00E+00	71399	80013
3	64,851,687	71,544,017	0.909	2.70E-07	32812	38541
3	71,544,162	87,838,356	0.855	5.55E-11	65840	72771
3	87,839,080	101,697,589	0.895	7.11E-07	35266	40772
3	101,697,607	104,607,168	0.962	5.91E-07	11671	14508
3	104,608,206	125,960,469	0.869	4.35E-14	101025	113494
3	125,960,581	129,555,974	0.804	1.07E-15	25009	25984
3	129,556,201	148,625,236	0.861	2.58E-12	98962	110107
3	148,625,320	151,514,322	0.922	5.25E-08	13391	15962

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
3	151,514,649	151,654,198	1.231	4.75E-08	686	1091
3	151,654,384	178,468,577	0.890	5.26E-10	115677	132989
3	178,468,724	178,574,403	0.700	1.13E-05	627	567
3	178,575,014	180,212,048	0.911	3.10E-06	8068	9496
3	180,212,272	189,538,030	1.262	0.00E+00	50611	82510
3	189,538,278	191,684,326	1.482	0.00E+00	10832	20740
3	191,684,524	194,871,398	1.317	7.51E-14	14791	25167
3	194,871,765	199,501,826	1.219	9.22E-09	23063	36337
4	1	3,200,045	0.761	1.00E+00	21623	21257
4	3,200,060	3,241,129	0.363	7.06E-28	450	211
4	3,241,475	5,202,081	0.731	0.00E+00	12764	12053
4	5,202,261	8,575,229	0.805	1.87E-10	27225	28311
4	8,575,251	19,683,363	0.864	5.85E-12	53913	60180
4	19,683,880	38,149,908	0.659	5.15E-253	79953	68084
4	38,150,237	40,676,105	0.894	0.00E+00	11931	13776
4	40,676,268	42,409,111	1.010	4.04E-11	9409	12283
4	42,409,656	44,327,150	1.190	2.44E-15	6952	10692
4	44,327,717	47,131,642	1.396	2.22E-16	10531	19001
4	47,131,749	75,470,878	1.063	5.89E-92	93305	128125
4	75,470,948	75,597,944	1.527	3.20E-08	402	793
4	75,598,041	87,256,287	1.103	6.06E-07	55266	78794
4	87,256,550	88,372,112	1.300	0.00E+00	4914	8253
4	88,372,530	89,030,081	1.126	2.16E-06	2777	4041
4	89,031,685	97,304,669	0.942	1.81E-11	33312	40551
4	97,304,903	108,824,583	0.900	2.46E-06	45213	52554
4	108,824,658	114,917,046	0.855	9.51E-07	28591	31589
4	114,918,021	115,289,498	1.150	6.66E-16	1480	2199
4	115,292,302	117,281,327	0.954	9.72E-07	7302	9005
4	117,282,595	118,147,575	0.664	6.42E-34	2987	2564
4	118,148,275	121,666,719	0.913	0.00E+00	12764	15061
4	121,667,083	122,924,120	0.687	1.97E-38	5737	5089
4	122,924,389	123,971,057	0.492	4.69E-29	4664	2963
4	123,971,592	124,175,425	0.703	5.47E-10	879	799
4	124,175,606	125,456,904	0.925	4.27E-08	4841	5789
4	125,457,012	126,159,727	0.778	9.82E-08	2799	2813
4	126,160,047	137,170,096	0.665	5.21E-08	37383	32132
4	137,172,111	146,899,369	0.710	3.24E-10	40617	37281
4	146,900,025	148,373,195	0.639	3.75E-09	7871	6502
4	148,374,593	148,463,502	1.021	9.14E-10	389	513
4	148,463,569	148,753,355	0.631	4.30E-09	1508	1229
4	148,754,235	149,543,678	1.084	0.00E+00	4253	5959
4	149,543,878	150,474,734	0.694	8.54E-51	4149	3718
4	150,474,970	150,870,359	1.215	0.00E+00	1455	2285
4	150,870,638	150,968,205	0.807	1.24E-08	419	437
4	150,968,330	151,097,496	1.364	6.73E-10	526	927
4	151,097,667	152,749,220	0.672	1.07E-27	7213	6261
4	152,749,326	155,181,324	0.870	0.00E+00	14843	16686
4	155,181,393	155,300,346	1.682	0.00E+00	610	1326
4	155,300,400	158,036,902	0.982	1.24E-22	11946	15156

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
4	158,036,981	158,458,846	1.817	0.00E+00	1802	4232
4	158,459,222	162,059,054	0.958	2.07E-84	14345	17757
4	162,059,711	166,666,147	0.655	1.69E-126	17274	14624
4	166,666,976	166,955,990	1.504	0.00E+00	1503	2920
4	166,956,093	170,464,714	0.716	2.78E-84	13847	12809
4	170,465,062	170,971,516	1.386	0.00E+00	1964	3518
4	170,971,676	171,113,182	0.784	2.22E-24	706	715
4	171,113,223	171,209,335	1.458	0.00E+00	606	1142
4	171,209,374	171,417,954	0.709	9.88E-25	862	790
4	171,418,071	173,522,452	0.914	2.31E-07	7840	9256
4	173,522,694	173,978,082	1.177	1.34E-13	1912	2908
4	173,978,142	174,184,553	0.712	6.22E-23	1049	965
4	174,185,319	174,445,422	1.383	0.00E+00	1223	2186
4	174,445,445	174,646,129	0.982	2.95E-10	1013	1285
4	174,646,278	174,745,175	0.588	9.65E-14	682	518
4	174,745,558	176,284,792	0.926	2.22E-16	6544	7829
4	176,285,246	177,904,660	1.649	0.00E+00	6910	14726
4	177,904,885	179,306,773	0.966	4.33E-121	5319	6638
4	179,307,245	191,273,062	0.651	9.24E-79	55827	46964
5	1	529,016	3.638	1.00E+00	1713	8053
5	529,025	573,622	6.680	0.00E+00	438	3781
5	573,664	1,695,092	8.705	3.28E-07	5112	57504
5	1,695,242	2,028,632	4.868	7.81E-122	2781	17494
5	2,028,693	2,182,432	1.721	8.21E-148	1004	2233
5	2,182,509	2,235,145	3.555	0.00E+00	443	2035
5	2,235,184	3,263,992	5.565	0.00E+00	7503	53956
5	3,264,016	6,670,603	1.347	0.00E+00	21797	37951
5	6,670,905	6,843,418	1.140	1.13E-06	1418	2088
5	6,843,567	11,217,939	1.421	7.85E-11	24686	45339
5	11,218,054	28,564,633	1.530	1.55E-15	65117	128697
5	28,564,743	35,527,818	1.456	9.31E-09	30547	57486
5	35,527,968	49,511,507	1.634	0.00E+00	47657	100653
5	49,512,156	51,873,837	1.226	1.03E-85	8133	12886
5	51,874,102	63,086,808	0.710	1.65E-232	54321	49814
5	63,087,330	63,289,147	1.461	0.00E+00	940	1775
5	63,289,431	64,689,445	0.650	9.66E-60	6376	5358
5	64,689,777	71,925,013	0.710	1.34E-05	27944	25635
5	71,925,091	102,150,945	0.893	0.00E+00	130423	150506
5	102,150,989	102,502,097	1.129	2.57E-11	1523	2222
5	102,502,557	102,922,728	0.806	1.30E-13	2081	2168
5	102,923,096	103,448,667	1.060	4.09E-11	2184	2990
5	103,448,764	103,650,608	2.128	0.00E+00	722	1985
5	103,650,933	104,287,517	1.312	7.99E-20	2044	3464
5	104,288,133	106,528,528	0.913	1.00E-27	7697	9085
5	106,529,313	106,856,727	1.576	0.00E+00	1838	3744
5	106,857,018	108,619,587	0.878	2.95E-65	8295	9415
5	108,619,981	109,169,182	1.750	0.00E+00	2039	4612
5	109,169,244	109,255,943	2.309	4.63E-06	477	1423
5	109,255,977	109,717,693	1.380	1.67E-16	1926	3435

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
5	109,717,833	110,551,197	1.165	3.59E-06	3277	4934
5	110,551,328	110,795,517	2.131	0.00E+00	1155	3181
5	110,795,946	111,332,508	1.696	4.85E-08	2743	6013
5	111,332,518	111,647,687	1.347	3.23E-09	1524	2652
5	111,647,756	111,875,896	1.021	3.12E-08	1149	1516
5	111,876,178	113,978,999	1.928	0.00E+00	10462	26066
5	113,979,803	114,857,404	2.353	0.00E+00	3710	11281
5	114,857,626	115,198,895	3.990	0.00E+00	1717	8852
5	115,198,993	116,499,398	2.251	1.02E-76	6510	18938
5	116,499,495	116,860,501	1.037	3.00E-122	1583	2122
5	116,861,007	116,932,576	2.370	0.00E+00	241	738
5	116,932,610	131,559,169	0.891	6.15E-29	63890	73516
5	131,559,210	134,394,979	0.814	1.84E-15	19204	20198
5	134,395,482	138,433,112	0.867	2.12E-06	25539	28599
5	138,433,276	141,457,992	0.804	1.91E-08	18797	19531
5	141,458,757	149,407,584	0.886	8.88E-16	43960	50305
5	149,407,697	151,258,645	0.799	1.11E-14	14060	14514
5	151,258,906	175,111,696	0.845	4.75E-06	133754	146057
5	175,111,785	175,261,378	1.514	0.00E+00	1272	2488
5	175,261,477	176,130,247	0.804	7.02E-48	3585	3724
5	176,131,056	176,179,100	1.977	0.00E+00	471	1203
5	176,179,113	176,256,705	3.372	2.22E-16	848	3695
5	176,256,752	176,461,383	5.606	0.00E+00	1111	8048
5	176,461,624	176,621,371	3.327	1.25E-24	750	3224
5	176,621,464	176,815,049	2.132	6.26E-19	1707	4702
5	176,815,293	179,159,307	0.793	1.44E-177	11485	11774
5	179,159,530	179,207,783	0.550	2.51E-07	404	287
5	179,208,098	179,314,183	0.921	2.73E-09	741	882
5	179,314,359	179,459,904	2.030	0.00E+00	972	2550
5	179,459,944	179,948,527	2.894	0.00E+00	3014	11273
5	179,948,943	180,384,245	2.430	9.07E-06	1130	3548
5	180,384,363	180,857,865	5.485	0.00E+00	1733	12282
6	1	8,125,748	1.076	1.00E+00	50091	69657
6	8,125,864	26,718,838	1.116	3.24E-07	96241	138839
6	26,718,895	32,325,831	0.991	6.71E-41	27834	35641
6	32,326,577	33,723,623	1.360	0.00E+00	6132	10774
6	33,723,741	34,634,560	0.994	1.39E-45	7676	9857
6	34,634,722	34,677,684	0.595	1.46E-14	425	327
6	34,677,700	34,938,220	1.068	2.49E-14	1127	1556
6	34,939,060	35,190,764	0.609	1.12E-25	1754	1380
6	35,191,158	44,013,379	1.054	0.00E+00	59892	81596
6	44,013,404	48,050,627	1.166	0.00E+00	23637	35618
6	48,050,768	48,886,188	1.735	0.00E+00	3296	7389
6	48,886,231	49,060,870	1.369	3.88E-06	668	1182
6	49,061,301	49,197,721	2.032	2.87E-07	396	1040
6	49,197,998	52,469,163	1.509	1.80E-06	14876	29008
6	52,469,293	58,819,390	1.373	4.13E-13	23151	41068
6	58,819,874	64,013,080	1.098	3.51E-43	8200	11632
6	64,013,317	64,161,666	1.545	6.98E-10	586	1170

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
6	64,162,235	76,456,100	0.885	8.45E-23	48122	55048
6	76,456,327	85,506,297	0.940	3.28E-10	34335	41723
6	85,506,355	100,551,695	0.867	3.58E-19	65000	72798
6	100,551,926	118,802,856	0.918	1.11E-15	81427	96602
6	118,803,051	119,600,343	0.814	1.94E-08	4264	4487
6	119,600,345	132,389,988	0.950	6.67E-13	55636	68302
6	132,390,488	132,847,766	1.136	2.25E-09	2096	3077
6	132,847,850	153,733,371	0.923	3.23E-12	103843	123804
6	153,734,016	153,850,581	1.376	4.50E-07	292	519
6	153,850,674	159,530,858	0.884	3.35E-08	28444	32478
6	159,530,948	164,044,965	0.835	2.82E-06	24461	26402
6	164,045,105	164,098,470	0.586	9.80E-09	516	391
6	164,098,596	170,899,991	0.807	2.52E-07	35609	37141
7	1	1,495,188	0.965	1.00E+00	7125	8883
7	1,495,308	2,847,702	1.515	0.00E+00	10999	21529
7	2,847,731	6,714,680	1.028	2.42E-146	21403	28420
7	6,715,007	8,085,691	1.170	1.01E-08	4042	6109
7	8,085,782	8,144,578	0.842	4.91E-07	433	471
7	8,144,939	15,164,334	1.127	3.29E-06	27559	40147
7	15,164,434	22,203,022	1.191	2.56E-07	30704	47267
7	22,203,136	30,285,778	1.118	2.49E-11	45585	65841
7	30,285,987	30,994,939	1.408	0.00E+00	5174	9414
7	30,994,987	37,021,718	1.080	4.60E-42	31077	43383
7	37,021,803	37,988,170	0.884	7.48E-25	5374	6140
7	37,988,409	44,251,938	1.119	0.00E+00	32892	47579
7	44,252,053	44,303,391	0.802	1.82E-10	630	653
7	44,305,165	45,586,884	1.031	4.56E-06	8377	11160
7	45,586,929	49,208,424	1.137	8.78E-09	19595	28790
7	49,208,552	56,024,807	1.072	5.79E-07	33716	46716
7	56,024,895	76,673,056	0.976	3.03E-24	53322	67262
7	76,673,329	80,156,572	1.145	0.00E+00	14559	21545
7	80,156,693	90,183,036	1.069	4.78E-08	39225	54161
7	90,183,225	90,439,858	1.987	0.00E+00	581	1492
7	90,440,077	98,570,484	1.064	3.20E-30	38332	52706
7	98,570,672	102,729,071	0.955	3.08E-21	20860	25751
7	102,729,323	126,726,096	1.081	0.00E+00	102881	143668
7	126,727,003	137,950,281	1.047	1.69E-06	62995	85215
7	137,950,340	139,906,514	0.983	2.84E-06	11614	14759
7	139,906,598	148,275,694	1.048	5.73E-06	36028	48811
7	148,275,743	153,654,995	0.965	6.03E-15	27577	34388
7	153,655,274	155,097,608	0.891	9.20E-07	9314	10729
7	155,097,716	158,821,423	0.958	1.13E-05	24127	29877
8	1	8,652,725	0.404	1.00E+00	27820	14535
8	8,653,696	16,929,458	0.437	8.62E-09	33323	18835
8	16,929,558	18,757,021	0.501	6.42E-12	8841	5722
8	18,757,439	33,371,845	0.454	1.13E-07	80510	47272
8	33,372,107	39,301,459	0.430	4.67E-07	30741	17070
8	39,301,994	39,778,413	1.152	0.00E+00	592	881
8	39,778,765	42,335,836	1.766	0.00E+00	15273	34853

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
8	42,337,048	42,722,898	2.084	6.09E-09	1984	5344
8	42,723,405	43,260,012	1.624	5.15E-12	2407	5052
8	43,260,081	43,772,156	2.058	7.59E-10	1612	4287
8	43,772,403	55,576,125	0.860	1.72E-140	38095	42338
8	55,576,642	62,311,290	1.028	0.00E+00	34009	45180
8	62,311,357	72,289,337	1.075	2.47E-06	46798	64979
8	72,289,953	78,704,100	1.739	0.00E+00	28413	63858
8	78,704,194	80,724,505	1.938	1.11E-12	7956	19922
8	80,724,677	80,954,000	1.508	9.78E-14	1473	2870
8	80,954,124	82,560,777	1.802	1.49E-07	8312	19353
8	82,560,929	84,136,453	1.585	3.33E-10	5996	12280
8	84,136,536	86,474,025	1.275	1.09E-24	8128	13394
8	86,474,149	88,729,235	1.077	7.44E-17	8017	11157
8	88,729,462	89,638,977	1.960	0.00E+00	3648	9237
8	89,639,103	90,535,859	2.288	8.20E-08	2955	8738
8	90,536,220	91,509,277	1.773	1.30E-19	4277	9796
8	91,509,513	96,085,704	2.715	0.00E+00	21713	76183
8	96,086,050	97,385,373	2.914	3.98E-06	7286	27435
8	97,385,395	102,983,068	2.653	2.68E-10	29504	101159
8	102,983,551	106,672,809	2.370	3.53E-26	18805	57599
8	106,673,236	107,176,690	1.603	1.99E-49	2124	4400
8	107,176,966	107,467,277	2.990	0.00E+00	1329	5135
8	107,467,366	107,598,322	5.649	0.00E+00	681	4971
8	107,598,418	107,756,837	9.485	0.00E+00	629	7709
8	107,757,015	107,911,166	6.729	2.67E-09	686	5965
8	107,911,198	108,120,767	3.618	1.79E-30	926	4329
8	108,120,912	108,563,062	6.228	0.00E+00	2019	16249
8	108,563,266	108,993,302	2.459	2.90E-163	2021	6421
8	108,993,329	109,103,059	4.353	0.00E+00	469	2638
8	109,103,360	109,288,088	3.076	9.21E-08	736	2925
8	109,288,176	109,604,719	5.274	0.00E+00	1344	9160
8	109,604,862	109,886,920	2.357	1.44E-83	1443	4395
8	109,886,997	110,859,721	1.440	1.26E-41	4662	8674
8	110,859,839	111,524,831	3.005	0.00E+00	2466	9574
8	111,524,986	111,645,611	6.102	0.00E+00	408	3217
8	111,645,653	111,756,913	9.532	5.00E-10	442	5444
8	111,757,341	111,899,636	2.129	1.23E-108	567	1560
8	111,899,666	112,023,767	4.220	0.00E+00	442	2410
8	112,023,808	112,776,068	6.656	0.00E+00	2511	21596
8	112,776,091	112,948,545	1.324	4.43E-265	667	1141
8	112,948,571	113,103,760	2.498	0.00E+00	610	1969
8	113,103,944	113,826,237	4.463	0.00E+00	2357	13593
8	113,826,342	113,910,183	1.467	2.09E-67	327	620
8	113,910,221	114,726,842	4.204	0.00E+00	2834	15394
8	114,726,912	115,175,251	2.362	9.60E-63	1602	4889
8	115,175,487	115,843,058	1.811	3.10E-11	1850	4329
8	115,843,178	116,262,918	1.488	1.59E-06	1667	3206
8	116,263,042	117,416,289	1.767	3.96E-07	5338	12187
8	117,416,421	117,518,614	3.583	0.00E+00	433	2005

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
8	117,518,626	117,949,378	5.391	3.10E-13	2327	16210
8	117,949,423	119,190,736	6.279	2.25E-09	6748	54755
8	119,190,799	119,874,586	4.860	1.03E-33	4050	25436
8	119,874,644	120,996,214	1.911	0.00E+00	5258	12986
8	120,996,310	122,154,844	2.944	0.00E+00	5799	22058
8	122,154,979	122,979,073	1.533	3.46E-147	3205	6349
8	122,979,122	124,619,092	2.299	0.00E+00	9046	26876
8	124,619,186	124,830,262	1.621	5.07E-29	1633	3421
8	124,830,507	124,987,092	2.111	3.55E-07	788	2150
8	124,987,122	125,371,394	1.648	4.80E-07	2365	5035
8	125,371,839	125,463,127	3.261	0.00E+00	361	1521
8	125,463,321	125,939,955	2.349	2.62E-07	3086	9369
8	125,940,065	126,091,309	2.953	2.70E-07	843	3217
8	126,091,448	127,895,472	1.973	7.35E-22	10344	26367
8	127,895,598	127,955,349	3.694	0.00E+00	420	2005
8	127,955,407	127,990,767	6.023	1.45E-07	198	1541
8	127,991,167	128,057,801	3.558	3.95E-08	350	1609
8	128,057,878	128,136,753	7.333	0.00E+00	389	3686
8	128,136,791	128,241,856	5.051	1.20E-07	541	3531
8	128,241,863	128,832,133	1.823	9.35E-82	3883	9149
8	128,832,177	128,999,978	2.534	0.00E+00	1159	3795
8	128,999,990	129,278,443	3.445	3.29E-14	2207	9824
8	129,278,460	129,401,001	1.800	3.52E-46	837	1947
8	129,401,101	130,356,095	0.928	2.08E-41	4971	5962
8	130,356,766	130,450,080	2.042	0.00E+00	456	1203
8	130,450,102	130,537,748	2.991	3.29E-07	474	1832
8	130,537,807	130,638,042	5.979	0.00E+00	551	4257
8	130,638,112	131,014,252	2.243	1.14E-73	1909	5533
8	131,014,372	131,349,054	0.809	3.36E-154	2221	2323
8	131,349,833	131,665,383	1.126	4.44E-16	2146	3122
8	131,665,703	131,893,800	0.832	1.10E-11	1523	1637
8	131,894,022	131,973,869	2.150	0.00E+00	433	1203
8	131,973,882	132,123,278	3.647	2.22E-16	1008	4750
8	132,123,289	132,189,243	0.780	5.91E-115	380	383
8	132,190,441	132,280,029	2.149	0.00E+00	434	1205
8	132,280,103	132,471,145	3.491	4.85E-13	770	3474
8	132,471,271	132,554,754	1.575	1.10E-30	404	822
8	132,554,954	132,612,495	2.366	1.44E-05	262	801
8	132,612,589	133,944,208	1.499	2.78E-09	7785	15078
8	133,944,370	142,424,855	0.805	0.00E+00	54634	56831
8	142,425,023	145,464,606	0.726	1.12E-21	25086	23542
8	145,464,786	145,619,856	1.044	4.44E-14	918	1238
8	145,620,054	146,274,825	0.734	4.81E-12	4476	4244
9	1	1,077,131	1.450	1.00E+00	3010	5641
9	1,077,257	1,163,350	3.061	0.00E+00	406	1606
9	1,163,365	1,374,759	4.959	6.66E-15	1217	7798
9	1,374,819	1,644,368	3.137	2.23E-25	1243	5039
9	1,644,386	2,278,548	2.268	4.25E-18	3790	11108
9	2,278,715	2,697,147	2.593	9.84E-06	2326	7794

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
9	2,697,343	6,525,767	3.560	0.00E+00	18887	86887
9	6,525,789	18,572,332	3.057	1.09E-58	53463	211168
9	18,574,043	26,750,329	0.714	0.00E+00	35773	32998
9	26,750,446	31,512,386	0.670	1.96E-06	18184	15751
9	31,513,346	81,182,200	0.932	0.00E+00	92873	111791
9	81,182,330	84,699,407	1.116	0.00E+00	15227	21950
9	84,699,547	104,032,838	1.043	3.34E-09	108060	145612
9	104,033,539	119,353,754	1.096	2.22E-16	81903	116039
9	119,353,905	127,438,848	1.036	2.03E-14	50080	67027
9	127,438,890	132,236,861	0.983	1.55E-08	34081	43271
9	132,236,921	132,263,376	0.686	2.45E-06	309	274
9	132,263,535	135,649,154	0.979	3.28E-06	24687	31231
9	135,649,295	140,273,251	0.909	3.21E-11	34463	40458
10	1	1,700,330	0.922	1.00E+00	11038	13148
10	1,700,362	4,219,173	0.800	2.33E-15	13026	13470
10	4,219,217	12,983,960	0.861	6.95E-08	48714	54219
10	12,984,031	15,852,394	0.766	2.24E-21	17044	16872
10	15,852,700	32,149,322	0.828	4.31E-11	76162	81506
10	32,150,107	33,803,885	0.902	5.08E-07	7234	8435
10	33,803,978	41,701,335	0.825	1.49E-06	22227	23682
10	41,702,193	51,687,834	0.630	1.65E-102	33703	27446
10	51,688,512	52,671,503	0.730	7.69E-10	4333	4089
10	52,671,566	58,301,214	0.894	0.00E+00	19529	22549
10	58,301,403	63,382,584	0.742	1.20E-42	23007	22053
10	63,382,869	70,942,378	0.698	6.71E-07	32974	29719
10	70,942,822	71,292,200	0.854	1.53E-13	3034	3348
10	71,292,280	91,399,226	0.661	2.71E-21	113980	97358
10	91,399,743	97,916,396	0.708	2.34E-13	31856	29129
10	97,916,614	108,648,718	0.650	4.21E-17	64558	54247
10	108,648,921	108,728,007	0.479	3.59E-06	507	314
10	108,728,105	112,601,598	0.642	1.25E-05	20293	16821
10	112,602,012	117,590,070	0.703	1.07E-11	29042	26367
10	117,590,655	119,432,814	0.650	1.04E-06	11976	10064
10	119,432,865	120,516,336	0.725	1.16E-06	6732	6305
10	120,516,649	129,382,980	0.658	2.92E-07	58945	50100
10	129,383,016	135,374,736	0.604	1.47E-19	44032	34379
11	1	2,568,275	0.566	1.00E+00	20017	14649
11	2,568,454	9,798,880	0.645	0.00E+00	38380	31991
11	9,799,301	21,417,259	0.697	0.00E+00	68339	61554
11	21,418,170	26,041,053	0.583	6.76E-45	16356	12314
11	26,041,287	26,735,984	0.940	0.00E+00	3002	3645
11	26,736,310	31,758,509	0.711	1.08E-23	23048	21180
11	31,758,667	33,511,420	0.812	3.22E-14	9476	9941
11	33,511,498	37,864,618	1.020	0.00E+00	25506	33623
11	37,864,701	39,939,978	0.873	1.66E-18	7272	8203
11	39,940,192	44,939,708	0.652	4.67E-52	25668	21610
11	44,940,051	46,481,661	0.816	0.00E+00	11629	12255
11	46,481,732	46,594,702	0.453	4.55E-21	526	308
11	46,594,808	47,354,314	0.809	0.00E+00	4591	4798

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
11	47,354,791	57,588,297	0.997	0.00E+00	17837	22969
11	57,588,402	60,257,861	1.160	0.00E+00	11266	16889
11	60,258,103	63,692,597	1.005	2.34E-21	22931	29775
11	63,692,764	65,307,554	1.165	0.00E+00	13352	20091
11	65,307,912	68,585,312	0.784	6.07E-156	21768	22045
11	68,585,593	68,633,762	1.861	0.00E+00	506	1217
11	68,633,774	68,680,509	3.962	0.00E+00	445	2278
11	68,680,535	69,160,660	5.102	2.07E-06	4388	28932
11	69,160,692	69,320,163	4.060	2.39E-11	1274	6683
11	69,320,225	70,355,230	2.049	9.47E-86	7822	20709
11	70,355,353	72,052,722	0.961	0.00E+00	9920	12312
11	72,052,798	72,817,618	0.616	3.85E-84	5859	4661
11	72,817,966	78,325,811	1.079	0.00E+00	34537	48172
11	78,326,255	84,434,691	1.142	1.40E-07	26710	39398
11	84,435,061	84,831,963	1.679	0.00E+00	1542	3345
11	84,832,174	87,667,152	1.165	2.01E-26	13363	20111
11	87,667,518	87,850,751	2.440	0.00E+00	799	2519
11	87,850,812	90,189,729	1.125	4.74E-59	5630	8185
11	90,189,959	91,064,039	1.450	0.00E+00	3116	5840
11	91,064,217	91,351,501	1.120	9.43E-11	1441	2085
11	91,351,730	91,466,635	1.900	1.20E-14	442	1085
11	91,469,605	92,218,551	1.331	1.09E-08	4378	7532
11	92,218,632	93,704,876	1.181	8.34E-07	7312	11157
11	93,704,966	94,452,680	2.535	0.00E+00	4252	13928
11	94,452,736	94,622,176	3.867	0.00E+00	1024	5117
11	94,622,291	96,624,428	1.344	1.31E-153	9893	17183
11	96,624,601	97,183,200	1.117	7.45E-10	2139	3087
11	97,183,528	101,303,484	1.531	0.00E+00	16043	31743
11	101,303,690	103,498,004	2.559	0.00E+00	10366	34277
11	103,498,294	112,757,632	0.675	0.00E+00	45980	40111
11	112,757,841	132,555,088	0.640	3.86E-11	132732	109818
11	132,555,237	134,452,383	0.591	6.05E-09	12943	9888
12	1	4,844,278	1.223	1.00E+00	29581	46738
12	4,844,533	5,883,536	1.396	6.66E-16	7592	13692
12	5,883,567	9,076,383	1.224	2.49E-13	14728	23302
12	9,076,612	20,764,841	0.467	0.00E+00	53045	32007
12	20,766,135	22,786,345	0.371	9.71E-26	6203	2971
12	22,786,472	33,473,810	0.449	0.00E+00	49635	28825
12	33,474,062	33,918,329	1.737	0.00E+00	1584	3556
12	33,918,410	38,611,602	0.785	1.32E-100	7161	7263
12	38,612,126	38,715,102	1.912	0.00E+00	487	1203
12	38,715,118	39,621,385	3.900	0.00E+00	3988	20096
12	39,621,628	40,284,455	3.102	8.87E-18	3011	12071
12	40,284,942	44,050,839	2.610	1.19E-14	17149	57827
12	44,056,979	49,908,164	0.742	0.00E+00	31499	30218
12	49,908,492	50,151,593	0.942	1.89E-10	1517	1847
12	50,151,866	56,219,787	0.711	6.82E-14	39457	36229
12	56,220,134	92,744,782	0.783	0.00E+00	157211	159080
12	92,744,831	92,831,156	0.590	1.65E-06	567	432

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
12	92,833,204	97,555,034	0.769	1.01E-05	24415	24257
12	97,555,926	97,901,975	0.491	5.41E-42	2020	1282
12	97,902,591	98,796,367	0.754	0.00E+00	3671	3575
12	98,796,501	99,155,841	0.445	7.43E-32	1526	878
12	99,156,930	110,063,898	0.731	0.00E+00	64924	61298
12	110,064,642	110,385,866	0.630	2.07E-07	2628	2139
12	110,386,856	118,322,881	0.727	6.69E-07	50089	47041
12	118,323,075	132,349,533	0.695	2.36E-08	86820	77922
13	1	31,495,230	0.837	1.00E+00	68377	73941
13	31,495,546	54,119,798	0.873	2.81E-10	112923	127368
13	54,120,357	65,356,124	0.821	3.32E-14	38167	40465
13	65,356,204	66,090,974	0.706	1.53E-08	2999	2737
13	66,091,393	108,325,144	0.860	8.44E-15	184668	205228
13	108,325,240	111,908,512	0.813	1.23E-08	21865	22971
13	111,909,106	114,142,979	0.745	9.21E-09	14319	13790
14	1	22,857,915	1.262	1.00E+00	13157	21450
14	22,858,094	30,505,492	1.126	6.58E-18	34207	49753
14	30,505,643	37,111,831	1.327	0.00E+00	30769	52760
14	37,111,898	61,510,838	0.920	0.00E+00	106941	127180
14	61,510,896	63,036,380	1.009	2.62E-08	7108	9271
14	63,036,572	76,802,878	0.889	4.73E-14	83394	95791
14	76,803,197	88,801,623	0.921	2.18E-06	57286	68148
14	88,801,677	102,582,141	0.868	1.85E-16	96016	107628
14	102,582,544	106,368,584	0.780	8.67E-23	19880	20048
15	1	22,720,348	0.875	1.00E+00	3752	4240
15	22,720,418	23,605,472	1.091	1.60E-14	5005	7054
15	23,605,533	24,545,582	1.542	0.00E+00	5271	10503
15	24,545,680	25,353,607	2.736	0.00E+00	3534	12494
15	25,353,717	29,446,176	0.768	0.00E+00	15268	15160
15	29,446,349	38,012,712	0.876	0.00E+00	36053	40824
15	38,012,851	39,209,533	0.803	2.04E-07	8202	8509
15	39,209,975	39,580,779	1.255	0.00E+00	1507	2443
15	39,580,949	40,015,182	0.754	7.52E-33	3101	3023
15	40,015,704	62,740,852	0.858	2.72E-07	116935	129696
15	62,741,120	94,522,020	0.818	2.88E-20	187440	198206
15	94,522,460	94,869,543	1.183	0.00E+00	2134	3262
15	94,869,566	100,338,914	0.818	1.25E-32	30929	32700
16	1	1,493,256	0.711	1.00E+00	11630	10679
16	1,493,406	1,680,079	0.503	8.81E-21	1807	1175
16	1,680,192	3,170,112	0.730	0.00E+00	10342	9756
16	3,170,226	13,175,053	0.820	6.44E-15	63029	66752
16	13,175,296	22,036,312	0.865	6.90E-09	34825	38916
16	22,036,355	22,709,311	0.705	2.47E-11	2148	1956
16	22,710,708	34,870,720	0.808	9.76E-06	49610	51782
16	34,870,973	52,113,313	1.209	0.00E+00	43434	67844
16	52,113,416	65,723,809	1.264	4.92E-09	75163	122797
16	65,723,858	65,771,045	0.859	1.24E-11	498	553
16	65,771,183	69,072,714	1.184	3.81E-08	18987	29058
16	69,072,930	73,882,191	1.288	1.07E-11	24543	40839

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
16	73,882,524	82,323,584	1.497	0.00E+00	49456	95657
16	82,323,655	86,281,231	1.348	3.44E-32	32516	56647
16	86,281,472	88,827,253	1.253	3.36E-10	18305	29640
17	1	8,003,480	0.780	1.00E+00	51479	51912
17	8,003,490	14,338,074	0.814	8.08E-06	37273	39224
17	14,338,851	16,151,429	0.895	3.18E-08	8102	9369
17	16,151,480	22,128,688	0.775	2.73E-16	28821	28850
17	22,128,997	23,987,500	1.434	0.00E+00	9407	17428
17	23,987,638	34,810,381	1.037	1.21E-109	56715	76025
17	34,810,447	34,902,469	2.316	0.00E+00	402	1203
17	34,902,472	35,172,289	51.356	0.00E+00	2482	164713
17	35,172,291	35,387,729	63.349	6.09E-10	1363	111576
17	35,387,734	37,344,915	1.160	0.00E+00	10215	15311
17	37,344,931	38,360,661	1.027	3.35E-09	6584	8737
17	38,360,848	46,805,263	0.815	4.23E-37	48621	51181
17	46,805,472	52,518,150	0.900	0.00E+00	28175	32763
17	52,518,241	57,035,210	0.848	7.32E-07	24268	26589
17	57,035,454	64,044,025	1.502	0.00E+00	34848	67651
17	64,044,137	67,952,699	1.580	3.26E-06	20151	41147
17	67,952,722	76,463,969	1.002	0.00E+00	62269	80649
17	76,465,503	77,270,457	0.889	2.85E-13	7309	8392
17	77,270,496	77,754,126	0.713	1.01E-11	2420	2228
17	77,754,325	78,774,741	1.371	0.00E+00	6455	11438
18	1	4,665,046	1.091	1.00E+00	19802	27917
18	4,665,130	16,976,057	1.034	9.84E-07	53524	71516
18	16,976,195	33,062,973	0.862	9.27E-127	77638	86472
18	33,063,118	38,166,544	0.635	1.13E-201	25766	21153
18	38,166,704	43,562,899	0.682	1.36E-08	29963	26411
18	43,564,730	55,049,006	0.652	8.12E-06	66507	56002
18	55,049,149	55,131,776	0.391	6.09E-15	511	258
18	55,131,989	66,421,029	0.667	2.22E-16	50147	43220
18	66,421,308	73,784,721	0.626	8.59E-11	40380	32636
18	73,785,038	76,117,152	0.539	1.90E-25	15263	10620
19	1	6,575,483	0.585	1.00E+00	44419	33550
19	6,575,925	17,257,807	0.763	0.00E+00	61455	60573
19	17,257,968	19,522,297	0.712	1.93E-08	17042	15673
19	19,522,313	24,312,157	0.799	8.64E-11	10465	10798
19	24,312,724	33,184,597	1.506	0.00E+00	2412	4693
19	33,184,858	35,925,933	1.221	2.17E-14	19204	30292
19	35,926,018	40,397,439	1.291	4.87E-06	24086	40188
19	40,397,523	42,760,182	1.192	1.75E-08	12135	18696
19	42,760,389	47,125,486	1.080	4.91E-12	25533	35626
19	47,125,680	47,389,845	1.260	6.35E-08	2291	3729
19	47,390,317	49,486,668	1.092	3.17E-06	8400	11856
19	49,487,485	51,313,014	1.262	6.88E-15	11232	18314
19	51,313,076	52,668,105	0.954	1.29E-50	8427	10386
19	52,668,126	53,949,955	1.338	0.00E+00	7688	13294
19	53,950,349	63,811,650	0.968	2.75E-88	49654	62106
20	1	205,168	1.129	1.00E+00	843	1230

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
20	205,340	1,158,766	0.834	1.46E-09	6937	7474
20	1,158,945	1,920,520	1.626	0.00E+00	5160	10844
20	1,920,571	3,566,245	1.470	2.07E-06	9366	17792
20	3,566,292	11,959,773	1.320	3.86E-14	45641	77849
20	11,959,890	12,820,873	0.936	6.06E-42	2619	3166
20	12,821,006	15,053,032	0.705	1.62E-19	10003	9118
20	15,053,377	22,433,809	0.448	1.20E-144	44119	25545
20	22,433,819	28,259,999	0.418	4.01E-07	20905	11277
20	28,260,006	31,421,358	0.859	0.00E+00	15393	17077
20	31,421,523	39,979,840	0.662	3.84E-87	56818	48577
20	39,980,467	49,175,539	1.077	0.00E+00	63186	87950
20	49,175,661	53,350,817	1.139	1.78E-08	24405	35907
20	53,351,254	53,487,763	2.752	0.00E+00	619	2201
20	53,487,821	53,699,150	1.389	9.46E-30	1019	1829
20	53,699,905	53,783,972	2.867	0.00E+00	433	1604
20	53,783,976	54,036,786	4.306	1.63E-11	1324	7367
20	54,036,863	54,702,578	2.143	8.67E-84	3981	11023
20	54,702,661	56,132,011	1.869	2.20E-10	12436	30034
20	56,132,687	56,193,887	0.950	2.64E-42	603	740
20	56,193,952	56,615,144	2.340	0.00E+00	3272	9893
20	56,615,162	57,842,288	2.602	4.10E-06	9822	33024
20	57,842,356	57,963,593	3.731	1.22E-13	576	2777
20	57,963,738	59,293,169	2.899	1.65E-07	9160	34319
20	59,293,198	59,354,183	4.792	0.00E+00	524	3245
20	59,354,218	59,592,815	3.265	1.07E-12	2051	8654
20	59,592,849	62,435,963	0.947	0.00E+00	24164	29559
21	1	15,395,295	0.674	1.00E+00	4514	3931
21	15,396,014	15,833,673	1.246	0.00E+00	2141	3446
21	15,833,683	16,667,424	0.736	2.84E-45	3437	3270
21	16,668,130	17,991,517	1.333	0.00E+00	5046	8692
21	17,991,655	20,475,358	1.644	0.00E+00	9560	20314
21	20,475,586	21,022,774	1.254	2.54E-18	1837	2976
21	21,022,921	22,056,428	1.049	1.69E-06	3603	4883
21	22,057,026	23,881,369	1.424	0.00E+00	6008	11057
21	23,881,555	26,367,191	1.164	6.57E-23	10619	15966
21	26,367,429	26,756,595	1.732	0.00E+00	1813	4058
21	26,756,676	27,074,622	2.224	1.89E-09	1447	4159
21	27,075,269	27,170,695	1.369	1.83E-14	449	794
21	27,171,498	28,969,331	0.959	4.24E-08	7161	8874
21	28,969,519	29,260,330	1.147	7.94E-06	1316	1950
21	29,260,510	29,711,629	1.702	0.00E+00	2343	5154
21	29,711,684	30,247,607	1.102	2.14E-36	2998	4270
21	30,247,757	30,617,381	1.480	1.51E-13	1551	2966
21	30,617,598	31,515,730	1.024	9.79E-22	4207	5568
21	31,515,800	33,073,308	1.248	2.22E-16	9052	14598
21	33,073,363	33,239,843	0.882	2.68E-17	1092	1245
21	33,239,933	35,722,953	1.150	6.22E-11	16391	24354
21	35,723,394	36,004,820	1.496	1.11E-15	1694	3275
21	36,004,907	37,970,248	1.261	1.81E-07	12050	19631

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
21	37,970,331	38,139,781	1.579	2.65E-09	1229	2508
21	38,139,874	39,449,216	1.251	1.27E-09	9275	14994
21	39,449,268	40,807,882	1.538	0.00E+00	7968	15838
21	40,807,989	40,981,024	1.073	2.34E-19	1076	1492
21	40,981,113	41,624,991	1.317	2.46E-06	4077	6938
21	41,625,287	41,922,086	1.050	1.17E-11	2282	3096
21	41,922,204	41,995,091	1.517	6.53E-10	594	1164
21	41,995,158	43,128,660	1.095	2.79E-09	9984	14123
21	43,128,716	43,168,808	0.812	6.88E-06	403	423
21	43,168,985	43,570,518	1.274	4.35E-11	2621	4316
21	43,570,572	44,081,169	0.815	1.35E-39	3711	3909
21	44,081,225	44,646,763	0.603	2.22E-21	4805	3744
21	44,646,785	45,552,784	1.452	0.00E+00	7258	13617
21	45,552,868	45,770,103	0.892	6.44E-55	2091	2410
21	45,770,250	46,944,322	1.149	4.44E-15	7574	11243
22	1	18,663,239	0.789	1.00E+00	17457	17790
22	18,663,338	21,774,324	1.745	0.00E+00	9817	22138
22	21,774,435	22,554,788	1.287	8.23E-44	4473	7436
22	22,554,807	24,902,579	1.013	1.13E-23	9167	12005
22	24,903,105	25,685,217	1.457	0.00E+00	5960	11219
22	25,685,314	26,568,692	1.284	6.22E-09	7541	12513
22	26,568,959	27,616,003	1.496	2.50E-11	4969	9604
22	27,616,074	31,722,641	1.092	7.54E-56	26359	37197
22	31,722,949	35,161,800	0.675	0.00E+00	21911	19121
22	35,161,953	35,254,743	1.027	2.76E-13	663	880
22	35,254,817	38,348,083	0.603	1.99E-19	24650	19217
22	38,348,279	39,965,126	0.674	9.74E-10	9590	8347
22	39,965,386	40,244,576	1.022	0.00E+00	1966	2596
22	40,245,089	42,254,039	0.602	4.51E-50	14426	11229
22	42,254,586	44,470,927	0.650	7.79E-06	16457	13824
22	44,471,302	44,632,461	1.033	0.00E+00	972	1298
22	44,632,515	46,652,594	0.766	1.24E-10	17101	16934
22	46,652,732	47,254,229	0.477	7.97E-88	4705	2901
22	47,254,501	47,510,702	0.391	1.09E-06	2459	1241
22	47,512,300	49,691,431	0.489	1.49E-10	15515	9808
X	1	8,211,159	1.238	1.00E+00	20602	32970
X	8,211,277	23,481,493	0.946	1.05E-148	80270	98080
X	23,481,598	23,608,617	0.618	8.96E-17	699	558
X	23,609,692	45,288,008	0.921	7.55E-15	97597	116209
X	45,288,353	47,468,656	1.512	0.00E+00	10523	20561
X	47,468,773	50,524,022	1.153	4.83E-58	11712	17442
X	50,524,260	55,048,381	0.925	2.05E-42	15942	19049
X	55,048,400	63,206,281	1.118	0.00E+00	15126	21850
X	63,206,492	65,174,962	0.852	6.83E-46	6984	7686
X	65,175,148	68,025,195	0.699	1.15E-19	10874	9820
X	68,025,455	81,243,848	0.645	4.44E-07	45205	37699
X	81,244,054	90,364,553	0.607	1.90E-07	24264	19022
X	90,370,513	114,790,630	0.745	0.00E+00	92746	89291
X	114,790,809	114,932,797	0.477	2.78E-10	406	250

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 4) Segmentation of HCC1954

Chr	hg18 Start	hg18 End	Copy ratio	<i>p</i> -value	Normal count	Tumor count
X	114,932,855	138,830,530	0.736	8.98E-10	103456	98430
X	138,830,706	146,195,169	0.670	3.77E-21	26135	22634
X	146,195,744	151,760,935	0.736	5.60E-14	27536	26199
X	151,760,959	153,433,458	0.658	3.79E-12	11327	9636
X	153,433,622	154,913,753	0.756	2.34E-07	4020	3928

The segmentation algorithm was run with parameter $W = 400$. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
1	1	6,212,649	1.028	1.00E+00	15731	24253
1	6,213,691	8,685,096	0.881	1.58E-18	8499	11240
1	8,685,340	8,906,628	1.656	0.00E+00	638	1585
1	8,907,106	19,951,224	0.831	3.18E-38	33083	41242
1	19,951,528	21,862,868	1.102	0.00E+00	6419	10612
1	21,862,994	27,466,366	0.917	2.91E-22	17529	24109
1	27,466,670	36,203,957	0.850	2.41E-09	30142	38452
1	36,204,389	39,057,840	0.787	2.44E-07	10991	12980
1	39,058,306	47,617,999	0.857	1.83E-08	28742	36939
1	47,618,463	50,501,688	1.016	0.00E+00	10664	16256
1	50,501,737	54,315,987	0.908	3.81E-11	13211	18003
1	54,316,126	84,104,854	0.846	6.00E-09	108628	137810
1	84,105,398	84,522,157	1.508	0.00E+00	1527	3455
1	84,522,713	94,358,603	0.863	9.68E-59	35294	45695
1	94,358,919	94,718,152	1.659	0.00E+00	1210	3012
1	94,718,271	99,286,909	0.896	1.19E-56	16770	22555
1	99,287,136	104,133,998	0.814	9.07E-11	15523	18962
1	104,135,405	107,701,603	0.566	2.47E-98	11171	9487
1	107,702,316	148,713,730	0.844	0.00E+00	49921	63189
1	148,713,929	148,986,342	1.783	0.00E+00	720	1926
1	148,986,498	184,837,889	0.898	3.67E-44	127956	172417
1	184,838,330	199,135,086	1.183	0.00E+00	46506	82555
1	199,135,339	200,242,953	1.004	5.48E-17	4497	6776
1	200,243,070	200,560,853	1.441	2.22E-16	1033	2234
1	200,561,661	201,593,154	1.016	1.49E-14	2984	4548
1	201,593,473	202,935,295	1.508	0.00E+00	4984	11274
1	202,935,456	210,541,832	1.303	1.05E-14	27867	54495
1	210,542,048	211,135,191	2.091	0.00E+00	2004	6287
1	211,135,223	214,890,321	1.655	9.36E-17	14486	35983
1	214,890,366	216,011,402	1.438	7.12E-12	4333	9346
1	216,011,593	219,177,686	1.957	0.00E+00	11663	34245
1	219,177,775	221,670,720	2.255	0.00E+00	9123	30871
1	221,670,740	233,147,476	1.072	0.00E+00	40202	64635
1	233,148,079	234,562,109	1.431	0.00E+00	4504	9672
1	234,562,168	236,150,382	1.235	1.36E-09	5800	10746
1	236,150,389	240,331,988	1.355	9.66E-07	14937	30370
1	240,332,448	247,249,718	1.636	0.00E+00	19823	48649
2	1	23,823,151	0.580	1.00E+00	132772	115462
2	23,824,025	36,370,982	0.616	0.00E+00	63533	58730
2	36,370,995	39,677,497	0.721	0.00E+00	17862	19332
2	39,677,913	62,692,715	0.794	0.00E+00	122879	146342
2	62,693,688	63,422,207	1.278	0.00E+00	3397	6514
2	63,422,237	63,773,574	0.851	1.36E-27	1701	2171
2	63,773,905	86,480,491	0.622	4.78E-19	119248	111325
2	86,480,960	94,909,890	0.701	1.11E-10	6289	6619
2	94,911,272	95,688,901	1.620	0.00E+00	2398	5828
2	95,690,754	96,784,445	0.960	1.45E-56	3441	4956
2	96,785,287	99,947,538	0.806	1.24E-11	12499	15117
2	99,947,663	100,466,783	0.687	2.98E-08	2700	2783

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
2	100,468,277	101,893,183	0.802	7.01E-07	6589	7929
2	101,893,351	102,158,531	0.658	3.62E-07	1496	1476
2	102,159,144	104,049,460	0.856	1.63E-12	9431	12114
2	104,049,852	104,395,801	1.449	0.00E+00	1741	3785
2	104,396,164	106,034,612	0.988	2.75E-30	8547	12667
2	106,034,696	114,153,350	0.825	1.19E-26	22410	27727
2	114,153,535	117,796,084	0.705	3.75E-29	16715	17689
2	117,796,337	143,544,282	0.654	1.02E-10	111845	109702
2	143,544,714	145,681,734	0.612	8.17E-07	12431	11410
2	145,682,108	150,321,520	0.660	1.74E-06	22812	22593
2	150,321,667	150,916,933	0.781	9.32E-09	2563	3005
2	150,917,187	152,912,706	0.668	4.91E-07	9554	9577
2	152,912,858	153,025,122	0.490	1.48E-07	617	454
2	153,025,256	159,754,451	0.654	5.87E-07	31239	30668
2	159,754,763	165,976,305	0.692	7.67E-07	31200	32388
2	165,976,499	166,690,151	1.097	0.00E+00	3613	5947
2	166,690,253	172,520,056	0.664	6.01E-93	28075	27956
2	172,521,576	172,640,293	0.934	1.23E-06	406	569
2	172,640,543	183,401,891	0.664	1.18E-06	54153	53945
2	183,402,100	193,386,548	0.696	1.24E-07	44545	46538
2	193,386,691	193,437,715	0.425	6.57E-09	271	173
2	193,438,238	223,725,525	0.664	2.01E-07	146600	146096
2	223,725,709	223,804,412	0.470	1.55E-07	462	326
2	223,804,787	230,621,389	0.663	2.26E-07	33899	33701
2	230,622,512	242,951,148	0.632	1.14E-06	55404	52506
3	1	9,243,196	0.844	1.00E+00	33668	42641
3	9,243,306	9,687,478	1.063	1.73E-10	1420	2265
3	9,687,929	10,110,126	1.766	0.00E+00	1256	3329
3	10,110,462	23,266,868	0.836	5.75E-86	48016	60259
3	23,267,722	37,561,750	0.884	3.77E-11	52001	69001
3	37,561,881	37,733,847	1.514	0.00E+00	666	1513
3	37,734,513	39,769,674	0.853	4.47E-27	7206	9224
3	39,770,555	41,325,030	1.668	0.00E+00	5730	14340
3	41,325,322	52,565,087	0.591	0.00E+00	37398	33153
3	52,565,253	52,691,048	0.283	2.01E-24	412	175
3	52,691,476	85,294,237	0.578	0.00E+00	117233	101737
3	85,294,392	95,175,394	1.181	0.00E+00	16643	29482
3	95,175,544	96,291,019	1.897	0.00E+00	3738	10641
3	96,291,244	97,104,554	1.400	6.85E-24	2594	5449
3	97,104,645	127,254,833	1.119	4.45E-19	105766	177640
3	127,254,934	127,356,430	0.813	3.81E-07	401	489
3	127,356,885	137,124,788	1.113	6.92E-07	35912	59977
3	137,124,833	154,133,308	1.411	0.00E+00	59666	126360
3	154,133,423	171,114,530	1.363	1.09E-06	57191	116987
3	171,114,756	172,346,707	1.553	1.02E-11	4361	10161
3	172,347,089	174,864,216	1.722	1.88E-06	9375	24221
3	174,864,704	193,840,605	1.366	3.70E-67	68927	141306
3	193,840,819	199,501,826	1.492	0.00E+00	16405	36723
4	1	14,446,207	0.783	1.00E+00	46583	54718

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
4	14,446,448	15,280,935	1.384	0.00E+00	3206	6656
4	15,281,268	30,489,571	0.821	7.97E-103	54890	67608
4	30,490,099	35,227,675	0.882	1.41E-08	14221	18816
4	35,228,206	47,120,544	0.825	3.96E-07	40487	50138
4	47,121,054	53,964,129	0.976	0.00E+00	11284	16526
4	53,964,738	57,637,325	1.456	0.00E+00	12972	28336
4	57,637,584	60,380,425	1.761	0.00E+00	8786	23214
4	60,380,663	63,334,931	0.599	0.00E+00	9717	8733
4	63,335,972	65,813,589	1.883	0.00E+00	7219	20401
4	65,813,642	90,610,300	0.602	0.00E+00	79272	71656
4	90,610,696	92,515,652	0.700	8.88E-16	6541	6867
4	92,522,151	92,524,212	0.016	0.00E+00	427	10
4	92,682,650	94,185,375	0.404	0.00E+00	4864	2948
4	94,185,848	152,720,757	0.550	0.00E+00	196743	162344
4	152,721,192	153,114,792	0.452	5.16E-08	1734	1177
4	153,116,125	160,540,715	0.571	2.02E-10	26766	22927
4	160,540,979	191,273,062	0.544	1.90E-06	102637	83742
5	1	14,169,993	1.771	1.00E+00	47101	125181
5	14,170,562	32,468,994	1.670	7.49E-16	57217	143339
5	32,469,892	63,040,507	1.126	0.00E+00	93911	158631
5	63,040,529	63,132,011	0.806	1.37E-07	396	479
5	63,132,105	108,589,211	1.127	1.18E-07	150183	254026
5	108,589,403	118,768,041	1.051	3.18E-21	35880	56571
5	118,768,233	152,676,722	1.107	5.55E-12	122613	203733
5	152,677,126	154,066,337	1.269	6.88E-15	5426	10335
5	154,066,485	154,171,993	0.924	3.57E-07	424	588
5	154,173,005	164,428,001	1.293	2.18E-08	37609	72970
5	164,428,765	180,857,865	1.534	0.00E+00	54707	125910
6	1	549,244	0.773	1.00E+00	735	853
6	549,315	791,916	0.264	1.02E-45	929	368
6	794,100	10,728,164	0.887	0.00E+00	32918	43803
6	10,728,362	24,998,743	1.132	0.00E+00	48864	82967
6	24,999,189	29,936,270	0.583	0.00E+00	14688	12850
6	29,937,624	31,363,517	1.479	0.00E+00	3863	8573
6	31,363,762	31,746,704	2.258	3.55E-15	562	1904
6	31,746,861	36,178,981	1.237	1.12E-29	11176	20748
6	36,179,501	38,021,439	0.910	1.12E-53	6284	8581
6	38,021,661	38,225,616	1.972	0.00E+00	589	1743
6	38,225,920	42,416,933	1.391	6.81E-12	15104	31529
6	42,416,992	52,124,247	1.278	2.93E-12	32184	61738
6	52,124,684	52,660,802	1.602	9.77E-15	1883	4527
6	52,660,827	54,180,553	0.916	3.26E-60	5076	6976
6	54,181,272	54,823,355	0.744	2.64E-09	2023	2258
6	54,823,854	57,224,320	0.380	3.89E-66	8003	4565
6	57,225,781	58,179,822	1.111	0.00E+00	662	1104
6	58,247,539	58,887,093	0.746	2.46E-10	1346	1506
6	58,887,127	102,026,238	1.195	0.00E+00	119685	214612
6	102,027,791	103,407,351	1.349	1.67E-09	3962	8021
6	103,407,459	115,240,073	1.200	1.69E-08	37055	66713

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
6	115,240,302	115,786,941	0.941	2.33E-07	718	1014
6	115,787,381	130,082,101	1.228	1.15E-08	45955	84706
6	130,082,275	130,367,303	2.259	0.00E+00	1058	3586
6	130,367,855	139,658,768	1.187	1.20E-61	31315	55793
6	139,659,127	142,189,245	1.301	5.90E-09	7805	15241
6	142,189,438	149,836,366	1.165	5.64E-12	26043	45516
6	149,836,792	152,647,789	1.269	3.43E-08	8532	16250
6	152,647,978	167,294,437	1.152	4.40E-11	45957	79413
6	167,295,191	170,899,991	1.377	0.00E+00	7751	16011
7	1	43,458,788	0.841	1.00E+00	148526	187436
7	43,459,084	48,992,455	1.752	0.00E+00	18483	48582
7	48,992,691	57,323,295	1.625	4.39E-11	25480	62118
7	57,323,526	61,553,694	2.044	4.21E-10	1085	3327
7	61,553,788	62,295,717	0.832	2.05E-47	545	680
7	62,295,827	69,024,206	0.544	4.91E-11	13507	11017
7	69,025,090	69,337,925	0.257	5.10E-64	1268	489
7	69,339,792	78,370,780	0.549	0.00E+00	20388	16789
7	78,371,600	84,258,523	0.665	0.00E+00	20268	20227
7	84,258,723	91,667,083	0.579	1.12E-24	25413	22064
7	91,667,533	91,846,247	0.314	5.49E-26	658	310
7	91,849,487	98,144,359	0.593	0.00E+00	21889	19485
7	98,145,465	116,346,185	0.547	4.22E-12	58438	47959
7	116,346,474	124,998,287	0.818	0.00E+00	30967	38010
7	124,998,847	136,215,703	0.541	0.00E+00	41481	33683
7	136,215,775	137,160,538	0.630	2.01E-09	3778	3570
7	137,160,558	140,258,881	0.813	0.00E+00	10334	12598
7	140,259,245	140,665,421	1.079	1.04E-13	1390	2251
7	140,665,447	143,876,821	0.786	3.93E-16	8317	9813
7	143,877,361	151,633,244	0.545	1.67E-88	24702	20205
7	151,634,097	151,753,806	0.881	7.70E-11	410	542
7	151,754,893	158,821,423	0.514	6.77E-13	21493	16576
8	1	14,179,574	0.505	1.00E+00	34082	25809
8	14,180,621	36,755,065	0.560	0.00E+00	73726	61928
8	36,755,101	43,354,238	0.831	0.00E+00	21662	27010
8	43,355,548	43,618,420	2.576	0.00E+00	661	2555
8	43,618,929	43,905,477	0.864	2.33E-62	623	808
8	43,905,792	48,707,244	1.764	0.00E+00	3893	10303
8	48,707,393	61,543,966	1.578	2.17E-08	44113	104435
8	61,544,211	69,875,169	1.853	0.00E+00	30156	83835
8	69,875,191	97,407,216	1.595	1.30E-81	95630	228907
8	97,407,399	98,317,602	2.187	0.00E+00	3496	11471
8	98,317,697	102,535,904	1.627	8.91E-41	14869	36301
8	102,535,965	112,410,975	2.557	0.00E+00	36293	139224
8	112,411,194	114,870,632	2.904	0.00E+00	8100	35291
8	114,870,827	115,494,723	1.648	3.50E-80	1689	4177
8	115,494,792	124,162,755	2.165	0.00E+00	32074	104208
8	124,162,970	124,488,782	2.856	1.93E-13	945	4050
8	124,489,350	133,419,753	2.302	7.92E-09	34948	120729
8	133,419,943	146,274,825	2.180	1.46E-11	45565	149026

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
9	1	20,977,689	0.354	1.00E+00	74054	39299
9	20,979,587	28,492,463	0.382	4.34E-10	25792	14770
9	28,493,197	30,537,881	1.531	0.00E+00	6142	14108
9	30,538,318	35,899,747	0.909	2.09E-167	17482	23851
9	35,900,627	74,119,668	0.846	4.72E-08	23912	30352
9	74,119,770	74,301,917	0.651	1.80E-07	731	714
9	74,302,320	75,135,186	0.905	2.25E-09	2958	4015
9	75,135,468	113,687,727	0.796	4.14E-07	135760	162231
9	113,687,881	115,415,956	0.908	1.61E-11	4995	6807
9	115,416,087	128,766,331	0.797	7.24E-11	51311	61372
9	128,766,554	128,875,315	0.545	2.35E-09	457	374
9	128,876,728	140,273,251	0.776	3.82E-08	33811	39365
10	1	6,336,164	1.550	1.00E+00	20669	48074
10	6,336,623	14,690,091	1.666	1.18E-11	31355	78388
10	14,690,196	26,180,974	1.807	0.00E+00	38782	105177
10	26,181,145	29,578,837	1.968	1.80E-11	10936	32287
10	29,578,977	52,220,556	1.364	9.22E-182	49413	101162
10	52,221,014	65,364,446	1.421	3.66E-07	44678	95237
10	65,364,825	76,014,045	0.857	0.00E+00	35203	45242
10	76,014,705	117,152,676	0.816	1.31E-09	146278	179104
10	117,152,810	117,321,987	1.113	7.95E-07	458	765
10	117,322,082	135,374,736	0.814	7.08E-07	64966	79381
11	1	4,804,924	0.795	1.00E+00	12604	15037
11	4,805,074	5,995,054	1.322	0.00E+00	3655	7250
11	5,995,441	6,365,140	1.908	0.00E+00	1244	3561
11	6,365,297	7,271,059	1.259	1.66E-25	3601	6803
11	7,271,210	7,752,291	1.857	0.00E+00	1866	5200
11	7,752,341	12,318,498	1.314	3.57E-31	16390	32324
11	12,318,600	27,776,471	0.815	0.00E+00	54440	66540
11	27,777,578	29,787,834	1.408	0.00E+00	7301	15419
11	29,788,078	36,565,476	0.834	1.24E-201	25433	31827
11	36,566,261	39,267,627	1.468	0.00E+00	9157	20167
11	39,267,849	45,506,020	0.845	9.99E-264	22730	28834
11	45,506,268	48,222,633	1.421	0.00E+00	9284	19798
11	48,222,888	48,579,371	1.013	4.77E-12	659	1002
11	48,581,006	50,712,047	1.738	0.00E+00	880	2295
11	50,713,191	58,681,263	1.083	1.05E-26	10186	16554
11	58,681,637	59,563,729	1.302	3.58E-12	2929	5720
11	59,564,319	59,803,409	1.976	0.00E+00	726	2153
11	59,803,704	61,862,363	0.813	1.26E-67	6814	8310
11	61,863,413	62,111,932	1.337	0.00E+00	642	1288
11	62,112,047	65,178,054	0.821	2.72E-19	9369	11538
11	65,178,335	67,252,786	1.111	0.00E+00	6359	10596
11	67,255,584	68,545,408	0.798	1.67E-33	3411	4085
11	68,545,824	68,655,552	1.886	0.00E+00	425	1203
11	68,655,558	69,290,478	6.957	0.00E+00	2302	24031
11	69,290,835	70,074,640	3.643	1.24E-95	2326	12715
11	70,075,354	72,081,577	0.840	0.00E+00	6063	7639
11	72,081,681	74,024,760	0.978	6.16E-11	6763	9921

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
11	74,024,771	78,029,029	1.606	0.00E+00	14002	33739
11	78,029,405	80,149,614	0.818	0.00E+00	7236	8877
11	80,149,762	110,375,556	0.570	6.66E-92	102521	87615
11	110,376,360	130,780,487	0.539	9.07E-15	79477	64331
11	130,780,698	132,924,184	0.497	5.60E-07	9233	6882
11	132,924,621	134,452,383	0.242	7.59E-149	5557	2017
12	1	54,888,108	0.818	1.00E+00	175532	215312
12	54,888,366	59,823,803	1.709	0.00E+00	16392	42022
12	59,823,899	64,307,795	0.838	0.00E+00	15135	19019
12	64,308,163	64,415,949	1.869	0.00E+00	429	1203
12	64,415,984	66,605,324	5.123	0.00E+00	8514	65444
12	66,605,335	68,453,396	2.819	3.56E-254	6791	28726
12	68,459,483	68,572,007	1.465	1.38E-28	374	822
12	68,572,173	70,655,899	2.673	0.00E+00	7262	29121
12	70,655,973	71,191,755	3.876	0.00E+00	2190	12738
12	71,191,807	100,653,596	0.839	0.00E+00	103348	130162
12	100,654,307	100,940,797	1.119	3.07E-11	961	1614
12	100,941,069	111,150,374	0.802	3.55E-14	36973	44470
12	111,150,822	111,360,093	2.302	0.00E+00	634	2190
12	111,360,358	124,910,037	0.805	2.58E-85	46528	56224
12	124,910,336	132,349,533	0.997	0.00E+00	24530	36710
13	1	20,338,314	0.852	1.00E+00	5126	6552
13	20,338,449	23,260,433	0.737	6.01E-10	9946	10996
13	23,260,623	25,335,915	1.157	0.00E+00	6740	11702
13	25,336,183	28,385,074	1.273	8.27E-07	10681	20397
13	28,385,964	42,664,609	0.557	0.00E+00	52680	44024
13	42,664,914	42,747,320	0.387	3.17E-07	437	254
13	42,747,672	87,669,542	0.570	3.75E-08	152780	130768
13	87,669,987	89,071,819	0.650	8.91E-08	3765	3669
13	89,072,194	96,763,857	0.553	2.80E-10	28059	23261
13	96,764,170	97,136,325	0.293	5.75E-58	1497	657
13	97,138,615	97,950,551	0.571	0.00E+00	2831	2427
13	97,951,669	106,728,111	1.310	0.00E+00	33396	65618
13	106,728,488	109,870,180	1.544	0.00E+00	11866	27485
13	109,870,317	114,142,979	0.818	0.00E+00	12369	15174
14	1	20,820,095	1.319	1.00E+00	3797	7517
14	20,820,904	58,084,891	1.064	1.34E-24	123424	197125
14	58,085,201	58,404,942	0.889	2.12E-07	1365	1821
14	58,406,330	87,603,245	1.051	1.60E-06	105539	166391
14	87,603,508	90,655,690	0.985	3.80E-07	11330	16751
14	90,656,320	91,029,451	1.468	0.00E+00	1301	2865
14	91,030,461	93,268,360	1.045	3.07E-19	7708	12082
14	93,268,386	93,336,258	0.695	1.58E-08	328	342
14	93,336,487	102,076,206	0.978	1.92E-06	33601	49305
14	102,076,584	103,772,029	1.081	2.39E-07	5175	8390
14	103,772,334	103,883,426	2.085	0.00E+00	415	1298
14	103,883,441	104,911,984	3.496	0.00E+00	3145	16498
14	104,912,126	106,368,584	2.593	2.20E-07	404	1572
15	1	29,061,893	1.020	1.00E+00	18913	28937

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
15	29,061,941	54,763,757	1.084	2.23E-09	84746	137850
15	54,764,070	62,540,623	1.628	0.00E+00	29894	73005
15	62,540,700	70,072,101	1.332	2.56E-87	26959	53893
15	70,072,322	70,440,212	2.141	0.00E+00	1297	4166
15	70,440,329	100,338,914	1.277	5.23E-51	100552	192645
16	1	13,219,913	1.069	1.00E+00	42809	68638
16	13,220,138	34,734,885	1.337	0.00E+00	48009	96275
16	34,735,177	53,436,137	0.785	0.00E+00	31658	37286
16	53,436,405	75,301,971	0.832	1.87E-10	72525	90503
16	75,302,103	75,376,401	0.539	1.43E-09	349	282
16	75,377,646	88,827,253	0.793	1.04E-07	46197	54952
17	1	23,935,250	1.051	1.00E+00	70276	110852
17	23,935,525	29,695,298	0.807	1.47E-137	18887	22876
17	29,696,281	32,153,206	1.171	0.00E+00	6191	10882
17	32,153,432	34,985,792	0.559	9.57E-228	7580	6356
17	34,985,988	35,216,956	1.119	0.00E+00	840	1410
17	35,218,290	38,556,021	0.562	6.96E-40	9424	7949
17	38,556,598	39,925,895	1.100	0.00E+00	3665	6051
17	39,926,643	40,059,771	0.671	1.87E-14	436	439
17	40,060,938	43,295,006	1.087	1.58E-14	6955	11346
17	43,295,075	43,502,794	2.277	0.00E+00	743	2538
17	43,503,764	51,050,179	1.068	3.22E-58	27115	43451
17	51,050,426	54,961,438	1.637	0.00E+00	14438	35461
17	54,961,502	62,483,476	0.859	0.00E+00	22917	29529
17	62,483,664	78,774,741	1.596	0.00E+00	51917	124347
18	1	1,081,086	1.911	1.00E+00	2917	8363
18	1,081,137	1,194,858	1.168	1.87E-15	403	706
18	1,196,049	2,816,091	1.823	1.41E-13	5818	15912
18	2,816,472	7,885,976	2.111	0.00E+00	17035	53964
18	7,886,170	10,798,011	2.705	0.00E+00	10717	43500
18	10,798,368	11,695,608	2.326	1.87E-11	3219	11233
18	11,696,017	16,798,053	1.041	2.05E-223	8414	13147
18	16,798,266	19,074,886	0.825	5.45E-30	7946	9837
18	19,075,687	19,805,756	2.142	0.00E+00	2702	8685
18	19,805,945	20,108,637	1.318	2.58E-33	1193	2359
18	20,109,050	36,020,756	0.846	5.15E-30	59195	75116
18	36,028,031	42,180,522	1.110	0.00E+00	22838	38053
18	42,180,598	49,231,551	0.900	2.09E-73	27358	36955
18	49,232,026	53,271,432	0.804	1.62E-17	15650	18870
18	53,271,552	56,176,062	0.978	0.00E+00	10475	15366
18	56,176,510	57,423,305	0.827	2.95E-13	4759	5907
18	57,423,402	64,867,961	1.546	0.00E+00	26146	60655
18	64,868,582	69,804,684	1.403	9.72E-17	17758	37380
18	69,804,766	76,117,152	1.544	1.33E-15	23064	53443
19	1	14,543,076	0.816	1.00E+00	35573	43544
19	14,544,282	14,690,726	1.891	0.00E+00	424	1203
19	14,690,741	15,692,485	8.127	0.00E+00	2668	32535
19	15,692,705	17,282,748	1.340	0.00E+00	4433	8916
19	17,283,421	20,009,101	1.073	1.41E-20	7215	11621

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
19	20,009,546	20,535,018	2.491	0.00E+00	545	2037
19	20,537,057	23,523,375	0.807	4.94E-82	3983	4824
19	23,524,000	23,974,279	1.396	0.00E+00	845	1770
19	23,974,374	36,003,064	0.957	2.23E-16	12606	18107
19	36,003,172	57,343,250	1.063	2.22E-16	55900	89127
19	57,343,340	63,811,650	0.969	1.04E-15	15749	22888
20	1	6,983,482	1.479	1.00E+00	24431	54225
20	6,983,566	24,239,836	1.700	0.00E+00	62427	159255
20	24,240,063	25,664,129	1.930	1.82E-12	4596	13311
20	25,664,278	29,268,625	1.193	8.56E-19	508	909
20	29,268,969	29,622,428	2.311	0.00E+00	1188	4120
20	29,622,518	32,283,246	3.380	0.00E+00	8996	45620
20	32,283,321	34,322,771	2.217	1.04E-122	6697	22274
20	34,322,987	37,420,906	1.884	6.76E-20	11240	31772
20	37,421,026	62,435,963	1.037	0.00E+00	91702	142635
21	1	16,166,971	2.910	1.00E+00	6883	30057
21	16,167,216	17,694,772	1.264	0.00E+00	5009	9501
21	17,695,757	18,281,370	3.075	0.00E+00	1805	8329
21	18,281,624	22,560,591	1.077	2.03E-255	13868	22415
21	22,560,764	27,182,116	0.920	5.25E-26	16048	22146
21	27,183,555	32,214,705	0.680	1.08E-93	18087	18452
21	32,216,154	32,786,920	1.913	0.00E+00	2014	5781
21	32,787,024	35,042,892	1.331	8.78E-34	8494	16961
21	35,043,468	35,152,570	0.413	7.31E-94	494	306
21	35,153,177	40,988,629	0.838	0.00E+00	22312	28049
21	40,989,179	41,115,030	1.749	0.00E+00	458	1202
21	41,115,031	41,370,392	2.594	7.34E-10	986	3838
21	41,370,742	42,101,477	0.907	2.68E-119	2786	3791
21	42,102,181	42,396,611	2.414	0.00E+00	1136	4115
21	42,396,653	44,308,162	1.093	1.28E-88	6101	10005
21	44,308,223	46,351,817	2.748	0.00E+00	6750	27834
21	46,352,621	46,944,322	1.068	2.77E-178	1387	2222
22	1	28,074,010	1.581	1.00E+00	31079	73738
22	28,074,378	44,856,339	1.514	3.21E-07	56401	128156
22	44,856,791	45,005,021	2.306	3.11E-15	509	1761
22	45,005,058	49,691,431	1.473	1.10E-16	15148	33477
X	1	44,633,776	0.284	1.00E+00	141333	60213
X	44,634,504	46,771,942	0.614	0.00E+00	6766	6234
X	46,772,225	50,192,265	0.353	2.20E-101	7515	3976
X	50,192,515	50,280,847	0.185	1.24E-13	401	111
X	50,283,428	57,025,093	0.286	1.76E-06	15429	6629
X	57,026,224	57,393,113	0.407	1.10E-07	783	478
X	57,394,231	61,665,886	0.757	0.00E+00	2676	3038
X	61,666,843	64,815,418	1.114	0.00E+00	6792	11353
X	64,815,516	73,012,381	0.851	2.03E-49	22613	28884
X	73,012,566	77,923,388	1.433	0.00E+00	9121	19608
X	77,923,577	83,525,676	1.578	1.11E-09	15403	36467
X	83,525,882	85,667,004	1.308	1.33E-24	5934	11642
X	85,667,638	87,442,704	1.503	1.76E-09	5170	11657

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 5) Segmentation of HCC1143

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
X	87,442,767	100,009,828	1.304	1.70E-14	28523	55800
X	100,009,903	105,793,750	0.743	0.00E+00	17155	19136
X	105,793,959	106,055,045	1.146	0.00E+00	797	1371
X	106,055,444	106,842,456	0.731	9.95E-17	2680	2940
X	106,843,188	106,952,333	0.526	9.74E-07	512	404
X	106,953,077	114,865,139	0.767	5.89E-10	25943	29860
X	114,865,457	115,265,316	1.007	2.64E-08	801	1210
X	115,265,774	117,463,411	1.497	0.00E+00	6443	14471
X	117,463,486	117,914,740	2.045	0.00E+00	1578	4841
X	117,914,808	138,654,697	1.310	2.92E-46	65900	129482
X	138,655,087	138,993,035	0.446	3.02E-161	967	647
X	138,993,098	146,571,177	0.782	0.00E+00	21235	24916
X	146,571,576	151,983,429	0.709	2.92E-12	17553	18675
X	151,984,821	152,502,391	1.491	0.00E+00	1321	2956
X	152,502,562	154,913,753	1.038	8.78E-21	5348	8332

The segmentation algorithm was run with parameter $W = 400$. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 6) Segmentation of NCI-H2347

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
1	1	4,399,426	0.907	1.00E+00	7874	8243
1	4,400,594	59,581,916	0.836	6.04E-07	207999	200668
1	59,582,269	59,666,425	0.594	7.19E-08	506	347
1	59,666,588	121,029,456	0.825	2.37E-07	274937	261855
1	121,030,960	144,229,455	1.270	3.67E-11	481	705
1	144,229,513	144,971,021	0.831	3.14E-08	954	915
1	144,972,086	204,404,124	1.219	0.00E+00	247327	348018
1	204,404,145	215,008,293	1.133	7.31E-30	48442	63305
1	215,009,122	215,406,152	0.759	1.48E-38	1944	1703
1	215,406,613	235,906,358	1.102	0.00E+00	88266	112243
1	235,906,666	235,962,581	0.764	1.71E-07	364	321
1	235,962,992	247,249,718	1.087	5.62E-07	44614	55951
2	1	172,015,160	0.837	1.00E+00	715695	690893
2	172,015,260	172,168,160	0.636	2.06E-07	729	535
2	172,169,211	185,999,911	0.838	2.03E-07	65991	63805
2	185,999,998	186,084,291	0.586	6.00E-08	470	318
2	186,085,105	190,422,443	0.847	2.89E-08	20187	19732
2	190,423,049	190,513,436	0.616	8.63E-07	495	352
2	190,515,060	221,898,264	0.833	2.69E-06	148257	142474
2	221,899,004	242,951,148	0.857	2.49E-06	86076	85131
3	1	126,814,147	1.204	1.00E+00	548743	762480
3	126,814,252	130,808,590	1.284	1.18E-08	13873	20556
3	130,808,862	173,977,332	1.214	9.36E-07	195323	273552
3	173,978,730	174,554,777	1.366	3.36E-06	2679	4223
3	174,554,880	196,676,961	1.210	2.07E-06	101922	142271
3	196,677,610	197,115,986	0.910	9.60E-09	700	735
3	197,116,804	199,501,826	1.200	1.30E-07	6326	8762
4	1	59,919,293	1.078	1.00E+00	241795	300769
4	59,919,422	85,051,643	1.105	8.35E-07	105918	134998
4	85,051,702	85,120,992	0.781	2.47E-07	395	356
4	85,121,281	191,273,062	1.087	9.32E-07	481175	603287
5	1	37,287,435	1.600	1.00E+00	155215	286652
5	37,287,691	37,430,472	1.013	2.46E-14	427	499
5	37,430,597	55,323,368	1.596	4.09E-14	65567	120753
5	55,323,467	55,430,059	1.155	1.27E-07	412	549
5	55,430,546	116,678,565	1.581	2.81E-07	275311	502323
5	116,678,709	156,775,198	1.052	0.00E+00	180567	219226
5	156,775,274	180,857,865	1.576	0.00E+00	99173	180309
6	1	26,387,064	1.417	1.00E+00	85968	140574
6	26,387,215	28,990,206	1.151	7.26E-46	8312	11040
6	28,990,573	77,589,276	1.045	1.67E-10	190980	230276
6	77,591,004	77,647,723	0.693	1.62E-08	344	275
6	77,647,812	77,858,673	1.049	2.25E-06	879	1064
6	77,858,875	125,563,928	0.563	4.31E-31	215934	140219
6	125,564,442	125,655,984	0.367	3.44E-09	482	204
6	125,656,175	144,780,589	0.560	5.78E-09	93000	60097
6	144,781,757	144,876,792	0.224	4.12E-34	449	116
6	144,877,566	170,899,991	0.555	0.00E+00	108096	69282
7	1	68,173,314	1.096	1.00E+00	252085	318830

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 6) Segmentation of NCI-H2347

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
7	68,173,381	94,091,894	1.032	4.10E-34	103630	123391
7	94,092,154	94,239,130	0.814	1.63E-06	753	707
7	94,239,369	98,788,557	1.047	5.29E-07	18409	22243
7	98,789,430	98,896,327	0.621	7.65E-12	317	227
7	98,897,222	158,821,423	1.025	4.08E-11	246663	291851
8	1	11,678,515	0.925	1.00E+00	32603	34796
8	11,678,822	11,874,847	1.336	1.06E-09	537	828
8	11,874,898	76,092,625	0.931	1.58E-09	254733	273627
8	76,092,789	127,977,543	1.411	0.00E+00	244544	398110
8	127,977,654	128,753,019	1.225	1.81E-13	4455	6296
8	128,753,340	141,066,390	1.361	1.20E-07	59515	93451
8	141,066,440	146,274,825	1.486	2.02E-14	15492	26562
9	1	9,518,744	0.340	1.00E+00	41392	16254
9	9,518,896	9,602,149	0.002	0.00E+00	871	2
9	9,682,894	14,439,125	0.348	0.00E+00	22164	8891
9	14,441,234	14,618,048	0.936	0.00E+00	927	1001
9	14,618,267	16,560,958	0.627	2.59E-14	8390	6068
9	16,561,236	16,659,004	0.916	8.17E-08	495	523
9	16,659,511	24,063,645	0.631	8.45E-08	34251	24953
9	24,064,291	24,159,631	0.955	1.81E-08	439	484
9	24,159,749	25,296,777	0.623	1.69E-08	4876	3504
9	25,297,161	25,898,808	0.351	4.30E-51	2922	1183
9	25,901,938	70,235,483	0.622	0.00E+00	53183	38156
9	70,235,564	119,565,105	0.819	0.00E+00	216191	204399
9	119,565,256	119,667,807	0.615	5.29E-07	626	444
9	119,668,201	127,167,470	0.818	7.82E-07	34109	32192
9	127,167,612	140,273,251	0.862	6.28E-07	39057	38853
10	1	24,739,997	0.810	1.00E+00	105539	98639
10	24,740,355	37,632,635	0.840	1.27E-06	53749	52119
10	37,632,860	52,585,365	0.887	1.87E-07	28707	29382
10	52,585,645	52,725,125	0.354	1.42E-63	681	278
10	52,725,492	74,309,379	0.899	0.00E+00	95074	98674
10	74,309,936	74,386,528	0.626	1.38E-07	414	299
10	74,387,308	114,716,499	0.896	1.94E-07	171675	177406
10	114,716,748	114,821,750	0.594	2.07E-13	629	431
10	114,823,123	124,648,685	0.792	6.57E-07	50369	46050
10	124,648,790	124,775,843	0.595	4.32E-07	661	454
10	124,776,316	135,374,736	0.804	1.05E-07	46613	43217
11	1	2,459,091	1.205	1.00E+00	5617	7809
11	2,459,862	22,816,397	1.088	2.96E-08	86445	108509
11	22,817,114	22,884,807	0.771	1.59E-07	416	370
11	22,884,884	134,452,383	1.098	6.44E-08	447697	567202
12	1	90,141,446	1.101	1.00E+00	384308	488309
12	90,141,534	123,747,827	1.079	1.27E-06	142253	177149
12	123,748,589	123,882,255	1.879	0.00E+00	416	902
12	123,882,439	132,349,533	1.085	7.88E-17	31299	39198
13	1	34,963,282	0.868	1.00E+00	70399	70533
13	34,963,504	64,665,220	0.838	9.26E-08	134733	130306
13	64,665,948	101,632,658	0.862	4.74E-08	175213	174286

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.

Supplementary Table 6) Segmentation of NCI-H2347

Chr	hg18 Start	hg18 End	Copy ratio	p-value	Normal count	Tumor count
13	101,633,094	104,221,769	0.813	3.70E-06	13238	12412
13	104,222,428	114,142,979	0.869	2.65E-06	40499	40592
14	1	55,721,112	1.321	1.00E+00	157758	240424
14	55,721,299	103,376,049	1.282	2.55E-12	217977	322418
14	103,376,318	106,368,584	1.470	9.67E-13	4660	7902
15	1	30,778,143	0.914	1.00E+00	24802	26171
15	30,778,505	45,733,654	0.560	0.00E+00	64069	41374
15	45,734,849	48,167,127	0.866	0.00E+00	11285	11271
15	48,167,195	48,286,442	0.339	2.03E-48	512	200
15	48,287,289	58,326,907	0.893	0.00E+00	45478	46850
15	58,327,536	58,400,519	0.599	2.49E-08	385	266
15	58,400,730	62,374,651	0.886	6.13E-08	18641	19052
15	62,375,746	65,374,674	1.037	0.00E+00	10463	12518
15	65,374,777	100,338,914	1.104	3.68E-06	141047	179671
16	1	4,146,283	0.604	1.00E+00	10161	7086
16	4,148,185	4,378,064	0.985	6.60E-10	396	450
16	4,378,878	53,851,930	0.561	1.94E-12	129565	83912
16	53,852,295	88,827,253	0.590	2.22E-16	137945	93925
17	1	13,286,975	0.557	1.00E+00	47926	30807
17	13,287,056	13,355,842	0.007	0.00E+00	493	4
17	13,395,656	21,624,613	0.569	0.00E+00	22930	15059
17	21,625,344	73,685,001	1.102	0.00E+00	188644	239844
17	73,685,217	78,017,599	1.197	5.08E-10	10505	14515
17	78,017,924	78,181,877	0.498	7.85E-50	522	300
17	78,182,178	78,774,741	1.160	0.00E+00	1354	1812
18	1	11,902,258	0.704	1.00E+00	51394	41742
18	11,903,145	25,269,127	0.743	5.39E-09	48843	41899
18	25,269,352	25,686,632	0.875	2.25E-06	1874	1893
18	25,686,965	55,732,374	0.740	9.03E-07	142295	121503
18	55,732,980	55,916,313	0.562	3.51E-07	749	486
18	55,916,925	76,117,152	0.756	3.34E-08	92268	80527
19	1	1,981,515	0.966	1.00E+00	2854	3181
19	1,983,132	63,811,650	0.844	5.71E-07	143387	139715
20	1	17,395,771	1.034	1.00E+00	76443	91182
20	17,395,869	62,435,963	1.066	1.21E-07	168174	206946
21	1	21,773,915	0.930	1.00E+00	34794	37336
21	21,774,057	21,842,920	0.623	2.94E-09	426	306
21	21,843,175	31,248,996	0.892	1.35E-07	44430	45726
21	31,249,882	46,944,322	0.933	2.30E-07	63297	68119
22	1	23,034,348	0.987	1.00E+00	15093	17181
22	23,034,458	27,126,257	0.836	4.96E-25	15132	14590
22	27,126,445	49,691,431	0.888	1.04E-06	78463	80419
X	1	43,166,822	0.790	1.00E+00	181395	165344
X	43,167,317	147,981,349	0.813	4.16E-12	368363	345526
X	147,981,379	148,196,713	0.655	2.43E-06	988	747
X	148,197,974	154,913,753	0.825	7.75E-07	21463	20434

The segmentation algorithm was run with parameter W = 400. Each row represents a distinct copy-number segment in the tumor cell line.