KS_OS

Icon list — every icon type to design (OS version 0.4.0)

This document lists 382 icon types with 1534 variants in 19 groups. Every variant has a number such as 27d: icon type 27, variant d. Use these numbers when you report progress ("27d is done", "redo 33b"). The same list, in plain text, lives in the repository as `docs/design/icon-list.txt`; this PDF is generated from it.

How to read an entry

27. Folder `P0 · file / folder icon`
a empty · b empty! · c full · d open (animation) …

Each variant is one separate drawing (or one animation, delivered as a strip of frames). The empty box ☐ in front of a variant is for ticking it off.

Legend

Tag	Meaning	Types	Variants
P0	needed for the first real UI	124	552
P1	full settings and core apps	134	503
P2	developer / admin / enterprise tools	94	380
P3	long tail	30	99
	total	**382**	**1534**

(animation) means a sequence of frames (8–12, spinner 12, progress ring 16). (alert), ! and similar mark a state that needs attention. Because the design language is black / white / gray only, no meaning may depend on colour: success, warning, error and information must differ by silhouette. States such as hover, pressed, disabled and focus are produced by the OS and are not separate drawings; only semantic variants are listed. A badge is an overlay drawn once and composed onto folders, files, drives and apps (see group 19).

Kind tag	What it is
brand	brand mark
UI	UI glyph
status	status glyph
file	file / folder icon
device	device glyph
network	network glyph
security	security glyph
platform	platform-trust glyph
settings	settings category
power	power / session
app	application icon
cursor	mouse cursor
dev	developer glyph
access	accessibility glyph
misc	miscellaneous glyph
badge	badge overlay

The rules on one page

Ink and meaning	One ink colour on transparent (the OS recolours it: white on black, black on white, gray when disabled). Optionally one mid-gray second tone. Never let colour carry meaning — use silhouette.
Formats	SVG, filled outlines only: no strokes, text, gradients, filters, masks, clip-paths, external references or scripts. One path per tone where possible. Coordinates on whole or half pixels.
UI glyph sizes	24 × 24 master and a hand-snapped 16 × 16 (the kernel framebuffer has no hinting: at 16 px every stroke must sit on whole pixels). 20 × 20 is derived unless it looks wrong.
Metrics (24 px)	2 px padding, 2 px nominal stroke (1.5 px for dense glyphs), one corner rule for all icons (radius 2 px or a chamfer — pick one), keyline shapes: circle 20, square 18, portrait 16 × 20, landscape 20 × 16.
App, folder and file icons	Sizes 32, 48, 64, 128, 256 (master 256). Ink plus up to two gray tones. File types share one page base; draw the base once and only the glyph per type.
Badges	Drawn once at 8 × 8 (16 px) and 12 × 12 (24 px), bottom-right overlay.
Animations	Delivered as separate frames (no SMIL): spinner 12, progress ring 16, others 8–12; the first frame is also the static fallback.
Cursors	32 × 32 master; record the hot-spot in the file name, e.g. ks-cursor-arrow@2-2.svg.
RTL	Mark directional icons (back, forward, send, list indent …) in your notes; the OS mirrors them for right-to-left languages.
Naming	ks-<group>-<name>-<variant>, lowercase with hyphens, e.g. ks-file-folder-open, ks-net-wifi-3-locked, ks-sec-lock-closed. The 16 px version is the same name plus @16.
Delivery folders	assets/icons/ui · apps · files · badges · cursors, one SVG per variant.
Rights	Icons you draw fall under the repository licence (Apache-2.0) unless you decide otherwise before committing; the KS name and logos stay governed by TRADEMARKS.md.

1. Brand and system identity

1. KS logo mark
P0 · brand mark

☐ a mark 1-colour · ☐ b mark inverted · ☐ c mark small (16 px optimised) · ☐ d mark animated (boot pulse, animation) · ☐ e mark disabled/watermark

2. KS wordmark
P0 · brand mark

☐ a horizontal lockup · ☐ b stacked lockup · ☐ c monogram only · ☐ d boot-screen version (1-colour for framebuffer)

3. Launcher button
P0 · UI glyph

☐ a idle · ☐ b hover-ready · ☐ c open · ☐ d notification pending

4. About KS
P1 · UI glyph

☐ a glyph · ☐ b glyph with version badge

5. Lock-screen emblem
P0 · brand mark

☐ a idle · ☐ b locked out (too many attempts) · ☐ c waking (animation)

6. User avatar placeholder
P0 · UI glyph

☐ a person · ☐ b person (guest) · ☐ c person (admin) · ☐ d person (service account) · ☐ e person (locked)

7. Organisation / tenant emblem
P2 · UI glyph

☐ a placeholder · ☐ b managed device · ☐ c unmanaged device

8. Missing icon
P0 · UI glyph

☐ a broken image · ☐ b unknown app · ☐ c unknown file · ☐ d unknown device

2. Window chrome and basic controls

9. Close
P0 · UI glyph

☐ a close · ☐ b close (hover emphasis) · ☐ c close tab · ☐ d close all · ☐ e close (dialog)

10. Minimize
P0 · UI glyph

☐ a minimize · ☐ b minimize to tray

11. Maximize
P0 · UI glyph

☐ a maximize · ☐ b restore down · ☐ c maximize on all screens

12. Fullscreen
P0 · UI glyph

☐ a enter · ☐ b exit · ☐ c enter (presentation)

13. Always on top
P1 · UI glyph

☐ a pinned on top · ☐ b not pinned

14. Window menu
P1 · UI glyph

☐ a menu glyph · ☐ b move · ☐ c resize · ☐ d send to workspace

15. Window snap
P1 · UI glyph

☐ a left half · ☐ b right half · ☐ c top half · ☐ d bottom half · ☐ e top-left · ☐ f top-right · ☐ g bottom-left · ☐ h bottom-right · ☐ i centre · ☐ j thirds

16. Resize grip
P1 · UI glyph

☐ a corner grip · ☐ b edge grip horizontal · ☐ c edge grip vertical

17. Back
P0 · UI glyph

☐ a back · ☐ b back (disabled-shape) · ☐ c back to parent

18. Forward
P0 · UI glyph

☐ a forward · ☐ b forward (disabled-shape)

19. Up
P0 · UI glyph

☐ a up one level · ☐ b to top

20. Home
P0 · UI glyph

☐ a home · ☐ b home (current location)

21. Refresh

P0 · UI glyph

☐ a refresh · ☐ b refreshing (animation) · ☐ c refresh failed

22. Stop loading

P0 · UI glyph

☐ a stop · ☐ b cancel transfer

23. Chevron

P0 · UI glyph

☐ a up · ☐ b down · ☐ c left · ☐ d right · ☐ e double left · ☐ f double right

24. Arrow

P0 · UI glyph

☐ a up · ☐ b down · ☐ c left · ☐ d right · ☐ e up-left · ☐ f up-right · ☐ g down-left · ☐ h down-right · ☐ i swap horizontal · ☐ j swap vertical · ☐ k circular

25. Dropdown caret

P0 · UI glyph

☐ a down · ☐ b up · ☐ c down (small, 8 px) · ☐ d up (small, 8 px) · ☐ e updown

26. Expand / collapse

P0 · UI glyph

☐ a expand · ☐ b collapse · ☐ c expand all · ☐ d collapse all

27. Tree node

P0 · UI glyph

☐ a collapsed · ☐ b expanded · ☐ c loading (animation) · ☐ d leaf

28. Drag handle

P1 · UI glyph

☐ a grip dots vertical · ☐ b grip dots horizontal · ☐ c reorder

29. Scrollbar

P1 · UI glyph

☐ a arrow up · ☐ b arrow down · ☐ c arrow left · ☐ d arrow right · ☐ e thumb grip

30. Tabs

P1 · UI glyph

☐ a new tab · ☐ b close tab · ☐ c tab overflow · ☐ d tab list · ☐ e pin tab · ☐ f duplicate tab · ☐ g reopen closed tab

31. Split view

P1 · UI glyph

☐ a split horizontal · ☐ b split vertical · ☐ c unsplit · ☐ d swap panes

32. Sidebar

P1 · UI glyph

☐ a toggle left · ☐ b toggle right · ☐ c toggle bottom panel · ☐ d toggle detail pane

33. Panel dock

P2 · UI glyph

☐ a dock left · ☐ b dock right · ☐ c dock bottom · ☐ d undock · ☐ e float

34. Check mark

P0 · UI glyph

☐ a check · ☐ b check (bold) · ☐ c check double

35. Checkbox

P0 · UI glyph

☐ a unchecked · ☐ b checked · ☐ c mixed · ☐ d focus-shape · ☐ e disabled-shape

36. Radio button

P0 · UI glyph

☐ a off · ☐ b on · ☐ c disabled-shape

37. Toggle switch

P0 · UI glyph

☐ a off · ☐ b on · ☐ c busy (animation) · ☐ d disabled-shape

38. Spin buttons

P1 · UI glyph

☐ a up · ☐ b down · ☐ c up/down pair

39. Overflow menu

P0 · UI glyph

☐ a more horizontal · ☐ b more vertical · ☐ c more (circled)

40. Hamburger menu

P0 · UI glyph

☐ a menu · ☐ b menu open · ☐ c menu close

41. Slider

P1 · UI glyph

☐ a thumb · ☐ b thumb pressed-shape · ☐ c tick marks · ☐ d range thumb left · ☐ e range thumb right

42. Search field

P0 · UI glyph

☐ a magnifier · ☐ b clear (x in field) · ☐ c scope selector · ☐ d voice input

43. Progress bar

P1 · UI glyph

☐ a end caps · ☐ b indeterminate (animation) · ☐ c paused · ☐ d error

44. Resize handle (text area)

P2 · UI glyph

☐ a grip

3. Common actions

45. Add

P0 · UI glyph

☐ a add · ☐ b add circled · ☐ c add folder · ☐ d add file · ☐ e add user · ☐ f add device · ☐ g add to favourites

46. Remove

P0 · UI glyph

☐ a remove · ☐ b remove circled · ☐ c remove from list · ☐ d remove user

47. Delete

P0 · UI glyph

☐ a delete · ☐ b delete permanently · ☐ c delete (confirm) · ☐ d delete forever (alert)

48. Edit

P0 · UI glyph

☐ a edit pencil · ☐ b edit (inline) · ☐ c edit locked · ☐ d edit text · ☐ e edit image

49. Rename

P0 · UI glyph

☐ a rename · ☐ b rename in place

50. Copy

P0 · UI glyph

☐ a copy · ☐ b copy path · ☐ c copy link · ☐ d copy as text · ☐ e copied (confirm)

51. Cut

P0 · UI glyph

☐ a cut

52. Paste

P0 · UI glyph

☐ a paste · ☐ b paste as text · ☐ c paste special · ☐ d paste into folder

53. Duplicate

P1 · UI glyph

☐ a duplicate · ☐ b duplicate to other location

54. Move

P0 · UI glyph

☐ a move · ☐ b move to folder · ☐ c move to trash · ☐ d move up · ☐ e move down · ☐ f move to workspace

55. Undo / Redo

P0 · UI glyph

☐ a undo · ☐ b redo · ☐ c history

56. Save

P0 · UI glyph

☐ a save · ☐ b save as · ☐ c save all · ☐ d save failed (alert) · ☐ e saving (animation) · ☐ f save to cloud

57. Open

P0 · UI glyph

☐ a open · ☐ b open with · ☐ c open in new window · ☐ d open in new tab · ☐ e open containing folder

58. New

P0 · UI glyph

☐ a new file · ☐ b new folder · ☐ c new window · ☐ d new document · ☐ e new from template

59. Import / Export

P1 · UI glyph

☐ a import · ☐ b export · ☐ c export as PDF · ☐ d import from device · ☐ e export to USB

60. Download

P0 · UI glyph

☐ a download · ☐ b download paused · ☐ c download complete · ☐ d download failed (alert) · ☐ e downloading (animation)

61. Upload

P1 · UI glyph

☐ a upload · ☐ b upload paused · ☐ c upload complete · ☐ d upload failed (alert) · ☐ e uploading (animation)

62. Share

P1 · UI glyph

☐ a share · ☐ b share link · ☐ c share with user · ☐ d stop sharing · ☐ e shared

63. Send
P2 · UI glyph

☐ a send · ☐ b send (disabled-shape) · ☐ c scheduled send

64. Link
P1 · UI glyph

☐ a link · ☐ b unlink · ☐ c broken link · ☐ d external link · ☐ e internal link

65. Attach
P2 · UI glyph

☐ a attach · ☐ b detach · ☐ c attachment present

66. Pin
P1 · UI glyph

☐ a pin · ☐ b unpin · ☐ c pinned (state)

67. Favourite
P1 · UI glyph

☐ a star off · ☐ b star on · ☐ c half star · ☐ d favourites list

68. Bookmark
P1 · UI glyph

☐ a bookmark off · ☐ b bookmark on · ☐ c bookmarks list · ☐ d add bookmark

69. Search
P0 · UI glyph

☐ a search · ☐ b search in files · ☐ c search in settings · ☐ d search history · ☐ e advanced search

70. Filter
P1 · UI glyph

☐ a filter · ☐ b filter active · ☐ c clear filters · ☐ d filter by type · ☐ e filter by date

71. Sort
P1 · UI glyph

☐ a ascending · ☐ b descending · ☐ c sort by name · ☐ d sort by date · ☐ e sort by size · ☐ f sort by type · ☐ g custom order

72. Group by
P2 · UI glyph

☐ a group · ☐ b ungroup

73. Selection
P1 · UI glyph

☐ a select all · ☐ b select none · ☐ c invert selection · ☐ d selection mode · ☐ e multi-select

74. Zoom
P1 · UI glyph

☐ a zoom in · ☐ b zoom out · ☐ c fit to window · ☐ d actual size (100%) · ☐ e fit width

75. Settings gear
P0 · UI glyph

☐ a gear · ☐ b gear with dot (attention) · ☐ c gear (animated, busy, animation) · ☐ d quick settings

76. Tune / sliders
P1 · UI glyph

☐ a sliders · ☐ b sliders active

77. Info
P0 · UI glyph

☐ a info circle · ☐ b info (filled) · ☐ c details · ☐ d properties

78. Help
P0 · UI glyph

☐ a help circle · ☐ b help (filled) · ☐ c help book · ☐ d contextual help

79. Print
P1 · UI glyph

☐ a print · ☐ b print preview · ☐ c print to PDF · ☐ d printing (animation) · ☐ e print error (alert)

80. Find
P2 · UI glyph

☐ a find next · ☐ b find previous · ☐ c find and replace · ☐ d match case · ☐ e whole word · ☐ f regular expression

81. Clear / reset
P1 · UI glyph

☐ a clear · ☐ b reset to default · ☐ c erase · ☐ d clear history

82. Apply / cancel
P0 · UI glyph

☐ a apply · ☐ b cancel · ☐ c revert · ☐ d discard

83. Retry
P1 · UI glyph

☐ a retry · ☐ b retry (animation) · ☐ c skip · ☐ d ignore

84. Drag and drop
P1 · UI glyph

☐ a drop target · ☐ b drop not allowed · ☐ c drop copy · ☐ d drop move · ☐ e drop link

85. Clipboard

P2 · UI glyph

☐ a clipboard · ☐ b clipboard history · ☐ c clipboard empty · ☐ d clipboard sync

86. Recent

P1 · UI glyph

☐ a recent files · ☐ b recent places · ☐ c recent searches · ☐ d clear recent

4. Status, feedback and notifications

87. Information

P0 · status glyph

☐ a info (circle with i) · ☐ b info (filled)

88. Success

P0 · status glyph

☐ a success (circle with check) · ☐ b success (filled) · ☐ c all done

89. Warning

P0 · status glyph

☐ a warning (triangle with !) · ☐ b warning (filled)

90. Error

P0 · status glyph

☐ a error (octagon with x) · ☐ b error (filled) · ☐ c fatal error

91. Question

P0 · status glyph

☐ a question circle · ☐ b confirm prompt · ☐ c unknown state

92. Busy

P0 · status glyph

☐ a spinner (animation) · ☐ b spinner small, 16 px (animation) · ☐ c busy dots (animation) · ☐ d hourglass (animation)

93. Progress ring

P0 · status glyph

☐ a 16 steps (animation frames) · ☐ b indeterminate (animation) · ☐ c paused · ☐ d error

94. Blocked

P0 · status glyph

☐ a blocked · ☐ b access denied · ☐ c not allowed · ☐ d not available

95. Notification bell

P0 · status glyph

☐ a bell · ☐ b bell with badge · ☐ c bell muted · ☐ d bell ringing (animation) · ☐ e do not disturb · ☐ f notifications off

96. Notification centre

P1 · UI glyph

☐ a centre · ☐ b centre empty · ☐ c clear all

97. Badge dot

P0 · badge overlay

☐ a dot · ☐ b number badge 1-9 · ☐ c number badge 9+ · ☐ d attention dot

98. Update

P0 · status glyph

☐ a update available · ☐ b update downloading (animation) · ☐ c update ready · ☐ d update failed (alert) · ☐ e restart to update

99. Restart required

P0 · status glyph

☐ a restart required · ☐ b restart scheduled

100. Sync

P1 · status glyph

☐ a synced · ☐ b syncing (animation) · ☐ c sync paused · ☐ d sync error (alert) · ☐ e sync conflict · ☐ f sync off

101. Offline

P0 · status glyph

☐ a offline · ☐ b reconnecting (animation) · ☐ c limited connectivity

102. Tip

P2 · status glyph

☐ a lightbulb · ☐ b what's new · ☐ c tour

103. Alert critical

P1 · status glyph

☐ a siren · ☐ b critical (full screen) · ☐ c emergency

104. Toast actions

P1 · UI glyph

☐ a dismiss · ☐ b snooze · ☐ c mark as read · ☐ d open details

105. Verified

P0 · status glyph

☐ a verified (shield check) · ☐ b unverified (shield ?) · ☐ c verification failed (shield x) · ☐ d verifying (animation)

5. Folders

106. Folder

P0 · file / folder icon

☐ a empty · ☐ b empty! (empty, attention) · ☐ c full · ☐ d open (animation) · ☐ e opening (animation) · ☐ f closing (animation) · ☐ g locked · ☐ h shared · ☐ i encrypted · ☐ j symlink · ☐ k readonly · ☐ l new · ☐ m hidden · ☐ n in use (busy)

107. Home folder

P0 · file / folder icon

☐ a home · ☐ b home (open)

108. Desktop folder

P0 · file / folder icon

☐ a desktop · ☐ b desktop (open)

109. Documents folder

P0 · file / folder icon

☐ a documents · ☐ b documents (open)

110. Downloads folder

P0 · file / folder icon

☐ a downloads · ☐ b downloads active (animation)

111. Pictures folder

P1 · file / folder icon

☐ a pictures · ☐ b pictures (open)

112. Music folder

P1 · file / folder icon

☐ a music · ☐ b music (open)

113. Videos folder

P1 · file / folder icon

☐ a videos · ☐ b videos (open)

114. Projects folder

P2 · file / folder icon

☐ a projects · ☐ b repository folder · ☐ c workspace folder

115. Public folder

P1 · file / folder icon

☐ a public · ☐ b shared with everyone

116. Templates folder

P2 · file / folder icon

☐ a templates

117. Recent folder

P1 · file / folder icon

☐ a recent

118. Favourites folder

P1 · file / folder icon

☐ a favourites

119. Network places

P1 · file / folder icon

☐ a network places · ☐ b network folder · ☐ c network folder offline

120. Cloud storage

P1 · file / folder icon

☐ a cloud folder · ☐ b cloud folder syncing (animation) · ☐ c cloud folder offline

121. External storage

P1 · file / folder icon

☐ a removable storage folder

122. Trash

P0 · file / folder icon

☐ a empty · ☐ b full · ☐ c emptying (animation) · ☐ d restore item · ☐ e trash locked (policy)

123. System folders

P2 · file / folder icon

☐ a root · ☐ b system · ☐ c boot · ☐ d etc (configuration) · ☐ e var (data) · ☐ f usr · ☐ g dev · ☐ h proc/sys

6. File types

124. Generic file
P0 · file / folder icon

☐ a blank · ☐ b locked · ☐ c symlink · ☐ d readonly · ☐ e hidden · ☐ f cloud only · ☐ g corrupted · ☐ h in use

125. Text file
P0 · file / folder icon

☐ a plain text · ☐ b log · ☐ c readme · ☐ d notes

126. Markdown file
P1 · file / folder icon

☐ a markdown

127. Document
P1 · file / folder icon

☐ a word-processor document · ☐ b template · ☐ c rich text · ☐ d locked

128. Spreadsheet
P1 · file / folder icon

☐ a spreadsheet · ☐ b csv

129. Presentation
P1 · file / folder icon

☐ a presentation

130. PDF
P1 · file / folder icon

☐ a pdf · ☐ b pdf locked · ☐ c pdf signed

131. Image
P1 · file / folder icon

☐ a bitmap image · ☐ b vector image · ☐ c raw photo · ☐ d icon file · ☐ e screenshot · ☐ f animated image

132. Audio
P1 · file / folder icon

☐ a audio file · ☐ b playlist · ☐ c lossless audio · ☐ d voice recording

133. Video
P1 · file / folder icon

☐ a video file · ☐ b video playlist · ☐ c subtitle file

134. Archive
P1 · file / folder icon

☐ a archive (zip) · ☐ b archive encrypted · ☐ c archive multi-part · ☐ d archive extracting (animation)

135. Disk image
P1 · file / folder icon

☐ a disk image · ☐ b installer image · ☐ c virtual disk

136. Source code
P1 · file / folder icon

☐ a source file · ☐ b header file · ☐ c project file · ☐ d build file · ☐ e notebook

137. Script
P1 · file / folder icon

☐ a shell script · ☐ b script (executable) · ☐ c batch/task file

138. Configuration
P1 · file / folder icon

☐ a config file · ☐ b ini · ☐ c environment file · ☐ d policy file

139. Structured data
P2 · file / folder icon

☐ a json · ☐ b xml · ☐ c yaml · ☐ d toml · ☐ e protobuf/binary data

140. Database
P2 · file / folder icon

☐ a database file · ☐ b database dump · ☐ c key-value store

141. Log
P1 · file / folder icon

☐ a log file · ☐ b log (errors) · ☐ c rotating log

142. Font
P2 · file / folder icon

☐ a font file · ☐ b font family · ☐ c icon font

143. 3D model
P3 · file / folder icon

☐ a 3d model · ☐ b scene

144. Executable
P1 · file / folder icon

☐ a executable · ☐ b executable (setuid-shape) · ☐ c executable (signed) · ☐ d executable (blocked)

145. Library
P2 · file / folder icon

☐ a shared library · ☐ b static library · ☐ c kernel module

146. Package
P1 · file / folder icon

☐ a package · ☐ b package installed · ☐ c package update · ☐ d package broken

147. Certificate
P1 · file / folder icon

☐ a certificate · ☐ b certificate valid · ☐ c certificate expired · ☐ d certificate revoked · ☐ e certificate request

148. Keys
P1 · file / folder icon

☐ a private key · ☐ b public key · ☐ c key pair · ☐ d key (hardware-backed) · ☐ e key (sealed)

149. Signature
P2 · file / folder icon

☐ a detached signature · ☐ b signed document · ☐ c signature invalid

150. E-mail file
P2 · file / folder icon

☐ a message · ☐ b message with attachment · ☐ c mailbox

151. Calendar file
P2 · file / folder icon

☐ a event · ☐ b calendar

152. Contact file
P2 · file / folder icon

☐ a contact card · ☐ b address book

153. Patch / diff
P2 · file / folder icon

☐ a patch · ☐ b diff

154. Firmware blob
P2 · file / folder icon

☐ a firmware · ☐ b firmware verified · ☐ c firmware mismatch

155. Encrypted file
P1 · file / folder icon

☐ a encrypted · ☐ b encrypted (locked) · ☐ c decrypting (animation)

156. Torrent / transfer
P3 · file / folder icon

☐ a transfer file · ☐ b partial download

7. Drives and media

157. Internal drive
P0 · device glyph

☐ a hdd · ☐ b ssd · ☐ c nvme · ☐ d drive unknown

158. Removable drive
P0 · device glyph

☐ a usb stick · ☐ b sd card · ☐ c memory card · ☐ d external hdd · ☐ e phone storage

159. Optical media
P3 · device glyph

☐ a disc · ☐ b disc writing (animation) · ☐ c disc empty

160. Network drive
P1 · device glyph

☐ a network drive · ☐ b network drive connected · ☐ c network drive offline

161. Encrypted volume
P1 · device glyph

☐ a locked · ☐ b unlocked · ☐ c unlocking (animation) · ☐ d key required

162. Mount state
P0 · device glyph

☐ a mounted · ☐ b unmounted · ☐ c mounting (animation) · ☐ d eject · ☐ e safe to remove · ☐ f unmount failed (alert)

163. Partition
P2 · device glyph

☐ a partition · ☐ b efi system partition · ☐ c boot partition · ☐ d swap · ☐ e recovery partition · ☐ f free space

164. RAID / array
P3 · device glyph

☐ a array · ☐ b array degraded · ☐ c array rebuilding (animation)

165. Snapshot / backup
P1 · device glyph

☐ a snapshot · ☐ b backup · ☐ c backup running (animation) · ☐ d backup complete · ☐ e backup failed (alert) · ☐ f restore

166. Disk health
P1 · device glyph

☐ a healthy · ☐ b degraded · ☐ c failing · ☐ d unknown · ☐ e s.m.a.r.t. warning

167. Free space meter
P1 · device glyph

☐ a plenty · ☐ b low · ☐ c full

168. Install media
P1 · device glyph

☐ a installer stick · ☐ b recovery stick

8. Devices and hardware

169. Computer
P0 · device glyph

☐ a desktop · ☐ b laptop · ☐ c all-in-one · ☐ d server · ☐ e rack server · ☐ f thin client · ☐ g virtual machine · ☐ h container

170. Tablet / phone
P2 · device glyph

☐ a tablet · ☐ b phone · ☐ c paired phone

171. Monitor
P0 · device glyph

☐ a monitor · ☐ b multi-monitor · ☐ c monitor off · ☐ d extend · ☐ e mirror · ☐ f primary display

172. Display brightness
P1 · device glyph

☐ a low · ☐ b medium · ☐ c high · ☐ d auto · ☐ e night mode

173. Keyboard
P0 · device glyph

☐ a keyboard · ☐ b keyboard bluetooth · ☐ c on-screen keyboard · ☐ d keyboard layout · ☐ e keyboard backlight

174. Mouse
P0 · device glyph

☐ a mouse · ☐ b mouse bluetooth · ☐ c trackball · ☐ d trackpad

175. Gamepad
P3 · device glyph

☐ a gamepad · ☐ b gamepad low battery

176. Pen / touch
P2 · device glyph

☐ a pen · ☐ b touch screen · ☐ c graphics tablet

177. Printer
P1 · device glyph

☐ a printer · ☐ b printer busy · ☐ c printer offline · ☐ d printer out of paper · ☐ e printer error · ☐ f scanner

178. Camera
P0 · device glyph

☐ a camera · ☐ b camera in use · ☐ c camera off · ☐ d camera blocked

179. Microphone
P0 · device glyph

☐ a microphone · ☐ b microphone muted · ☐ c microphone in use · ☐ d microphone blocked

180. Speaker
P0 · device glyph

☐ a speaker · ☐ b speaker muted · ☐ c speaker levels (low) · ☐ d speaker levels (medium) · ☐ e speaker levels (high)

181. Headphones
P0 · device glyph

☐ a headphones · ☐ b headset · ☐ c headphones connected · ☐ d headphones bluetooth

182. Security key hardware
P1 · device glyph

☐ a fido key · ☐ b smart card · ☐ c smart card reader · ☐ d fingerprint reader · ☐ e nfc

183. Bluetooth
P0 · device glyph

☐ a bluetooth · ☐ b connected · ☐ c pairing (animation) · ☐ d off · ☐ e device list · ☐ f no adapter

184. USB
P0 · device glyph

☐ a usb · ☐ b usb device · ☐ c usb hub · ☐ d usb error · ☐ e usb charging

185. Thunderbolt / display ports
P2 · device glyph

☐ a thunderbolt · ☐ b hdmi · ☐ c displayport · ☐ d vga

186. Dock
P2 · device glyph

☐ a dock · ☐ b dock connected

187. Ports
P2 · device glyph

☐ a ethernet port · ☐ b audio jack · ☐ c power plug

188. Battery
P0 · device glyph

☐ a full · ☐ b 75% · ☐ c 50% · ☐ d 25% · ☐ e low · ☐ f critical · ☐ g charging · ☐ h charging full · ☐ i unknown · ☐ j not present · ☐ k saver

189. AC power
P0 · device glyph

☐ a plugged in · ☐ b on battery · ☐ c power adapter low

190. Processor
P1 · device glyph

☐ a cpu · ☐ b cpu load low · ☐ c cpu load high · ☐ d cpu throttled · ☐ e cores

191. Memory
P1 · device glyph

☐ a ram · ☐ b ram low · ☐ c swap

192. Graphics
P2 · device glyph

☐ a gpu · ☐ b integrated gpu · ☐ c gpu load

193. Board
P2 · device glyph

☐ a motherboard · ☐ b firmware chip · ☐ c tpm chip · ☐ d sensor

194. Cooling
P1 · device glyph

☐ a fan · ☐ b fan fast · ☐ c temperature · ☐ d temperature hot (alert)

195. Screen rotation
P3 · device glyph

☐ a rotate lock · ☐ b rotate

196. Airplane mode
P2 · device glyph

☐ a airplane on · ☐ b airplane off

9. Network

197. Ethernet
P0 · network glyph

☐ a connected · ☐ b disconnected · ☐ c limited · ☐ d error · ☐ e connecting (animation) · ☐ f unplugged cable

198. Wi-Fi
P0 · network glyph

☐ a 0 bars · ☐ b 1 bar · ☐ c 2 bars · ☐ d 3 bars · ☐ e 4 bars · ☐ f 0 bars locked · ☐ g 1 bar locked · ☐ h 2 bars locked · ☐ i 3 bars locked · ☐ j 4 bars locked · ☐ k off · ☐ l connecting (animation) · ☐ m error · ☐ n hotspot · ☐ o public network

199. VPN
P0 · network glyph

☐ a off · ☐ b connecting (animation) · ☐ c on · ☐ d error · ☐ e split tunnel

200. Internet
P0 · network glyph

☐ a globe · ☐ b online · ☐ c no internet · ☐ d captive portal

201. Cloud
P1 · network glyph

☐ a online · ☐ b offline · ☐ c syncing (animation) · ☐ d error

202. Proxy
P2 · network glyph

☐ a proxy on · ☐ b proxy off

203. Firewall
P1 · network glyph

☐ a on · ☐ b off · ☐ c blocking · ☐ d rules

204. DNS / address
P2 · network glyph

☐ a dns · ☐ b ipv4 · ☐ c ipv6 · ☐ d mac address · ☐ e hostname

205. Router
P2 · network glyph

☐ a router · ☐ b gateway · ☐ c access point · ☐ d switch

206. Network share
P1 · network glyph

☐ a share · ☐ b mounted share · ☐ c share offline

207. Remote access
P1 · network glyph

☐ a remote desktop · ☐ b ssh session · ☐ c remote assistance · ☐ d remote disabled

208. Traffic
P1 · network glyph

☐ a upload · ☐ b download · ☐ c both · ☐ d idle · ☐ e latency good · ☐ f latency bad

209. Transport security
P1 · network glyph

☐ a tls lock · ☐ b tls broken · ☐ c certificate warning

210. Data usage
P3 · network glyph

☐ a metered connection · ☐ b data saver · ☐ c data limit reached

211. Ports and packets
P3 · network glyph

☐ a port · ☐ b packet · ☐ c capture

10. Security, identity and trust

212. User
P0 · security glyph

☐ a user · ☐ b user admin · ☐ c user guest · ☐ d user service · ☐ e user disabled · ☐ f user locked · ☐ g user signed in · ☐ h user switch

213. Group
P1 · security glyph

☐ a group · ☐ b group admin · ☐ c group restricted

214. Session
P0 · security glyph

☐ a sign in · ☐ b sign out · ☐ c session locked · ☐ d session timeout · ☐ e elevate (sudo) · ☐ f elevation denied

215. Lock
P0 · security glyph

☐ a closed · ☐ b open · ☐ c locking (animation) · ☐ d unlocking (animation) · ☐ e lock failed (alert) · ☐ f lock with timer

216. Key
P1 · security glyph

☐ a key · ☐ b key add · ☐ c key remove · ☐ d key rotate · ☐ e key expired

217. Passkey / password
P0 · security glyph

☐ a passkey · ☐ b password · ☐ c password hidden · ☐ d password shown · ☐ e password weak · ☐ f password strong

218. Reveal
P0 · security glyph

☐ a eye show · ☐ b eye hide

219. Biometrics
P2 · security glyph

☐ a fingerprint · ☐ b fingerprint scanning (animation) · ☐ c face · ☐ d iris

220. Multi-factor
P1 · security glyph

☐ a one-time code · ☐ b authenticator · ☐ c security key tap · ☐ d mfa required

221. Shield
P0 · security glyph

☐ a shield · ☐ b shield check · ☐ c shield alert · ☐ d shield blocked · ☐ e shield off · ☐ f shield scanning (animation)

222. Secure Boot
P0 · platform-trust glyph

☐ a secure boot on · ☐ b secure boot off · ☐ c secure boot violation · ☐ d keys enrolled

223. Verified boot chain
P0 · platform-trust glyph

☐ a chain verified · ☐ b chain broken · ☐ c hash mismatch · ☐ d hash pinned

224. TPM
P0 · platform-trust glyph

☐ a tpm present · ☐ b tpm sealed · ☐ c tpm unsealing (animation) · ☐ d tpm failed · ☐ e tpm absent

225. DMA protection
P0 · platform-trust glyph

☐ a iommu on · ☐ b iommu off · ☐ c dma blocked · ☐ d dma fault logged

226. Disk encryption
P0 · platform-trust glyph

☐ a encrypted · ☐ b unencrypted · ☐ c encrypting (animation) · ☐ d decrypting (animation) · ☐ e recovery key

227. Firmware integrity
P1 · platform-trust glyph

☐ a firmware ok · ☐ b firmware changed · ☐ c firmware update

228. Hardening
P2 · platform-trust glyph

☐ a aslr on · ☐ b w^x enforced · ☐ c kernel lockdown · ☐ d hardening off (alert)

229. Measured boot / attestation
P2 · platform-trust glyph

☐ a measured · ☐ b attested · ☐ c attestation failed

230. Sandbox
P1 · platform-trust glyph

☐ a sandboxed · ☐ b sandbox escape blocked · ☐ c unsandboxed (alert)

231. Capability
P1 · platform-trust glyph

☐ a capability token · ☐ b capability granted · ☐ c capability revoked · ☐ d capability delegated · ☐ e capability request

232. Privilege boundary
P2 · platform-trust glyph

☐ a user mode · ☐ b kernel mode · ☐ c privileged operation · ☐ d boundary crossing

233. Permissions
P0 · security glyph

☐ a permission · ☐ b permission granted · ☐ c permission denied · ☐ d permission ask · ☐ e access control list · ☐ f role

234. Audit
P2 · security glyph

☐ a audit log · ☐ b audit event · ☐ c audit exported

235. Policy
P2 · security glyph

☐ a policy · ☐ b policy enforced · ☐ c policy violation · ☐ d policy managed

236. Compliance
P2 · security glyph

☐ a compliant · ☐ b non-compliant · ☐ c certified · ☐ d licence

237. Threats
P2 · security glyph

☐ a malware · ☐ b quarantine · ☐ c incident · ☐ d risk low · ☐ e risk medium · ☐ f risk high · ☐ g scanning (animation)

238. Trust anchors
P1 · security glyph

☐ a trusted authority · ☐ b signed package · ☐ c untrusted source

239. Privacy indicators
P0 · security glyph

☐ a camera in use · ☐ b microphone in use · ☐ c location in use · ☐ d screen being shared · ☐ e clipboard accessed · ☐ f screen recording

11. System settings categories

240. Display settings
P1 · settings category

☐ a display · ☐ b resolution · ☐ c colour calibration · ☐ d night mode · ☐ e scaling

241. Sound settings
P1 · settings category

☐ a sound · ☐ b output · ☐ c input · ☐ d alerts sounds · ☐ e spatial

242. Network settings
P1 · settings category

☐ a network · ☐ b wired · ☐ c wireless · ☐ d vpn · ☐ e proxy

243. Bluetooth settings
P1 · settings category

☐ a bluetooth · ☐ b pairing · ☐ c paired devices

244. Power settings
P1 · settings category

☐ a power · ☐ b battery · ☐ c energy saver · ☐ d sleep timers

245. Storage settings
P1 · settings category

☐ a storage · ☐ b disks · ☐ c cleanup · ☐ d quotas

246. Apps settings
P1 · settings category

☐ a apps · ☐ b default apps · ☐ c startup apps · ☐ d permissions per app

247. Accounts settings
P1 · settings category

☐ a accounts · ☐ b users · ☐ c sign-in options · ☐ d enterprise account

248. Security settings
P1 · settings category

☐ a security · ☐ b privacy · ☐ c encryption · ☐ d secure boot

249. Date and time settings
P1 · settings category

☐ a date and time · ☐ b time zone · ☐ c time sync

250. Language settings
P1 · settings category

☐ a language · ☐ b region · ☐ c input methods · ☐ d fonts

251. Accessibility settings
P1 · settings category

☐ a accessibility

252. Input settings
P1 · settings category

☐ a keyboard · ☐ b mouse · ☐ c touchpad · ☐ d shortcuts

253. Printers settings
P1 · settings category

☐ a printers and scanners

254. Update settings
P1 · settings category

☐ a updates · ☐ b update channel · ☐ c update history · ☐ d automatic updates

255. Backup settings
P1 · settings category

☐ a backup · ☐ b restore · ☐ c snapshots

256. Notification settings
P1 · settings category

☐ a notifications · ☐ b do not disturb · ☐ c per-app notifications

257. Appearance settings
P1 · settings category

☐ a appearance · ☐ b themes · ☐ c wallpaper · ☐ d icons · ☐ e fonts size

258. Startup settings
P2 · settings category

☐ a startup · ☐ b services · ☐ c scheduled tasks

259. Device settings
P1 · settings category

☐ a devices · ☐ b peripherals

260. Firmware settings
P0 · settings category

☐ a firmware (uefi) setup · ☐ b boot options · ☐ c boot order

261. Recovery settings
P1 · settings category

☐ a recovery · ☐ b reset · ☐ c factory reset

262. Diagnostics settings
P1 · settings category

☐ a diagnostics · ☐ b logs · ☐ c crash reports

263. Developer settings
P2 · settings category

☐ a developer options · ☐ b kernel parameters · ☐ c debug logging

264. Enterprise settings
P2 · settings category

☐ a device management · ☐ b certificates · ☐ c policies · ☐ d compliance

265. Sharing settings
P2 · settings category

☐ a sharing · ☐ b remote access · ☐ c network discovery

266. Search settings
P2 · settings category

☐ a search and indexing

267. Workspace settings
P2 · settings category

☐ a workspaces · ☐ b multitasking · ☐ c hot corners

268. About settings
P1 · settings category

☐ a about this device · ☐ b system information · ☐ c licences · ☐ d legal

12. Power, session and recovery

269. Power off
P0 · power / session

☐ a power off · ☐ b power off (confirm) · ☐ c powering off (animation)

270. Restart
P0 · power / session

☐ a restart · ☐ b restart (confirm) · ☐ c restarting (animation)

271. Sleep
P0 · power / session

☐ a sleep · ☐ b hibernate · ☐ c wake · ☐ d scheduled wake

272. Lock screen
P0 · power / session

☐ a lock screen · ☐ b lock on lid close

273. Log out
P0 · power / session

☐ a log out · ☐ b switch user · ☐ c guest session

274. Boot into firmware setup
P0 · power / session

☐ a uefi setup · ☐ b uefi setup unavailable

275. Safe mode
P1 · power / session

☐ a safe mode · ☐ b recovery mode · ☐ c rescue shell

276. Installer
P1 · power / session

☐ a installer · ☐ b disk partitioning · ☐ c installing (animation) · ☐ d install complete · ☐ e install failed (alert)

277. Update in progress
P1 · power / session

☐ a do not power off (animation) · ☐ b applying update (animation)

278. Kernel panic
P0 · power / session

☐ a panic · ☐ b fatal error screen glyph · ☐ c stack trace

279. Diagnostic log
P0 · power / session

☐ a diagnostic log · ☐ b log live (animation) · ☐ c copy log · ☐ d save log

280. Pairing
P0 · power / session

☐ a pairing request · ☐ b passkey entry · ☐ c passkey match · ☐ d pairing failed (alert) · ☐ e pairing window open (animation)

281. Scheduled power
P3 · power / session

☐ a scheduled shutdown · ☐ b scheduled restart

13. Bundled applications

282. Terminal
P0 · application icon

☐ a app icon · ☐ b app running badge · ☐ c app attention badge · ☐ d app error badge · ☐ e new terminal · ☐ f terminal prompt glyph

283. File manager
P0 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

284. Text editor
P0 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

285. Code editor
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

286. Settings
P0 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

287. System monitor
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

288. Task manager
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

289. Log viewer
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

290. Disk utility
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

291. Network manager
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

292. Bluetooth manager
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

293. Firewall manager
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

294. Security centre
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

295. Certificate manager
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

296. Package manager
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

297. Software update
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

298. Backup tool
P1 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

299. Archive manager
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

300. Image viewer
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

301. PDF viewer
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

302. Media player
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

303. Camera app
P3 · application icon

☐ a app icon · ☐ b running badge · ☐ c attention badge · ☐ d error badge

304. Screenshot
P2 · application icon

☐ a app icon · ☐ b capture region · ☐ c capture window · ☐ d capture screen · ☐ e capture delay

305. Screen recorder
P3 · application icon

☐ a app icon · ☐ b recording (animation) · ☐ c paused · ☐ d stopped

306. Calculator
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c scientific · ☐ d programmer

307. Clock
P2 · application icon

☐ a app icon · ☐ b alarm · ☐ c timer · ☐ d stopwatch · ☐ e world clock

308. Calendar
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c event reminder

309. Contacts
P3 · application icon

☐ a app icon · ☐ b running badge

310. Mail
P2 · application icon

☐ a app icon · ☐ b unread badge · ☐ c running badge · ☐ d error badge

311. Notes
P3 · application icon

☐ a app icon · ☐ b running badge

312. Browser
P2 · application icon

☐ a app icon · ☐ b running badge · ☐ c private mode · ☐ d download active (animation)

313. Remote access client
P2 · application icon

☐ a app icon · ☐ b session active · ☐ c session ended

314. VPN client
P2 · application icon

☐ a app icon · ☐ b connected · ☐ c disconnected

315. Password manager
P2 · application icon

☐ a app icon · ☐ b vault locked · ☐ c vault unlocked

316. Character map
P3 · application icon

☐ a app icon

317. Font viewer
P3 · application icon

☐ a app icon

318. Help and documentation
P1 · application icon

☐ a app icon · ☐ b manual · ☐ c man page

319. System information
P1 · application icon

☐ a app icon · ☐ b hardware report

320. Task scheduler
P2 · application icon

☐ a app icon · ☐ b job running (animation) · ☐ c job failed (alert)

321. Virtual machine manager
P2 · application icon

☐ a app icon · ☐ b vm running · ☐ c vm paused · ☐ d vm stopped · ☐ e vm error

322. Container manager
P2 · application icon

☐ a app icon · ☐ b container running · ☐ c container stopped · ☐ d image

323. AI assistant / agent
P2 · application icon

☐ a app icon · ☐ b thinking (animation) · ☐ c tool running (animation) · ☐ d needs permission · ☐ e finished · ☐ f error

324. Chat
P3 · application icon

☐ a app icon · ☐ b unread badge

325. Web conference
P3 · application icon

☐ a app icon · ☐ b in call · ☐ c muted in call

326. Search / launcher
P0 · application icon

☐ a app icon · ☐ b overview · ☐ c recent apps

327. Installer app
P1 · application icon

☐ a app icon

328. Recovery tool
P1 · application icon

☐ a app icon

329. Generic application
P0 · application icon

☐ a placeholder · ☐ b placeholder running · ☐ c placeholder blocked

14. Cursors

330. Arrow cursor
P0 · mouse cursor

☐ a normal · ☐ b busy (arrow + spinner, animation) · ☐ c wait (animation) · ☐ d not allowed · ☐ e help (arrow + ?)

331. Text cursor
P0 · mouse cursor

☐ a text (I-beam) · ☐ b vertical text · ☐ c text busy

332. Hand cursor
P0 · mouse cursor

☐ a link hand · ☐ b grab · ☐ c grabbing

333. Crosshair cursor
P1 · mouse cursor

☐ a crosshair · ☐ b pen/draw · ☐ c colour picker

334. Move cursor
P0 · mouse cursor

☐ a move all directions · ☐ b move (blocked)

335. Resize cursor
P0 · mouse cursor

☐ a horizontal · ☐ b vertical · ☐ c diagonal NW-SE · ☐ d diagonal NE-SW · ☐ e column resize · ☐ f row resize

336. Zoom cursor
P2 · mouse cursor

☐ a zoom in · ☐ b zoom out

337. Drag cursor
P1 · mouse cursor

☐ a drag copy · ☐ b drag link · ☐ c drag move · ☐ d drag none

338. Scroll cursor
P3 · mouse cursor

☐ a scroll all directions · ☐ b scroll up · ☐ c scroll down

15. Text, media and document tools

339. Text formatting
P2 · UI glyph

☐ a bold · ☐ b italic · ☐ c underline · ☐ d strikethrough · ☐ e subscript · ☐ f superscript · ☐ g clear formatting

340. Paragraph
P2 · UI glyph

☐ a align left · ☐ b align centre · ☐ c align right · ☐ d justify · ☐ e indent · ☐ f outdent · ☐ g line spacing

341. Lists
P2 · UI glyph

☐ a bullet list · ☐ b numbered list · ☐ c checklist · ☐ d nested list

342. Insert
P2 · UI glyph

☐ a insert image · ☐ b insert table · ☐ c insert link · ☐ d insert code · ☐ e insert quote · ☐ f insert heading · ☐ g insert divider

343. Text style
P2 · UI glyph

☐ a font size · ☐ b text colour (shape only) · ☐ c highlight · ☐ d font family

344. Review
P3 · UI glyph

☐ a comment · ☐ b track changes · ☐ c spell check · ☐ d accept · ☐ e reject

345. Playback
P2 · UI glyph

☐ a play · ☐ b pause · ☐ c stop · ☐ d record · ☐ e previous · ☐ f next · ☐ g rewind · ☐ h fast forward · ☐ i step frame

346. Playback modes
P2 · UI glyph

☐ a shuffle · ☐ b repeat all · ☐ c repeat one · ☐ d loop section · ☐ e speed

347. Media extras
P2 · UI glyph

☐ a subtitles · ☐ b audio track · ☐ c picture in picture · ☐ d playlist · ☐ e equaliser · ☐ f cast · ☐ g volume slider

16. Developer, admin and power-user tools

348. Shell
P2 · developer glyph

☐ a shell prompt · ☐ b command palette · ☐ c history search · ☐ d alias

349. Version control
P2 · developer glyph

☐ a branch · ☐ b commit · ☐ c merge · ☐ d pull request · ☐ e diff · ☐ f stash · ☐ g tag · ☐ h repository · ☐ i conflict (alert) · ☐ j blame

350. Packages
P2 · developer glyph

☐ a package · ☐ b dependency · ☐ c build · ☐ d build running (animation) · ☐ e build failed (alert) · ☐ f build passed

351. Debug
P2 · developer glyph

☐ a run · ☐ b debug · ☐ c breakpoint · ☐ d breakpoint disabled · ☐ e step over · ☐ f step into · ☐ g step out · ☐ h continue · ☐ i pause · ☐ j stop

352. Tests
P2 · developer glyph

☐ a test passed · ☐ b test failed · ☐ c test skipped · ☐ d test running (animation) · ☐ e coverage

353. Bug
P2 · developer glyph

☐ a bug · ☐ b bug report · ☐ c crash

354. Processes
P2 · developer glyph

☐ a process · ☐ b thread · ☐ c process stopped · ☐ d process zombie (alert) · ☐ e signal

355. Kernel
P2 · developer glyph

☐ a kernel module · ☐ b driver · ☐ c device tree · ☐ d syscall trace · ☐ e interrupt · ☐ f memory map · ☐ g page table

356. Mounts
P2 · developer glyph

☐ a mount point · ☐ b bind mount · ☐ c filesystem check

357. Log levels
P1 · developer glyph

☐ a trace · ☐ b debug · ☐ c info · ☐ d warn · ☐ e error · ☐ f fatal

358. Scheduling
P2 · developer glyph

☐ a cron job · ☐ b timer unit · ☐ c service running · ☐ d service stopped · ☐ e service failed (alert)

359. Environment
P3 · developer glyph

☐ a environment variable · ☐ b path · ☐ c secret variable

360. API / data
P3 · developer glyph

☐ a api · ☐ b key-value · ☐ c database table · ☐ d query

361. Extensions
P3 · developer glyph

☐ a plugin · ☐ b extension · ☐ c marketplace · ☐ d extension update

362. Generative
P2 · developer glyph

☐ a sparkles · ☐ b prompt · ☐ c tool call · ☐ d permission request · ☐ e model

17. Accessibility and input

363. Accessibility menu
P1 · accessibility glyph

☐ a accessibility · ☐ b accessibility active

364. Vision
P1 · accessibility glyph

☐ a screen reader · ☐ b magnifier · ☐ c high contrast · ☐ d large text · ☐ e colour filters · ☐ f cursor size · ☐ g colour blind modes

365. Motor
P1 · accessibility glyph

☐ a sticky keys · ☐ b slow keys · ☐ c mouse keys · ☐ d switch control · ☐ e dwell click · ☐ f on-screen keyboard

366. Hearing
P1 · accessibility glyph

☐ a captions · ☐ b mono audio · ☐ c flash alerts · ☐ d hearing devices

367. Voice and braille
P2 · accessibility glyph

☐ a voice control · ☐ b voice typing · ☐ c braille display

368. Motion
P2 · accessibility glyph

☐ a reduce motion · ☐ b reduce transparency

18. Time, communication and miscellaneous

369. Time
P2 · miscellaneous glyph

☐ a clock · ☐ b alarm · ☐ c timer · ☐ d stopwatch · ☐ e schedule · ☐ f history

370. Calendar glyphs
P2 · miscellaneous glyph

☐ a calendar · ☐ b event · ☐ c reminder · ☐ d recurring · ☐ e today

371. Location
P3 · miscellaneous glyph

☐ a map pin · ☐ b location services · ☐ c location off · ☐ d navigation

372. Language
P2 · miscellaneous glyph

☐ a globe · ☐ b translate · ☐ c language switch

373. Mail glyphs
P3 · miscellaneous glyph

☐ a mail · ☐ b inbox · ☐ c outbox · ☐ d read · ☐ e unread · ☐ f spam

374. Chat glyphs
P3 · miscellaneous glyph

☐ a chat bubble · ☐ b chat unread · ☐ c reply · ☐ d mention

375. Calls
P3 · miscellaneous glyph

☐ a phone call · ☐ b video call · ☐ c call ended · ☐ d call muted

376. Tags
P2 · miscellaneous glyph

☐ a tag · ☐ b label · ☐ c flag · ☐ d colour label (shape only)

377. Reading
P3 · miscellaneous glyph

☐ a book · ☐ b documentation · ☐ c bookmark ribbon

378. Codes
P3 · miscellaneous glyph

☐ a qr code · ☐ b barcode · ☐ c scan code

379. Media tools
P3 · miscellaneous glyph

☐ a image gallery · ☐ b crop · ☐ c rotate · ☐ d flip · ☐ e layers · ☐ f colour picker · ☐ g ruler · ☐ h grid · ☐ i brightness · ☐ j contrast · ☐ k palette

380. Fun
P3 · miscellaneous glyph

☐ a heart · ☐ b trophy · ☐ c gift · ☐ d emoji

19. Badge overlays (drawn once, composed onto folders, files, drives and apps)

381. Badges
P0 · badge overlay

☐ a lock · ☐ b link (symlink) · ☐ c read-only · ☐ d cloud · ☐ e synced · ☐ f syncing (animation) · ☐ g sync error · ☐ h warning · ☐ i error · ☐ j shared · ☐ k new · ☐ l hidden · ☐ m pinned · ☐ n encrypted · ☐ o verified · ☐ p unverified · ☐ q offline · ☐ r in use

382. Count badges
P0 · badge overlay

☐ a number 1-9 · ☐ b 9+ · ☐ c dot

Suggested order of work

1. Pilot set (12 icons). Settle the grid and the corner rule on: Folder (1 variant), Generic file, Settings gear, User, Lock, Wi-Fi 3 bars, Bluetooth, Battery full, Power off, Search, Close, Check mark. Show them at 16 and 24 px on black and on white before drawing more.

2. All P0 types (see the cover for the count): the window controls, status glyphs, power and session icons, the network and device status icons, folders and the generic file, the cursors and the badges.

3. Badges and cursors next, because every folder, file and app icon is composed with them.

4. P1 types: all settings categories, the core apps, the remaining file types.

5. App icons last (P1/P2): they use the finished glyph language at 256 px and are the most work per icon.

6. P2/P3 as the OS grows; this list is the source of truth and can be extended at any time (edit `docs/design/icon-list.txt`, then run `python3 tools/make_icon_pdf.py`).

Notes for icons specific to KS_OS

Group 10 contains icons that most operating systems do not have but KS_OS needs because of its design: Secure Boot, verified boot chain, TPM (sealed / unsealing / failed), DMA protection (IOMMU on / off / blocked), capability tokens (granted / revoked / delegated) and the privacy-in-use indicators. They are the visual identity of the "secure by construction" idea, so they deserve the most care at 16 px, where they appear in the status area.