OperationalError at /A_UPLOAD/1

no such column: payrollapp attendance history. Night Shift

```
Request Method: POST
```

Request URL: http://127.0.0.1:8000/A UPLOAD/1

Django Version: 4.1.5

Exception Type: OperationalError

Exception Value: no such column: payrollapp_attendance_history.NightShift

Exception Location: C:\Users\asus\miniconda3\lib\site-packages\django\db\backends\sqlite3\base.py, line 357, in execute

Raised during: payrollapp.ModifierDBchanges.A UPLOAD

Python Executable: C:\Users\asus\miniconda3\python.exe

Python Version: 3.9.12

Python Path: ['C:\\Users\\asus\\Downloads\\SH\\1\\MSYS42PayRoll\\shpayrollappv2\\shpayrollappv

'C:\\Users\\asus\\miniconda3\\python39.zip',

'C:\\Users\\asus\\miniconda3\\DLLs',
'C:\\Users\\asus\\miniconda3\\lib',

'C:\\Users\\asus\\miniconda3',

'C:\\Users\\asus\\miniconda3\\lib\\site-packages',

'C:\\Users\\asus\\miniconda3\\lib\\site-packages\\win32',

'C:\\Users\\asus\\miniconda3\\lib\\site-packages\\win32\\lib',

'C:\\Users\\asus\\miniconda3\\lib\\site-packages\\Pythonwin']

Server time: Sat, 04 May 2024 15:06:21 +0800

Traceback Switch to copy-and-paste view

C:\Users\asus\miniconda3\lib\site-packages\django\db\backends\utils.py, line 89, in execute

89. return self.cursor.execute(sql, params)

Local vars

C:\Users\asus\miniconda3\lib\site-packages\django\db\backends\sqlite3\base.py, line 357, in execute

357. return Database.Cursor.execute(self, query, params)

Local vars

The above exception (no such column: payrollapp_attendance_history.NightShift) was the direct cause of the following exception:

C:\Users\asus\miniconda3\lib\site-packages\django\core\handlers\exception.py, line 55, in inner

55. response = get response(request)

C:\Users\asus\miniconda3\lib\site-packages\django\core\handlers\base.py, line 197, in _get_response			
197. response = wrapped_callback(request, *callback_args, **callback_kwargs)			
▶ Local vars			
C:\Users\asus\Downloads\SH\1\MSYS42PayRoll\shpayrollappv2\shpayrollappv2\payrollapp\ModifierDBchanges.py, line 217, in A_UPLOAD			
217. print(xms)			
▶ Local vars			
C:\Users\asus\miniconda3\lib\site-packages\django\db\models\query.py, line 370, inrepr			
<pre>370. data = list(self[: REPR_OUTPUT_SIZE + 1])</pre>			
▶ Local vars			
C:\Users\asus\miniconda3\lib\site-packages\django\db\models\query.py, line 376, inlen			
376. selffetch_all()			
▶ Local vars			
C:\Users\asus\miniconda3\lib\site-packages\django\db\models\query.py, line 1867, in _fetch_all			
<pre>1867. selfresult_cache = list(selfiterable_class(self))</pre>			
► Local vars			
<pre>C:\Users\asus\miniconda3\lib\site-packages\django\db\models\query.py, line 87, initer</pre>			
87. results = compiler.execute_sql(
▶ Local vars			
C:\Users\asus\miniconda3\lib\site-packages\django\db\models\sql\compiler.py, line 1398, in execute_sql			
1398. cursor.execute(sql, params)			
► Local vars			
C:\Users\asus\miniconda3\lib\site-packages\django\db\backends\utils.py, line 103, in execute			
103. return super().execute(sql, params)			
▶ Local vars			
C:\Usons\asus\miniconda3\lih\sito_nackagos\diango\dh\hackonds\utils ny line 67 in evecute			

► Local vars

```
67.
                   return self. execute with wrappers(
      ▶ Local vars
C:\Users\asus\miniconda3\lib\site-packages\django\db\backends\utils.py, line 80, in execute with wrappers
      80.
                   return executor(sql, params, many, context)
      ▶ Local vars
C:\Users\asus\miniconda3\lib\site-packages\django\db\backends\utils.py, line 89, in _execute
      89.
                            return self.cursor.execute(sql, params)
      Local vars
C:\Users\asus\miniconda3\lib\site-packages\django\db\utils.py, line 91, in exit
      91.
                            raise dj exc value.with traceback(traceback) from exc value
      ▶ Local vars
C:\Users\asus\miniconda3\lib\site-packages\django\db\backends\utils.py, line 89, in execute
      89.
                            return self.cursor.execute(sql, params)
      ▶ Local vars
C:\Users\asus\miniconda3\lib\site-packages\django\db\backends\sqlite3\base.py, line 357, in execute
      357.
                    return Database.Cursor.execute(self, query, params)
      ▶ Local vars
```

Request information

USER AnonymousUser

GET No GET data

POST Variable Value

 ${\tt csrfmiddlewaretoken 'dzW0MVCs0hREAB71hkAZr7AdMdo7bXcTcvhly0fWVd7u1pPEg0ARkLM2gISzWsMS'} \\$

FILES Variable Value

A_xls <InMemoryUploadedFile: All-Report-Copy (1).xls (application/vnd.ms-excel)>

COOKIES

Variable	Value	
csrftoken	'96vvWfNE56q0BYSN9Qa230mZEFECVFK9'	

META

Variable	Value
ACSETUPSVCPORT	'23210'
ACSVCPORT	'17532'
ALLUSERSPROFILE	'C:\\ProgramData'
APPDATA	'C:\\Users\\asus\\AppData\\Roaming'
CHROME_CRASHPAD_PIPE_NAME	'\\\.\\pipe\\crashpad_59228_WPLTHVFMAAGVGCGF'
COLORTERM	'truecolor'
COMMONPROGRAMFILES	'C:\\Program Files\\Common Files'
COMMONPROGRAMFILES(X86)	'C:\\Program Files (x86)\\Common Files'
COMMONPROGRAMW6432	'C:\\Program Files\\Common Files'
COMPUTERNAME	'LAPTOP-PFLPH4GC'
COMSPEC	'C:\\WINDOWS\\system32\\cmd.exe'
CONTENT_LENGTH	'31614'
CONTENT_TYPE	'multipart/form-data; boundary=WebKitFormBoundaryE771B6vi7j7Nk8TG'
CSRF_COOKIE	'96vvWfNE56q0BYSN9Qa23OmZEFECVFK9'
DJANGO_SETTINGS_MODULE	'shpayrollapp.settings'
DRIVERDATA	<pre>'C:\\Windows\\System32\\DriverS\\DriverData'</pre>
FPS_BROWSER_APP_PROFILE_STRING	'Internet Explorer'
FPS_BROWSER_USER_PROFILE_STRING	'Default'
GATEWAY_INTERFACE	'CGI/1.1'
GIT_ASKPASS	'*************************************
HOMEDRIVE	'C:'
HOMEPATH	'\\Users\\asus'
HTTP_ACCEPT	$\label{thm:continuous} $$ \text{'text/html,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7'} $$$
HTTP_ACCEPT_ENCODING	'gzip, deflate, br, zstd'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9'
HTTP_CACHE_CONTROL	'max-age=0'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	'csrftoken=96vvWfNE56q0BYSN9Qa230mZEFECVFK9'
HTTP_HOST	'127.0.0.1:8000'
HTTP_ORIGIN	'http://127.0.0.1:8000'
HTTP_REFERER	'http://127.0.0.1:8000/attendance_db/1'
HTTP_SEC_CH_UA	"Chromium";v="124", "Microsoft Edge";v="124", "Not-A.Brand";v="99"'
HTTP_SEC_CH_UA_MOBILE	'?0'
HTTP_SEC_CH_UA_PLATFORM	'"Windows"'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'

Variable	Value
HTTP_SEC_FETCH_SITE	'same-origin'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like '' 'Gecko) Chrome/124.0.0.0 Safari/537.36 Edg/124.0.0.0')
LANG	'en_US.UTF-8'
LOCALAPPDATA	'C:\\Users\\asus\\AppData\\Local'
LOGONSERVER	'\\\LAPTOP-PFLPH4GC'
NUMBER_OF_PROCESSORS	'16'
ONEDRIVE	'C:\\Users\\asus\\OneDrive - ateneo.edu'
ONEDRIVECOMMERCIAL	'C:\\Users\\asus\\OneDrive - ateneo.edu'
ONEDRIVECONSUMER	'C:\\Users\\asus\\OneDrive'
ORIGINAL_XDG_CURRENT_DESKTOP	'undefined'
os	'Windows_NT'
PATH	<pre>('C:\\Windows\\system32;C:\\Windows\\System32\\\Wbem;C:\\\Windows\\System32\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</pre>
	'NvDLISR;C:\\WINDOWS\\system32;C:\\WINDOWS;C:\\WINDOWS\\System32\\\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\\\program ' 'Files\\Git\\cmd;C:\\Users\\asus\\miniconda3;C:\\Users\\asus\\miniconda3\\Library\\\bin;C:\\Users\\asus\\miniconda3\\Library\\\\bin;C:\\Users\\asus\\miniconda3\\Library\\\\\bin;C:\\Users\\asus\\\miniconda3\\Library\\\\\\bin;C:\\Users\\asus\\\miniconda3\\Library\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	$thm:c:\ProgramData\asus\GitHubDesktop\bin;C:\Users\asus\AppData\Local\GitHubDesktop\bin')$
PATHEXT	'.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.CPL'
PATH_INFO	'/A_UPLOAD/1'
PROCESSOR_ARCHITECTURE	'AMD64'
PROCESSOR_IDENTIFIER	'AMD64 Family 23 Model 96 Stepping 1, AuthenticAMD'
PROCESSOR_LEVEL	'23'
PROCESSOR_REVISION	'6001'
PROGRAMDATA	'C:\\ProgramData'
PROGRAMFILES	'C:\\Program Files'
PROGRAMFILES(X86)	'C:\\Program Files (x86)'
PROGRAMW6432	'C:\\Program Files'
PSMODULEPATH	<pre>('C:\\Users\\asus\\Documents\\WindowsPowerShell\\Modules;C:\\Program ' 'Files\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\Modules')</pre>
PUBLIC	'C:\\Users\\Public'
QUERY_STRING	

Variable	Value
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	
REQUEST_METHOD	'POST'
RLSSVCPORT	'22112'
RUN_MAIN	'true'
SCRIPT_NAME	
SERVER_NAME	'LAPTOP-PFLPH4GC'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGIServer/0.2'
SESSIONNAME	'Console'
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\\WINDOWS'
TEMP	'C:\\Users\\asus\\AppData\\Local\\Temp'
TERM_PROGRAM	'vscode'
TERM_PROGRAM_VERSION	'1.88.1'
TMP	'C:\\Users\\asus\\AppData\\Local\\Temp'
USERDOMAIN	'LAPTOP-PFLPH4GC'
USERDOMAIN_ROAMINGPROFILE	'LAPTOP-PFLPH4GC'
USERNAME	'asus'
USERPROFILE	'C:\\Users\\asus'
VSCODE_GIT_ASKPASS_EXTRA_ARGS	'*************************************
VSCODE_GIT_ASKPASS_MAIN	'*************************************
VSCODE_GIT_ASKPASS_NODE	'*************************************
VSCODE_GIT_IPC_HANDLE	'\\\.\\pipe\\vscode-git-85d1deef01-sock'
VSCODE_INJECTION	'1'
WINDIR	'C:\\WINDOWS'
wsgi.errors	<colorama.ansitowin32.streamwrapper 0x000001f16be63550="" at="" object=""></colorama.ansitowin32.streamwrapper>
wsgi.file_wrapper	<class 'wsgiref.util.filewrapper'=""></class>
wsgi.input	<pre><django.core.handlers.wsgi.limitedstream 0x000001f16fbb7f40="" at="" object=""></django.core.handlers.wsgi.limitedstream></pre>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings Using settings module shpayrollapp.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	

```
Setting
                                  Value
ALLOWED HOSTS
                                  ['127.0.0.1', 'localhost', '*']
APPEND SLASH
                                  True
AUTHENTICATION BACKENDS
                                  ['django.contrib.auth.backends.ModelBackend']
                                   '***************
AUTH_PASSWORD_VALIDATORS
AUTH USER MODEL
                                   'auth.User'
BASE DIR
                                  WindowsPath('C:/Users/asus/Downloads/SH/1/MSYS42PayRoll/shpayrollappv2/shpayrollappv2')
CACHES
                                  {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE MIDDLEWARE ALIAS
                                   'default'
                                   '***************
CACHE MIDDLEWARE KEY PREFIX
CACHE MIDDLEWARE SECONDS
                                  600
CSRF COOKIE AGE
                                  31449600
CSRF COOKIE DOMAIN
                                  None
CSRF COOKIE HTTPONLY
                                  False
CSRF COOKIE MASKED
                                  False
                                   'csrftoken'
CSRF COOKIE NAME
                                  '/'
CSRF COOKIE PATH
CSRF_COOKIE_SAMESITE
                                  'Lax'
CSRF COOKIE SECURE
                                  False
CSRF_FAILURE_VIEW
                                  'django.views.csrf.csrf failure'
CSRF HEADER NAME
                                  'HTTP X CSRFTOKEN'
CSRF_TRUSTED_ORIGINS
                                  []
CSRF USE SESSIONS
                                  False
DATABASES
                                  {'default': {'ATOMIC REQUESTS': False,
                                                'AUTOCOMMIT': True,
                                                'CONN HEALTH CHECKS': False,
                                                'CONN_MAX_AGE': 0,
                                                'ENGINE': 'django.db.backends.sqlite3',
                                                'HOST': '',
                                                'NAME':
                                  WindowsPath('C:/Users/asus/Downloads/SH/1/MSYS42PayRoll/shpayrollappv2/shpayrollappv2/db.sql
                                  ite3'),
                                                'OPTIONS': {},
                                                'PASSWORD': '*************
                                                'PORT': ''
                                                'TEST': {'CHARSET': None,
                                                         'COLLATION': None,
                                                         'MIGRATE': True,
                                                         'MIRROR': None,
                                                         'NAME': None},
                                                'TIME ZONE': None,
                                                'USER': ''}}
DATABASE ROUTERS
                                  []
DATA UPLOAD MAX MEMORY SIZE
                                  2621440
DATA UPLOAD MAX NUMBER FIELDS
                                  1000
```

```
Setting
                                   Value
DATETIME FORMAT
                                   'N j, Y, P'
                                   ['%Y-%m-%d %H:%M:%S',
DATETIME INPUT FORMATS
                                    '%Y-%m-%d %H:%M:%S.%f',
                                    '%Y-%m-%d %H:%M',
                                    '%m/%d/%Y %H:%M:%S',
                                    '%m/%d/%Y %H:%M:%S.%f',
                                    '%m/%d/%Y %H:%M',
                                    '%m/%d/%y %H:%M:%S',
                                    '%m/%d/%y %H:%M:%S.%f',
                                    '%m/%d/%y %H:%M']
                                   'N j, Y'
DATE FORMAT
DATE INPUT FORMATS
                                   ['%Y-%m-%d'
                                    '%m/%d/%Y',
                                    '%m/%d/%y',
                                    '%b %d %Y'
                                    '%b %d, %Y',
                                    '%d %b %Y'
                                    '%d %b, %Y',
                                    '%B %d %Y',
                                    '%B %d, %Y'
                                    '%d %B %Y',
                                    '%d %B, %Y']
DBBACKUP STORAGE
                                   'django.core.files.storage.FileSystemStorage'
DBBACKUP STORAGE OPTIONS
                                   {'location':
                                   WindowsPath('C:/Users/asus/Downloads/SH/1/MSYS42PayRoll/shpayrollappv2/shpayrollappv2/backup
                                   s')}
                                   True
DEBUG
DEBUG PROPAGATE EXCEPTIONS
                                   False
DECIMAL_SEPARATOR
DEFAULT AUTO FIELD
                                   'django.db.models.BigAutoField'
                                   'utf-8'
DEFAULT_CHARSET
                                   'django.views.debug.ExceptionReporter'
DEFAULT EXCEPTION REPORTER
DEFAULT EXCEPTION REPORTER FILTER 'django.views.debug.SafeExceptionReporterFilter'
                                   'django.core.files.storage.FileSystemStorage'
DEFAULT FILE STORAGE
                                   'webmaster@localhost'
DEFAULT FROM EMAIL
DEFAULT INDEX TABLESPACE
                                   . .
DEFAULT_TABLESPACE
DISALLOWED USER AGENTS
EMAIL BACKEND
                                   'django.core.mail.backends.smtp.EmailBackend'
                                   'localhost'
EMAIL HOST
                                   "***************
EMAIL HOST PASSWORD
                                   . .
EMAIL HOST USER
EMAIL PORT
                                   25
EMAIL SSL CERTFILE
                                   None
```

```
Setting
                                  Value
                                   '***************
EMAIL SSL KEYFILE
                                   '[Django] '
EMAIL SUBJECT PREFIX
EMAIL TIMEOUT
                                  None
                                  False
EMAIL_USE_LOCALTIME
EMAIL USE SSL
                                  False
                                  False
EMAIL_USE_TLS
FILE UPLOAD DIRECTORY PERMISSIONS None
FILE UPLOAD HANDLERS
                                  ['django.core.files.uploadhandler.MemoryFileUploadHandler',
                                    'django.core.files.uploadhandler.TemporaryFileUploadHandler']
                                  2621440
FILE UPLOAD MAX MEMORY SIZE
FILE_UPLOAD_PERMISSIONS
                                  420
FILE UPLOAD TEMP DIR
                                  None
                                  0
FIRST DAY OF WEEK
                                  []
FIXTURE DIRS
FORCE SCRIPT NAME
                                  None
FORMAT MODULE PATH
                                  None
FORM RENDERER
                                   'django.forms.renderers.DjangoTemplates'
IGNORABLE 404 URLS
INSTALLED APPS
                                   ['django.contrib.admin',
                                    'django.contrib.auth',
                                    'django.contrib.contenttypes',
                                    'django.contrib.sessions',
                                    'django.contrib.messages',
                                    'django.contrib.staticfiles',
                                    'payrollapp',
                                    'mathfilters',
                                    'dbbackup']
INTERNAL IPS
                                  []
LANGUAGES
                                  [('af', 'Afrikaans'),
                                   ('ar', 'Arabic'),
                                    ('ar-dz', 'Algerian Arabic'),
                                    ('ast', 'Asturian'),
                                    ('az', 'Azerbaijani'),
                                    ('bg', 'Bulgarian'),
                                    ('be', 'Belarusian'),
                                    ('bn', 'Bengali'),
                                    ('br', 'Breton'),
                                    ('bs', 'Bosnian'),
                                    ('ca', 'Catalan'),
                                    ('cs', 'Czech'),
                                    ('cy', 'Welsh'),
                                    ('da', 'Danish'),
                                    ('de', 'German'),
                                    ('dsb', 'Lower Sorbian'),
                                    ('el', 'Greek'),
                                    ('en', 'English'),
```

```
Setting
                                  Value
                                    ('en-au', 'Australian English'),
                                   ('en-gb', 'British English'),
                                    ('eo', 'Esperanto'),
                                   ('es', 'Spanish'),
                                   ('es-ar', 'Argentinian Spanish'),
                                    ('es-co', 'Colombian Spanish'),
                                    ('es-mx', 'Mexican Spanish'),
                                    ('es-ni', 'Nicaraguan Spanish'),
                                    ('es-ve', 'Venezuelan Spanish'),
                                    ('et', 'Estonian'),
                                   ('eu', 'Basque'),
                                   ('fa', 'Persian'),
                                   ('fi', 'Finnish'),
                                   ('fr', 'French'),
                                   ('fy', 'Frisian'),
                                   ('ga', 'Irish'),
                                    ('gd', 'Scottish Gaelic'),
                                   ('gl', 'Galician'),
                                   ('he', 'Hebrew'),
                                   ('hi', 'Hindi'),
                                   ('hr', 'Croatian'),
                                   ('hsb', 'Upper Sorbian'),
                                   ('hu', 'Hungarian'),
                                   ('hy', 'Armenian'),
                                   ('ia', 'Interlingua'),
                                   ('id', 'Indonesian'),
                                   ('ig', 'Igbo'),
                                   ('io', 'Ido'),
                                   ('is', 'Icelandic'),
                                   ('it', 'Italian'),
                                   ('ja', 'Japanese'),
                                   ('ka', 'Georgian'),
                                   ('kab', 'Kabyle'),
                                   ('kk', 'Kazakh'),
                                   ('km', 'Khmer'),
                                    ('kn', 'Kannada'),
                                   ('ko', 'Korean'),
                                   ('ky', 'Kyrgyz'),
                                   ('lb', 'Luxembourgish'),
                                   ('lt', 'Lithuanian'),
                                   ('lv', 'Latvian'),
                                   ('mk', 'Macedonian'),
                                    ('ml', 'Malayalam'),
                                   ('mn', 'Mongolian'),
                                   ('mr', 'Marathi'),
                                   ('ms', 'Malay'),
                                   ('my', 'Burmese'),
                                    ('nb', 'Norwegian Bokmål'),
                                   ('ne', 'Nepali'),
                                   ('nl', 'Dutch'),
                                   ('nn', 'Norwegian Nynorsk'),
```

```
Setting
                                   Value
                                    ('os', 'Ossetic'),
                                    ('pa', 'Punjabi'),
                                    ('pl', 'Polish'),
                                    ('pt', 'Portuguese'),
                                    ('pt-br', 'Brazilian Portuguese'),
                                    ('ro', 'Romanian'),
                                    ('ru', 'Russian'),
                                    ('sk', 'Slovak'),
                                    ('sl', 'Slovenian'),
                                    ('sq', 'Albanian'),
                                    ('sr', 'Serbian'),
                                    ('sr-latn', 'Serbian Latin'),
                                    ('sv', 'Swedish'),
                                    ('sw', 'Swahili'),
                                    ('ta', 'Tamil'),
                                    ('te', 'Telugu'),
                                    ('tg', 'Tajik'),
                                    ('th', 'Thai'),
                                    ('tk', 'Turkmen'),
                                    ('tr', 'Turkish'),
                                    ('tt', 'Tatar'),
                                    ('udm', 'Udmurt'),
                                    ('uk', 'Ukrainian'),
                                    ('ur', 'Urdu'),
                                    ('uz', 'Uzbek'),
                                    ('vi', 'Vietnamese'),
                                    ('zh-hans', 'Simplified Chinese'),
                                    ('zh-hant', 'Traditional Chinese')]
                                   ['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGES_BIDI
LANGUAGE CODE
                                   'en-us'
LANGUAGE_COOKIE_AGE
                                   None
LANGUAGE COOKIE DOMAIN
                                   None
LANGUAGE COOKIE HTTPONLY
                                   False
LANGUAGE COOKIE NAME
                                   'django language'
                                   '/'
LANGUAGE_COOKIE_PATH
LANGUAGE COOKIE SAMESITE
                                   None
LANGUAGE_COOKIE_SECURE
                                   False
LOCALE PATHS
                                   []
LOGGING
                                   {}
LOGGING CONFIG
                                   'logging.config.dictConfig'
LOGIN REDIRECT URL
                                   '/accounts/profile/'
LOGIN_URL
                                   '/accounts/login/'
LOGOUT REDIRECT URL
                                   None
MANAGERS
                                   []
                                   . .
MEDIA ROOT
                                   '/'
MEDIA URL
```

Setting	Value
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	<pre>['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']</pre>
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'*************************************
PASSWORD_RESET_TIMEOUT	'*************************************
PREPEND_WWW	False
ROOT_URLCONF	'shpayrollapp.urls'
SECRET_KEY	'*************************************
SECRET_KEY_FALLBACKS	'*************************************
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_CROSS_ORIGIN_OPENER_POLICY	'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'

Setting	Value
SETTINGS_MODULE	'shpayrollapp.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	
STATICFILES_DIRS	
STATICFILES_FINDERS	<pre>['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']</pre>
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	<pre>'C:\\Users\\asus\\Downloads\\SH\\1\\MSYS42PayRoll\\shpayrollappv2\\shpayrollappv2\\static'</pre>
STATIC_URL	'/static/'
TEMPLATES	<pre>[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug',</pre>
	'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS	
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	, , , , , , , , , , , , , , , , , , ,
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'Hongkong'
USE_DEPRECATED_PYTZ	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'shpayrollapp.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.