

POULTRY NUTRITIONALS AND THERAPEUTIC MARVELS FROM




AURINKO®
Leading Innovation in Healthcare & Nutrition



**A WHO-GMP, HACCP, FSSAI, APEDA,
ISO 9001:2015 and ISO 22000:2018 Certified Company**

1.	Growth Promoters	3-4
2.	Immunomodulators	4-7
3.	Toxin Binders and Acidifiers	8-10
4.	Vitamins, Minerals and Electrolytes	10-11
5.	Kidney Stimulants and Protectants	11
6.	Liver Stimulants and Protectants	12-13
7.	Gut Modulators	13-15
8.	Preventive Concepts	16-17
9.	Enzymes	18
10.	Specialty Products	19-20

POULTRY PRODUCT

Growth Promoters

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <small>Performance Enhancer & Egg Production Stimulator</small>	1 Ltr 5 Ltr 25 Ltr 25 Kg	Each Ltr. /Kg contains- Vitamin A Palmitate 2000000 IU, Vitamin D3 400000 IU, Vitamin E 5000 mg, Grape polyphenols eq. to 6000, IU vitamin E activity, Vitamin B1 1250 mg, Vitamin B2 500 mg, Vitamin B6 625 mg, Vitamin B12 5300 mcg, Vitamin K3 (MCB) 350 mg, Biotin (Vitamin H) 1000000 mcg, Vitamin C (coated) 10000 mg, Niacin 1400 mg, Folic acid 625 mg, D Panthenol 625 mg, Magnesium salt 455 mg, Potassium salt 82.430 gm, Sodium salt 9.815 gm, Selenium 125 mg, Iodine 500 mg, Copper glycinate 4000 mg, Manganese glycinate 10000 mg, Zinc glycinate 10000 mg, Chromium propionate 5000 mg, DL-Methionine 5000 mg, L-Lysine 5000 mg, Amino acid profile 10000 mg, Nucleotides 10,000 mg/ Saccharomyces cerevisiae 200000 million cfu, Omega-3 Fatty acid 1000 mg, Aloe vera ext. 10,000 mg, Solanum xanthocarpum ext. 10,000 mg Moringa ext. 10,000 mg	Improves growth, FCR, weight gain and production. During environmental extremes summer and winter periods Helps peak production to maintain for longer periods. Avoids post peak drop in egg production. To reduce stress on birds. For better plumage and bone strength. To improve egg quality and health of bird	Through oral route per 100 Birds- Chicks up to 1 week-5 ml daily Chicks more than 1 week-7.5 ml daily Broiler more than 2 week-10 ml daily Layers- 10 ml daily Breeders- 15 ml daily Feed grade: Layers: 500 gm per ton of feed Breeders: 750 gm per ton of feed
 <small>An Innovative Non-Antibiotic Growth Promoter</small>	1 kg 25 kg Bags	Each pack contains: Phytochemical extracts derived from: Leptadenia reticulata, Asparagus racemosus, Trigonella foenum, Ocimum Sanctum, Phyllanthus emblica, Andrographis paniculata, Eclipta alba, Saccharomyces cerevisiae, Bacillus coagulans, Aspergillus oryzae, DL Methionine, Niacin, Biotin, Fortified with Essential oils	Initiates faster growth in growing broiler to achieve higher weight gain.	Broilers: For 100 birds during 30 days period. 10 gm daily for 10 days followed by 20 gm daily for next 20 days.
 <small>An Ultimate Poultry Tonic</small>	1 Ltr Bottle 5 Ltr Jar	Each Litre Contains: Protein Hydrolysate 360 gm, Arginine 5200 mg, Cystine 1050 mg, Glycine 3150 mg, Histidine 2000 mg, Isoleucine 3275 mg, Leucine 5700 mg, L-Lysine 4500 mg, DL-Methionine 1350mg, Phenylalanine 3400 mg, Serine 3800 mg, Tyrosine 3200 mg, Threonine 2900 mg, Tryptophan 1210 mg, Valine 3500 mg, Calcium 170mg, Chloride 2900 mg, Cobalt 4.0 mg, Copper 4.0 mg, Iodine 2090mg, Iron 20 mg, Magnesium 1820 mg, Manganese 16 mg, Potassium 680 mg, Sodium 2100 mg, Zinc 6.66 mg, Papain 1020 mg, Yeast Extract 2060 mg, Carbohydrates 3200 mg, Antioxidant 120 mg	Ultimate source of amino acids and minerals for growth and egg production, Enhances feed utilization and FCR, Improves gut efficiency and digestion Augments immunity and Reduces mortality.	Chicks- 10 ml to 15 ml per Litre of water or 20 ml per 100 birds, Layers- 15 ml to 20 ml per Litre of water or 20 ml to 25 ml per 100 birds. Growers & Broilers- 20 ml to 25 ml per Litre of water or 20 ml to 25 ml per 100 birds. To be administered through drinking water on regular basis or as advised by a Veterinarian/ Nutritionist.

POULTRY PRODUCT

PRODUCT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED USAGE

AURI GROW®

All Natural Non-Antibiotic
Growth Promoter

100 gm

250 gm

&

1 kg

Each pack Contains:
Extracts of Allium sativum and
Ocimum sanctum, Phytochemical
principles of Thymol, Eugenol,
Curcumin and Capsaicin, Nucleotides,
Vitamin C, Mannan oligosaccharide,
Zinc, Organic acid derivatives,
Postbiotic Metabolites of Bacillus Spp.,
Protease enzyme & Inulin

Growth promoter
Immunity
enhancer
Strong
antibacterial
and antifungal
supplement

750 gms to 1 kg per
ton of feed as
growth promoter

**Auriquinol™
POWER**

Pentavalent Efficacy
Non-Antibiotic Growth Promoter

1 kg

25 kg

bags

Each kg contains:
Potentiated Chloro
Hydroxyquinolines 550 gm,
Acidifiers 25 gm,
Mannan Oligosaccharides 25 gm

Improves weight
gain and FCR,
Regulates
intestinal pH,
Reduces mortality,
Minimises wet
droppings,
Maintains gut
integrity, It controls
diarrhoea by
slowing down the
intestinal motility

Broilers and
layers: 100g/ton
of feed for growth
promotion

METAGROW™-WS
Postbiotic Growth Promoter for Broiler

WS
grade

1 kg

&

25 kg
drum

Each pack contains:
High metabolic activators,
antimicrobial peptides, antioxidants
and immunogens (metabolic
extracts of Saccharomyces and
Bacillus probiotics enriched with
enzymes)
Fortified with Mannan
oligosaccharides 390 gm/kg

Reduces early
chick mortality,
Improves growth,
body weight gain,
feed conversion
efficiency, and
nutrient
digestibility.
Helps to maintain
gut balance
Supports the
immune system,
Promotes good
health and
reduces use of
antibiotics

Recommended usage
(Water soluble)

Broilers –
10,000 Birds

Week	Morning (in kg)	Evening (in kg)	Daily Total (in kg)	Per Week (in kg)
1	0.4	0.4	0.8	5.6
2	0.8	0.8	1.6	11.2
3	1.1	1.1	2.2	15.4
4	1.4	1.4	2.8	19.6
			Total	51.8 kg

METAMUNE-WS
Postbiotic Immunomodulator for Breeder Birds

Feed
grade

1 kg

&

25 kg
drum

Each pack contains:
High metabolic antioxidants,
antimicrobial peptides and
immunogens
(metabolic extracts of
Saccharomyces and Bacillus
probiotics)

Reduces early chick
mortality,
Maintains gut barrier
integrity, modulates
immune responses,
and supports overall
gastrointestinal
health.
Promotes serum
IgM and IgY levels
to enhance birds,
immunity
Activates, immune
cells by producing
cytokines and
chemokines,
Promotes good
health and reduces
use of antibiotics

Layer :
1 kg per ton of
feed

Breeder:
1.5 kg per ton of
feed

Growth Promoters

Immunomodulators

POULTRY PRODUCT

PRODUCT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED USAGE



Powerful Phytochemical
Immunomodulator against
Infectious Bursal Disease

1 kg
25 kg

Each Kg contains:
Phytochemical principles of
Myricitrin, Azadirachtin,
Berberine-Quercetin
Nanophosphosome®,
Withania Somnifera
Nanophosphosome®,
Vitamin C 75 gm, Cu (as
glycinate complex) 300 mg,
Mn (as glycinate complex)
150 mg
Fortified with Selenium

Helps to prevent
and control RNA
viral infections
(Infectious Bursal
Disease).
Ensures faster
recovery during
disease
outbreaks.
Improves the
antibody titre
when given along
with vaccinations.
Regular use
prevents
recurrence of
infection.

For Poultry:
Powder
supplementation-
For prevention-
400 gm per tonne
of feed for
1-2 weeks.
As Supportive
therapy during
acute
infections- 1.2 kg
per tonne of feed
for 5-7 days.



Powerful Phytochemical
Immunomodulator against
DNA Virus Infections

1 kg
25 kg

Each Kg contains:
Phytochemical principles of
Isoflavones, polyphenols,
Camellia sinensis
Nanophosphosome®,
Grape Skin Nanophosphosome®,
Vitamin C 75 gm,
Cu (as glycinate complex)
600 mg, Mn (as glycinate
complex) 300 mg
Fortified with Piperine and
Selenium

Helps to prevent
and control DNA
viral infections
(Chicken Anemia
Virus, Inclusion
Body Hepatitis
Virus, Fowl Pox
Virus, Marek's
Disease Virus).
Ensures faster
recovery during
disease
outbreaks.
Improves the
antibody titre
when given along
with vaccinations.
Regular use
prevents
recurrence of
infection.

For Poultry:
Powder
supplementation-
For prevention- 250
gm per tonne of
feed for 2-4 weeks.
As Supportive
therapy during
acute infections-
750 gm per
tonne of feed for 5-
7 days.



Powerful Phytochemical
Immunomodulator against
New Castle Disease

1 kg
25 kg

Each Kg contains:
Phytochemical principles of
Allicin, Azadirachtin,
Polyphenols,
Camellia sinensis
Nanophosphosome®,
Vitamin C 75 gm,
Cu (as glycinate complex)
300 mg, Mn (as glycinate
complex) 150 mg
Fortified with Selenium

Helps to prevent
and control New
Castle Disease
virus infection.
Ensures faster
recovery during
disease
outbreaks.
Improves the
antibody titre
when given along
with vaccinations.
Regular use
prevents
recurrence of
infection.

For Poultry:
Powder
supplementation-
For prevention-
700 gm per tonne
of feed for 1-2
weeks.
As Supportive
therapy during
acute infections-
2 kg per tonne of
feed for 5-7 days.

POULTRY PRODUCT

PRODUCT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED USAGE



Powerful Essential Oil Based Immunomodulator against Infectious Bronchitis and Avian Influenza

1 kg &
500 gm.

Each pack contains:
Phytochemical principles of 1-8 cineol, Thymol, Carvacrol, Terpinen-4-ol, Linalool, Cinnamaldehyde, Eugenol and Silver nanoparticles.

Helps to prevent and control RNA viral infections (Infectious Bronchitis, Avian Influenza). Ensures faster recovery during disease outbreaks. Improves the antibody titre when given along with vaccinations. Regular use prevents recurrence of infection.

Water supplementation-
Prevention:
0.2 ml per litre of drinking water for 2 to 3 weeks
Therapeutic support:
0.5 ml per litre of drinking water for 5 to 7 days



Powerful Essential Oil Based Immunomodulator against New Castle Disease

1 kg &
500 gm.

Each Ltr. contains:
Phytochemical principles of 1-8 cineol, Carvacrol, Thymol
Vitamin A.....20 million IU
Vitamin D3.....8 million IU

Helps to prevent and control New Castle Disease virus infections Ensures faster recovery during disease outbreaks. Improves the antibody titre when given along with vaccinations. Regular use prevents recurrence of infection.

Prevention:
0.2 ml per litre of drinking water for 2 to 3 weeks
Therapeutic support:
0.5 ml per litre of drinking water for 5 to 7 days



Powerful Phytochemical Immunomodulator against Infectious Bronchitis and Avian Influenza

1 kg
25 kg




Each Kg contains:
Phytochemical principles of Myricitrin, Eugenol, Oleanolic acid, Carnosic acid Berberine-Quercetin Nanophosphosome®, Rosmarinic-Urosolic acid Nanophosphosome®, Camellia Sinensis Nanophosphosome®, Vitamin C 75 gm, Cu (as glycinate complex) 300 mg, Mn (as glycinate complex) 150 mg
Fortified with Selenium

Helps to prevent and control RNA viral infections (Infectious Bronchitis, Avian Influenza). Ensures faster recovery during disease outbreaks. Improves the antibody titre when given along with vaccinations. Regular use prevents recurrence of infection.

For Poultry:
Powder supplementation-
For prevention- 400 gm per tonne of feed for 1-2 weeks. As Supportive therapy during acute infections- 1.2 kg per tonne of feed for 5-7 days.

POULTRY PRODUCT

Immunomodulators

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 Aurimune™ Potent Immunomodulator	500 ml	Each Litre contains: Mannan oligosaccharides 20 gm, Vitamin C 6000 mg, Betaine hydrochloride 25000 mg, Vitamin E 9000 mg, Sodium selenite 2250 mg, Pepsin 180 mg, Nucleotides 2000 mg, Protein hydrolysate 15000 mg Fortified with phytochemical principles of <i>Ocimum sanctum</i> , <i>Phyllanthus emblica</i> , <i>Allium sativum</i> and Lysozyme	Improves immunity, reduces mortality, enhances growth and provides better health. Acts as supportive therapy during disease exposure and helps in faster recovery. Growth Promoter	Supplementation in Poultry: As immunomodulator and growth promoter:- 0.2 to 0.5 ml mixed with 1 litre water for 5 birds twice daily for 4 to 8 weeks. For Mortality Prevention Programme during severe stress, immune compromised status or disease exposure:- 0.5-1 ml mixed with 1 litre water for 5 birds twice daily for 2-3 weeks
	1 Ltr			
	5 Ltr			
	25 Ltr			
 Aurimune™ FORTE WS Potent Immunomodulator	1 kg	Each kg contains: Mannan oligosaccharides 160 gm, Vitamin C 48 gm, Betaine hydrochloride 200 gm, Pepsin 1.44 gm, Vitamin E 48 gm, Sodium selenite 3.6 gm, Nucleotides 16 gm, Protein hydrolysate 120 gm Fortified with Microbial Lysozyme and phytochemical principles of <i>Ocimum sanctum</i> , <i>Phyllanthus emblica</i> and <i>Allium sativum</i> .	Improves immunity, reduces mortality, enhances growth and provides better health. Acts as supportive therapy during disease exposure and helps in faster recovery.	As immunomodulator and growth promoter:- 2.5-7.5 gm mixed with 100 ltr. water for 500 birds twice daily for 4 to 8 weeks. For mortality prevention programme during severe stress, immune compromised status or disease exposure:- 7.5-15 gm mixed with 100 ltr. water for 500 birds twice daily for 2-3 weeks.
	25 kg			
 MetaBlu™ Plus Powerful Antiviral Supplement	1 Ltr	Each ml contains Phytochemical extracts derived from: Eugenia jambolana extract 1000 mg Acacia arabica extract 200 mg Mannan Oligosaccharide 16 mg Beta glucan 4 mg Enriched with Methylene blue	Prevention and Supportive therapy for DNA Virus Infections (Chicken Anemia virus, Fowl Pox virus, Marek's Disease virus, Inclusion Body Hepatitis (IBH))	Broiler: Daily in Divided Doses Therapeutic use: 4-5 Days Chicks- 7.5-10 ml /100 birds Grower- 15-20 ml/100 birds Finisher- 22.5-30 ml/100 birds Preventive use: 3-4 Weeks Chicks- 2 ml /100 birds Grower- 4 ml/100 birds Finisher- 6 ml/100 birds
	5 Ltr			
	50 Ltr Drum			

POULTRY PRODUCT

Toxin Binders and Acidifiers

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <p>Buffered Organic Acids and Emulsifier Solution Enriched with Gut-acting probiotics</p>	<p>1 Ltr Bottle</p> <p>5 Ltr Jar</p> <p>25 Ltr Jar</p>	<p>Each Ltr contains:</p> <p>Citric acid 25 gm, Sodium formate 86.7 gm, Formic acid 175.5 gm, Acetic acid 76 gm, Lactic Acid 37.5 gm, Propionic Acid 23.1 gm, Ammonium propionate 83.2 gm, Bacillus coagulans, Lactobacillus plantarum, Lactobacillus rhamnosus, Propylene glycol 50 gm & Glycerol 50 gm (Total Probiotic count 90 Billion cfu)</p>	<p>Prevent and control bacterial infections</p> <p>Reduces the convalescence period when used as supportive along with anti-bacterial or coccidiosis therapy</p> <p>Improves digestive performance</p> <p>Improves laying performance and growth in birds</p>	<p>2-3 ltr. per 1000 ltr. of drinking water during the whole day during bacterial infections.</p> <p>In care of preventive schedule only 8 hours a day drinking water is applied.</p>
 <p>3-in-1 Organic Toxin Binder</p>	<p>100 ml</p> <p>500 ml</p> <p>1 Ltr</p> <p>5 Ltr</p>	<p>Each liter Contains:</p> <p>Phytochemical extracts derived from:</p> <p>blend of Andrographis paniculata, Eclipta alba, Terminalia chebula, and Gmelina arborea 1200 gm, Thiamine Mononitrate 150 mg, Pyridoxine Hydrochloride 150 mg, Cyanocobalamin 1500 mcg, Copper Glycinate 1.25 gm, Mannan oligosaccharides complex 20 gm</p>	<p>Controls and reduces feed contaminations.</p> <p>Improves liver health, kidney and bind multiple mycotoxins.</p> <p>Inhibits growth of mold and prevents further mycotoxin production.</p> <p>Increases immunity and reduces stress on liver.</p> <p>Improves laying performance and growth in birds</p>	<p>0.25 ml to 0.5 ml of Mytobi Natura per ltr. of drinking water for 5 to 7 days.</p> <p>During Stress- 0.5 to 1 ml per ltr. of drinking water for 5 to 7 days.</p>
 <p>Advanced Mold Inhibitor and Mycotoxin Binder</p>	<p>1 Ltr Bottle</p> <p>5 Ltr Jar</p> <p>50 Ltr Drum</p>	<p>Each 100 ml contains:</p> <p>Mannan oligosaccharides 160 mg, Yeast Extract 30 mg, Sodium potassium tartrate 10 mg, Citric acid 800 mg, Sodium citrate 10 mg, Phosphoric acid 650 mg, Thiamine mononitrate 30 mg, Malic acid 100 mg, Riboflavin 30 mg, Tartaric acid 150 mg, Pyridoxine hydrochloride 200 mg, Disodium EDTA 150 mg, Copper pentasulphate 1 gm, Propylene glycol 10 gm, <i>Saccharomyces cerevisiae</i> 2 gm, Aspartic acid 20 mg.</p>	<p>Controls and reduces feed contamination,</p> <p>Bind multiple mycotoxins,</p> <p>Inhibits growth of mold and prevents further mycotoxin production,</p> <p>Increases immunity and reduces stress on liver,</p> <p>Improves laying performance and growth in birds</p>	<p>0.25 ml to 0.5 ml per litre of drinking water for 3 to 5 days</p> <p>During Stress- 0.5 ml to 1 ml per litre of drinking water for 3 to 5 days</p>

POULTRY PRODUCT

Toxin Binders and Acidifiers

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE										
<div><div><div><div>AURITOX</div><div>Premium</div></div><div>Powerful Toxin Binder</div></div></div>	25 kg Bag	Each Kg contains: Calcium Montmorillonite, Activated carbon, Calcium propionate, Sodium benzoate, Mannan oligosaccharide Extract of Heptoprotective herbs Organic acids	Controls and reduces feed contamination, Bind multiple mycotoxins, Inhibits growth of mold and prevents further mycotoxin production, Increases immunity and reduces stress on liver, Improves laying performance and growth in birds	<table><tr><th>Feed Mycotoxin concentration (PPB)</th><th>Mixing per ton of feed</th></tr><tr><td>40</td><td>600 gm</td></tr><tr><td>60</td><td>1200 gm</td></tr><tr><td>80</td><td>1800 gm</td></tr><tr><td>100</td><td>2500 gm</td></tr></table>	Feed Mycotoxin concentration (PPB)	Mixing per ton of feed	40	600 gm	60	1200 gm	80	1800 gm	100	2500 gm
Feed Mycotoxin concentration (PPB)	Mixing per ton of feed													
40	600 gm													
60	1200 gm													
80	1800 gm													
100	2500 gm													
<div><div><div><div>AURITOX</div><div>Ultimate</div></div><div>Powerful Toxin Binder</div></div></div>	25 kg Drum	Each Kg contains: Microalgae diatoms, Activated carbon, Calcium propionate, Sodium benzoate, Mannan oligosaccharide Extract of Heptoprotective herbs, Organic acids, Toxin binding probiotics, Seaweed extract	Controls and reduces feed contamination, Bind multiple mycotoxins, Inhibits growth of mold and prevents further mycotoxin production, Increases immunity and reduces stress on liver, Improves laying performance and growth in birds	<table><tr><th>Feed Mycotoxin concentration (PPB)</th><th>Mixing per ton of feed</th></tr><tr><td>40</td><td>400 gm</td></tr><tr><td>60</td><td>800 gm</td></tr><tr><td>80</td><td>1200 gm</td></tr><tr><td>100</td><td>1600 gm</td></tr></table>	Feed Mycotoxin concentration (PPB)	Mixing per ton of feed	40	400 gm	60	800 gm	80	1200 gm	100	1600 gm
Feed Mycotoxin concentration (PPB)	Mixing per ton of feed													
40	400 gm													
60	800 gm													
80	1200 gm													
100	1600 gm													
<div><div><div><div>ACITOX</div></div><div>Innovative And Powerful Mycotoxin Binder</div></div></div>	25 kg Pack	Bentonite-montmorillonite 38% Sepiolite 39% Yeast (Saccharomyces cerevisiae) 14% Calcium Propionate 9%	Controls and reduces feed contamination, Bind multiple mycotoxins, Inhibits growth of mold and prevents further mycotoxin production, Increases immunity and reduces stress on liver, Improves laying performance and growth in birds	0.5-1.5 kg/ton										
<div><div><div><div>ACITOX</div><div>Power</div></div><div>Powerful Mycotoxin Binder and Antioxidant</div></div></div>	25 kg Pack	Bentonite-montmorillonite 21.5% Sepiolite 21.5% Yeast (Saccharomyces cerevisiae) 45% Artichoke leaf 2% Calcium Carbonate 2% Rosmarinus officinalis 1.25% Butylated Hydroxytoluene (BHT) 0.27% Calcium Propionate 2% Ethoxyquin 0.06% Citric Acid 0.1%	Controls and reduces feed contamination, Bind multiple mycotoxins, Inhibits growth of mold and prevents further mycotoxin production, Increases immunity and reduces stress on liver, Improves laying performance and growth in birds	0.5-1.5 kg/ton										
<div><div><div><div>AURITOX</div><div>BIO</div></div><div>Enriched with activated carbon & MOS</div></div></div>	25 kg Bag	Each Kg contains: Calcium Montmorillonite, Activated carbon, Calcium propionate, Sodium benzoate, Mannan oligosaccharide	Controls and reduces feed contamination, Bind multiple mycotoxins, Inhibits growth of mold and prevents further mycotoxin production, Increases immunity and reduces stress on liver, Improves laying performance and growth in birds	<table><tr><th>Feed Mycotoxin concentration (PPB)</th><th>Mixing per ton of feed</th></tr><tr><td>40</td><td>1 kg</td></tr><tr><td>60</td><td>2 kg</td></tr><tr><td>80</td><td>3 kg</td></tr><tr><td>100</td><td>4 kg</td></tr></table>	Feed Mycotoxin concentration (PPB)	Mixing per ton of feed	40	1 kg	60	2 kg	80	3 kg	100	4 kg
Feed Mycotoxin concentration (PPB)	Mixing per ton of feed													
40	1 kg													
60	2 kg													
80	3 kg													
100	4 kg													

POULTRY PRODUCT

Toxin Binders & Acidifiers

Vitamins, Minerals and Electrolytes

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
ACITOX[®]FORTE Liquid Powerful Mycotoxin Binder and Immunomodulator	1 Ltr Bottle	Each ltr contains: Citric acid monohydrate 60 gm, Phosphoric acid 60 gm, Lactic acid 20 gm, Biotin 0.015 gm, Nicotinamide 1 gm, Calcium chloride 3 gm, Potassium Iodide 0.046 gm, Sodium Selenite 0.788 gm, Zinc chloride 3.2 gm, Ferric chloride 3 gm, Magnesium chloride hexahydrate 2.5 gm, Manganese chloride 6.31 gm, Copper sulphate 0.32 gm, Cobalt sulphate 0.0338 gm, Vitamin B ₁ 1 gm, Vitamin B ₂ 0.06 gm, Vitamin B ₆ 0.8 gm, Vitamin B ₁₂ 0.006 gm, Yeast extract 20 gm (Saccharomyces cerevisiae 4.125x10 ⁷ CFU, equivalent to 0.12 gm Nitrogen content) Protein hydrolysate (40% Amino acid, 20 gm Nitrogen from Amino acid)	Effectively neutralizes mycotoxins, improves immune system, improves vaccination response, reduces mortality, improves feed conversion ratio, improves growth, bodyweight and egg production	Poultry- For prevention: 0.5 ml/ litre of drinking water For treatment: 1 ml/ litre of drinking water Livestock- Small animal: 5-10 ml/animal/day Large animal: 50-60 ml/animal/day Or as directed by the registered veterinarian practitioner.
	5 Ltr Jar			
	25 Ltr Jar			
AURO VITA[™] Super Anti-oxidant and Immunomodulator	1 Kg Pack	Aurovita Each 100 gm contains: Vitamin E 5,000 IU, Selenium 20 mg Grape polyphenol eq. to 15,000 IU Vitamin E activity Vitamin A 10,00,000 IU, Vitamin D 2,00,000 IU, Biotin 60,000 mcg	Improves immunity and prevents disease occurrence Increases egg production, quality and hatchability	Aurovita Poultry: For 10000 birds- 240 gm per ton of feed for Layers. 360 gm per ton of feed for Breeders/Broilers Aurovita QS Poultry: For 10000 Birds: 60 gm per ton of feed for Layers. 90 gm per ton of feed Breeders/ Broilers: (Increase the supplementation during severe environmental or production stress and disease challenges.)
	25 Kg Drum			
	1 Kg Pack	Aurovita QS Each 100 gm contains: Vitamin E 20,000 IU, Selenium 80 mg Grape polyphenol eq. to 60,000 IU Vitamin E activity Vitamin A 40,00,000 IU, Vitamin D 8,00,000 IU, Biotin 2,40,000 mcg	Enhances weight gain, improves coat and health status	
AURI LYTE[™] Electrolytes for Heat Stress	1 Kg	Each kg contains: Sodium chloride 257 gm Potassium chloride 50 gm Sodium bicarbonate 500 gm Zinc sulphate 8 gm Calcium citrate 3 gm Vitamin C 12 gm Magnesium sulphate 30 gm Bacillus coagulans Bacillus licheniformis (Total probiotic count not less than 330 billion cfu)	Helps in diarrhea, In extreme temperatures (high or low) and all kind of stress maintains electrolyte balance, Reduces mortality rate from heat stress, Improves layer and broiler performance to increase processing yield, feed conversion ratio, egg production and body weight.	Recommended usage: Poultry: 1 gm per litre of water for 100 birds
	25 Kg			

POULTRY PRODUCT

Vitamins, Minerals and Electrolytes

Kidney Tonics and Protectants

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <p>AURI LYTETM Plus</p> <p>Electrolytes for Heat Stress</p>	1 Kg 25 Kg	Each 100 gm contains: Sodium chloride 25.7 gm Potassium chloride 5.0 gm Sodium bicarbonate 45 gm Sodium acid phosphate 0.8 gm Sodium citrate 6.5 gm Calcium citrate 2 gm Betaine 0.3 gm, Vitamin C 1200 mg (coated), Magnesium sulphate 3 gm, Lactobacillus sporogenes viable spore 3000 million, Bacillus licheniformis viable spores 30000 million, Saccharomyces boulardii viable spores 1500 million, Dextrose qs.	Helps in diarrhea, In extreme temperatures (high or low) and all kind of stress maintains electrolyte balance, Reduces mortality rate from heat stress, Improves layer and broiler performance to increase processing yield, feed conversion ratio, egg production and body weight.	Recommended usage: Poultry: 1 gm per litre of water for 100 birds.
 <p>Carbon Technology Nano Minerals NeunaMin[®] POWER TOTAL</p>	1 kg	Each kg contains: Zinc Neunamin 1,00,000 PPM, Manganese Neunamin 1,00,000 PPM, Copper Neunamin 15,000 PPM, Iron Neunamin 40,000 PPM, Selenium Neunamin 1,000 PPM, Iodine Neunamin 4,000 PPM, Chromium Neunamin 500 PPM	Improves physiological functions, growth and production performance, Augments immunity & stress threshold, Healthier hatchability & breeding efficiency, Helps to reduce embryonic death & early chick mortality, Produces selenium rich quality eggs.	Feed mixing ratio: Broiler & Layer: 100 gm per ton as top dressing 200 gm per ton as feed premix Breeders: 200 gm per ton as top dressing 400 gm per ton as feed premix Or as directed by Nutritionist.
 <p>AurinalTM</p> <p>Kidney Tonic rejuvenator and protectant</p>	1 ltr. & 5 ltr.	Each 200 ml, contains Phytochemical extracts derived from: Mentha piperita 11.6 gm, Coriandrum sativum 30 gm, Boerhavia diffusa 30 gm, Tinospora cordifolia 20 gm, Ocimum basilicum 30 gm, Tribulus terrestris 30 gm, Cyperus rotundus 20 gm, Ficus religiosa 29 gm, Trigonella foenum-graecum 29 gm, Moringa oleifera 30 gm, Solanum nigrum 30 gm, Vitamin D3 25,000 IU, Niacin 1 gm, Folic acid 15 mg, Cyanocobalamin 500 mcg, Biotin 1 mg & Ferrous sulphate 1.2 gm, Potassium citrate 60 mg	Reduces risk of kidney stones formation (Urolithiasis) & deposition. Reduces kidney failure risk and nephrotoxicity. Improves FCR and reduces mortality. Helps to maintain normal low level of blood urea nitrogen & serum creatinine.	For 100 birds Chicks: 5-7.5 ml daily Growers: 10-15 ml daily Layers: 15-20 ml daily Broilers: 1 to 2 Weeks: 10-15 ml daily 3 to 4 Weeks: 15-20 ml daily 5 Week onwards: 20-25 ml daily Breeders: 20-40 ml daily

POULTRY PRODUCT

Liver Stimulants and Protectants

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
LIVAURO[®] FORTE Premium Herbal Liver Stimulant and Protectant	5 Ltr Jar	Each 5 ml contains Phytochemical Extracts derived from :	Improves digestion and consistency of stool, Improves FCR and egg production, Increases growth in chicks, As supportive therapy in degenerative liver diseases (Hepatitis, Jaundice, Fatty liver syndrome, Hepato-toxic conditions etc.) Aflatoxicosis and Toxemia.Reduces convalescence period during vaccination, heat stress and disease challenges.	Birds- Broiler up to 2 week- 5 ml daily per 100 birds 3rd and 4th week- 10 ml daily per 100 birds 5th week onwards- 15 ml daily per 100 birds Chicks- 5 ml daily per 100 birds Growers- 10 ml daily per 100 birds Layers- 15 ml daily per 100 birds Breeders- 20 ml daily per 100 birds
	25 Ltr Drum	Andrographis paniculata 800 mg Eclipta alba 600 mg Phyllanthus niruri 500 mg Boerhavia diffusa 400 mg Picrorhiza kurroa 225 mg Cichorium intybus 200 mg Tephrosia purpurea 1000 mg		
LIVAURO[®] FORTE DRY <small>Premium Herbal Liver Stimulant and Protectant</small>	25 Kg Bag	LIVAURO FORTE DRY Each 5 gm contains extracts derived from- Andrographis paniculata 5600 mg Eclipta alba 4200 mg Phyllanthus niruri 3500 mg Boerhavia diffusa 2800 mg Picrorhiza kurroa 1575 mg Cichorium intybus 1400 mg Tephrosia purpurea 7000 mg	Over weight flock with sudden drop in egg production, pale head skin and sudden death conditions. Neuliva is recommended to prevent fatty liver syndrome and also used to reduce severity of symptoms. As an aid to support faster recovery from the condition.	Livauroforte Dry: Chicks/Layers/ Broilers-200 gm/ MT of feed Breeders-400 gm/ MT of feed
	500 ml Bottle	Each 30 ml contains: Phosphatidyl choline 300 mg, Inositol 100 mg, Sorbitol 25 mg, Yeast extract 300 mg, DL Methionine 750 mg, Betaine HCL 120 mg, Calcium lactate 300 mg, Vitamin E 60 IU, Selenium 20 mcg, Thiamine 5 mg, Riboflavin 7.5 mg, Nicotinic acid 20 mg, Cyanocobalamin 30 mcg, Biotin 30 mcg, Grape polyphenols eq. to 30 IU of Vitamin E activity		
NEULIVA[®] Unique Supplement for Fatty Liver Syndrome	1 Ltr Bottle			
	5 Ltr Jar			
AURILIV[®] vet <small>Premium Liver Tonic</small>	25 Ltr Jar			
	100 ml	Each 100 ml contains. Sorbitol 20 gm, L-Carnitine 2.5 gm, Cynarin extract 500 mg, DL-Methionine 1 gm, Choline chloride 1.875 gm, Magnesium sulphate 1 gm	Improves fat metabolism and supports prevention of fatty liver condition and liver dysfunction. Increases the supply of free fatty acids in blood.	For oral administration via feed or drinking water. Poultry: 750 ml per 2000 ltr. of drinking water for 5 to 7 days. Mixed with feed, the product should be used immediately. Medicated drinking water should be used within 24 hours. In case of increased or lowered water intake, adjust the medication concentrations accordingly.

POULTRY PRODUCT

PRODUCT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED USAGE

LIVAURO®

Herbal Liver
Stimulant and
Tonic

500 ml
Bottle

1 Ltr
Bottle

5 Ltr Jar

25 Ltr Jar



25 Kg
Bags

Each 10 ml contains:
Phytochemical extracts derived from:
Andrographis paniculata 400 mg,
Tephrosia purpurea 200 mg,
Boerhavia diffusa 100 mg,
Eclipta alba 200 mg,
Picrorhiza kurroa 56 mg,
Cichorium intybus 100 mg,
Phyllanthus niruri 200 mg

Composition:
Each pack contains-
Phosphatidyl choline,
Phosphatidyl Ethanolamine,
Phosphatidyl serine,
Phosphatidyl inositol
Phytochemical extracts of-
Andrographis paniculata,
Picrorhiza kurroa,
Phyllanthus niruri,
Cichorium intybus,
and Chromium propionate

Reduces convalescence period during, vaccination, stress and disease challenges.
Improves consistency of stool, FCR and egg production in birds. Increases growth in chicks.

As feed supplement to provide highly bioavailable, bioactive and natural Choline in conjugated esterified form to maintain health and production.
Improves mobilization of hepatic fat and helps the liver from being affected by fatty liver syndrome.
To improve utilisation of high energy diet along with better FCR, growth, egg production, livability and hatchability.

Birds-
Broiler: Up to 2 week 5 ml daily per 100 birds,
3rd and 4th week 10 ml daily per 100 birds,
5th week onwards 20 ml daily per 100 birds,
Chicks: 5 ml daily per 100 birds
Growers: 10 ml daily per 100 birds
Layers: 20 ml daily per 100 birds.

200 gm can replace 1 Kg of synthetic Choline chloride.

(Replacement for Synthetic Choline and Liver stimulants/ protectants)



Ultimate Gut Care and Protection

100 gm

1 kg
Pack

25 kg
bag




Each kg contains:
Mannan oligosaccharides 720 gm,
Bacillus subtilis, Bacillus licheniformis, Bacillus mesentericus, Lactobacillus plantarum, Pediococcus acidilactici
Streptococcus faecalis, Clostridium butyricum, Enterococcus faecium, Saccharomyces boulardii, Bacillus coagulans, Lactobacillus acidophilus (Probiotic count is 12,000 Billion CFU per kg)

Improves production and growth.
Optimizes gut health.
Improves digestibility and enhance nutrient absorption.
Increases body weight gain and improves FCR.
Reduces ammonia production in litter.
Improves body immunity and reduces mortality.
Promotes and maintains better flock health with improved economic gain.

Inclusion rate: In mash feed, Broiler/Breeder 200 gm/ton of feed.

Recommended Water Application of Auripro Gut Power											
12000 Broilers/Chicks				12000 Layers/Chicks				120000 Broilers/Chicks in Disease			
Per Week	Per Day	Per Week	Per Day	Per Week	Per Day	Per Week	Per Day	Per Week	Per Day	Per Week	Per Day
1	400	400	1200	400	400	400	400	400	400	400	400
2	400	400	1200	400	400	400	400	400	400	400	400
3	400	400	1200	400	400	400	400	400	400	400	400
4	400	400	1200	400	400	400	400	400	400	400	400
5	400	400	1200	400	400	400	400	400	400	400	400
6	400	400	1200	400	400	400	400	400	400	400	400
7	400	400	1200	400	400	400	400	400	400	400	400
8	400	400	1200	400	400	400	400	400	400	400	400
Total				Total				Total			
12000				12000				120000			

POULTRY PRODUCT

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <p>Complete Gut Care with Synbiotics</p>	1 kg & 25 kg	Each kg contains: Beta Glucan & MOS Complex 900 gm, <i>Bacillus subtilis</i> , <i>Bacillus licheniformis</i> , <i>Bacillus mesentericus</i> , <i>Lactobacillus plantarum</i> , <i>Pediococcus acidilactici</i> , <i>Streptococcus faecalis</i> , <i>Clostridium butyricum</i> , <i>Enterococcus faecium</i> , <i>Saccharomyces boulardii</i> , <i>Bacillus coagulans</i> , <i>Lactobacillus acidophilus</i> (Probiotic count is 3,000 Billion CFU per kg)	Improves production and growth. Optimizes gut health. Improves digestibility and enhance nutrient absorption. Increase body weight gain and improves FCR. Reduce ammonia production in litter. Improves body immunity and reduces mortality. Promotes and maintains better flock health with improved economic gain.	Inclusion rate: In mash feed For Layer: 100-200 g/ton of feed.
 <p>Probiotic enriched Anti-diarrheal</p>	1 kg 25 kg bag	Each pack contains Phytochemical extracts derived from: <i>Andrographis paniculata</i> <i>Eclipta alba</i> Vitamins- B1,B2, Niacin, B6, B12 Probiotics- <i>Saccharomyces boulardii</i> , <i>Bacillus coagulans</i> , <i>Bacillus clausii</i> , <i>Lactobacillus rhamnosus GG</i> and Mannan oligosaccharide (Total Probiotic count 4.25 billion cfu per gm)	Helps to control non-specific diarrhea. Improves gut function for better GI immunity, integrity, digestibility and nutrient absorption. Helps to restore GI mucosa for better productivity. Supportive therapy for diarrhea of specific origin.	Therapeutic use- 400-600 gm per 1000 litre of drinking water Preventive use- 150-300 gm per 1000 litre of drinking water
 <p>Potent Antidiarrheal and Intestinal Function Modulator</p>	500gm 1 kg	Each pack contains Phytochemical extracts derived from: <i>Acacia catechu</i> , <i>Cissampelos pareira</i> , <i>Holarrhena antidysenterica</i> , <i>Euphorbia hirta</i> <i>Cinnamomum zeylanicum</i> , <i>Mangifera indica</i> , <i>Andrographis paniculata</i> , <i>Eclipta alba</i> , Vitamins- B1,B2, Niacin, B6,B12, Probiotics- <i>Saccharomyces boulardii</i> , <i>Bacillus coagulans</i> , <i>Bacillus clausii</i> , <i>Lactobacillus rhamnosus GG</i> and Mannan oligosaccharide (Total Probiotic count 2.131 billion cfu per gm)	Helps to control non-specific diarrhea. Improves gut function for better GI immunity, integrity, digestibility and nutrient absorption. Helps to restore GI mucosa for better productivity. Supportive therapy for diarrhea of specific origin.	Therapeutic use- 2-3 kg per tonne of feed. Preventive use- 0.5-1 kg per tonne of feed. Ensure thorough mixing in feed.

POULTRY PRODUCT

PRODUCT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED USAGE

Auripro[®]
Plus WS
Complete Gut Health Formula

100 gm

1 kg

Pack

Each kg contains:
Vitamin B₁ 5 gm,
Vitamin B₆ 5 gm,
Vitamin C 10 gm,
Alpha-amylase 10,00,000 IU,
Protease 1,00,000 IU,
Phytase 10,000 IU,
Cellulase 1,00,000 IU,
Bacillus subtilis,
Bacillus licheniformis,
Bacillus coagulans,
Aspergillus oryzae,
Saccharomyces boulardii,
Aspergillus niger
(Total probiotic count NLT
3500 Billion CFU)

Recommended Water Application of Auripro [®]									
10000 Layer Chicks					10000 Broilers/Layer chicks in disease infected zone				
Week	Per Morning (g)	Per Evening (g)	Per Day (g)	Per Week (g)	Per Morning (g)	Per Evening (g)	Per Day (g)	Per Week (g)	Per Week (g)
1	25	25	50	350	32	32	64	448	
2	25	25	50	350	41	41	82	574	
3	25	25	50	350	50	50	100	700	
4	25	25	50	350	63	63	126	882	
5	25	25	50	350					
6	25	25	50	350					
7	25	25	50	350					
8	25	25	50	350					
			Total	2800			Total	2624	

Improves gut health for enhanced growth and production.

Increases digestibility and enhances nutrient absorption.

Improves health, body weight gain and FCR.

Supports body immunity and reduces mortality.

Enriched with Fish attractant flavor.

Inclusion rate: In mash feed, Layer/Breeder/ Grower: 125 g/ton of feed. For Layer: 75-125 g/ton of feed.

Auripro[®]
Plus Liquid
Complete Gut Health Formula

100 ml

1 Ltr

Pack

Each Ltr contains:
Vitamin B₁ 5 gm,
Vitamin B₆ 5 gm,
Vitamin C 10 gm,
Alpha-amylase 10,00,000 IU,
Protease 1,00,000 IU,
Phytase 10,000 IU,
Cellulase 1,00,000 IU,
Bacillus subtilis,
Bacillus licheniformis,
Bacillus coagulans,
Aspergillus oryzae,
Saccharomyces boulardii,
Aspergillus niger
(Total probiotic count NLT
3500 Billion CFU)

Recommended Water Application of Auripro [®]									
10000 Layer Chicks					10000 Broilers/Layer chicks in disease infected zone				
Week	Per Morning (ml)	Per Evening (ml)	Per Day (ml)	Per Week (ml)	Per Morning (ml)	Per Evening (ml)	Per Day (ml)	Per Week (ml)	Per Week (ml)
1	25	25	50	350	32	32	64	448	
2	25	25	50	350	41	41	82	574	
3	25	25	50	350	50	50	100	700	
4	25	25	50	350	63	63	126	882	
5	25	25	50	350					
6	25	25	50	350					
7	25	25	50	350					
8	25	25	50	350					
			Total	2800			Total	2624	

Improves gut health for enhanced growth and production.

Increases digestibility and enhances nutrient absorption.





Improves health, body weight gain and FCR.

Supports body immunity and reduces mortality.

Enriched with Fish attractant flavor.

Supplementation rate provided in the chart.

POULTRY PRODUCT


PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 Mucolytic and Bronchodilator	500 gm Pack 1 kg Pack	Each Kg essential oil contains- Vitamin A Palmitate 60,00,000 IU, Vitamin D ₃ 24,00,000 IU, Eucalyptus oil (1-8 cineole, Limonene), Holy basil oil (Eugenol, Linalool), Peppermint oil (Menthol, 1-8 cineole), Clove oil (Eugenol), Thyme oil (Thymol), Lemon oil (Linalool, Limonene), Camphor oil (Linalool, 1-8 cineole), Ginger oil (Zingiberene)	Coughing, Sneezing and Wheezing, Running nose and eyes Keeps all 9 air sacs & lungs healthy Helps to function respiratory organs with its full capacity As supportive treatment in CRD	Drinking Water Application: In Birds: For prevention: 100 gm to 200 gm per 1000 litres of drinking water for 5000 birds. For treatment: 300 gm to 500 gm per 1000 litres of drinking water for 5000 birds. Farm Fogging Application: 100 gm per 5 lr of water per 5000 cubic feet.
 Powerful Mucolytic and Bronchodilator	500 gm Pack 1 kg Pack	Each Kg essential oil contains- Vitamin A Palmitate 1,00,00,000 IU, Vitamin D ₃ 40,00,000 IU, Eucalyptus oil (1-8 cineole, Limonene), Holy basil oil (Eugenol, Linalool), Peppermint oil (Menthol, 1-8 cineole), Clove oil (Eugenol), Thyme oil (Thymol), Lemon oil (Linalool, Limonene), Camphor oil (Linalool, 1-8 cineole), Ginger oil (Zingiberene)	Mucolytic, Expectorant, Bronchodilator Helps oxygen transition in lungs Decongestant for healthy respiration Builds immunity & boosts health	Drinking Water Application: In Birds:- For Prevention: 100-150 gm Per 1000 litres of drinking water for 5000 Birds. As Supportive therapy: 300-400 gm Per 1000 litres of drinking water for 5000 Birds.
 Improves water quality	500 ml 1 Ltr	Each 100 ml contains: Silver Nano Particles 3000 ppm. Enriched with essential oils	Protects from water borne bacterial and viral diseases. For prolonged and effective disinfection of water. No stress to animals during treatment and no disturbance to beneficial bacteria. Removes foul biofilms from animal gut with no side effects.	For water quality improvement - 20 ml for 200 ltr. water tank Supportive against Air borne infections: 20 ml to be diluted in 20 ltr. water for spray.
 Improves water quality	500 ml 1 Ltr	Each 100 ml contains: Silver Nano Particles 3000 ppm. Enriched with Methylene Blue Nanoparticles and essential oils	Removes foul biofilms from animal gut with no side effects.	

POULTRY PRODUCT

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
COCCI BAC™ Supportive Therapy for Bacterial and Coccidial Infections	250 ml 500 ml 1 Ltr	Each 100 gm contains: Phytoactive principle of 1-8 cineole, Terpinene 4-ol, Thymol from essential oil Vitamin A 2000000 IU, Vitamin D ₃ 800000 IU	Prevents and controls Bacterial and Coccidial infections. Improves body immunity and reduces mortality. Initiates faster recovery from infections (Salmonellosis, Colibacillosis, Infectious Coryza, Coccidiosis etc.) as an adjunct to antibiotics and anti-coccidial therapy. Promotes growth and production performance.	As Supportive Therapy during Bacterial infections: 75-100 gm per 50 Ltr. of drinking water for 5000 birds daily for 5 to 7 days, continue if necessary. As Supportive Therapy during Coccidial infections: 100-125 gm per 50 Ltr. of drinking water for 5000 birds daily for 5 to 7 days, continue if necessary.
OLBAC™ Unique Blend of Essential Oils with Anti-Bacterial and Anti-Coccidial Effects	250 gm 1 Kg	Vitamin A 40, 00, 000 IU, Vitamin D3 16, 00, 000 IU Phyto active principles of Thymol, Terpinene-4-ol, 1,8-Cineole and Carvacrol from essentials oils	Prevents and controls Bacterial and Coccidial infections. Improves body immunity and reduces mortality. Initiates faster recovery from infections (Salmonellosis, Colibacillosis, Infectious Coryza, Coccidiosis etc.) as an adjunct to antibiotics and anti-coccidial therapy. Promotes growth and production performance.	For Prevention of bacterial and coccidial infections: 20 gm per 50 ltr. of drinking water for 5000 birds daily for a week or more during immuno-suppression or disease outbreak. As Supportive Therapy during Bacterial and Coccidial infections: 50-80 gm per 50 Ltr. of drinking water for 5000 birds daily for 5 to 7 days, continue if necessary. Newly Hatched Birds- 10 gm per 25 Lt. drinking water for 5000 birds daily for 5-7 days.

POULTRY PRODUCT

Enzymes





PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
AURI PHYTASE™ Enzyme Premix	25 Kg Bag	Phytase enzyme 10000 FYT/ gm	Advanced thermo-tolerant Phytase enzyme (Phosphohydrolase) to release the organic phosphorus in feed for better phosphorus absorption Better stability in extreme range of pH Increases bioavailability of Ca, Zn, Cu, Mg & other minerals Increases digestibility of proteins & amino acids	Layer, Broiler and Grower 40-50 gm/ Ton of feed
PROBIZYME® Unique Probiotic-Enzyme Formulation	5 Kg Pack	Each gm contains: Bacillus subtilis 30 million CFU, Bacillus licheniformis 30 million CFU, Lactobacillus acidophilus 10 million CFU, Saccharomyces boulardii 5 million CFU, Alpha amylase 400 FAU, Pectinase 2000 PGU	Enzyme fortified with probiotics to optimize digestion, feed conversion and productivity	Layer/ Broiler and Growers- 250 to 500 gms/ ton of feed;
	10 kg Pack			Breeders- 750gms/MT feed
	15 kg Bucket	Cellulase 6000 CU, Phytase 400 FTU, Acid protease 500 HUT, Lipase 1200 IU, Glucanase 500 BU, Hemicellulase 150 HCU, Xylanase 9000 XU	Improves disease resistance	
 Aurizyme™ Advanced Cocktail Enzyme Formulation	1 kg	Each 100 gm contains: Alpha amylase.....40000 unit Pectinase.....3000 unit Cellulase.....1000000 unit Acid protease.....40000 unit Lipase.....650 unit Beta glucanase.....7500 unit Beta mannanase.....1000 unit Alpha galactosidase.....100 unit Xylanase.....200000 unit Phytase.....6800 unit Hemi cellulase.....1500 unit Arabinase.....700 unit	Cocktail enzymes to optimize digestion, feed conversion and productivity	Feed Grade: 500 gm per ton feed
	5 kg			Water Soluble: For 5000 Birds
	25 kg bag			50 gm mixed with water for Chicks, 100 gm mixed with water for Growers, 150 gm mixed with water for Layers, 200 gm mixed with water for Broilers, 250 gm mixed with water for Breeders

POULTRY PRODUCT

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
AUROBIND® High Quality Pellet Binder	25 kg Bag	Each Pack Contains : Calcium sulphate Guar gum	Improves the quality and strength of feed pellet, reduce dust and fines	0.1% to 0.3% inclusion rate in feed
Curino™ Vet Turmeric Oil	50 kg Drum 200 kg Drum	Each kg contains: Curcumin 70 gm	As an immunomodulator and pigment for feed	For pellets production:- 300-400 gm/ton for colour enhancement 2-5 kg/ ton as immunomodulator support
AUROL™ A Potentiated Formulation of Bio-Surfactant & Emulsifier	25 kg bag	AUROL™ is a unique blend of Lysophosphatidylcholine, Phosphatidylcholine and Polyethylene Glycol Ricinoleate (PEGR).	Improves the bioavailability of both water soluble and fat soluble nutrients. Prevents wastage of fat/oil through indigestion. Prevents fat build up and minimizes abdominal fat. Improves the Feed conversion ratio and overall performances Enhances the absorption of nutrients from the gut, Maximizes enzymatic digestion of feed by maintaining and stimulating capacity of liver, pancreas, bile ducts and small intestine.	Poultry: 250-500 gm per ton of feed
AURIMEC™ Ivermectin Oral Solution BP (vet) 0.08% W/V	1 L	Each ml contains: Ivermectin IP 0.8 mg, Benzyl Alcohol IP (As Preservative) 0.02 ml Aqueous base q.s.	Gastrointestinal Nematodes, Pulmonary Nematodes, Ostertagia, Oestrous ovis Gastro intestinal Nematodes & Heart worms Gastro-intestinal Nematodes, Lung worms, Eye worms, Skin worms Gastro-intestinal nematodes, Lung worms, Ostertagia Strongylus	25 ml/100 kg body weight or as directed by Veterinarian

POULTRY PRODUCT

Specialty Products

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 Advanced Antibacterial for Acute Infections	30 ml Vial in a unit carton with yray and Antiseptic swab	Each ml contains: Moxifloxacin 100 mg	Endometritis, Metritis, Pyometra, Prolapse of uterus, Pneumonia, HS, CCPP, CBPP and Mastitis	5 mg per kg bw by IM/ IV route
 Egg Production Booster	1 Kg 25 Kg	Each Kg contains: Phytochemical principles Berberine-Quercetin Nanophosphosome® Vitex agnus castus berry ext. Soya isoflavons Salvia officinalis ext. Vitamin A 1,00,00,000 IU, Vitamin D3 20,00,000 IU Cu (as glycinate complex) 600 mg, Zn (as glycinate complex) 1800 mg, Mn (as glycinate complex) 1800 mg Fortified with Selenium	Helps in optimizing the reproductive functions of hen. Improves folliculogenesis and ovulation process. Helps in maintaining peak egg production.	500 gm per ton of feed for layers/breeders
 Supports Metabolic Activation	100 gm	Each gm contains: Butaphosphan INN 100 mg Vitamin B ₁₂ 50 mcg	Increases Meat, Milk & Egg Production Augments body Metabolism Improves FCR Prevents Cannibalism Improves Appetite Removes deficiency signs of phosphorus	Poultry: 1gm / 1-2 L of drinking water as per direction of registered veterinarian
 Highly Bioavailable Natural Pigments	1 kg 25 kg Drum	Each kg contains: Lutein-Zeaxanthin Nanophosphosome® (Lutein-Zeaxanthin Phosphatidylcholine-Ethanolamine-Inositol-Serine Complex) 275 gm Lutein 32 gm Zeaxanthin 2 gm Fortified with Curcumin and Piperine	Improves breeding efficiency and hatchability as well as reduce chick deformities and early chick mortality.	Breeders: 150 gm per ton of feed.

Aurivet Division

AURINKO HEALTHCARE PVT. LTD.

Head office: Plot No. 1, Mirzapur, Sec-74, Mirzapur Mor, Ballabhgarh, Faridabad, Haryana-121004, India. Tel: +91-129-6662200 (30 Lines), Fax: 0129-6660899

Email: info@aurinkohealthcare.com, Website: www.aurinkohealthcare.com

Registered Office: 104/B, Kasturi Complex, Judges Bungalow Road, Bodakdev, Ahmedabad, Gujarat-380054, India.