



Livestock Specialities













Page No.

1.	Growth Promoters	3-4
2.	Immuno Modulators	4
3.	Milk Enhancers	5-6
4.	Kidney Stimulant and Protectant	6
5.	Liver Stimulant and Protectant	7
6.	Reproductive Performance Modulators	7-10
7.	Digestive Enhancers and Gut Support	10-12
8.	Preventive Concepts	12-16
9.	Minerals and Electrolytes	17-18
10.	Woundhealer sprays	18
11.	Antiparasities	18-19
12.	Antibiotics	19
13.	Specialties	20

PRODUCT

Performance Enhancer & Growth Stlmulator

PACK

250 ml **Bottle**

5 Ltr

Jar

500 ml **Bottle** 1 I tr **Bottle**

COMPOSITION

Each Litre contains: Vitamin A 5,00,000 IU, Vitamin D $_3$ 1,00,000 IU, Vitamin E 10,000 mg, Vitamin B, 1,250 mg, Vitamin B₂ 500 mg, Vitamin B, 625 mg, Vitamin B₁₂ 5,300 mcg, Vitamin K 350 mg, Vitamin H 10,00,000 mcg Vitamin C 10,000 mg, Niacin 1,400 mg, D-Panthenol 625 mg, Folic Acid precursor 625 mg, L-Lysine 100 mg, DL-Methionine 1,500 mg, Protein Hydrolysate 10,000 mg, lodine 500 mg, Selenium 125 mg, Cobalt 500 mg, Organic Copper 4,000 mg, Organic Manganese 10,000 mg, Organic Zinc 10,000 mg, Sodium Salt 9.815 gm, Potassium Salt 82.430 gm, Magnesium sulphate 455 mg, Citric Acid 3,280 mg, Omega-3 fatty acid 1,000 mg, Nucleotides 5,000 mg, Grape Polyphenol eq. to 3,000 IU

INDICATIONS

Improves growth & production **Enhances** hatchability of eggs and chick quality in layers Increases growth in chicks, kids, piglets, calves & Goats. Augments immunity in birds during periods. heat stress. vaccination, heat stress, disease challenges and when feed intake is reduced

RECOMMENDED **USAGE**

Through oral route Animals-Sheep/Goat-2 to 3 ml daily Calves/Foal-3 to 4 ml daily Cow/Buffalo-10 to 20 ml daily

METAGIOOW-VET Postbiotic Growth Promoter

2 gm X 30 Sachet

1 ka

&

Each sachet contains: High Metabolic Activators, Antimicrobial peptides, Antioxidants and Immunogens(Metabolic extracts of Saccharomyces and Bacillus probiotics enriched with enzymes) Fortified with Betglucan-Mannan oligosaccharides complex 416 Enriched with banana flavour

Enriched with banana flavour

Vitamin E activity

Reduces calf mortality, Improves growth, body weight gain. and nutrient diaestibility. Helps to maintain gut balance, Supports the immune system, Promotes good health and reduces use of antibiotics

Daily by oral route Cattle & Buffalo-Calf 3m- 250 mg Calf 6m-1 q Calf 1y-2 q Heifer 2y- 4 g Adult Beef Cattle 450 kg bwt 6 g Sheep & Goat-Lamb/Kid/Hogget 3m-100 ma 6m- 200 mg 1y- 400 mg Adult 2y- 600 mg Swine-Piglet 1m- 100 mg Piglet 2m- 200 mg Piglet 3m- 400 mg Grower 4m-600 ma Grower 5m-1 g Adult 6m- 1.5 g

PROBI PRO

A unique Protein Supplement with probiotics

1 kg 25 kg Bag

Each 1 kg contains Saccharomyces cerevisiae 300 billion cfu/gm, Lactobacillus sporogenes 3 billion cfu/gm, Aspergillus oryzae 3 billion cfu/am. Propionibacterium freudenrechii 20 billion cfu/am. Propionibacterium acidipropionici 0.2 billion cfu/gm, Grape polyphenols ext. 500 mg, Maize gluten 940 gm

To compensate the low grade of protein source in feed

For Cow & Buffalo: 15-30gm daily

10X2

Bolus

PRODUCT

AURIGAII

A metabolic activator for weight gain

PACK COMPOSITION

Fach Bolus contains: Phytochemical extract derived from Leptadenia reticulata 30 gm, Asparagus recemosus 6 gm, Trigonella foenum 7gm Andrographis paniculata 3 gm Phyllanthus niruri 2.5 gm, Eclipta alba 3 gm, Boerhavia diffusa 1 gm Saccharomyces cerevisiae 25000 million cfu, Bacillus licheniformis 36000 million cfu. Bacillus subtilis 50000 million cfu, Aspergillus oryzae 250 million cfu, DL Methionine 1 gm, Niacin 500 mg, MOS 1000 mg, Biotin 20 mg, Cobalt sulphate 20 mg

INDICATIONS

Initiates faster growth in growing calf and heifer to achieve higher and early weight gain. Helps in fattening of weak animals. Improves milk quality and production.

RECOMMENDED **USAGE**

Cow & Buffalo: 1 bolus B.I.D for 30 to 60 days.

Calf/Heifer/Goat-1/2 bolus daily for 60 days.



High Milk Fat & Body Mass Gainer

16 am Sachet

Pack containg 60 Sachets

Each Sachet contains: Phytochemical extracts derived from: Leptadenia reticulata, Asparagus racemosus Trigonella foenum. Sacchromyces cerevisiae Bacillus coagulans, Aspergillus oryzae Niacin, Biotin, DL Methionine, Fortified with Homeo-nutrients

Enriched with Phytase enzyme

Improves milk fat Enhances fattening (increase body weight) of animal

1 Sachet twice daily for 60 days.

AURI GRAPH 9 Plus

Supports Immunity and Liver Health

100 ml

250 ml

1 Ltr

Each 100 ml contains: Phytochemical extracts derived from Andrographis paniculata 90 gm

Tinospora cordifolia 30 gm Andrographoloids 900 mg Fortified with Nanosuspension and bioenhancer technology

Supports Immunity against viral infections (FMD, Parainfluenza) and healthy liver functions Helps to rejuvenate liver cells Acts as Hepatoprotective and helps to reduce recommended. the risk of liver disorders

Cattle- 6 ml/100 Kg bwt. Sheep/Goat-3 ml/25 Kg bwt, Swine- 1 ml/ 2 to 3 Ltr drinking water, Poultry- 1 ml/1.5 Ltr drinking water For regular supplementation 1/4 of dose is

AURI GRAPH Jones Powerful

Immunomodulator

50 ml

100 ml 250 ml

1 Ltr

Each 100 ml contains: Phytochemical extracts derived from Andrographis paniculata 100 mg, St. Jones Wort 100 ma. Andrographolides 1000 mg. Hypericin 30 ma Fortified with Nano suspension and bioenhancer technology

Augments Immunity against viral infections and improves liver functions Helps to rejuvenate liver cells Acts as Hepatoprotective

Cattle: 4 ml/100 kg bwt Sheep: 2 ml/25 kg or as directed by a Registered

Veterinary

Practitioner

PRODUCT

PACK

1 kg

5 kg

25 kg

COMPOSITION

INDICATIONS

RECOMMENDED **USAGE**



Premium Galactogogue Enriched with Rumen Protected Nanominerals

500am

Each 1 kg contains: Yeast 333 Billion CFU, Lactobacillus sporogenes 2 Billion CFU, Aspergillus oryzae 2 Billion CFU, Bypass protein 80 gm, Nutripro NPN 20 gm, Bypass Fat 100 gm, Calcium 160 gm, Phosphorus 80 gm, Magnesium 14 gm, Zinc Neunamin 1600 mg. Manganese Neunamin 1600 mg, Copper Neunamin 550 mg, Iron Neunamin 640mg, Selenium Neunamin 16 mg, Iodine Neunamin 128 mg, Chromium Neunamin 32 mg Methionine 100 gm, Niacin 7 gm, Biotin 200 mg, Phytase enzyme 60000 IU, , Vitamin A 10 Lakh IU, Vitamin D3 5 Lakh IU, Vitamin E 3300 IU, Grape polyphenol ext. equivalent to Vitamin E activity 6600 IU,

Sulphur 16 gm, Cobalt sulphate 200

Improves milk vield and Milk fat in dairy animals.

Rejuvenates rumen microflora.

Improves reproductive performance.

Cow/ Buffalo-50 to 100 am orally daily (50 gm for 10 litre producing cow and 8 litre producing buffalo)



Galactogogue Enriched with SNF **Builders and Mastitis Prevention Factors**

Each 1 kg contains:

Calcium 240 gm, Phosphorus 120 gm, Magnesium 20 gm, Sulphur 24 gm, Selenium 5 mg, Potassium iodide 300 mg, Cobalt Sulphate 300 mg, Chromium propionate 360 mg, Nutripro NPN 60 gm, Bypass Fat 300 gm, Bypass Protein 240 gm, Vitamin A (Coated) 15 Lakh IU, Vitamin D3 (Coated) 7.5 Lakh IU, Vitamin E (Coated) 5000 IU, Biotin 300 mg, Niacin 10000 mg, Saccharomyces cerevisiae 500 Billion CFU Lactobacillus sporogenes 2.5 billion CFU, Aspergillus oryzae 2.5 billion CFU, Bacillus subtilis 100 billion CFU, Bacillus licheniformis 100 billion CFU, Propionibacterium freudenreichii 30 billion CFU, Propionibacterium acidipropionici 0.3 billion CFU, Betaglucan 21000 mg, Mannan oligosaccharide 27000 mg, Grape

Improves milk vield, Milk fat and SNF in dairy animals. Regular supplementation decreases the incidence of mastitis.

Cow/ Buffalo-50 to 100 gm orally daily (50 gm for 10 litre producing cow and 8 litre producina buffalo)



Milk Enhancer Bolus fortified with Neunamins

Strip of 2 Bolus

500 gm

1 kg

5 kg

25 kg

Each bolus contains:

Polyphenols extract equivalent to Vitamin E acitivity 10,000 IU, Phytase Enzyme 1.8 gm.

Calcium 2000 mg, Phosphorus 1000 mg, Vitamin A 50,000 IU, Vitamin D3 25,000 IU, Vitamin E 100 mg, Biotin 20,000 mcg, Cobalt Sulphate 20 mg, Nucleotides 1000 mg, Zinc Neunamin 80,000 mcg, Manganese Neunamin 80,000 mcg, Copper Neunamin 28,000 mcg, Iron Neunamin 32,000 mcg, Selenium Neunamin 800 mcg, Iodine Neunamin 3,200 mcg, Chromium Neunamin 1,600 mcg, Leptadenia reticulata ext. 1000 mg, Asparagus recemosus ext.1000 mg

Improves milk vield in lactating animals Ensures better digestion, health status and growth. Cow and Buffalo: 2 bolus daily

Sheep and Goat: 1/2 bolus once daily

PRODUCT



Milk Enhancer fortified with Neunamins

PACK

25 gm X 10

Sachet

Each kg Contains: Calcium 200 gm, Phosphorous 100 gm, Magnesium 6 gm, Zinc Neunamin 9.6 gm, Copper Neunamin 4.5 gm, Maganese Neunamin 9.6 gm, Ferrous Neunamin 3.84 gm, Selenium Neunamin 24 mg, Iodine Neunamin 384 mg. Chromium Neunamin 48 mg, Niacin 2 gm, Vitamin A 10 Lakh IU, Vitamin D3 6 Lakh IU, Vitamin E 1000 IU. Sulphur 5.4 am. Elemental cobalt 200 mg, Biotin 400 mg, DL-Methionine 20 gm, Bacillus subtilis 12000 million cfu. Bacillus licheniformis 12000 million cfu. Propionibacterium fredenreichii 6000 million cfu, Live yeast culture 20 gm, Potassium 75 mg, Sodium 5 gm, Mos 10 gm.

COMPOSITION

INDICATIONS

Improves milk yield in lactating animals Ensures better digestion, health status and growth.

RECOMMENDED **USAGE**

Recommended Usage Cow/ Buffalow - 1-2 Sachet daily Goat/Sheep - 1/2 Sachet daily or advised by a Registered veterinarian/consult

AUROCAL PLUS

Powerful Calcium Supplementation for High Milk Yield, Better Health & Mastitis Prevention 500 ml 1 Ltr

Bottle 5 Ltr.

25 Ltr.

Each 100 ml contains: Calcium 6100 mg, Phosphorus

3050 mg, Vitamin A 45000 IU, Vitamin D₃ 12000 IU, Vitamin B₁₉ 100 mcg, Chromium 200 ppm Asparagus racemosus 1000 mg Leptadenia reticulata 1000 mg. Piper longum 400 mg, Zinc 1500 mg. Copper 500 mg. Silvmarin 450 mg, Carbohydrate 25000 mg Improves milk yield in lactating animals Reduces incidence of mastitis and ensures faster recovery as followup supplementation Ensures better health status and growth.

Cow and Buffalo: 25-50 ml orally B.I.D. during early and mid lactation period Calves:10-25 ml dailv Sheep and Goat: 5-10 ml daily

AUROCAL PLUS

Premium Calcium Supplementation for High Milk Yield and Mastitis Prevention

1 litre bottle

5 litre jar

50 litre jar

Each 100 ml contains: Calcium 7000 mg, Phosphorus 3500 mg. Cobalt Sulphate 40 mg, Potassium iodide 20 mg, Carbohydrate 40000 mg. Magnesium 350 mg, Vitamin D₃ 70000 IU, Vitamin B₁₂ 400 mcg, Biotin 20 mg, Organic Chromium 24 mg, Zinc Glycinate 2000 mg, Copper Glycinate 700 mg

Each 200 ml. contains

Improves milk yield in lactating animals Reduces incidence of mastitis and ensures faster recovery as followup supplementation Better health status and growth

Cow and Buffalo: 50 ml orally once or twice daily during early and peak lactation period In high yielding animals, supplementation may increase up to 100 ml b.i.d, Calves & Pig: 10-15 ml daily. Sheep and Goat: 5 ml dailv

Kidney Tonic rejuvenator and protectant

500 ml

1 ltr.

&

5 ltr.

Phytochemical extracts derived from: Mentha piperita 11.6 gm, Coriandrum sativum 30 gm, Boerhavia diffusa 30 gm, Tinospora cordifolia 20 gm, Ocimum basilicum 30 gm, Tribulus terrestris 30 gm Cyperus rotundus 20 gm, Ficus religiosa 29 gm, Trigonella foenum-graecum 29 gm, Moringa oleifera 30 gm, Solanum nigrum 30 qm. Vitamin D3 25,000 IU, Niacin 1 gm, Folic acid 15 mg, Cyanocobalamin 500 mcg, Biotin 1 mg & Ferrous sulphate 1.2 gm, Potassium citrate 60 mg

Reduces risk of kidney stones formation (Urolithiasis) & deposition. Reduces kidney failure daily for 7 to 10 days risk and nephrotoxicity. Improves FCR and reduces mortality. Helps to maintain normal low level of blood urea nitrogen & serum creatinine.

Cow/Buffalo: 75-100 ml twice daily for 7 to 10 days Sheep/Goat: 30 ml

PRODUCT

LIVAURO FORTE

Premium Herbal Liver Stimulant and Protectant

500 ml **Bottle** 1 litre

Bottle

5 litre

Jar

PACK

Each 5 ml contains Phytochemical extracts derived from: Andrographis paniculata 800 mg, Eclipta alba 600 mg, Phyllanthus niruri 500 mg, Boerhavia diffusa 400 mg, Picrorhiza kurroa 225 mg, Cichorium intybus 200 ma. Tephrosia purpurea 1000 mg, Aqueous base q.s.

COMPOSITION

INDICATIONS

Non-specific anorexia, Through oral route Anaemia, As supportive therapy in degenerative liver diseases (Hepatitis, Jaundice etc.) Poor weight gain and retarded growth in calves, foals etc. Supports recovery during vaccination, stress and disease challenges

RECOMMENDED **USAGE**

Animals-Sheep/ Goat- 10-15 ml B.I.D. for 5-7 days Calves/ Foals- 15- 20 ml B.I.D. for 5-7 days Cow/ Buffalo/ Horse- 50 ml B.I.D. for 5-7 days

AURILI vet

Premium Liver Tonic

100 ml

250 ml 500 ml

1 I tr

5 Ltr

Each 100 ml contains.

Sorbitol 20 gm, L-Carnitine 2.5 gm,

Cynarin extract 500 mg, DL-Methionine 1 gm, Choline chloride 1.875 am.

Magnesium sulphate 1 gm

Improves fat metabolism and

supports prevention

of fatty liver

dysfunction.

condition and liver

Increases the supply of free fatty

acids in blood.

For oral

administration via feed or drinking water. Cattle & Horse: 15 ml per 100 kg body weight for 5 to 7 days. Sheep & Goat: 7.5 ml per 25 kg body weight for 5 to 7 days. Mixed with feed, the product should be used immediately. Medicated drinking water should be used within 24 hours. In case of increased or

lowered water intake, adjust the medication concentrations accordingly.

ESTROMIN°

Estrus Inducina-Conception Promoter **Nutrition Supplement** 10 x 4 Bolus in unit carton

Each bolus contains: Copper Nneunamin 120 mg, Zinc Nneunamin 240 mg, Iron Nneunamin 50 mg, Manganese Nneunamin 240 mg, Cobalt Nneunamin 5 mg, Iodine Nneunamin 9.6 mg, Selenium Nneunamin Improves conception 2.4 mg, Bioactive chromium 2.4 mg, Vitamin A 50000 IU, Vitamin D₃ 10000 IU, Vitamin B₂ 10 mg, Vitamin E 250 IU, Grape polyphenols eq. to 525 IU of Vitamin E activity.

nutritional deficiency, Silent estrus For optimum follicular arowth

Anoestrus due to

rate after AI

Cow and Buffalo: 2 Bolus daily for 15-20 days by oral route

ESTRO MIN DS

Estrus Inducing-Conception Promoter **Nutrition Supplement**

16 gm sachets

Dispenser Pack containing 20

Sachets

Each sachet contains: Copper Nneunamin 240 mg, Zinc Nneunamin 480 mg, Iron Nneunamin 100 mg, Manganese Nneunamin 480 mg,

Cobalt Nneunamin 10 mg, Iodine Nneunamin 19.2 mg, Selenium Nneunamin 4.8 mg, Bioactive chromium 4.8 mg, Vitamin A (coated) 100000 IU, Vitamin D₃ (coated) 20000 IU, Vitamin B₃ 20 mg, Vitamin E (coated) 500 IU, Grape polyphenols eq. to 1050 IU Vitamin E activity.

Anoestrus due to nutritional deficiency, Silent estrus For optimum follicular growth Improves conception rate after Al

Cow and Buffalo: 1 Sachet daily for 15-20 days by oral route

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE	
Fertility Vitamin Complex	100 ml 250 ml 500 ml 1 L	Each ml contains: Vitamin A 1,00,000 IU, Vitamin D3 40,000 IU, Vitamin E 40 IU, Sodium selenite 100 mcg	Maintains overall growth, helps in healthy pregnancy and improves fertility in cattle Helps to improve immunity and fight stress conditions	Cow, Buffalo and Horse- 10 ml daily in morning and evening Goat, Sheep, Calves- 5 ml to 7.5 ml daily, Should be given daily for 7-10 days every month or as per recommended by qualified veterinarian	
emega Concept Conception Promoter	100 gm Bottle	Each 5 gm contains: Phytochemical extracts derived from: Vitex agnus castus berry Soya (isoflavones) Salvia officinalis Omega 3 fatty acids 312.5 mg Omega 6 fatty acids 1250 mg Vitamin A 30000 IU Vitamin D3 6000 IU Vitamin E 1250 IU Copper 125 mg Zinc 62.5 mg Manganese 62.5 mg Potassium iodide 3.75 mg Folic acid 40 mg Selenium 168.75 mcg DL Methionine 500 mg	Improves conception rate.	Cow/Buffalo:100 gm on the first day of heat followed by same dose on second day	
THYPIN -IU [™] Phytobiotic Intrauterine Infusion	10ml Aluminium bottle 25 ml multidose Aluminium bottle	Each 2.5 gm contains: Terpinen-4-ol 110 mg, 1,8-Cineole 100 mg, Thymol 160 mg, Vitamin A 25000 IU, Vitamin E 150 IU, Selenium 100 mcg	Endometritis Metritis Pyometra Retained fetal membranes	5 ml Thypin IU will be diluted with 20 to 50 ml of distilled water and used as intrauterine infusion once daily. The application may be repeated 3 to 5 days or as per the advice of Registered Veterinary Practitioner	
PARTUM [™] Uterine Tonic	500 ml Bottle	Each 100 ml contains Phytochemical extracts derived from: Saraca indica linn 5 gm, Clerodendrum phlomidis 5 gm, Stereospermum suaveolens 5 gm, Desmodium gangeticum 5 gm, Uraria picta 5 gm, Aegle marmelos 5 gm, Solanum indicum 5 gm, Solanum xanthocarpum 5 gm, Gmelina arborea 5 gm, Tribulus terrestris 5 gm, Aloe barbadensis 2 gm Enriched with- Sodium tetraborate 640 mg, Ferrous sulphate 640 mg, Copper sulphate 320 mg, L-Lysine 500 mg	Retention of placenta Silent heat Repeat breeding Uterine infections with infertility Delayed involution of uterus	To support uterine involution and release of lochial discharges- After 5-7 days of delivery, supplement 100 ml oral daily for 5 days. For early induction of estrus- After 25-30 days of delivery, 100 ml oral daily for 5 days or as advised by the qualified veterinary practitioner	

PRODUCT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED **USAGE**

Metriwin

A Potent Phytobiotic & Immunomodulator Against Metritis

80 gm Each 80 gm contains

Phytochemical extracts derived from: Allium sativum 80 gm, Azadirachta indica 200 gm, Tinospora cordifolia 5000 mg.

Phytoactive principles of Curcuminoids, Thymol, Terpinine 4ol, 1,8 Cineole,

Microbial Lysozyme 2,50,000 units, Phospholipase 1,000 units Fortified with Piperine and

Cuminum cyminum.

Each 100 ml contains

Enhances body immunity and reduces the chance of uterine infection. As an adjunct therapy with antibiotics in

clinical metritis. Improves the efficacy of antibiotics and reduces therapeutic

failure. Hastens the process of recovery and reduces the chance of relapse.

Supports easy parturition

Helps easy expulsion of placenta

Minimizes the risk of placental retention

For Cow, Buffalo, Mare & Camel Cow-During periparturient period immunomodulator-20 gm/100 kg bwt daily for 10-15 days

During exposure to metritis as supportive therapy-20 gm/100 kg bwt twice daily for 5-7

Cow/Buffalo: 50-100 ml at the time of Parturition (divided in 2 doses of 50 ml each at an interval of 3 hrs. if required) Followed by 100 ml after 6 Hrs. of Parturition for easy

For easy Parturition-

expulsion of placenta. If required. (Should be used in consultation with a qualified veterinarian practitioner)

For Retention of Placenta-Cow/Buffalo: 200 ml

Sheep/Goat: 50 ml

Repeat after 6 Hrs. if required

Auri®lanta™

Powerful Ecbolic And Uterine Stimulant

200 ml **Bottle**

1 litre **Bottle**

Achyranthes aspera 12000 mg, Adhatoda vasica nees 9000 mg, Costus speciosus 5000 mg, Crotalaria retusa 6000 mg, Cyperus rotundus 10,000 mg, Gloriosa superba 5000 mg, Peganum harmala 3000 mg, Plumbago zeylanica 2500 mg, Copper sulphate 320 mg, Ferrous sulphate 640 mg, Cobalt sulphate 20 mg, Vitamin E 500 IU, Sodium selenite 500 mcg

Phytochemical extracts derived

Uterine Tonic and Galactogogue

1 litre **Bottle**

5 litre Jar

Each Ltr. contains Phytochemical extracts derived from: Saraca indica linn 25000 mg, Tribulus terrestris 6250 gm, Pedalium murex 6000 mg, Wedelia calandulacea 3000 mg, Abroma augusta 2500 mg, Cyperus rotundus 2500 mg, Lepidium sativum 2500 mg, Nigella sativa 2500 mg, Vitex negundo 2000 mg, Cinamonum zeylanicum 825 mg, Aloe vera 1200 mg, Copper sulphate 320 mg, Ferrous sulphate 640 mg, Cobalt sulphate 20 mg, Vitamin E 500 IU, Sodium selenite 250 mca

Tones up the uterine muscles & ensures easy expulsion of placenta. Regulates flow of Lochial discharges to bring back normal size of uterus and

helps early conception. Helps to avoid uterine infections i.e. Metritis. Endo-metritis, Pyometra etc.

Ensures optimum milk yield

Cow/Buffalo: 100 ml daily for 7 to 10 days

Sheep/Goat: 25 ml daily for 7 to 10 days

cfu)

PRODUCT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED **USAGE**



10X2 Boli

Each bolus contains: Zinc neunamin 4,80,000 mcg, Manganese neunamin 4,80,000 mcg, Copper Neunamin 2,40,000 mcg, Iron neunamin 1,92,000 mcg, Selenium neunamin 4.800 mcg. Iodine neunamin 1,9200 mcg, Chromium neunamin 4,800 mcg Vitamin A 1,00,000 IU, Vitamin D3 40.000 IU. Vitamin E 750 IU. MOS 300 mg Grape polyphenol ext. eq. to Vitamin E activity 500 IU

Lactobacillus gasseri, Lactobacillus fermentum, Lactobacillua plantarum (Total probiotic count 5,000 million

Anoestrus due to nutritional deficiency, silent estrus. For optimum follicular growth and ovulation, Improves uterine environment, **Enhances** conception rate

after Al

Cow and Buffalo: 1 Bolus daily for 20 days by oral route



10X2

Boli

Each Bolus contains: Cellulase 6000 units, Hemicellulase 150 units, Xylanase 4000 units, Pectinase 750 units, Lipase 1000 units, Papain 500 units, Protease 3000 units, Myo Inositol 75 mg, Biotin (Pure) 20 mg, Aspergillus oryzae 1000 million cfu, Saccharomyces cerevisiae 50000 million cfu, Lactobacillus sporogenes 2000 million cfu. Niacin 1 gm, DL Methionine 5 gm, Copper sulphate 100 mg, Zinc sulphate 200 mg, Cobalt sulphate 20 mg, MOS 300 mg Andrographis paniculata ext. 300 mg Phyllanthus niruri ext. 250 mg Eclipta alba ext. 300 mg Boerhavia diffusa ext. 125 mg

Simple indigestion and anorexia

Rumen Acidosis

Low milk yield

Recommended Usage- 1 Bolus daily for 2-3 days



100 ml

Each Ltr contains: Mannan oligosaccharides 240000 ma. Bacillus subtilis. Bacillus licheniformis, Bacillus mesentericus, Lactobacillus plantarum, Pediococcus acidilactici Streptococcus faecalis, Clostridium butyricum, Enterococcus faecium Saccharomyces boulardii, Bacillus coagulans, Lactobacillus acidophilus (Probiotic count is 3,000 Billion CFU per Ltr)

Optimizes gut health. Improves digestibility and enhances nutrient absorption. Increase growth and body weight gain. Improves body immunity and reduces mortality.

Calves/ Lambs/ Goat kid/ Foal (upto 6 months): 1-2 ml twice daily after diluting with 5-10 ml of water.

	PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
and out supports	Proven Digestive Stimulant	15 gm Sachets 25 Sachets in box	Each 15 gm Sachet contains: Saccharomyces cerevisiae 5 X 10¹º CFU, Lactobacillus sporogenes 1 X 10° CFU, Aspergillus oryzae 1 X 10° CFU, Cellulase 6,000 CU, Hemicellulase 150 HCU, Xylanase 4000 XU, Pectinase 750 PGU, Papain 500 PU, Biotin 10 mg, Lipase 1000 LU, Fungal Protease 3000 PGU, DL- Methionine 5 gm, Niacin 1000 mg, Zinc Sulphate 200 mg, Cobalt Sulphate 20 mg, Copper Sulphate 100 mg, Magnesium Trisilicate 600 mg, Fructo-oligosaccharide 300 mg, Andrographis paniculata eq. to 4000 mg, Phyllanthus niruri eq. to 2500 mg, Eclipta alba eq. to 3000 mg, Boerhavia diffusa eq. to 1000 mg	Simple indigestion and anorexia Rumen Acidosis Low milk yield	Cattle/ Buffalo- 1 sachet orally B.I.D. for 2-3 days; Sheep/ Goat - ½ sachet orally B.I.D. for 2-3 days
gestive Elinancers	Phytoactive for rumen care	30 gm sachet.	Each gm contains Phytochemical extracts derived from: Trachyspermum ammi linn 60 mg, Ginger 50 mg, Andrographis paniculata 60 mg, Strychni semen 8 mg, DL-Methionine 80 mg, Pyridoxine Hcl 0.42 mg, Niacin 8 mg, Biotin 80 mcg, Cobalt carbonate 0.2 mg	Bloat, Digestive disorders caused by decreased activity of reticulum and rumen or sudden dietary changes and /or intoxication. As a supportive therapy in diseases caused by foreign bodies and hypoglycemic conditions in cattle, calves, sheep and goats.	Supplementation (Supportive therapy) Adult cattle: 60 gm twice daily Young animals: 30 gm once or twice daily. Sheep & goat:30 gm once or twice daily. Supplementation (Prevention) Adult cattle: 30 gm twice daily Young animals: 30 gm per day for 2-3 consecutive days. Administer as a drench with ½ to 1 liter of water
בום ב	SALACGIL® Quick Acting Rumenotoric- Probiotic Bolus	4 Bolus in Strip 2 Strips in a unit carton	Each bolus contains: Saccharomyces cerevisiae 25 X 10° CFU, Lactobacillus sporogenes 25 X 10° CFU, Aspergillus oryzae 25 X 10° CFU Biotin 5 mg, DL-Methionine 2 gm, Zinc Sulphate 100 mg, Cobalt Sulphate 20 mg, Copper Sulphate 50 mg, Fructo-oligosaccharide 300 mg, Strychni semen 500 mg	Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic therapy	Cow/ Buffalo- 2 bolus orally B.I.D. for 2-3 days Sheep/ Goat- ½ bolus orally B.I.D. for 2-3 days

PRODUCT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED **USAGE**

Sachets orally B.I.D.

Cow/Buffalo: 1-2

SALAC GIL DS

Potentiated Probiotics, Prebiotic, Vitamin Amino Acid. Trace Minerals & Digestive Powder

12 gm Sachets 30

Sachets

in box

Each 12 g Sachet Contains: Saccharomyces cerevisiae 5 X 10¹⁰ CFU. Lactobacillus sporogenes 5 X 107 CFU

Aspergillus oryzae 5 X 107 CFU Biotin 10 mg, DL- Methionine 4 g Zinc Sulphate 200 mg, Cobalt Sulphate 40 mg, Copper Sulphate 100 mg. Fructo-oligosaccharide 600 mg. Strychni semen 1000 mg

Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic therapy

for consecutive 2-3 davs. Calves/Goat/ Sheep: 1/2-1 Sachet orally 1-2 times per day for consecutive 2-3 days. or, as per direction of registered Veterinarian/

Consultant.

Turb@ail vet

Potentiated Probiotics, Prebiotic, Vitamins, Trace Minerals, Enzymes & Digestive Bolus

10 x 4 Each bolus contains: boli

Bacillus coaqulans 3200 million cfu. Saccharomyces boulardii 600 million cfu, Bacillus subtilis 300 million cfu. Bacillus licheniformis 300 million cfu, Aspergillus oryzae 250 million cfu, Vitamin B1 30 mg, Vitamin B6 30 mg, Vitamin C 60 mg, Zinc sulphate 100 mg, Cobalt sulphate 20 mg, Copper sulphate 50 mg, Magnesium sulphate 40 mg, Alpha amylase 125 units, Acid protease 125 units, Cellulase 300 units, Phytase 60 units, Biotin 5 mg, Strychni semen 500 mg, Mannan-oligosaccharide 300 mg

Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic

Auripa **Power**

Potent Antidiarrheal and Intestinal **Function Modulator**

500gm

1 kg

Each pack contains: Phytochemical extracts derived from: Acacia catechu, Cissampelos pareira Holarrhena antidysenterica, Euphorbia hirta, Cinnamomum zeylanicum, Mangifera indica, Andrographis paniculata, Eclipta alba Vitamins- B1, B2, Niacin, B6, B12 Probiotics- Saccharomyces boulardii. Bacillus coagulans, Bacillus clausii, Lactobacillus rhamnosus GG and Mannan oligosaccharide

(Total Probiotic count 2.131 billion cfu per gm)

Helps to control nonspecific diarrhea.

Improves gut function for better GI immunity, integrity, digestibility and nutrient absorption.

Helps to restore GI mucosa for better productivity.

Supportive therapy for diarrhea of specific origin.

Cow & Buffalo: 25 -50 gm bid

Horse:20-30 gm bid Sheep & Goat: 10-20

gm bid

Administer rice pitch or buttermilk for 3 days regularly or as directed by registered veterinary practitioner

Fibromast[™] FORTE

Potent Formulation For Management of Udder Fibrosis

Unit Carton with 5 Bottles of 100 gm

Each 100 gm bottles contains: Phytochemical extracts equivalent to Andrographis paniculata 800 mg Picrorhiza kurroa 225 mg, Ocimum sanctum 10000 mg, Aloe vera 1000 mg, Silymarin Nanophosphosome® 300 mg Serratiopeptidase, MOS, Potassium iodide 200 mg, Niacin 1000 mg Saccharomyces cerevisiae, Bacillus subtilis, Bacillus coagulans, Aspergillus oryzae, Bacillus licheniformis Chromium propionate 20 mg. Biotin 20 mg. DL Methionine, Grape polyphenols eq. to Vitamin E activity 1500 IU, Vitamin A 50,000 IU, Vitamin D₃10,000 IU, Vitamin C 300 mg, Zinc glycinate 300 mg, Bromelain & Microbial lysozyme 2,50,000 units, Enriched with Zingibain (Total Probiotic count 120,000 million cfu)

Cleaves the peptide bond of collagen fibers to reduce the tissue fibrosis.

Improves tissue healing, reduces udder inflammation and supports in the cases of fibrous mastitis.

Effective in the cases of chronic and haemorrhagic mastitis.

Helps to restore the milk vield.

1 Bottle daily for 5 days or as per the recommendation of registered veterinary practitioner.

100 gm

PRODUCT



Novel Formulation for Management of Mastitis



Unique Formulation for faster recovery from Mastitis



PACK COMPOSITION

Each 100 gm contains: Trisodium citrate 30000 mg, Vitamin A 200000 IU, Vitamin D₃ 100000 IU, Vitamin E 750 IU, Vitamin H 20 mg, Vitamin K 50 mg, Copper glycinate 1000 mg, Zinc glycinate 3000 mg, Manganese glycinate 3000 mg, Selenium 10 mg, Cobalt sulphate 50 mg, Potassium iodide 10 mg, Magnesium 1500 mg, Silica 2500 mg, S. cerevisiae 100 billion CFU, A. oryzae 1000 million CFU, B. coagulans 1000 million CFU, B. subtilis 25 billion CFU, B.

licheniformis 25 billion CFU.

Serratiopeptidase 100 mg, Methionine 5000 mg, Grape Polyphenol extract 150 mg, MOS Complex 20000 mg, Bromelain

Each 100 gm contains:
Trisodium citrate 30000 mg, Vitamin

1000 ma.

A 200000 IU, Vitamin D₃ 100000 IU, Vitamin E 750 IU, Vitamin H 20 mg, Vitamin K 50 mg, Copper glycinate 1000 mg, Zinc glycinate 3000 mg, Manganese glycinate 3000 mg, Selenium 10 mg, Cobalt sulphate 50 mg, Potassium iodide 10 mg, Magnesium 1500 mg, Silica 2500 mg, S. cerevisiae 100 billion CFU, A. oryzae 1000 million CFU, B. coagulans 1000 million CFU. B. subtilis 25 billion CFU, B. licheniformis 25 billion CFU, Serratiopeptidase 100 mg. Methionine 5000 mg, Grape Polyphenol extract 150 mg, MOS Complex 20000 mg, Bromelain 1000 mg, Microbial Lysozyme 2,50,000 units, Phospholipase 1,000 units.

Each Pack contains: Turmeric Glycyrrhiza glabra

Eucalyptus globulus Calendula officinalis Cedrus deodara Aloevera Vitamin E with Humectants

INDICATIONS

Prevention of sub clinical mastitis. As an adjunct therapy in clinical mastitis. RECOMMENDED USAGE

For Cows and Buffaloes: In Subclinical Mastitis: 100 gm daily for 2-3 days. As an adjunct to Mastitis therapy: 100 gm daily for 3-5 days.

For Cows and

As an adjunct to Mastitis therapy: 100

am daily for 4-5

Buffaloes:

days.

As an adjunct therapy with antibiotics in clinical mastitis.

Improves the efficacy of antibiotics and reduces therapeutic failure.

Hastens the process of recovery and reduces the chance of relapse.

Gel formula for better penetration and easier application on the udder and teats.
Indicated for prophylaxis and management of mastitis, Helps in strengthening the keratin layer of the teat canal lumen.

Was the was in the deats and easier after after udder and teats.

Dry cloth application and easier application on the udder and teats.

Indicated for prophylaxis and management of mastitist, Helps in strength application on the udder and teats.

Indicated for prophylaxis and management of mastitist, Helps in strength application and teats.

Indicated for prophylaxis and management of mastitist, Helps in strength application and teats.

Indicated for prophylaxis and management of mastitist, Helps in strength application applicatio

Enhances the udder

defense mechanism.

Wash udder and teats thoroughly after each milking,

Dry with a clean cloth/towel and apply a sufficient quantity of Maspre gel to cover the udder/infected quarters twice daily for 5 days.

LIVE 31
PRODUCT
MASPRE Strengthens udder defense mechanism
Instantly Bioavailable Nano Calcium and Magnesium with Nanogel Technology
Advanced 500 Instantly Bioavailable Nano Calcium and Magnesium with High Metabolizable Energy

PACK

COMPOSITION

Each 100 ml contains: Tea tree oil

Eucalyptus oil Cinnamon oil Thyme oil

Nano silver Vitamin A Vitamin E

Humectant & Preservative

INDICATIONS

Helps in strengthening the keratin layer of the teat canal lumen to reduce the risk of infections. Enhances the udder defense mechanism and maintains healthy udder. Reduces pain and inflammation of

udder

Wash udder and teats thoroughly after each milking Dry with a clean cloth/towel and dip in a sufficient quantity of Maspre dip to cover the

udder daily.

Regular Use-

RECOMMENDED

USAGE

350 gm squeez able bottle

500 gm

squeez

able

bottle

1 Ltr

5 Ltr

25 Ltr

50 Ltr

Each 350 gm Contains: Calcium 40 gm Phosphorus......13 am Magnesium......6 gm Phyto bio- Calphos[®]..300 mg Vitamin D₃.....50000 IU Gluconeogenic precursors (Propylene glycol & Glycerol) eq. to Metabolizable energy value of 4000 Kilojoules

Each 500 gm Contains:

Calcium 40 gm Phosphorus......13 am Magnesium......6 gm Phyto bio- Calphos®......300 mg Vitamin D₃......50000 IU Gluconeogenic precursors (Propylene glycol, organic honey & Glycerol) eq. to Metabolizable energy value of 6,710 Kilojoules

Comprehensive nutrition supplement for Milk Fever management Reduce the chances of Milk Fever relapse after I/V Calcium administration Recommended during antihemoprotozoal treatment. impaction, uterine inertia, retention of placenta and to support normal parturition

Comprehensive nutrition supplement for Milk Fever and negative energy balance management Reduce the chances of milk fever relapse after I/V calcium administration Recommended during antihemoprotozoal treatment. impaction, uterine inertia, retention of placenta and to support normal parturition.

Administer one bottle at the first sign of calving to support normal parturition, alleviate negative energy balance and reduce the chances of milk fever and associated complications. Milk Fever Management-Administer one bottle postparturition (upon observing milk fever symptoms or followup therapy after I/V calcium administration) by oral route, repeat after 24-48 hrs if required

Directions for use:

Remove the seal of the bottle. Hold the head of the animal in a normal to slightly elevated position. Carefully place the nozzle by side of the muzzle and squeeze the center of the tube slowly. Note: Do not administer to animals that are unable to swallow.

PRODUCT BUFTO NEU LACT

PACK

COMPOSITION

INDICATIONS

RECOMMENDED **USAGE**

25 kg bag

Each kg contains: Calcium 358 gm, Magnesium 120 gm, Cobalt sulphate 5 gm, Copper sulphate 15 gm, Zinc sulphate 30 gm, Manganese sulphate 5 gm, Saccharomyces cerevisiae 125 Billion CFU. Aspergillus orvzae 1.25 Billion CFU. Bacillus coagulans 1.25 Billion CFU. Bacillus licheniformis 25 billion CFU, Beta-Glucan 18 gm, Mannan oligosaccharide 22.5 gm Restores normal rumen pH Reduces the risk of chronic indiaestion Helps to improve appetite

1% mixed with feed, twice daily.



100 gm

200 gm

Each 200 gm contains: Calcium 73 gm, Magnesium 27 gm, DL-Methionine 10 gm, Biotin 20 mg, Cobalt sulphate 50 mg, Copper sulphate 200 mg, Zinc sulphate 400 mg, Manganese sulphate 75 mg, Saccharomyces cerevisiae 100 Billion CFU, Aspergillus oryzae 1 billion CFU. Bacillus coagulans 10 billion CFU, Bacillus licheniformis 25 billion CFU, Fructo oligosaccharide 500 mg

Restores normal pH during rumen acidosis Reduces the risk of chronic indigestion Helps to improve appetite

to reduce the severity of rumen acidosis The

100 gm bottle twice

daily for 2-3 days

supplementation may be given 2 bottles twice daily for animal weighing 400 kg or more.



Box Containing 48 Sachets

Each sachet contains: Macro Minerals Micro Nutrients Multi-probiotics Prebiotic Amino Acid **Immunomodulators**

Prevents the chance of ROP. Milk Fever. Mastitis and Metritis in dairy animals. Improves udder conformity (increases value of animal), Uterine cleansing and involution process to initiate early heat in recently parturated animal with higher

B.I.D. for 24 days. The

1 Sachet orally

supplementation should start 1-2 days prior to parturition



Management of Tympany and Bloat 1 litre **Bottle** 5 litre

Jar

Each 5 ml contains: (As simethicone USP emlusion) 1% Simethicone 50 mg Dill oil BP 25 mg

Quick and prompt relief from Tympany 100ml and Bloat. Makes rumen environment normal Twice daily till and ambient.

conception rate

Cow/Buffalo: Calf: 50 ml Sheep/Goat: 20 ml symptoms disappear

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
Management of Tympany and Bloat	1 litre Bottle 5 litre Jar	Each 10 ml contains Phytochemical extracts derived from: Trachyspermum ammi linn 62.5 gm, Ginger 2 gm, Oleum Pinus longifolia, Oleum Linseed, Asafoetida extract, Yavkashar, Mannan oligosaccharides	Quick and prompt relief from Tympany and Bloat. Makes rumen environment normal and ambient.	Cow/Buffalo: 100ml Calf: 50 ml Sheep/Goat: 20 ml Twice daily till symptoms disappear
Aurilum Plus	500 ml	Each ml contains: Phytochemical extracts derived from Eugenia jambolana 500 mg Acacia arabica 100 mg Enriched with Methylene blue	Management of Lumpy Skin Disease Symptoms Supportive therapy in cases of PPR affected animals	Cattle: 40 ml thrice daily for 4 to 5 days at 8 hourly interval Calf: 20 ml thrice daily for 4 to 5 days at 8 hourly interval. Sheep/Goat: 10 ml thrice daily for 4 to 5 days at 8 hourly interval For best results, application of Aurilum Topical is recommended. Preventive Supplementation: Cattle: 6 ml twice daily calf: 2 ml twice daily Till epidemic is over from the area
Aurilum	500 ml 1 ltr.	Each Litre contains: Methylene Blue 1gm	Management of Lumpy Skin Disease Symptoms	Apply or Spray directly over body at alternate days.
Optimizes Dry Period In Lactating Animals	500 gm	Each Kg contains: Salvia officinalis ext., Mentha piperita oil, Petroselinum crispum ext., Vitex agnus-castus berry ext. Vitamin D3 180 IU, Vitamin E 180 IU Vitamin B1 12.96 mg Vitamin B2 11.88 mg, Vitamin B6 12.24 mg Vitamin B12 43.2 mcg, D-Panthenol 13.68 mg, Vitamin C 1440 mg Niacinamide 120.0 mg, Copper glycinate 25 mg, Manganese Chloride tetrahydrate 42.5 mg, Zinc glycinate 100 mg, Potassium iodide 0.68 mg, Cobalt (II) sulphate 0.1 mg, Lactic acid 1.36 mg,	Drylact is intended for high-yielding cows entering the dry period, which still have high milk production. The product inhibits milk secretion and has a positive effect on udder tissue regeneration during the dry period. The product for oral use.	Give to high- Yielding cows orally with an infusion during drying off period 100 ml daily for 5 days. Up to 400 Kg bwt- 100 ml daily for 4 days.

Tocopherol extracts from vegetable

oil 4.86 mg

PRODUCT

AURI LYTE Plus Electrolyte Powder

PACK 1 Kg

25 Kg

5 kg

25 kg

5X4

Boli

COMPOSITION

Each 100 gm contains: Sodium chloride 0.8 gm Potassium chloride 5.0 gm Sodium bicarbonate 3.0 gm Sodium acid phosphate 0.8 gm Sodium citrate 6.5 gm

Sodium citrate 6.5 gm

Calcium citrate 2 gm

Betaine 0.3 gm

Vitamin C 1200 mg (coated)

Magnesium sulphate 1 gm

Lactobacillus sporogenes viable spore 3 billion

Bacillus licheniformis viable

spores 30 billion
Saccharomyces boulardii 1.5 billion

Dextrose qs.



Super Nutrition with Nano Dose Advantage 500 gm Each pack contains:

Very high concentrations of Coated Vitamin A, Coated Vitamin D3, Coated Vitamin E, Magnesium, Nicotinamide, Cobalt, Zinc Neunamin, Manganese Neunamin, Copper Neunamin, Iron Neunamin, Selenium Neunamin, Iodine Neunamin, Chromium Neunamin, Sulphur, Potassium, Sodium, Saccharomyces cerevisiae, Aspergillus oryzae, Lactobacillus sporogenes, Grape PP extract, Phytobio-Calphos®, Myo-inositol-

phosphohydrolase concentrate, Energy Booster Complex

hexakisphosphate-3-



Each bolus contains:

Sodium acid phosphate.	10 gm
Vitamin A	25000 IU
Vitamin D3	20000 IU
Cobalt sulphate	20 mg
Vitamin E	500 IU
Selenium Neunamin	.1600 mcg
Chromium Neunamin	.3200 mcg
Phytase Enzyme20	0000 Units
Myo Inositol	10 mg

INDICATIONS

Helps in diarrhea, In extreme temperatures (high or low) and all kind of stress maintains electrolyte balance. Reduces mortality rate during heat stress. Improves layer and broiler performance to increase processing yield and feed consumption.

RECOMMENDED USAGE

Recommended usage: Calves/Sheep/ Goat: 10 to 30 gm per day. Cow/Buffalo/ Horse/Camel: 50 gm per day. In case of heat induced panting administer 100 gm twice daily for 3 to 5 days or as directed by the veterinarians.

Cows-10 gm upto

10 litre milk yield

per day and 1 gm

per liter per day

on the additional

Buffaloes-10 gm

upto 8 litres milk

yield per day and

1.25 gm per litre

per day on the

additional yield

MIXING RATIO

0.2% to be

mixed in feed

Cows. Buffaloes:

vield

Premium Super Rich Nutrition supplementation for lactating dairy cows and buffaloes to optimise milk production Improves reproductive efficiency and fertile estrus with higher conception rate. Enhances immunity against diseases

Cow and buffalo:
1 bolus b.i.d. for
3-5 days.
h teat,
corder
Sheep and goat:

Pica and poor appetite. Milk leakage in dairy cows through teat, Metabolic disorder i.e. post-parturient hemoglobinuria (Red urine), Ketosis and Milk fever, Drop in milk production, Infertility (Delayed maturity, Anoestrus and Delayed ovulation) associated with phosphorus deficiency.

Sheep and goat: ½ bolus b.i.d. for 3-5 days.

Antiparasities

PRODUCT

Auril hos Nano 🚱 Powerful Phosphorus Supplement

PACK

LIVE STOCK PRODUCTS

450 gm Bottle

COMPOSITION

Fach 450 cm contains:

Lacin 400 gill contains.
Phosphorus20 gm
Vitamin A100000 IU
Vitamin D350000 IU
Cobalt Sulfate50 mg
Vitamin E2000 IU
Selenium Neunamin10 mg
Chromium Neunamin30 mg
Gluconeogenic Precursor
Metabolizable energy value of
6,480 kj

INDICATIONS

Infertility (Delayed maturity, Anoestrus and Delayed ovulation) associated with phosphorus deficiency. Metabolic disorder i.e. post-parturient hemoglobinuria (Red urine), Pica and poor appetite. Milk leakage in dairy cows through teat. Ketosis and sudden drop in milk production,

RECOMMENDED **USAGE**


Regular use: Administer one bottle at the first sian of deficiency to support normal breeding. alleviates negative energy balance and associated complications







Each 100 ml contains: Ocimum sanctum oil 6.4 gm, Cinnamomum tamala oil 1.6 gm, Eucalyptus oil 6.4 gm, Cedrus deodara oil 2 gm, Azadirachta indica oil 5 gm, Pongamia pinnata oil 4 gm, Cymbopongon citratus oil 9.6



Wound healer Maggoticide Fly repellent Fungal infections Mange infestations

2 to 3 topical applications daily for 3 to 5 days



75 ml 100 ml

bottle

Each 100 ml contains: Ocimum sanctum oil 8 gm, Cinnamomum tamala oil 2 gm, Eucalyptus oil 8 am. Cedrus deodara oil 2 gm, Azadirachta indica oil 5 gm, Pongamia pinnata oil 5 am. Cymbopongon citratus oil 12 gm, Curcuma longa oil 2 gm

Wound healer Maggoticide Fly repellent Fungal infections Mange infestations

2 to 3 topical applications daily for 3 to 5 days



strip in a unit carton

> 100 ml. 250 ml and 500 ml bottle

6 tablets Each tablet contains Fenbendazole 300 mg, Praziquantel 150 mg, Ivermectin 12 mg

> Each ml contains Fenbendazole 75 mg, Praziquantel 37.5 mg, Ivermectin 3 mg

Single bolus strip in a unit carton

Each bolus contains: Fenbendazole 3 gm. Round worm Tape worm Ectoparasite infestation

Round worm

Ectoparasite

Tape worm

infestation

Sheep/Goat/Cal ves/Foal- 1 tablet for 40 kg hwt Sheep/Goat/Cal ves/Foal- 1ml for 10 kg bwt by oral route



and Ivermectin

Ivermectin 100 mg

Cow/Buffalo-7.5 to 10 mg per kg bwt by oral route For 300-400 kg

bwt

PACK

PRODUCT

TRODUCT	17tolt	Comi Corrier	INDIOATION	USAGE
FORTE High Power Combination of Fenbendazole and Ivermectin	Single bolus strip in a unit carton	Each bolus contains: Fenbendazole 5 gm, Ivermectin 150 mg	Round worm Tape worm Ectoparasite infestation	Cow/Buffalo/ Horse/Camel-7.5 to 10 mg per kg bwt by oral route for heavy weight animals for 450- 650 kg bwt
AURIMEC™ Ivermectin Oral Solution BP (vet) 0.08% W/v	1 L	Each ml contains: Ivermectin IP 0.8 mg, Benzyl Alcohol IP (As Preservative) 0.02 ml Aqueous base q.s.	Sheep Gastro- intestinal Nematodes Pulmonary Nematodes, Ostertagia, Oestrous ovis Dogs Gastro intestinal Nematodes & Heart worms Cattle Gastro-intestinal Nematodes, Lung worms, Eye worms, Skin worms Horses Gastro- intestinal nematodes, Lung worms, Ostertagia Strongylus	or as directed by Veterinarian
TRICLAURI™ Broad Spectrum Flukicide and Endectocide	100 ml 500ml Bottle 1 ltr. Bottle	Each ml contains: Triclabendazole 50 mg, Ivermectin 1 mg	Liver fluke infestation Nasal bots Round worm infestation Itch mite infestation	As an oral drench- Sheep, Goat, Cattle and Buffalo: 1 ml/5 kg body weight or as directed by veterinarian.
Potent Flukicide with Proven Liver Protection	Single bolus strip in a unit carton 90 ml and 500 ml bottle	Each bolus contains: Oxyclozanide 4000 mg, Levamisole 2000 mg, Silymarin 300 mg, (in phosphatidylcholine complex) Each ml contains: Oxyclozanide 60 mg, Levamisole 30 mg,Silymarin 4 mg (in phosphatidyl-choline complex)	Liver fluke Rumen fluke Schistosomiasis	Cow/ Buffalo- 1 bolus for 300-400 kg bwt by oral route, Suspension: Cow/ Buffalo- 10 to 15 mg per kg bwt, Sheep- 15 mg per kg bwt by oral route, or as directed by veterinarian.
Advanced Antibacterial for Acute Infections	30 ml Vial in a unit carton with yray and Antiseptic swab	Each ml contains: Moxifloxacin 100 mg	Endometritis, Metritis, Pyometra, Prolapse of uterus, Pneumonia, HS, CCPP, CBPP and Mastitis	Cow/ Buffalo/ Sheep/Goat- 5 mg per kg bwt by IM/ IV route

COMPOSITION

RECOMMENDED

INDICATIONS

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
SUPORTHO** Supports Joint Health	1 Ltr	Each Ltr contains- Calcium chloride 30 gm, Sodium chloride 10 gm, Chondroitin sulphate 500 mg, Glucosamine 500 mg, Orthophosphoric acid 30 gm, Vitamin D ₃ 20000 IU, Choline chloride 50 gm, DL-Methionine 10 gm, Manganese glycinate 2.5 gm, Zinc glycinate 2.5 gm, Copper glycinate 100 mg, Biotin 15 mg	Supports musculo- skeletal health. Helps to reduce the onset of arthritic joint pain. Helps to improve the mobility of joints.	For Prevention: Cow/Buffalo/Horse: 100 ml twice daily.
Powerful Hematinic and Hepatoprotectant	500 ml	Each 50 ml contains: Chelated Ferrous glycinate 2250 mg (eq. to 450 mg of Iron), Chelated Copper glycinate 600 mg (eq. to 90 mg of Copper), Cobalt chloride 10 mg (eq. to 4.5 mg of Cobalt), Cholecalciferol 25000 IU, Niacinamide 300 mg, Pyridoxine Hcl 100 mg, Vitamin E 500 IU, Folic acid 15 mg, Cyanocobalamin 200 mcg, Calcium Pantothenate 100 mg, Andrographis paniculata eq. to 8000 mg, Phyllanthus niruri eq. to 5000 mg, Eclipta alba eq. to 6000 mg, Boerhavia diffusa eq. to 4000 mg, Choline chloride 937.5 mg	Supplementation of Iron and Copper during anaemia or nutritional deficiency, Recommended during pregnancy and young age (calves, kids, lamb, foal, piglet etc.) Adjunctive therapy with the treatment of Trypanosomiasis, Babesiosis, Theileriosis, Anaplasmosis etc.	Cow and Buffalo: 40: 50 ml daily orally Calf, Sheep and Goat: 10-15 ml daily orally
PHOSE Supports Metabolic Activation	100 gm	Each gm contains: Butaphosphan INN 100 mg Vitamin B ₁₂ 50 mcg	Increases Meat, Milk & Egg Production Augments body Metabolism Improves FCR Prevents Cannibalism Improves Appetite Removes deficiency signs of phosphorus	Cattle: 10-25 gm per animal in feed or, as per direction of registered veterinarian Consultant.
Organic long acting mosquito repellent	100 gm 250 gm 1 kg Bottle	Each 100 gm essential oil contains: Eugenol 5000 mg, Citral 3900 mg, Thymol 1300 mg, Linalool 2400 mg,	Prevent from the incidence of all kind of mosquitoes infections including Dengue, Chikungunya, Malaria, Zika virus	10-20 gm needs to be diluted in 1 ltr of water to spray over 1000 sq. feet area, mainly roof, pillar and walls. The dilution depends on the intensity of



Aurivet Division AURINKO HEALTHCARE PVT. LTD.

Head office: Plot No. 1, Mirzapur, Sec-74, Mirzapur Mor, Ballabhgarh, Faridabad, Haryana-121004, India. Tel: +91-129-6662200 (30 Lines), Fax: 0129-6660899 Email: info@aurinkohealthcare.com, Website: www.aurinkohealthcare.com Registered Office: 104/B, Kasturi Complex, Judges Bungalow Road, Bodakdev, Ahmedabad, Gujarat-380054, India.

mosquito problem in the area.