



Livestock Specialities













Page No.

1.	Growth Promoters	3-4
2.	Immuno Modulators	4
3.	Milk Enhancers	5-6
4.	Liver Stimulant and Protectant	7
5.	Kidney Stimulant and Protectant	7
6.	Reproductive Performance Modulators	8-10
7.	Digestive Enhancers and Gut Support	10-12
8.	Preventive Concepts	13-16
9.	Minerals and Electrolytes	17-18
10.	Woundhealer sprays	18
11.	Antiparasities	18-19
12.	Antibiotics	19
13.	Specialties	20

250 ml

**Bottle** 

500 ml

**Bottle** 

1 I tr

**Bottle** 

5 Ltr

Jar

1 kg

&

2 gm

X 30

Sachet

1 kg

25 kg

Bag

Each 1 kg contains

Saccharomyces cerevisiae 300

billion cfu/gm, Lactobacillus

sporogenes 3 billion cfu/gm,

Aspergillus oryzae 3 billion cfu/am. Propionibacterium freudenrechii 20 billion cfu/am. Propionibacterium acidipropionici 0.2 billion cfu/gm, Grape polyphenols ext. 500 mg, Maize gluten 940 gm

#### **PRODUCT**

Performance Enhancer & Growth Stlmulator

#### METAGROW-VET **Postbiotic Growth Promoter**

# PROBI PRO

A unique Protein Supplement with probiotics

#### **PACK** COMPOSITION

Each Litre contains: Vitamin A 5,00,000 IU, Vitamin D $_3$  1,00,000 IU, Vitamin E 10,000 mg, Vitamin B, 1,250 mg, Vitamin B<sub>2</sub> 500 mg, Vitamin B, 625 mg, Vitamin B<sub>12</sub> 5,300 mcg, Vitamin K 350 mg, Vitamin H 10,00,000 mcg Vitamin C 10,000 mg, Niacin 1,400 mg, D-Panthenol 625 mg, Folic Acid precursor 625 mg, L-Lysine 100 mg, DL-Methionine 1,500 mg, Protein Hydrolysate 10,000 mg, lodine 500 mg, Selenium 125 mg, Cobalt 500 mg, Organic Copper 4,000 mg, Organic Manganese 10,000 mg, Organic Zinc 10,000 mg, Sodium Chloride 9.815 g, Potassium Chloride 82.430 g, Magnesium sulphate Heptahydrate 455 mg, Citric Acid 3,280 mg, Essential Fatty acids 1,000 mg, Nucleotides 5,000 mg, Grape Polyphenol eq. to 3,000 IU Vitamin E activity

Each sachet contains: High Metabolic Activators, Antimicrobial peptides, Antioxidants and Immunogens(Metabolic extracts of Saccharomyces and Bacillus probiotics enriched with enzymes) Fortified with Betglucan-Mannan oligosaccharides complex 416

Enriched with banana flavour

Enriched with banana flavour

eggs and chick quality in layers Increases growth in chicks, kids, piglets, calves & Goats. Augments immunity in birds during periods, heat stress. vaccination, heat

stress, disease

challenges and

is reduced

when feed intake

**INDICATIONS** 

Improves growth

& production

hatchability of

**Enhances** 

Reduces calf mortality, Improves growth, body weight gain. and nutrient diaestibility. Helps to maintain gut balance, Supports the immune system, Promotes good health and reduces use of antibiotics

To compensate the low grade of protein source in feed

### RECOMMENDED **USAGE**

Through oral route Animals-Sheep/Goat-2 to 3 ml daily Calves/Foal-3 to 4 ml daily Cow/Buffalo-10 to 20 ml daily

Daily by oral route Cattle & Buffalo-Calf 3m- 250 mg Calf 6m-1 q Calf 1y-2 q Heifer 2y- 4 g Adult Beef Cattle 450 kg bwt 6 g Sheep & Goat-Lamb/Kid/Hogget 3m-100 ma 6m- 200 mg 1y- 400 mg Adult 2y- 600 mg Swine-Piglet 1m- 100 mg Piglet 2m- 200 mg Piglet 3m- 400 mg Grower 4m-600 ma Grower 5m-1 g Adult 6m- 1.5 g

For Cow & Buffalo: 15-30gm daily

10X2

Bolus

# PRODUCT AURIGAIN

A metabolic activator for weight gain

#### PACK COMPOSITION

**Fach Bolus contains:** Phytochemical extract derived from Leptadenia reticulata 30 gm, Asparagus recemosus 6 gm, Trigonella foenum 7gm Andrographis paniculata 3 gm Phyllanthus niruri 2.5 gm, Eclipta alba 3 gm, Boerhavia diffusa 1 gm Saccharomyces cerevisiae 25000 million cfu, Bacillus licheniformis 36000 million cfu. Bacillus subtilis 50000 million cfu, Aspergillus oryzae 250 million cfu, DL Methionine 1 gm, Niacin 500 mg, MOS 1000 mg, Biotin (Pure) 20 mg, Cobalt sulphate 20 mg

### **INDICATIONS**

Initiates faster growth in growing calf and heifer to achieve higher and early weight gain. Helps in fattening of weak animals. Improves milk quality and production.

### RECOMMENDED USAGE

Cow & Buffalo: 1 bolus B.I.D for 30 to 60 days.

Calf/Heifer/Goat-1/2 bolus daily for 60 days.



High Milk Fat & Body Mass Gainer 16 gm Sachet

Pack containg 60 Sachets

Each Sachet contains:
Phytochemical extracts of-Leptadenia reticulata,
Asparagus racemosus
Trigonella foenum,
Sacchromyces cerevisiae
Bacillus coagulans,
Aspergillus oryzae
Niacin, Biotin, DL Methionine,
Fortified with Homeo-nutrients

Enriched with Phytase enzyme

Improves milk fat Enhances fattening (increase body weight) of animal 1 Sachet twice daily for 60 days.

### AURI GRAPH 9 Plus

Supports Immunity and Liver Health

100 ml

250 ml

1 Ltr

Each 100 ml contains: Andrographis paniculata extract with Andrographoloids 900 mg Tinospora cordifolia 300mg Fortified with Bioenhancer Technology Supports Immunity against viral infections (FMD, Parainfluenza) and healthy liver functions Helps to rejuvenate liver cells Acts as Hepatoprotective and helps to reduce the risk of liver disorders

Cow/Buffalo/ Horse: 6 ml/100 kg body weight for 5-7 days. Sheep/Goat: 3 ml/25 kg body weight for 5-7 days. For regular supplementation, 1/4 of dose is recommended.

### AURI GRAPH 9

Supports Immunity and Liver Health

100 ml

1 Ltr

Each 100 ml contains: Andrographis paniculata extract with Andrographoloids 900 mg Fortified with Bioenhancer Technology Supports Immunity and healthy liver functions
Helps to rejuvenate liver cells
Acts as
Hepatoprotective and helps to reduce the risk of liver disorders

Cow/Buffalo/ Horse: 6 ml/100 kg body weight for 5-7 days. Sheep/Goat:

Sheep/Goat: 3 ml/25 kg body weight for 5-7 days. For regular supplementation, 1/4 of dose is recommended.

5 kg

25 ka

1 kg

5 kg

25 ka

1 kg

5 kg

25 kg

#### **PRODUCT**



# Galactogogue

## Galactogogue Enriched with Rumen Protected

**Nanominerals** 



Enriched with SNF **Builders and Mastitis** Prevention Factors

#### **PACK** COMPOSITION

500 gm Each 1 kg contains: Yeast 300 Billion CFU, Lactobacillus sporogenes 2 Billion 1 kg

CFU, Aspergillus oryzae 2 Billion CFU, Bypass protein 80

gm, Nutripro NPN 20 gm, Bypass Fat 100 gm, Calcium 150 gm, Phosphorus 75 gm, Magnesium 14 gm, Elemental Zinc 9 gm, Elemental Copper 4.5 gm, Elemental Manganese 4 gm, Elemental Ferrus 2.5 gm, Methionine 100 gm, Niacin 7 gm, Phytase enzyme 60000 IU, , Vitamin A 10 Lakh IU Vitamin D3 4 Lakh IU, Sulphur 16 gm, Selenium 4 mg, Potassium iodide 200 mg, Cobalt sulphate 200 mg,

Chromium propionate 240 mg.

Each 1 kg contains: 500gm

Yeast 333 Billion CFU, Lactobacillus sporogenes 2 Billion CFU, Asperaillus oryzae 2 Billion CFU, Bypass protein 80 gm, Nutripro NPN 20 gm, Bypass Fat 100 gm, Calcium 160 gm, Phosphorus 80 gm, Magnesium 14 gm, Zinc Neunamin 1600 mg, Manganese Neunamin 1600 mg, Copper Neunamin 550 mg, Iron Neunamin 640mg, Selenium Neunamin 16 mg, Iodine Neunamin 128 mg, Chromium Neunamin 32 mg Methionine 100 gm, Niacin 7 gm, Biotin 200 mg, Phytase enzyme 60000 IU, , Vitamin A 10 Lakh IU, Vitamin D3 5 Lakh IU, Vitamin E 3300 IU, Grape polyphenol ext. equivalent to Vitamin E activity 6600 IU, Sulphur 16 gm, Cobalt sulphate 200

500 gm

mg.

Each 1 kg contains: Calcium 240 gm, Phosphorus 120 gm, Magnesium 20 gm, Sulphur 24 gm, Selenium 5 mg, Potassium iodide 300 mg. Cobalt Sulphate 300 mg. Chromium propionate 360 mg, Nutripro NPN 60 gm, Bypass Fat 300 gm, Bypass Protein 240 gm, Vitamin A (Coated) 15 Lakh IU, Vitamin D3 (Coated) 7.5 Lakh IU, Vitamin E (Coated) 5000 IU, Biotin 300 mg, Niacin 10000 mg, Saccharomyces cerevisiae 500 Billion CFU Lactobacillus sporogenes 2.5 billion CFU, Aspergillus oryzae 2.5 billion CFU, Bacillus subtilis 100 billion CFU, Bacillus licheniformis 100 billion CFU, Propionibacterium freudenreichii 30 billion CFU, Propionibacterium acidipropionici 0.3 billion CFU. Betaglucan 21000 mg, Mannan oligosaccharide 27000 mg, Grape

### **INDICATIONS**

Improves milk yield, Milk fat and SNF in dairy animals.

### RECOMMENDED **USAGE**

Cow/ Buffalo-50 to 100 gm orally daily (50 gm for 10 litre producing cow and 8 litre producing buffalo)

Improves milk vield and Milk fat in dairy animals.

Rejuvenates rumen microflora.

**Improves** reproductive performance.

Cow/ Buffalo-50 to 100 gm orally daily (50 gm for 10 litre producing cow and 8 litre

producing

buffalo)

Improves milk yield, Milk fat and SNF in dairy animals. Regular supplementation decreases the incidence of mastitis.

Cow/ Buffalo-50 to 100 gm orally daily (50 gm for 10 litre producing cow and 8 litre producing buffalo)

Polyphenols extract equivalent to Vitamin E acitivity 10,000 IU, Phytase Enzyme 1.8 gm.

#### **PRODUCT**



Milk Enhancer Bolus fortified with Neunamins



with Neunamins

### AUROCAL PLUS

Powerful Calcium Supplementation for High Milk Yield, Better Health & Mastitis Prevention

### AUROCAL<sup>®</sup> PLUS

Premium Calcium Supplementation for High Milk Yield and Mastitis Prevention

### **PACK**

Strip of 2 Bolus

10

strip

in a

unit

carton

Х

10

Sachet

Each bolus contains:
Calcium 2000 mg, Phosphorus 1000 mg, Vitamin A 50,000 IU, Vitamin D3 25,00 0 IU, Vitamin E 100 mg, Biotin 20,000 mcg, Cobalt Sulphate 20 mg, Nucleotides 1000 mg, Zinc Neunamin 80,000 mcg, Manganese Neunamin 80,000 mcg, Copper Neunamin 28,000 mcg, Iron Neunamin 32,000 mcg, Selenium Neunamin 32,000 mcg, Selenium Neunamin 3,200 mcg, Chromium Neunamin 1,600 mcg, Leptadenia reticulata ext. 1000 mg, Asperagus recemosus ext.1000 mg

COMPOSITION

25 gm Each kg Contains:

Calcium 200 gm, Phosphorous 100 gm, Magnesium 6 gm, Zinc Neunamin 9.6 gm, Copper Neunamin 4.5 gm, Maganese Neunamin 9.6 gm, Ferrous Neunamin 3.84 gm, Selenium Neunamin 24 mg, Iodine Neunamin 384 mg, Chromium Neunamin 48 mg, Niacin 2 gm, Vitamin A 10 Lakh IU. Vitamin D3 6 Lakh IU. Vitamin E 1000 IU, Sulphur 5.4 gm, Elemental cobalt 200 mg, Biotin 400 mg, DL-Methionine 20 am. Bacillus subtilis 12000 million cfu. Bacillus licheniformis 12000 million cfu, Propionibacterium fredenreichii 6000 million cfu, Live yeast culture 20 gm, Potassium 75 mg, Sodium 5 gm, Mos 10 gm.

Each 100 ml contains:

Calcium 6100 mg, Phosphorus 3050 mg, Vitamin A 45000 IU, Vitamin D<sub>3</sub> 12000 IU, Vitamin B<sub>12</sub> 100 mcg, Chromium 200 ppm Asparagus racemosus 1000 mg Leptadenia reticulata 1000 mg, Piper longum 400 mg, Zinc 1500 mg, Copper 500 mg, Silymarin 450 mg, Carbohydrate 25000 mg

Each 100 ml contains:
Calcium 7000 mg, Phosphorus
3500 mg, Cobalt Sulphate 40
mg, Potassium iodide 20 mg,
Carbohydrate 40000 mg,
Magnesium 350 mg, Vitamin D
70000 IU, Vitamin B 400 mcg,
Biotin 20 mg, Organic Chromium
24 mg, Zinc Glycinate 2000 mg,
Copper Glycinate 700 mg

### **INDICATIONS**

Improves milk yield in lactating animals Ensures better digestion, health status and growth.

### RECOMMENDED USAGE

Cow and Buffalo: 2 bolus daily Sheep and Goat:

1/2 bolus once

daily

Improves milk Re yield in lactating Us animals Cc Ensures better 1-2 digestion, health status and growth.

Recommended Usage Cow/ Buffalow - 1-2 Sachet daily Goat/Sheep – ½ Sachet daily or advised by a Registered veterinarian/consultant

Improves milk yield in lactating animals Reduces incidence of mastitis and ensures faster recovery as follow-up supplementation Ensures better health status and growth.

Improves milk yield in lactating animals Reduces incidence of mastitis and ensures faster recovery as follow-up supplementation Better health status and growth

Cow and Buffalo: 25-50 ml orally B.I.D. during early and mid lactation period Calves:10-25 ml daily

Sheep and Goat:

5-10 ml daily

Cow and Buffalo: 25-50 ml orally B.I.D. during early and peak lactation period Calves: 10-15 ml daily,

Sheep and Goat: 5 ml daily

5 litre jar 25 litre jar

bottle

500 ml

1 l tr

**Bottle** 

5 Ltr.

25 Ltr.

	PRODUCT	PACK	COMPOSITION	INDICATIONS	USAGE
Protectant	Premium Herbal Liver Stimulant and Protectant	500 ml Bottle 1 litre Bottle 5 litre Jar	Each 5 ml contains extracts derived from: Andrographis paniculata 800 mg, Eclipta alba 600 mg, Phyllanthus niruri 500 mg, Boerhavia diffusa 400 mg, Picrorhiza kurroa 225 mg, Cichorium intybus 200 mg, Tephrosia purpurea 1000 mg, Aqueous base q.s.	Non-specific anorexia, Acute and chronic liver disorders, Anaemia, Degenerative liver diseases (Hepatitis, Jaundice etc.) Poor weight gain and retarded growth in calves, foals etc. Supports recovery during vaccination, stress and disease challenges	Through oral route Animals- Sheep/ Goat- 10- 15 ml B.I.D. for 5- 7 days Calves/ Foals- 15- 20 ml B.I.D. for 5-7 days Cow/ Buffalo/ Horse- 50 ml B.I.D. for 5-7 days
Liver Stimulant and Protectant	AURILI© vet Premium Liver Tonic	100 ml 250 ml 500 ml 1 Ltr 5 Ltr	Each 100 ml contains.  Sorbitol 20 gm,  L-Carnitine 2.5 gm,  Cynarin extract 500 mg,  DL-Methionine 1 gm,  Choline chloride 1.875 gm,  Magnesium sulphate 1 gm	of fatty liver condition and liver dysfunction. Increases the supply of free fatty acids in blood.	For oral administration via feed or drinking water. Cattle & Horse: 15 ml per 100 kg body weight for 5 to 7 days. Sheep & Goat: 7.5 ml per 25 kg body weight for 5 to 7 days. Mixed with feed, the product should be used immediately. Medicated drinking water should be used within 24 hours. In case of increased or lowered water intake, adjust the medication concentrations accordingly.
_	LIVAURO®  Herbal Liver Stimulant and Tonic	500 ml Bottle 1 litre Bottle 5 litre Jar 25 litre Jar	Each 10 ml contains: Extract derived from Andrographis paniculata 400 mg, Tephrosia purpurea 200 mg, Boerhavia diffusa 100 mg, Eclipta alba 200 mg, Picrorhiza kurroa 56 mg, Cichorium intybus 100 mg, Phyllanthus niruri 200 mg	Improves digestion and consistency of stool, Degenerative liver diseases (Hepatitis, Jaundice etc.), Supports recovery during vaccination, heat stress and disease challenges	Sheep/ Goat- 10- 15 ml daily Calves/ Foals- 15- 20 ml daily Cow/ Buffalo/ Horse- 50 ml daily
timulant tectant	Aurinal <sup>™</sup>	500 ml 1 ltr. 2 ltr.	Each 200 ml contains phytochemical extracts of: Mentha piperita 1.16 gm, Coriandrum sativum 3 gm, Boerhavia diffusa 3 gm, Tinospora cordifolia 2 gm, Ocimum basilicum 3 gm, Tribulus	Reduces risk of kidney stones formation (Urolithiasis) & deposition. Reduces kidney failure risk and nephrotoxicity.	200 ml twice daily for 7 to 10 days.

**RECOMMENDED** 

30 ml twice daily

for 7 to 10 days.

Improves FCR and

reduces mortality.

Helps to maintain

serum creatinine.

normal low level of

blood urea nitrogen &

Ficus religiosa 2.9 gm, Trigonella

foenum-graecum 2.9 gm, Moringa

Cyanocobalamin 500 mcg, Biotin

Niacin 1 gm, Folic acid 15 mg,

1 mg, Ferrous sulphate 1.2 gm

olifera 3 gm, Vitamin D3 25,000 IU,

5 Itr.

Kidney Tonic rejuvenator

and protectant

terrestris 3 gm, Cyperus rotundus 2 gm,

PACK

**PRODUCT** 

ators	Estro MIN® Estrus Inducing- Conception Promoter Nutrition Supplement	in a	Each bolus contains: Copper (MHA) 120 mg, Zinc (MHA) 240 mg, Iron (MHA) 50 mg, Manganese (MHA) 240 mg, Cobalt 5 mg, Iodine 6.5 mg, Selenium 1 mg, Bioactive chromium 2 mg, Vitamin A 50000 IU, Vitamin D <sub>3</sub> 10000 IU, Vitamin B <sub>3</sub> 10 mg, Vitamin E 250 IU, Grape polyphenols eq. to 525 IU of Vitamin E activity.	Anoestrus due to nutritional deficiency, Silent estrus For optimum follicular growth Improves conception rate after Al	Cow and Buffalo: 2 Bolus daily for 15- 20 days by oral route
ce Modula	Nutrition Supplement	16 gm sachets Dispenser Pack containing 20 Sachets	Each sachet contains: Copper (MHA) 240 mg, Zinc (MHA) 480 mg, Iron (MHA) 100 mg, Manganese (MHA) 480 mg, Cobalt 10 mg, Iodine 13 mg, Selenium 2 mg, Bioactive chromium 4 mg, Vitamin A (coated) 100000 IU, Vitamin D <sub>3</sub> (coated) 20000 IU, Vitamin B <sub>3</sub> 20 mg, Vitamin E (coated) 500 IU, Grape polyphenols eq. to 1050 IU Vitamin E activity.	Anoestrus due to nutritional deficiency, Silent estrus For optimum follicular growth Improves conception rate after Al	Cow and Buffalo: 1 Sachet daily for 15- 20 days by oral route
Performan	Fertility Vitamin Complex	100 ml 250 ml 500 ml 1 L	Each ml contains: Vitamin A 1,00,000 IU, Vitamin D3 40,000 IU, Vitamin E 40 IU, Sodium selenite 100 mcg	Maintains overall growth, helps in healthy pregnancy and improves fertility in cattle Helps to improve immunity and fight stress conditions	Cow, Buffalo and Horse- 10 ml daily in morning and evening Goat, Sheep, Calves- 5 ml to 7.5 ml daily, Should be given daily for 7-10 days every month or as per recommended by qualified veterinarian
Reproductive Performance Modulators	Conception Promoter	500 ml Bottle	Each 5 ml contains: Phytochemical extracts of Vitex agnus castus berry ext., Soy iso flavones, Salvia officinalis, Omega 3 fatty acids125 mg, Omega 6 fatty acids 500 mg, Vitamin A 12000 IU, Vitamin E 500 IU, Copper 50 mg, Zinc 25 mg, Manganese 25 mg, Potassium iodide 1.5 mg, Folic acid 16 mg, Selenium 67.5 mcg Fortified with tocopherols from natural origin	Improves conception rate.	Cow/Buffaloe: 250 ml on the first day of heat followed by same dose on second day
<b>Y</b>	THYPIN -IU <sup>™</sup> Phytobiotic Intrauterine Infusion	10ml Aluminium bottle  25 ml multidose Aluminium bottle	Each 2.5 gm contains: Terpinen-4-ol 110 mg, 1,8-Cineole 100 mg, Thymol 160 mg, Vitamin A 25000 IU, Vitamin E 150 IU, Selenium 100 mcg	Endometritis Metritis Pyometra Retained fetal membranes	5 ml Thypin IU will be diluted with 20 to 50 ml of distilled water and used as intrauterine infusion once daily. The application may be repeated 3 to 5 days or as per the advice of Registered Veterinary Practitioner

**COMPOSITION** 

RECOMMENDED

USAGE

**INDICATIONS** 

### **PACK**

#### COMPOSITION

### **INDICATIONS**

#### RECOMMENDED **USAGE**

PARTUM 1 **Uterine Tonic** 

**PRODUCT** 

500 ml **Bottle** 

Each 100 ml contains phytochemical extracts of: Saraca indica linn 5 gm, Clerodendrum phlomidis 5 am. Stereospermum suaveolens 5 gm, Desmodium gangeticum 5 gm, Uraria picta 5 gm, Aegle marmelos 5 gm, Solanum indicum 5 gm, Solanum xanthocarpum 5 gm, Gmelina arborea 5 gm, Tribulus terrestris 5 gm, Aloe barbadensis 2 gm Enriched with-Sodium tetraborate 640 mg, Ferrous

sulphate 640 mg, Copper sulphate

320 mg, L-Lysine 500 mg

Retention of placenta Silent heat

Repeat breeding

Uterine infections with infertility Delayed involution

of uterus

To support uterine involution and release of lochial discharges-After 5-7 days of delivery, supplement 100 ml oral daily for 5 days. For early induction of estrus-After 25-30 days of delivery, 100 ml oral daily for 5 days or as advised by the qualified veterinary

practitioner

A Potent Phytobiotic & Immunomodulator Against Metritis

80 gm Each 80 gm contains:

Garlic extract 20 gm, Azadirachta indica extract 20 gm, Curcuminoids 495 mg, Bitter flavonoids from Tinospora cordifolia 50 mg. Thymol 260 mg. Terpinine 4-ol 180 mg. 1,8 Cineole 160 mg, Microbial Lysozyme 2,50,000 units, Phospholipase 1,000 units \*Fortified with Piperine and Cuminum cyminum.

Enhances body immunity and reduces the chance of uterine infection

As an adjunct therapy with antibiotics in clinical metritis. Improves the efficacy of antibiotics and reduces therapeutic failure

Hastens the process of recovery and reduces the chance of relapse.

For Cow, Buffalo, Mare & Camel Cow-During periparturient period as immunomodulator-20 gm/100 kg bwt daily for 10-15 days During exposure to metritis as supportive therapy-20 gm/100 kg bwt twice daily for 5-7

**Auri** lanta

Powerful Ecbolic And Uterine Stimulant

200 ml **Bottle** 

1 litre **Bottle**  Each 100 ml contains phytochemical extracts of: Achyranthes aspera 12000 mg, Adhatoda vasica nees 9000 mg, Costus speciosus 5000 mg, Crotalaria retusa 6000 mg, Cyperus rotundus 10,000 mg, Gloriosa superba 5000 mg, Peganum harmala 3000 mg. Plumbago zeylanica 2500 mg, Copper sulphate 320 mg, Ferrous sulphate 640 mg, Cobalt sulphate 20 mg, Vitamin E 500 IU, Sodium selenite 500 mca

Supports easy parturition

Helps easy expulsion of placenta

Minimizes the risk of placental retention

For easy Parturition-Cow/Buffalo: 50-100 ml at the time of Parturition (divided in 2 doses of 50 ml each at an interval of 3 hrs. if required) Followed by 100 ml after 6 Hrs. of Parturition for easy expulsion of placenta, If required. (Should be used in consultation with a qualified veterinarian practitioner) For Retention of Placenta-Cow/Buffalo: 200 ml once Sheep/Goat: 50 ml Repeat after 6 Hrs.

if required

#### **PRODUCT**

# Aurime Tonic and Galactogogue

### **PACK**

**Bottle** 

5 litre

Jar

### 1 litre Each Ltr. contains phytoche

Each Ltr. contains phytochemical extracts of:

COMPOSITION

Saraca indica linn 25000 mg,
Tribulus terrestris 6250 gm, Pedalium
murex 6000 mg, Wedelia
calandulacea 3000 mg, Abroma
augusta 2500 mg, Cyperus rotundus
2500 mg, Lepidium sativum
2500 mg, Nigella sativa 2500 mg,
Vitex negundo 2000 mg, Cinamonum
zeylanicum 825 mg, Aloe vera 1200
mg, Copper sulphate 320 mg,
Ferrous sulphate 640 mg, Cobalt
sulphate 20 mg, Vitamin E 500 IU,
Sodium selenite 250 mcg

#### **INDICATIONS**

Tones up the uterine muscles & ensures easy expulsion of placenta. Regulates flow of Lochial discharges to bring back normal size of uterus and helps early conception. Helps to avoid uterine infections i.e. Metritis, Endo-metritis, Pyometra etc.

Ensures optimum

milk vield

### RECOMMENDED USAGE

Cow/Buffalo: 100 ml daily for 7 to 10 days

Sheep/Goat: 25 ml daily for 7 to 10 days



5X4 Boli

Each Bolus Contains: Zinc Neunamin 3,20,000 mcg Manganese Neunamin 3,20,000 mcq, Copper Neunamin 1,10,000 mca . Iron Neunamin 1.28.000 mca Selenium Neunamin 3,200 mcg Iodine Neunamin 12,800 mcg Chromium Neunamin 4,800 mcg Vitamin A 1,00,000 IU, Vitamin D3 40,000 IU, Vitamin E 750 IU MOS 300 mg Grape Polyphenol Ext. equivalent to Vitamin E activity 500 IU Lactobacillus gasseri, Lactobacillus fermentum, Lactobacillus plantarum (Total Probiotic Count 3,000 million cfu)

Anoestrus due to nutritional deficiency, silent estrus, For optimum follicular growth and ovulation, Improves uterine environment, Enhances conception rate after Al Cow and Buffalo: 1 Bolus daily for 20 days by oral route



10X2 Boli Each Bolus contains: Cellulase 6000 units. Hemicellulase 150 units, Xylanase 4000 units, Pectinase 750 units, Lipase 1000 units, Papain 500 units, Protease 3000 units, Myo Inositol 75 mg, Biotin (Pure) 20 mg, Aspergillus oryzae 1000 million cfu, Saccharomyces cerevisiae 50000 million cfu, Lactobacillus sporogenes 2000 million cfu, Niacin 1 gm, DL Methionine 5 gm, Copper sulphate 100 mg, Zinc sulphate 200 mg, Cobalt sulphate 20 mg, MOS 300 mg Andrographis paniculata ext. 300 mg Phyllanthus niruri ext. 250 mg Eclipta alba ext. 300 mg Boerhavia diffusa ext. 125 mg

Simple indigestion and anorexia

Rumen Acidosis

Low milk yield

Recommended Usage- 1 Bolus daily for 2-3 days

**PACK** 

15 gm

Sachets

25

Sachets

in box

### **PRODUCT** robirum<sup>e</sup> Proven Digestive Stimulant

# **GUt** Liquid Complete Gut Care with Synbiotics

### **D**igerum<sup>\*</sup> Phytoactive for rumen care

30 gm sachet.

### COMPOSITION

Each 15 gm Sachet contains: Saccharomyces cerevisiae 5 X 10<sup>10</sup> CFU, Lactobacillus sporogenes 1 X 10° CFU, Aspergillus oryzae 1 X 109 CFU, Cellulase 6,000 CU, Hemicellulase 150 HCU, Xylanase 4000 XU. Pectinase 750 PGU, Papain 500 PU, Biotin 10 mg, Lipase 1000 LU, Fungal Protease 3000 PGU, DL-Methionine 5 gm, Niacin 1000 mg, Zinc Sulphate 200 mg, Cobalt Sulphate 20 mg, Copper Sulphate 100 mg, Magnesium Trisilicate 600 mg, Fructo-oligosaccharide 300 mq, Andrographis paniculata eq. to 4000 mg, Phyllanthus niruri eg. to 2500 mg, Eclipta alba eg. to 3000 mg. Boerhavia diffusa eg. to 1000 mg

### **INDICATIONS**

Simple indigestion and anorexia

Rumen Acidosis

Low milk yield

### RECOMMENDED **USAGE**

Cattle/ Buffalo-1 sachet orally B.I.D. for 2-3 days;

Sheep/ Goat -1/2 sachet orally B.I.D. for 2-3 days

Calves/ Lambs/

(upto 6 months):

1-2 ml twice daily

after diluting with

5-10 ml of water.

Goat kid/ Foal

Each Ltr contains: 100 ml

Mannan oligosaccharides 240000 mg, Bacillus subtilis, Bacillus licheniformis. Bacillus mesentericus, Lactobacillus plantarum, Pediococcus acidilactici Streptococcus faecalis, Clostridium butyricum, Enterococcus faecium Saccharomyces boulardii, Bacillus coagulans, Lactobacillus acidophilus

(Probiotic count is 3,000 Billion CFU per Ltr)

Each gm contains phytochemical extracts of-Trachyspermum ammi linn ext. 60 mg, Ginger ext.50 mg, Andrographis paniculata ext.60 mg, DL-Methionine 80 mg. Pyridoxine Hcl 0.42 mg, Nicotinamide 8 mg, Biotin (Pure) 80 mcg, Cobalt carbonate 0.2 mg. Anhydrous dextrose 870 q.s.

Optimizes gut health. Improves digestibility and enhances nutrient absorption. Increase growth and body weight gain. Improves body immunity and reduces mortality.

Bloat, Digestive disorders caused by decreased activity of reticulum and rumen or sudden dietary changes and /or intoxication. As a supportive therapy in diseases caused by foreign bodies and hypo-

glycemic conditions

in cattle, calves,

sheep and goats.

Supplementation (Supportive therapy) Adult cattle: 60 gm twice daily Young animals: 30 am once or twice dailv. Sheep & goat:30 gm once or twice daily. Supplementation (Prevention)

Adult cattle: 30 gm

Young animals: 30 gm per day for 2-3 consecutive days. Administer as a drench with 1/2 to 1 liter of water

twice daily

	PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
ports	SALACGLE  Quick Acting Rumenotoric- Probiotic Bolus	4 Bolus in Strip 2 Strips in a unit carton	Each bolus contains: Saccharomyces cerevisiae 25 X 10° CFU, Lactobacillus sporogenes 25 X 10° CFU, Aspergillus oryzae 25 X 10° CFU Biotin 5 mg, DL-Methionine 2 gm, Zinc Sulphate 100 mg, Cobalt Sulphate 20 mg, Copper Sulphate 50 mg, Fructo-oligosaccharide 300 mg, Strychni semen 500 mg	Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic therapy	Cow/ Buffalo- 2 bolus orally B.I.D. for 2-3 days Sheep/ Goat- ½ bolus orally B.I.D. for 2-3 days
rs and Gut Sup	SALACCIL DS Potentiated Probiotics, Prebiotic, Vitamin Amino Acid, Trace Minerals & Digestive Powder	12 gm Sachets 30 Sachets in box	Each 12 g Sachet Contains: Saccharomyces cerevisiae 5 X 10 <sup>10</sup> CFU, Lactobacillus sporogenes 5 X 10 <sup>7</sup> CFU Aspergillus oryzae 5 X 10 <sup>7</sup> CFU Biotin 10 mg, DL- Methionine 4 g Zinc Sulphate 200 mg, Cobalt Sulphate 40 mg, Copper Sulphate 100 mg, Fructo-oligosaccharide 600 mg, Strychni semen 1000 mg	Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic therapy	Cow/Buffalo: 1-2 Sachets orally B.I.D. for consecutive 2-3 days. Calves/Goat/ Sheep: ½-1 Sachet orally 1-2 times per day for consecutive 2-3 days. or, as per direction of registered Veterinarian/ Consultant.
Digestive Enhancers and Gut Supports	Potentiated Proteints, Prebiotic, Vitamins, Trace Minerals, Enzymes & Digestive Bolus	10 x 4 boli	Each bolus contains: Bacillus coagulans 3200 million cfu, Saccharomyces boulardii 600 million cfu, Bacillus subtilis 300 million cfu, Bacillus licheniformis 300 million cfu, Aspergillus oryzae 250 million cfu, Vitamin B1 30 mg, Vitamin B6 30 mg, Vitamin C 60 mg, Zinc sulphate 100 mg, Cobalt sulphate 20 mg, Copper sulphate 50 mg, Magnesium sulphate 40 mg, Alpha amylase 125 units, Acid protease 125 units, Cellulase 300 units, Phytase 60 units, Biotin 5 mg, Strychni semen 500 mg, Mannan-oligosaccharide 300 mg	Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic therapy	Large ruminants: 1-2 bolus/ animal/day Small ruminants: 1/2 bolus/ animal/day Or as per direction of registered Veterinarian/ Consultant
<u>آم</u>	SUPERTHE*  Supports Joint  Health	1 Ltr	Each Ltr contains- Calcium chloride 30 gm, Sodium chloride 10 gm, Chondroitin sulphate 500 mg, Glucosamine 500 mg, Orthophosphoric acid 30 gm, Vitamin D <sub>3</sub> 20000 IU, Choline chloride 50 gm, MHA 10 gm, Manganese glycinate 2.5 gm, Zinc glycinate 2.5 gm, Copper glycinate 100 mg, Biotin 15 mg	Supports musculo- skeletal health. Helps to reduce the onset of arthritic joint pain. Helps to improve the mobility of joints.	For Prevention: Cow/Buffalo/Horse: 100 ml twice daily.

100 gm

#### **PRODUCT**



Novel Formulation for Management of Mastitis



Unique Formulation for faster recovery from Mastitis



### PACK COMPOSITION

Each 100 gm contains: Trisodium citrate 30000 mg, Vitamin A 200000 IU, Vitamin D<sub>3</sub> 100000 IU, Vitamin E 750 IU, Vitamin H 20 mg, Vitamin K 50 mg, Copper glycinate 1000 mg, Zinc glycinate 3000 mg, Manganese glycinate 3000 mg, Selenium 10 mg, Cobalt sulphate 50 mg, Potassium iodide 10 mg, Magnesium 1500 mg, Silica 2500 mg, S. cerevisiae 100 billion CFU, A. oryzae 1000 million CFU, B. coagulans 1000 million CFU, B. subtilis 25 billion CFU. B. licheniformis 25 billion CFU. Serratiopeptidase 100 mg, Methionine 5000 mg, Grape Polyphenol extract 150 mg, MOS Complex 20000 mg, Bromelain 1000 ma.

Each 100 gm contains:
Trisodium citrate 30000

Trisodium citrate 30000 mg, Vitamin A 200000 IU, Vitamin D<sub>3</sub> 100000 IU, Vitamin E 750 IU, Vitamin H 20 mg, Vitamin K 50 mg, Copper glycinate 1000 mg, Zinc glycinate 3000 mg, Manganese glycinate 3000 mg, Selenium 10 mg, Cobalt sulphate 50 mg, Potassium iodide 10 mg, Magnesium 1500 mg, Silica 2500 mg, S. cerevisiae 100 billion CFU, A. oryzae 1000 million CFU, B. coagulans 1000 million CFU. B. subtilis 25 billion CFU, B. licheniformis 25 billion CFU, Serratiopeptidase 100 mg. Methionine 5000 mg, Grape Polyphenol extract 150 mg, MOS Complex 20000 mg, Bromelain 1000 mg, Microbial Lysozyme 2,50,000 units, Phospholipase 1,000 units.

Each Pack contains: Turmeric

Glycyrrhiza glabra Eucalyptus globulus Calendula officinalis Cedrus deodara Aloevera Vitamin E with Humectants

125 gm

500 gm

**INDICATIONS** 

Prevention of sub clinical mastitis. As an adjunct therapy in clinical mastitis. RECOMMENDED USAGE

For Cows and Buffaloes: In Subclinical Mastitis: 100 gm daily for 2-3 days. As an adjunct to Mastitis therapy: 100 gm daily for 3-5 days.

For Cows and

As an adjunct to Mastitis therapy: 100

am daily for 4-5

Buffaloes:

days.

As an adjunct therapy with antibiotics in clinical mastitis.

Improves the efficacy of antibiotics and reduces therapeutic failure.

Hastens the process of recovery and reduces the chance of relapse.

Gel formula for better penetration and easier application on the udder and teats. Indicated for prophylaxis and management of mastitis, Helps in strengthening the keratin layer of the

teat canal lumen,

Enhances the udder

defense mechanism.

Wash udder and teats thoroughly after each milking,

Dry with a clean cloth/towel and apply a sufficient quantity of Maspre gel to cover the udder/infected quarters twice daily for 5 days.

PRODUCT
MASPRE Strengthens udder defense mechanism
GELMLE  Nano Instantly Bioavailable Nano Calcium and Magnesium with Nanogel Technology
Instantly Bioavailable Nano Calcium and Magnesium with High Metabolizable Energy

### **PACK**

#### COMPOSITION

#### **INDICATIONS**

#### RECOMMENDED **USAGE**

1 Ltr 5 Ltr

25 Ltr

50 Ltr

200

Ltr

Each 100 ml contains: Tea tree oil Eucalyptus oil Cinnamon oil Thyme oil

Nano silver Vitamin A Vitamin E

**Humectant & Preservative** 

Helps in strengthening the keratin layer of the teat canal lumen to reduce the risk of infections. Enhances the udder defense mechanism and maintains healthy udder. Reduces pain and inflammation of

udder

Wash udder and teats thoroughly after each milking Dry with a clean cloth/towel and dip in a sufficient quantity of Maspre dip to cover the udder daily.

Regular Use-

300 gm squeez able bottle

500 gm

squeez

able

bottle

Each 300 gm Contains: Calcium ...... 40 gm Phosphorus......13 am Magnesium......6 gm Phyto bio- Calphos®..300 mg Vitamin D<sub>3</sub>.....50000 IU Gluconeogenic precursors (Propylene glycol & Glycerol) eq. to Metabolizable energy value of 3027 Kilojoules

Each 500 gm Contains:

Calcium ...... 40 gm Phosphorus......13 am Magnesium......6 gm Phyto bio- Calphos®......300 mg Vitamin D<sub>3</sub>......50000 IU Gluconeogenic precursors (Propylene glycol, organic honey & Glycerol) eq. to Metabolizable energy value of 6,710 Kilojoules

Comprehensive nutrition supplement for Milk Fever management Reduce the chances of Milk Fever relapse after I/V Calcium administration Recommended during antihemoprotozoal treatment. impaction, uterine inertia, retention of placenta and to support normal parturition

Comprehensive nutrition supplement for Milk Fever and negative energy balance management Reduce the chances of milk fever relapse after I/V calcium administration Recommended during antihemoprotozoal treatment. impaction, uterine inertia, retention of placenta and to support normal parturition.

Administer one bottle at the first sign of calving to support normal parturition, alleviate negative energy balance and reduce the chances of milk fever and associated complications. Milk Fever Management-Administer one bottle postparturition (upon observing milk fever symptoms or followup therapy after I/V calcium administration) by oral route, repeat after 24-48 hrs if required Directions for use:

Remove the seal of the bottle. Hold the head of the animal in a normal to slightly elevated

position. Carefully place the nozzle by side of the muzzle and squeeze the center of the tube slowly. Note: Do not administer to animals that are unable to swallow.

#### **PRODUCT PACK INDICATIONS** COMPOSITION Each kg contains: Restores normal 25 kg Calcium 358 gm, Magnesium 120 rumen pH bag **BUFTO** gm, Cobalt sulphate 5 gm, Reduces the risk Copper sulphate 15 gm, Zinc of chronic sulphate 30 gm, Manganese indiaestion sulphate 5 gm, Helps to improve Saccharomyces cerevisiae 125 appetite Billion CFU. Aspergillus orvzae 1.25 Billion CFU. Bacillus coagulans 1.25 Billion CFU. Bacillus licheniformis 25 billion CFU, Beta-Glucan 18 gm, Mannan oligosaccharide 22.5 gm Each 200 gm contains: Restores normal 100 gm Calcium 73 gm, Magnesium 27 pH during rumen gm, DL-Methionine 10 gm, Biotin acidosis 200 gm Reduces the risk 20 mg, Cobalt sulphate 50 mg, of chronic Copper sulphate 200 mg, indigestion Zinc sulphate 400 mg, Helps to improve Manganese sulphate 75 mg. appetite Saccharomyces cerevisiae 100 Billion CFU, Aspergillus oryzae 1 billion CFU. Bacillus coagulans 10 billion CFU, Bacillus licheniformis 25 billion CFU, Fructo oligosaccharide 500 mg Box Prevents the Each sachet contains: NEU LACT Containing chance of ROP. Macro Minerals 48 Sachets Milk Fever. Mastitis Management of Micro Nutrients Post-Parturient and Metritis in Multi-probiotics **Problems** dairy animals. Prebiotic Improves udder Amino Acid conformity **Immunomodulators** (increases value of animal), Uterine cleansing and involution process to initiate early heat in recently parturated animal with higher conception rate

RECOMMENDED **USAGE** 

1% mixed with feed, twice daily.

100 gm bottle twice daily for 2-3 days to reduce the severity of rumen acidosis The

supplementation may be given 2 bottles twice daily for animal weighing 400 kg or more.

1 Sachet orally B.I.D. for 24 days.

The supplementation should start 1-2 days prior to parturition

Quick and prompt relief from Tympany 100ml and Bloat. Makes rumen environment normal Twice daily till and ambient.

Cow/Buffalo: Calf: 50 ml Sheep/Goat: 20 ml symptoms disappear

(As simethicone USP emlusion) 1%

Each 5 ml contains:

Simethicone 50 mg

Dill oil BP 25 mg

1 litre

**Bottle** 

5 litre

Jar

fluriDl-at

Management of

Tympany and Bloat

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
Management of Tympany and Bloat	1 litre Bottle 5 litre Jar	Each 10 ml conains: Trachyspermum ammi linn extract 6.25 ml, Oleum Pinus longifolia 1 ml, Oleum Linseed 2 ml, Asafoetida extract 8.34 mg, Yavkashar 33.33 mg, Ginger extract 200 mg, Mannan oligosaccharides 240 mg	Quick and prompt relief from Tympany and Bloat. Makes rumen environment normal and ambient.	Cow/Buffalo: 100ml Calf: 50 ml Sheep/Goat: 20 ml Twice daily till symptoms disappear
Aurilum Plus	500 ml	Each ml contains: Phytochemical extracts derived from Eugenia jambolana 500 mg Acacia arabica 100 mg Enriched with Methylene blue	Management of Lumpy Skin Disease Symptoms Supportive therapy in cases of PPR affected animals	Cattle: 40 ml thrice daily for 4 to 5 days at 8 hourly interval Calf: 20 ml thrice daily for 4 to 5 days at 8 hourly interval.  Sheep/Goat: 10 ml thrice daily for 4 to 5 days at 8 hourly interval.  Sheep/Goat: 10 ml thrice daily for 4 to 5 days at 8 hourly intervalFor best results, application of Aurilum Topical i recommended.  Preventive Supplementation: Cattle: 2.5 ml twice daily Calf: 1 ml twice daily Till epidemic i over from the area
Aurilum	500 ml 1 ltr.	Each Litre contains: Methylene Blue 1gm	Management of Lumpy Skin Disease Symptoms	Apply or Spray directly over body at alternate days.
Optimizes Dry Period In Lactating Animals	500 gm	Each Kg contains: Salvia officinalis ext., Mentha piperita oil, Petroselinum crispum ext., Vitex agnus-castus berry ext. Vitamin D3 180 IU, Vitamin E 180 IU Vitamin B1 12.96 mg Vitamin B2 11.88 mg, Vitamin B6 12.24 mg Vitamin B12 43.2 mcg, D-Panthenol 13.68 mg, Vitamin C 1440 mg Niacinamide 120.0 mg, Copper glycinate 25 mg, Manganese Chloride tetrahydrate 42.5 mg, Zinc glycinate 100 mg, Potassium iodide 0.68 mg, Cobalt (II) sulphate 0.1 mg, Lactic acid 1.36 mg, Tocopherol extracts from vegetable	Drylact is intended for high-yielding cows entering the dry period, which still have high milk production. The product inhibits milk secretion and has a positive effect on udder tissue regeneration during the dry period. The product for oral use.	Give to high- Yielding cows orally with an infusion during drying off period in an amount of 500 g per 600 kg body weight a day. Up to 300 Kg bwt- it may be given 300 gms. May be repeated next days.

oil 4.86 mg

#### **PRODUCT**

### **AURI LYTE** Plus Electrolyte Powder

### **PACK**

1 Kg

25 Kg

Each 100 gm contains: Sodium chloride 0.8 gm Potassium chloride 5.0 gm Sodium citrate 6.5 gm Calcium citrate 2 gm Betaine 0.3 am Magnesium sulphate 1 gm spore 3000 million

#### COMPOSITION

Sodium bicarbonate 3.0 gm Sodium acid phosphate 0.8 gm Vitamin C 1200 mg (coated) Lactobacillus sporogenes viable Bacillus licheniformis viable spores 30000 million Dextrose qs.

### **INDICATIONS**

Helps in diarrhea, In extreme temperatures (high or Calves/Sheep/ low) and all kind of stress maintains electrolyte balance. Reduces mortality rate during heat stress. Improves layer and broiler performance to increase processing yield and feed consumption.

#### RECOMMENDED **USAGE**

Recommended usage: Goat: 10 to 30 gm per day. Cow/Buffalo/ Horse/Camel: 50 gm per day. In case of heat induced panting administer 100 gm twice daily for 3 to 5 days or as directed by the

veterinarians.



500 am

5 kg

25 kg

Each pack contains: Very high concentrations of Coated Vitamin A. Coated Vitamin D3. Coated Vitamin E, Magnesium, Nicotinamide, Cobalt, Zinc Neunamin, Manganese Neunamin, Copper Neunamin, Iron Neunamin, Selenium Neunamin, Iodine Neunamin, Chromium Neunamin, Sulphur, Potassium, Sodium, Saccharomyces cerevisiae, Aspergillus oryzae, Lactobacillus sporogenes, Grape PP extract, Phytobio-Calphos®, Myo-inositolhexakisphosphate-3phosphohydrolase concentrate,

Premium Super Rich Nutrition

supplementation for lactating dairy cows and buffaloes to optimise milk production Improves reproductive efficiency and fertile estrus with higher conception rate. Enhances immunity

against diseases

Cows-10 gm upto 10 litre milk yield per day and 1 gm per liter per day on the additional vield Buffaloes-10 gm upto 8 litres milk yield per day and 1.25 gm per litre per day on the additional yield MIXING RATIO Cows. Buffaloes: 0.2% to be



5X4 Boli

Each bolus contains:

**Energy Booster Complex** 

Sodium acid phosphate.	10 gm
Vitamin A	25000 IU
Vitamin D3	20000 IU
Cobalt sulphate	20 mg
Vitamin E	500 IU
Selenium Neunamin	.1600 mcg
Chromium Neunamin	.3200 mcg
Phytase Enzyme20	0000 Units
Myo Inositol	10 mg

Pica and poor appetite. Milk leakage in dairy cows through teat, Metabolic disorder i.e. post-parturient hemoglobinuria (Red urine), Ketosis and Milk fever, Drop in milk production, Infertility (Delayed maturity, Anoestrus

and Delayed ovulation) associated with phosphorus deficiency.

Cow and buffalo: 1 bolus b.i.d. for 3-5 days.

mixed in feed

Sheep and goat: ½ bolus b.i.d. for 3-5 days.

#### **PRODUCT**



Single shot Powerful Phosphorus Supplement

### **PACK**

450 gm Bottle

#### COMPOSITION

Each 450 cm contains:

Phosphorus20 gr
Vitamin A100000 IU
Vitamin D350000 I
Cobalt Sulfate50 m
Vitamin E2000 IV
Selenium Neunamin10 mg
Chromium Neunamin30 mg
Gluconeogenic Precursor
Metabolizable energy value of
6,480 kj

### **INDICATIONS**

Pica and poor appetite, Milk leakage in dairy cows through teat, Metabolic disorder i.e. post-parturient hemoglobinuria (Red urine), Ketosis and Milk fever, Drop in milk production, Infertility (Delayed maturity, Anoestrus and Delayed ovulation) associated with phosphorus deficiency.

#### RECOMMENDED **USAGE**

Regular use: Administer one bottle at the first sign of deficiency to support normal breeding. alleviates negative energy balance and associated complications



Healer Spray

100 ml Alumi nium bottle

Each 100 ml contains: Ocimum sanctum oil 6.4 gm, Cinnamomum tamala oil 1.6 gm, Eucalyptus oil 6.4 gm, Cedrus deodara oil 2 gm, Azadirachta indica oil 5 gm, Pongamia pinnata oil 4 gm, Cymbopongon citratus oil 9.6 gm, Curcuma longa oil 2 gm

Wound healer Maggoticide Fly repellent Fungal infections Mange infestations

2 to 3 topical applications daily for 3 to 5 days



75 ml 100 ml bottle

Each 100 ml contains: Ocimum sanctum oil 8 gm, Cinnamomum tamala oil 2 gm, Eucalyptus oil 8 am. Cedrus deodara oil 2 gm, Azadirachta indica oil 5 gm, Pongamia pinnata oil 5 am. Cymbopongon citratus oil 12 gm, Curcuma longa oil 2 gm

Wound healer Maggoticide Fly repellent Fungal infections Mange infestations

Round worm

Ectoparasite

Tape worm

infestation

2 to 3 topical applications daily for 3 to 5 days



strip in a unit carton

> 100 ml. 250 ml and 500 ml bottle

6 tablets Each tablet contains Fenbendazole 300 mg, Praziquantel 150 mg, Ivermectin 12 mg

> Each ml contains Fenbendazole 75 mg, Praziquantel 37.5 mg, Ivermectin 3 mg

> > Round worm Tape worm **Ectoparasite** infestation

Sheep/Goat/Cal ves/Foal- 1 tablet for 40 kg hwt Sheep/Goat/Cal ves/Foal- 1ml for 10 kg bwt by oral route



Combination of Fenbendazole and Ivermectin

Single bolus strip in a unit carton

Each bolus contains: Fenbendazole 3 gm. Ivermectin 100 mg

Cow/Buffalo-7.5 to 10 mg per kg bwt by oral route For 300-400 kg bwt

#### RECOMMENDED **PACK INDICATIONS PRODUCT** COMPOSITION **USAGE** Cow/Buffalo/ Single Each bolus contains: Round worm MEC FE bolus Fenbendazole 5 gm, Tape worm Horse/Camel-7.5 strip in Ivermectin 150 mg Ectoparasite to 10 mg per kg a unit infestation High Power Combination of bwt by oral route carton Fenbendazole and Ivermectin for heavy weight animals for 450-650 kg bwt **AURIMEC** Each ml contains: Sheep Gastro-25 ml/100 kg 1 I Ivermectin IP 0.8 ma. intestinal Nematodes, body weight Pulmonary Ivermectin Oral Benzyl Alcohol IP (As or as directed Nematodes. Solution BP (vet) by Veterinarian Preservative) 0.02 ml Ostertagia, Oestrous 0.08% W/v Aqueous base q.s. ovis Dogs Gastro intestinal Nematodes & Heart worms Cattle Gastro-intestinal Nematodes, Lung worms, Eye worms, Skin worms Horses Gastro- intestinal nematodes, Lung worms, Ostertagia Strongylus 100 ml Fach ml contains: Liver fluke As an oral TRICLAURI Triclabendazole 50 mg. infestation drench- Sheep. **Broad Spectrum** 500ml Ivermectin 1 mg Nasal bots Goat. Cattle Flukicide and **Bottle** Round worm and Buffalo: 1 Endectocide infestation ml/5 ka body 1 ltr. Itch mite weight or as **Bottle** infestation directed by veterinarian. Single Liver fluke Cow/ Buffalo- 1 Each bolus contains: Oxyclozanide 4000 mg, Levamisole bolus bolus for 300-400 Rumen fluke Potent Flukicide 2000 mg. strip in ka bwt by oral Schistosomiasis with Proven Silymarin 300 mg, (in a unit route. Liver Protection phosphatidylcholine complex) Suspension: carton Cow/ Buffalo- 10 to Each ml contains: 90 ml 15 ma per ka bwt. Oxyclozanide 60 mg. Levamisole 30 and Sheep- 15 mg per ma.Silvmarin 4 ma 500 ml kg bwt by oral (in phosphatidyl-choline complex) bottle route. or as directed by veterinarian. 30 ml Endometritis. Cow/ Buffalo/ Each ml contains: Vial in Sheep/Goat- 5 Metritis, Pyometra, Moxifloxacin 100 ma Advanced a unit Prolapse of uterus, ma per ka bwt by Antibacterial for carton Pneumonia, HS. IM/ IV route Acute Infections with yray CCPP, CBPP and and Mastitis

Antiseptic swab

	PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
2	FERAURI Powerful Hematinic	250 ml 500 ml	Each 50 ml contains: Chelated Ferrous glycinate 2250 mg (eq. to 450 mg of Iron), Chelated Copper glycinate 600 mg (eq. to 90 mg of Copper), Cobalt chloride 10 mg (eq. to 4.5 mg of Cobalt), Cholecalciferol 25000 IU, Niacinamide 300 mg, Pyridoxine Hcl 100 mg, Vitamin E 500 IU, Folic acid 15 mg, Cyanocobalamin 200 mcg, Calcium Pantothenate 100 mg	Supplementation of Iron and Copper during anaemia or nutritional deficiency. Recommended during pregnancy and young age (calves, kids, lamb, foal, piglet etc.)	Cow and Buffalo: 40-50 ml daily orally Calf, Sheep and Goat: 10-15 ml daily orally
	Powerful Hematinic and Hepatoprotectant		Each 50 ml contains: Chelated Ferrous glycinate 2250 mg (eq. to 450 mg of Iron), Chelated Copper glycinate 600 mg (eq. to 90 mg of Copper), Cobalt chloride 10 mg (eq. to 4.5 mg of Cobalt), Cholecalciferol 25000 IU, Niacinamide 300 mg, Pyridoxine Hcl 100 mg, Vitamin E 500 IU, Folic acid 15 mg, Cyanocobalamin 200 mcg, Calcium Pantothenate 100 mg, Andrographis paniculata eq. to 8000 mg, Phyllanthus niruri eq. to 5000 mg, Eclipta alba eq. to 6000 mg, Boerhavia diffusa eq. to 4000 mg, Choline chloride 937.5 mg	Adjunctive therapy with the treatment of Trypanosomiasis, Babesiosis, Theileriosis, Anaplasmosis etc.	
	PHOSE Supports Metabolic Activation	100 gm	Each gm contains: Butaphosphan INN 100 mg Vitamin B <sub>12</sub> 50 mg	Increases Meat, Milk & Egg Production Augments body Metabolism Improves FCR Prevents Cannibalism Improves Appetite Removes deficiency signs of phosphorus	Cattle: 10-25 gm per animal in feed or, as per direction of registered veterinarian Consultant.
	Organic long acting mosquito repellent	100 gm 250 gm 1 kg Bottle	Each 100 gm essential oil contains: Eugenol 5000 mg, Citral 3900 mg, Thymol 1300 mg, Linalool 2400 mg,	Prevent from the incidence of all kind of mosquitoes infections including Dengue, Chikungunya, Malaria, Zika virus	10-20 gm needs to be diluted in 1 ltr of water to spray over 1000 sq. feet area, mainly roof, pillar and walls. The dilution depends on the intensity of mosquito problem



### Aurivet Division AURINKO HEALTHCARE PVT. LTD.

Head office: Plot No. 1, Mirzapur, Sec-74, Mirzapur Mor, Ballabhgarh, Faridabad, Haryana-121004, India. Tel: +91-129-6662200 (30 Lines), Fax: 0129-6660899 Email: info@aurinkohealthcare.com, Website: www.aurinkohealthcare.com Registered Office: 104/B, Kasturi Complex, Judges Bungalow Road, Bodakdev, Ahmedabad, Gujarat-380054, India.

in the area.