



# AURINKO®

Leading Innovation in Healthcare & Nutrition



## Livestock Specialities




A WHO-GMP, HACCP, FSSAI, APEDA, ISO 9001:2015 and ISO 22000:2018 Certified Company

<b>1.</b>	<b>Growth Promoters</b>	<b>3-4</b>
<b>2.</b>	<b>Immuno Modulators</b>	<b>4</b>
<b>3.</b>	<b>Milk Enhancers</b>	<b>5-6</b>
<b>4.</b>	<b>Kidney Stimulant and Protectant</b>	<b>6</b>
<b>5.</b>	<b>Liver Stimulant and Protectant</b>	<b>7</b>
<b>6.</b>	<b>Reproductive Performance Modulators</b>	<b>7-10</b>
<b>7.</b>	<b>Digestive Enhancers and Gut Support</b>	<b>10-12</b>
<b>8.</b>	<b>Preventive Concepts</b>	<b>12-16</b>
<b>9.</b>	<b>Minerals and Electrolytes</b>	<b>17-18</b>
<b>10.</b>	<b>Woundhealer sprays</b>	<b>18</b>
<b>11.</b>	<b>Antiparasities</b>	<b>18-19</b>
<b>12.</b>	<b>Antibiotics</b>	<b>19</b>
<b>13.</b>	<b>Specialties</b>	<b>20</b>

# LIVE STOCK PRODUCTS

## Growth Promoters

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
<b>Improved</b>  <b>NOMIN®</b> Performance Enhancer & Growth Stimulator	250 ml Bottle  500 ml Bottle  1 Ltr Bottle  5 Ltr Jar	Each Litre contains: Vitamin A 5,00,000 IU, Vitamin D <sub>3</sub> 1,00,000 IU, Vitamin E 10,000 mg, Vitamin B <sub>1</sub> 1,250 mg, Vitamin B <sub>2</sub> 500 mg, Vitamin B <sub>6</sub> 625 mg, Vitamin B <sub>12</sub> 5,300 mcg, Vitamin K 350 mg, Vitamin H 10,00,000 mcg, Vitamin C 10,000 mg, Niacin 1,400 mg, D-Panthenol 625 mg, Folic Acid precursor 625 mg, L-Lysine 100 mg, DL-Methionine 1,500 mg, Protein Hydrolysate 10,000 mg, Iodine 500 mg, Selenium 125 mg, Cobalt 500 mg, Organic Copper 4,000 mg, Organic Manganese 10,000 mg, Organic Zinc 10,000 mg, Sodium Chloride 9.815 g, Potassium Chloride 82.430 g, Magnesium sulphate Heptahydrate 455 mg, Citric Acid 3,280 mg, Essential Fatty acids 1,000 mg, Nucleotides 5,000 mg, Grape Polyphenol eq. to 3,000 IU Vitamin E activity Enriched with banana flavour	Improves growth & production Enhances hatchability of eggs and chick quality in layers Increases growth in chicks, kids, piglets, calves & Goats. Augments immunity in birds during periods, heat stress, vaccination, heat stress, disease challenges and when feed intake is reduced	Through oral route Animals- Sheep/Goat-2 to 3 ml daily Calves/Foal-3 to 4 ml daily Cow/Bufalo-10 to 20 ml daily
<b>METAGROW-VET</b> Postbiotic Growth Promoter	1 kg & 2 gm X 30 Sachet	Each sachet contains: High Metabolic Activators, Antimicrobial peptides, Antioxidants and Immunogens (Metabolic extracts of Saccharomyces and Bacillus probiotics enriched with enzymes) Fortified with Betglucan-Mannan oligosaccharides complex 416 gm/Kg Enriched with banana flavour	Reduces calf mortality, Improves growth, body weight gain, and nutrient digestibility, Helps to maintain gut balance, Supports the immune system, Promotes good health and reduces use of antibiotics	Daily by oral route Cattle & Buffalo- Calf 3m- 250 mg Calf 6m- 1 g Calf 1y- 2 g Heifer 2y- 4 g Adult Beef Cattle 450 kg bwt 6 g Sheep & Goat- Lamb/Kid/Hogget 3m-100 mg 6m- 200 mg 1y- 400 mg Adult 2y- 600 mg Swine- Piglet 1m- 100 mg Piglet 2m- 200 mg Piglet 3m- 400 mg Grower 4m-600 mg Grower 5m- 1 g Adult 6m- 1.5 g
<b>PROBI PRO®</b> A unique Protein Supplement with probiotics	1 kg 25 gm Bag	Each 1 kg contains Saccharomyces cerevisiae 300 billion cfu/gm, Lactobacillus sporogenes 3 billion cfu/gm, Aspergillus oryzae 3 billion cfu/gm, Propionibacterium freudenreichii 20 billion cfu/gm, Propionibacterium acidipropionici 0.2 billion cfu/gm, Grape polyphenols ext. 500 mg, Maize gluten 940 gm	To compensate the low grade of protein source in feed	For Cow & Buffalo: 15-30gm daily

# LIVE STOCK PRODUCTS

## Growth Promoters

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
<b>AURIGAIN<sup>®</sup> Bolus</b> A metabolic activator for weight gain	10X2 Bolus	Each Bolus contains: Phytochemical extract derived from <i>Leptadenia reticulata</i> 30 gm, <i>Asparagus recemosus</i> 6 gm, <i>Trigonella foenum</i> 7gm <i>Andrographis paniculata</i> 3 gm <i>Phyllanthus niruri</i> 2.5 gm, <i>Eclipta alba</i> 3 gm, <i>Boerhavia diffusa</i> 1 gm <i>Saccharomyces cerevisiae</i> 25000 million cfu, <i>Bacillus licheniformis</i> 36000 million cfu, <i>Bacillus subtilis</i> 50000 million cfu, <i>Aspergillus oryzae</i> 250 million cfu, DL Methionine 1 gm, Niacin 500 mg, MOS 1000 mg, Biotin 20 mg, Cobalt sulphate 20 mg Enriched with Phytase enzyme	Initiates faster growth in growing calf and heifer to achieve higher and early weight gain. Helps in fattening of weak animals. Improves milk quality and production.	Cow & Buffalo: 1 bolus B.I.D for 30 to 60 days.  Calf/Heifer/Goat- 1/2 bolus daily for 60 days.
 <b>FAT-A-FAT<sup>™</sup></b> High Milk Fat & Body Mass Gainer	16 gm Sachet  Pack containing 60 Sachets	Each Sachet contains: Phytochemical extracts derived from: <i>Leptadenia reticulata</i> , <i>Asparagus racemosus</i> <i>Trigonella foenum</i> , <i>Sacchormyces cerevisiae</i> <i>Bacillus coagulans</i> , <i>Aspergillus oryzae</i> Niacin, Biotin, DL Methionine, Fortified with Homeo-nutrients	Improves milk fat Enhances fattening (increase body weight) of animal	1 Sachet twice daily for 60 days.
<b>AURIGRAPH<sup>®</sup> 9 Plus</b> Supports Immunity and Liver Health	100 ml 250 ml 1 Ltr	Each 100 ml contains: <i>Andrographis paniculata</i> extract with <i>Andrographoloids</i> 900 mg <i>Tinospora cordifolia</i> 300mg Fortified with Bioenhancer Technology	Supports Immunity against viral infections (FMD, Parainfluenza) and healthy liver functions Helps to rejuvenate liver cells Acts as Hepatoprotective and helps to reduce the risk of liver disorders	Cow/Buffalo/ Horse: 6 ml/100 kg body weight for 5-7 days. Sheep/Goat: 3 ml/25 kg body weight for 5-7 days. For regular supplementation, 1/4 of dose is recommended.
<b>AURIGRAPH<sup>®</sup> Jones</b> Supports Immunity and Liver Health	50 ml 100 ml 250 ml 1 Ltr	Each 100 ml contains: <i>Andrographis paniculata</i> extract 10000 mg, St. Jones Wort extract 10000 mg, <i>Andrographolides</i> 1000 mg, Hypericin 30 mg Fortified with Nano suspension and bioenhancer technology	Augments Immunity against viral infections and improves liver functions Helps to rejuvenate liver cells Acts as Hepatoprotective	Cattle: 4 ml/100 kg bwt Sheep: 2 ml/25 kg bwt or as directed by a Registered Veterinary Practitioner

## Immuno Modulators

# LIVE STOCK PRODUCTS

## Milk Enhancers

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <p>Premium Galactagogue Enriched with Rumen Protected Nanominerals</p>	500gm  1 kg  5 kg  25 kg	Each 1 kg contains : Yeast 333 Billion CFU, Lactobacillus sporogenes 2 Billion CFU, Aspergillus oryzae 2 Billion CFU, Bypass protein 80 gm, Nutripro NPN 20 gm, Bypass Fat 100 gm, Calcium 160 gm, Phosphorus 80 gm, Magnesium 14 gm, Zinc Neunamin 1600 mg, Manganese Neunamin 1600 mg, Copper Neunamin 550 mg, Iron Neunamin 640mg, Selenium Neunamin 16 mg, Iodine Neunamin 128 mg, Chromium Neunamin 32 mg Methionine 100 gm, Niacin 7 gm, Biotin 200 mg, Phytase enzyme 60000 IU, , Vitamin A 10 Lakh IU, Vitamin D3 5 Lakh IU, Vitamin E 3300 IU, Grape polyphenol ext. equivalent to Vitamin E activity 6600 IU, Sulphur 16 gm, Cobalt sulphate 200 mg.	Improves milk yield and Milk fat in dairy animals.  Rejuvenates rumen microflora.  Improves reproductive performance.	Cow/ Buffalo- 50 to 100 gm orally daily (50 gm for 10 litre producing cow and 8 litre producing buffalo)
 <p>Premium Galactagogue Enriched with SNF Builders and Mastitis Prevention Factors</p>	500 gm  1 kg  5 kg  25 kg	Each 1 kg contains : Calcium 240 gm, Phosphorus 120 gm, Magnesium 20 gm, Sulphur 24 gm, Selenium 5 mg, Potassium iodide 300 mg, Cobalt Sulphate 300 mg, Chromium propionate 360 mg, Nutripro NPN 60 gm, Bypass Fat 300 gm, Bypass Protein 240 gm, Vitamin A (Coated) 15 Lakh IU, Vitamin D3 (Coated) 7.5 Lakh IU, Vitamin E (Coated) 5000 IU, Biotin 300 mg, Niacin 10000 mg, Saccharomyces cerevisiae 500 Billion CFU, Lactobacillus sporogenes 2.5 billion CFU, Aspergillus oryzae 2.5 billion CFU, Bacillus subtilis 100 billion CFU, Bacillus licheniformis 100 billion CFU, Propionibacterium freudenreichii 30 billion CFU, Propionibacterium acidipropionici 0.3 billion CFU, Beta-glucan 21000 mg, Mannan oligosaccharide 27000 mg, Grape Polyphenols extract equivalent to Vitamin E activity 10,000 IU , Phytase Enzyme 1.8 gm.	Improves milk yield, Milk fat and SNF in dairy animals. Regular supplementation decreases the incidence of mastitis.	Cow/ Buffalo- 50 to 100 gm orally daily (50 gm for 10 litre producing cow and 8 litre producing buffalo)
 <p>Milk Enhancer Bolus fortified with Neunamins</p>	Strip of 2 Bolus	Each bolus contains: Calcium 2000 mg, Phosphorus 1000 mg, Vitamin A 50,000 IU, Vitamin D3 25,000 IU, Vitamin E 100 mg, Biotin 20,000 mcg, Cobalt Sulphate 20 mg, Nucleotides 1000 mg, Zinc Neunamin 80,000 mcg, Manganese Neunamin 80,000 mcg, Copper Neunamin 28,000 mcg, Iron Neunamin 32,000 mcg, Selenium Neunamin 800 mcg, Iodine Neunamin 3,200 mcg, Chromium Neunamin 1,600 mcg, Leptadenia reticulata ext. 1000 mg, Asparagus recemosus ext. 1000 mg	Improves milk yield in lactating animals Ensures better digestion, health status and growth.	Cow and Buffalo: 2 bolus daily  Sheep and Goat: 1/2 bolus once daily

# LIVE STOCK PRODUCTS

## PRODUCT

## PACK

## COMPOSITION

## INDICATIONS

## RECOMMENDED USAGE



Milk Enhancer fortified with Neunamins

25 gm  
X  
10  
Sachet

Each kg Contains:  
Calcium 200 gm, Phosphorous 100 gm, Magnesium 6 gm, Zinc Neunamin 9.6 gm, Copper Neunamin 4.5 gm, Maganese Neunamin 9.6 gm, Ferrous Neunamin 3.84 gm, Selenium Neunamin 24 mg, Iodine Neunamin 384 mg, Chromium Neunamin 48 mg, Niacin 2 gm, Vitamin A 10 Lakh IU, Vitamin D3 6 Lakh IU, Vitamin E 1000 IU, Sulphur 5.4 gm, Elemental cobalt 200 mg, Biotin 400 mg, DL-Methionine 20 gm, Bacillus subtilis 12000 million cfu, Bacillus licheniformis 12000 million cfu, Propionibacterium fredenreichii 6000 million cfu, Live yeast culture 20 gm, Potassium 75 mg, Sodium 5 gm, Mos 10 gm.

Improves milk yield in lactating animals  
Ensures better digestion, health status and growth.

Recommended Usage  
Cow/ Buffalo - 1-2 Sachet daily  
Goat/Sheep - ½ Sachet daily or advised by a Registered veterinarian/consultant

### AUROCAL<sup>®</sup> PLUS

Powerful Calcium Supplementation for High Milk Yield, Better Health & Mastitis Prevention

500 ml  
1 Ltr  
Bottle  
5 Ltr.  
25 Ltr.

Each 100 ml contains:  
Calcium 6100 mg, Phosphorus 3050 mg, Vitamin A 45000 IU, Vitamin D<sub>3</sub> 12000 IU, Vitamin B<sub>12</sub> 100 mcg, Chromium 200 ppm Asparagus racemosus 1000 mg Leptadenia reticulata 1000 mg, Piper longum 400 mg, Zinc 1500 mg, Copper 500 mg, Silymarin 450 mg, Carbohydrate 25000 mg

Improves milk yield in lactating animals  
Reduces incidence of mastitis and ensures faster recovery as follow-up supplementation  
Ensures better health status and growth.

Cow and Buffalo: 25-50 ml orally B.I.D. during early and mid lactation period  
Calves: 10-25 ml daily  
Sheep and Goat: 5-10 ml daily

### AUROCAL<sup>®</sup> PLUS GOLD

Premium Calcium Supplementation for High Milk Yield and Mastitis Prevention

1 litre  
bottle  
5 litre  
jar  
50 litre  
jar

Each 100 ml contains:  
Calcium 7000 mg, Phosphorus 3500 mg, Cobalt Sulphate 40 mg, Potassium iodide 20 mg, Carbohydrate 40000 mg, Magnesium 350 mg, Vitamin D<sub>3</sub> 70000 IU, Vitamin B<sub>12</sub> 400 mcg, Biotin 20 mg, Organic Chromium 24 mg, Zinc Glycinate 2000 mg, Copper Glycinate 700 mg

Improves milk yield in lactating animals  
Reduces incidence of mastitis and ensures faster recovery as follow-up supplementation  
Better health status and growth

Cow and Buffalo: 50 ml orally once or twice daily during early and peak lactation period  
In high yielding animals, supplementation may increase up to 100 ml b.i.d, Calves & Pig: 10-15 ml daily, Sheep and Goat: 5 ml daily



Kidney Tonic rejuvenator and protectant

500 ml  
1 Ltr.  
&  
5 Ltr.

Each 200 ml, contains  
Phytochemical extracts derived from:  
Mentha piperita 11.6 gm, Coriandrum sativum 30 gm, Boerhavia diffusa 30 gm, Tinospora cordifolia 20 gm, Ocimum basilicum 30 gm, Tribulus terrestris 30 gm Cyperus rotundus 20 gm, Ficus religiosa 29 gm, Trigonella foenum-graecum 29 gm, Moringa oleifera 30 gm, Solanum nigrum 30 gm, Vitamin D3 25,000 IU, Niacin 1 gm, Folic acid 15 mg, Cyanocobalamin 500 mcg, Biotin 1 mg & Ferrous sulphate 1.2 gm

Reduces risk of kidney stones formation (Urolithiasis) & deposition.  
Reduces kidney failure risk and nephrotoxicity.  
Improves FCR and reduces mortality.  
Helps to maintain normal low level of blood urea nitrogen & serum creatinine.

Cow/ Buffalo: 75-100 ml twice daily for 7 to 10 days  
Sheep/Goat: 30 ml daily for 7 to 10 days

# LIVE STOCK PRODUCTS

Liver Stimulant and Protectant





Reproductive Performance Modulators

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
<b>LIVAURO FORTE</b> Premium Herbal Liver Stimulant and Protectant	500 ml Bottle 1 litre Bottle 5 litre Jar	Each 5 ml contains Phytochemical extracts derived from: Andrographis paniculata 800 mg, Eclipta alba 600 mg, Phyllanthus niruri 500 mg, Boerhavia diffusa 400 mg, Picrorhiza kurroa 225 mg, Cichorium intybus 200 mg, Tephrosia purpurea 1000 mg, Aqueous base q.s.	Non-specific anorexia, Acute and chronic liver disorders, Anaemia, Degenerative liver diseases (Hepatitis, Jaundice etc.) Poor weight gain and retarded growth in calves, foals etc. Supports recovery during vaccination, stress and disease challenges	Through oral route Animals- Sheep/ Goat- 10-15 ml B.I.D. for 5-7 days Calves/ Foals- 15- 20 ml B.I.D. for 5-7 days Cow/ Buffalo/ Horse- 50 ml B.I.D. for 5-7 days
<b>AURILIV<sup>®</sup> vet</b> Premium Liver Tonic	100 ml 250 ml 500 ml 1 Ltr 5 Ltr	Each 100 ml contains. Sorbitol 20 gm, L-Carnitine 2.5 gm, Cynarin extract 500 mg, DL-Methionine 1 gm, Choline chloride 1.875 gm, Magnesium sulphate 1 gm	Improves fat metabolism and supports prevention of fatty liver condition and liver dysfunction. Increases the supply of free fatty acids in blood.	For oral administration via feed or drinking water. Cattle & Horse: 15 ml per 100 kg body weight for 5 to 7 days. Sheep & Goat: 7.5 ml per 25 kg body weight for 5 to 7 days. Mixed with feed, the product should be used immediately. Medicated drinking water should be used within 24 hours. In case of increased or lowered water intake, adjust the medication concentrations accordingly.
<b>ESTROMIN<sup>®</sup></b> Estrus Inducing-Conception Promoter Nutrition Supplement	10 x 4 Bolus in unit carton	Each bolus contains: Copper Nneunamin 120 mg, Zinc Nneunamin 240 mg, Iron Nneunamin 50 mg, Manganese Nneunamin 240 mg, Cobalt Nneunamin 5 mg, Iodine Nneunamin 9.6 mg, Selenium Nneunamin 2.4 mg, Bioactive chromium 2.4 mg, Vitamin A 50000 IU, Vitamin D <sub>3</sub> 10000 IU, Vitamin B <sub>3</sub> 10 mg, Vitamin E 250 IU, Grape polyphenols eq. to 525 IU of Vitamin E activity.	Anoestrus due to nutritional deficiency, Silent estrus For optimum follicular growth Improves conception rate after AI	Cow and Buffalo: 2 Bolus daily for 15-20 days by oral route
<b>ESTROMIN<sup>®</sup> DS</b> Estrus Inducing-Conception Promoter Nutrition Supplement	16 gm sachets Dispenser Pack containing 20 Sachets	Each sachet contains: Copper Nneunamin 240 mg, Zinc Nneunamin 480 mg, Iron Nneunamin 100 mg, Manganese Nneunamin 480 mg, Cobalt Nneunamin 10 mg, Iodine Nneunamin 19.2 mg, Selenium Nneunamin 4.8 mg, Bioactive chromium 4.8 mg, Vitamin A (coated) 100000 IU, Vitamin D <sub>3</sub> (coated) 20000 IU, Vitamin B <sub>3</sub> 20 mg, Vitamin E (coated) 500 IU, Grape polyphenols eq. to 1050 IU Vitamin E activity.	Anoestrus due to nutritional deficiency, Silent estrus For optimum follicular growth Improves conception rate after AI	Cow and Buffalo: 1 Sachet daily for 15-20 days by oral route



# LIVE STOCK PRODUCTS

## Reproductive Performance Modulators

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <b>Fertility Vitamin Complex</b>	100 ml 250 ml 500 ml 1 L	Each ml contains: Vitamin A 1,00,000 IU, Vitamin D3 40,000 IU, Vitamin E 40 IU, Sodium selenite 100 mcg	Maintains overall growth, helps in healthy pregnancy and improves fertility in cattle Helps to improve immunity and fight stress conditions	Cow, Buffalo and Horse- 10 ml daily in morning and evening Goat, Sheep, Calves 5 ml to 7.5 ml daily, Should be given daily for 7-10 days every month or as per recommended by qualified veterinarian
 <b>Conception Promoter</b>	100 gm Bottle	Each 5 gm contains: Phytochemical extracts derived from: Vitex agnus castus berry Soya (isoflavones) Salvia officinalis Omega 3 fatty acids 312.5 mg Omega 6 fatty acids 1250 mg Vitamin A 30000 IU Vitamin D3 6000 IU Vitamin E 1250 IU Copper 125 mg Zinc 62.5 mg Manganese 62.5 mg Potassium iodide 3.75 mg Folic acid 40 mg Selenium 168.75 mcg DL Methionine 500 mg	Improves conception rate.	Cow/Buffero:100 gm on the first day of heat followed by same dose on second day
 <b>Phytobiotic Intrauterine Infusion</b>	10ml Aluminium bottle 25 ml multidose Aluminium bottle	Each 2.5 gm contains: Terpinen-4-ol 110 mg, 1,8-Cineole 100 mg, Thymol 160 mg, Vitamin A 25000 IU, Vitamin E 150 IU, Selenium 100 mcg	Endometritis Metritis Pyometra Retained fetal membranes	5 ml Thypin IU will be diluted with 20 to 50 ml of distilled water and used as intrauterine infusion once daily. The application may be repeated 3 to 5 days or as per the advice of Registered Veterinary Practitioner
 <b>Uterine Tonic</b>	500 ml Bottle	Each 100 ml contains Phytochemical extracts derived from: Saraca indica linn 5 gm, Clerodendrum phlomidis 5 gm, Stereospermum suaveolens 5 gm, Desmodium gangeticum 5 gm, Uraria picta 5 gm, Aegle marmelos 5 gm, Solanum indicum 5 gm, Solanum xanthocarpum 5 gm, Gmelina arborea 5 gm, Tribulus terrestris 5 gm, Aloe barbadensis 2 gm Enriched with- Sodium tetraborate 640 mg, Ferrous sulphate 640 mg, Copper sulphate 320 mg, L-Lysine 500 mg	Retention of placenta Silent heat Repeat breeding Uterine infections with infertility Delayed involution of uterus	To support uterine involution and release of lochial discharges- After 5-7 days of delivery, supplement 100 ml oral daily for 5 days. For early induction of estrus- After 25-30 days of delivery, 100 ml oral daily for 5 days or as advised by the qualified veterinary practitioner




# LIVE STOCK PRODUCTS

## Reproductive Performance Modulators

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
<b>Metriwin™</b> A Potent Phytobiotic & Immunomodulator Against Metritis	80 gm	Each 80 gm contains Phytochemical extracts derived from: Allium sativum 80 gm, Azadirachta indica 200 gm, Tinospora cordifolia 5000 mg, Phytoactive principles of Curcuminoids, Thymol, Terpinine 4-ol, 1,8 Cineole, Microbial Lysozyme 2,50,000 units, Phospholipase 1,000 units Fortified with Piperine and Cuminum cyminum.	Enhances body immunity and reduces the chance of uterine infection. As an adjunct therapy with antibiotics in clinical metritis. Improves the efficacy of antibiotics and reduces therapeutic failure. Hastens the process of recovery and reduces the chance of relapse.	For Cow, Buffalo, Mare & Camel Cow- During periparturient period as immunomodulator- 20 gm/100 kg bwt daily for 10-15 days During exposure to metritis as supportive therapy- 20 gm/100 kg bwt twice daily for 5-7 days
<b>Auriolanta™</b> Powerful Ecbolic And Uterine Stimulant	200 ml Bottle 1 litre Bottle	Each 100 ml contains Phytochemical extracts derived from: Achyranthes aspera 12000 mg, Adhatoda vasica nees 9000 mg, Costus speciosus 5000 mg, Croton retusa 6000 mg, Cyperus rotundus 10,000 mg, Gloriosa superba 5000 mg, Peganum harmala 3000 mg, Plumbago zeylanica 2500 mg, Copper sulphate 320 mg, Ferrous sulphate 640 mg, Cobalt sulphate 20 mg, Vitamin E 500 IU, Sodium selenite 500 mcg	Supports easy parturition Helps easy expulsion of placenta Minimizes the risk of placental retention	For easy Parturition- Cow/Buffero: 50-100 ml at the time of Parturition (divided in 2 doses of 50 ml each at an interval of 3 hrs, if required) Followed by 100 ml after 6 Hrs. of Parturition for easy expulsion of placenta, If required. (Should be used in consultation with a qualified veterinarian practitioner) For Retention of Placenta- Cow/Buffero: 200 ml once Sheep/Goat: 50 ml once Repeat after 6 Hrs. if required
<b>Aurimer™</b> Uterine Tonic and Galactagogue	1 litre Bottle 5 litre Jar	Each Ltr. contains Phytochemical extracts derived from: Saraca indica linn 25000 mg, Tribulus terrestris 6250 gm, Pedalium murex 6000 mg, Wedelia calandulacea 3000 mg, Abroma augusta 2500 mg, Cyperus rotundus 2500 mg, Lepidium sativum 2500 mg, Nigella sativa 2500 mg, Vitex negundo 2000 mg, Cinamonum zeylanicum 825 mg, Aloe vera 1200 mg, Copper sulphate 320 mg, Ferrous sulphate 640 mg, Cobalt sulphate 20 mg, Vitamin E 500 IU, Sodium selenite 250 mcg	Tones up the uterine muscles & ensures easy expulsion of placenta. Regulates flow of Lochial discharges to bring back normal size of uterus and helps early conception. Helps to avoid uterine infections i.e. Metritis, Endo-metritis, Pyometra etc. Ensures optimum milk yield	Cow/Buffero: 100 ml daily for 7 to 10 days Sheep/Goat: 25 ml daily for 7 to 10 days

# LIVE STOCK PRODUCTS

## Reproductive Performance Modulators



10X2  
Boli

Each bolus contains:  
Zinc neunamin 4,80,000 mcg,  
Manganese neunamin 4,80,000 mcg,  
Copper Neunamin 2,40,000 mcg,  
Iron neunamin 1,92,000 mcg,  
Selenium neunamin 4,800 mcg,  
Iodine neunamin 1,9200 mcg,  
Chromium neunamin 4,800 mcg  
Vitamin A 1,00,000 IU, Vitamin D3  
40,000 IU, Vitamin E 750 IU,  
MOS 300 mg  
Grape polyphenol ext. eq. to  
Vitamin E activity 500 IU  
Lactobacillus gasseri, Lactobacillus  
fermentum, Lactobacillus plantarum  
(Total probiotic count 5,000 million  
cfu)

Anoestrus due to  
nutritional  
deficiency, silent  
estrus,  
For optimum  
follicular growth  
and ovulation,  
Improves uterine  
environment,  
Enhances  
conception rate  
after AI

Cow and Buffalo:  
1 Bolus daily for  
20 days by oral  
route



10X2  
Boli

Each Bolus contains:  
Cellulase 6000 units, Hemicellulase  
150 units, Xylanase 4000 units,  
Pectinase 750 units, Lipase 1000  
units, Papain 500 units, Protease  
3000 units, Myo Inositol 75 mg,  
Biotin (Pure) 20 mg, Aspergillus  
oryzae 1000 million cfu,  
Saccharomyces cerevisiae  
50000 million cfu, Lactobacillus  
sporogenes 2000 million cfu,  
Niacin 1 gm, DL Methionine 5 gm,  
Copper sulphate 100 mg, Zinc  
sulphate 200 mg, Cobalt sulphate  
20 mg, MOS 300 mg  
Andrographis paniculata ext. 300 mg  
Phyllanthus niruri ext. 250 mg  
Eclipta alba ext. 300 mg  
Boerhavia diffusa ext. 125 mg

Simple indigestion  
and anorexia  
  
Rumen Acidosis  
  
Low milk yield

Recommended  
Usage- 1 Bolus  
daily for 2-3 days



100 ml

Each Ltr contains:  
Mannan oligosaccharides 240000  
mg, Bacillus subtilis, Bacillus  
licheniformis, Bacillus mesentericus,  
Lactobacillus plantarum,  
Pediococcus acidilactici  
Streptococcus faecalis, Clostridium  
butyricum, Enterococcus faecium  
Saccharomyces boulardii, Bacillus  
coagulans, Lactobacillus  
acidophilus  
(Probiotic count is 3,000 Billion CFU  
per Ltr)

Optimizes gut  
health. Improves  
digestibility and  
enhances nutrient  
absorption.  
Increase growth  
and body weight  
gain. Improves  
body immunity and  
reduces mortality.

Calves/ Lambs/  
Goat kid/ Foal  
(upto 6 months):  
1-2 ml twice daily  
after diluting with  
5-10 ml of water.

# LIVE STOCK PRODUCTS

## Digestive Enhancers and Gut Supports

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <b>Probirum</b> Proven Digestive Stimulant	15 gm Sachets  25 Sachets in box	Each 15 gm Sachet contains : Saccharomyces cerevisiae $5 \times 10^{10}$ CFU, Lactobacillus sporogenes $1 \times 10^9$ CFU, Aspergillus oryzae $1 \times 10^9$ CFU, Cellulase 6,000 CU, Hemicellulase 150 HCU, Xylanase 4000 XU, Pectinase 750 PGU, Papain 500 PU, Biotin 10 mg, Lipase 1000 LU, Fungal Protease 3000 PGU, DL-Methionine 5 gm, Niacin 1000 mg, Zinc Sulphate 200 mg, Cobalt Sulphate 20 mg, Copper Sulphate 100 mg, Magnesium Trisilicate 600 mg, Fructo-oligosaccharide 300 mg, Andrographis paniculata eq. to 4000 mg, Phyllanthus niruri eq. to 2500 mg, Eclipta alba eq. to 3000 mg, Boerhavia diffusa eq. to 1000 mg	Simple indigestion and anorexia  Rumen Acidosis  Low milk yield	Cattle/ Buffalo- 1 sachet orally B.I.D. for 2-3 days  Sheep/ Goat - $\frac{1}{2}$ sachet orally B.I.D. for 2-3 days
 <b>Digerum</b> Phytoactive for rumen care	30 gm sachet.	Each gm contains Phytochemical extracts derived from: Trachyspermum ammi linn 60 mg, Ginger 50 mg, Andrographis paniculata 60 mg, Strychni semen 8 mg, DL-Methionine 80 mg, Pyridoxine Hcl 0.42 mg, Niacin 8 mg, Biotin 80 mcg, Cobalt carbonate 0.2 mg	Bloat, Digestive disorders caused by decreased activity of reticulum and rumen or sudden dietary changes and /or intoxication. As a supportive therapy in diseases caused by foreign bodies and hypoglycemic conditions in cattle, calves, sheep and goats.	Supplementation (Supportive therapy) Adult cattle: 60 gm twice daily Young animals: 30 gm once or twice daily. Sheep & goat: 30 gm once or twice daily. Supplementation (Prevention) Adult cattle: 30 gm twice daily Young animals: 30 gm per day for 2-3 consecutive days. Administer as a drench with $\frac{1}{2}$ to 1 liter of water
 <b>SALACGIL</b> Quick Acting Rumenotonic-Probiotic Bolus	4 Bolus in Strip  2 Strips in a unit carton	Each bolus contains : Saccharomyces cerevisiae $25 \times 10^9$ CFU, Lactobacillus sporogenes $25 \times 10^9$ CFU, Aspergillus oryzae $25 \times 10^9$ CFU Biotin 5 mg, DL-Methionine 2 gm, Zinc Sulphate 100 mg, Cobalt Sulphate 20 mg, Copper Sulphate 50 mg, Fructo-oligosaccharide 300 mg, Strychni semen 500 mg	Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic therapy	Cow/ Buffalo- 2 bolus orally B.I.D. for 2-3 days  Sheep/ Goat- $\frac{1}{2}$ bolus orally B.I.D. for 2-3 days

# LIVE STOCK PRODUCTS

Digestive Enhancers and Gut Supports

Preventive Concepts

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
<b>SALACGIL<sup>®</sup> DS</b> Potentiated Probiotics, Prebiotic, Vitamin Amino Acid, Trace Minerals & Digestive Powder	12 gm Sachets 30 Sachets in box	Each 12 g Sachet Contains: Saccharomyces cerevisiae 5 X 10 <sup>10</sup> CFU, Lactobacillus sporogenes 5 X 10 <sup>7</sup> CFU Aspergillus oryzae 5 X 10 <sup>7</sup> CFU Biotin 10 mg, DL- Methionine 4 g Zinc Sulphate 200 mg, Cobalt Sulphate 40 mg, Copper Sulphate 100 mg, Fructo-oligosaccharide 600 mg, Strychni semen 1000 mg	Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic therapy	Cow/Buffalo: 1-2 Sachets orally B.I.D. for consecutive 2-3 days. Calves/Goat/ Sheep: ½-1 Sachet orally 1-2 times per day for consecutive 2-3 days. or, as per direction of registered Veterinarian/ Consultant.
<b>Turbogil<sup>™</sup> Vet</b> Potentiated Probiotics, Prebiotic, Vitamins, Trace Minerals, Enzymes & Digestive Bolus	10 x 4 boli	Each bolus contains : Bacillus coagulans 3200 million cfu, Saccharomyces boulardii 600 million cfu, Bacillus subtilis 300 million cfu, Bacillus licheniformis 300 million cfu, Aspergillus oryzae 250 million cfu, Vitamin B1 30 mg, Vitamin B6 30 mg, Vitamin C 60 mg, Zinc sulphate 100 mg, Cobalt sulphate 20 mg, Copper sulphate 50 mg, Magnesium sulphate 40 mg, Alpha amylase 125 units, Acid protease 125 units, Cellulase 300 units, Phytase 60 units, Biotin 5 mg, Strychni semen 500 mg, Mannan-oligosaccharide 300 mg	Chronic anorexia Impaction Rumen acidosis Adjunct to Antibiotic therapy	
<b>Aurisa<sup>™</sup> Power</b> Potent Antidiarrheal and Intestinal Function Modulator	500gm 1 kg	Each pack contains: Phytochemical extracts derived from: <i>Acacia catechu</i> , <i>Cissampelos pareira</i> , <i>Holarrhena antidysenterica</i> , <i>Euphorbia hirta</i> , <i>Cinnamomum zeylanicum</i> , <i>Mangifera indica</i> , <i>Andrographis paniculata</i> , <i>Eclipta alba</i> Vitamins- B1,B2, Niacin, B6, B12 Probiotics- <i>Saccharomyces boulardii</i> , <i>Bacillus coagulans</i> , <i>Bacillus clausii</i> , <i>Lactobacillus rhamnosus</i> GG and Mannan oligosaccharide (Total Probiotic count 2.131 billion cfu per gm)	Helps to control non-specific diarrhea. Improves gut function for better GI immunity, integrity, digestibility and nutrient absorption. Helps to restore GI mucosa for better productivity. Supportive therapy for diarrhea of specific origin.	Cow & Buffalo: 25 - 50 gm bid Horse: 20-30 gm bid Sheep & Goat: 10-20 gm bid Administer rice pitch or buttermilk for 3 days regularly or as directed by registered veterinary practitioner
<b>Fieromast<sup>™</sup> FORTE</b> A Potent formulation for management of fibrous Mastitis	25 gm Sachets 5 Sachets in unit carton	Each 25 gm Sachet contains: Phytochemical extracts equivalent to Andrographis paniculata 800 mg Picrorhiza kurroa 225 mg, Ocimum sanctum 10000 mg, Aloe vera 1000 mg, Silymarin Nanophosphosome <sup>®</sup> 400 mg Serratiopeptidase, MOS, Potassium iodide 200 mg, Niacin 1000 mg, Saccharomyces cerevisiae 60,000 million cfu, Bacillus coagulans 6,000 million cfu, Aspergillus oryzae 1000 million cfu, Chromium propionate 20 mg, Biotin 20 mg, DL Methionine, Grape polyphenols eq. to Vitamin E activity 1500 IU, Vitamin A 50,000 IU, Vitamin D <sub>3</sub> 10,000 IU, Vitamin C 300 mg, Zinc glycinate 300 mg, Bromelain & Microbial lysozyme 2,50,000 units, Enriched with Zingibain	Cleaves the peptide bond of collagen fibers to reduce the tissue fibrosis. Improves tissue healing, reduces udder inflammation and supports in the cases of fibrous mastitis. Effective in the cases of haemorrhagic mastitis. Helps to restore the milk yield.	1 Sachet daily for 5 days or as per the recommendation of registered veterinary practitioner.

# LIVE STOCK PRODUCTS

## PRODUCT

## PACK

## COMPOSITION

## INDICATIONS

## RECOMMENDED USAGE



Novel Formulation for Management of Mastitis

100 gm

Each 100 gm contains:  
Trisodium citrate 30000 mg, Vitamin A 200000 IU, Vitamin D<sub>3</sub> 100000 IU, Vitamin E 750 IU, Vitamin H 20 mg, Vitamin K 50 mg, Copper glycinate 1000 mg, Zinc glycinate 3000 mg, Manganese glycinate 3000 mg, Selenium 10 mg, Cobalt sulphate 50 mg, Potassium iodide 10 mg, Magnesium 1500 mg, Silica 2500 mg, *S. cerevisiae* 100 billion CFU, *A. oryzae* 1000 million CFU, *B. coagulans* 1000 million CFU, *B. subtilis* 25 billion CFU, *B. licheniformis* 25 billion CFU, Serratiopeptidase 100 mg, Methionine 5000 mg, Grape Polyphenol extract 150 mg, MOS Complex 20000 mg, Bromelain 1000 mg.

Prevention of sub clinical mastitis.  
As an adjunct therapy in clinical mastitis.

For Cows and Buffaloes:  
In Subclinical Mastitis: 100 gm daily for 2-3 days.  
As an adjunct to Mastitis therapy: 100 gm daily for 3-5 days.



Unique Formulation for faster recovery from Mastitis

100 gm

Each 100 gm contains:  
Trisodium citrate 30000 mg, Vitamin A 200000 IU, Vitamin D<sub>3</sub> 100000 IU, Vitamin E 750 IU, Vitamin H 20 mg, Vitamin K 50 mg, Copper glycinate 1000 mg, Zinc glycinate 3000 mg, Manganese glycinate 3000 mg, Selenium 10 mg, Cobalt sulphate 50 mg, Potassium iodide 10 mg, Magnesium 1500 mg, Silica 2500 mg, *S. cerevisiae* 100 billion CFU, *A. oryzae* 1000 million CFU, *B. coagulans* 1000 million CFU, *B. subtilis* 25 billion CFU, *B. licheniformis* 25 billion CFU, Serratiopeptidase 100 mg, Methionine 5000 mg, Grape Polyphenol extract 150 mg, MOS Complex 20000 mg, Bromelain 1000 mg, Microbial Lysozyme 2,50,000 units, Phospholipase 1,000 units.

As an adjunct therapy with antibiotics in clinical mastitis.

Improves the efficacy of antibiotics and reduces therapeutic failure.

Hastens the process of recovery and reduces the chance of relapse.

For Cows and Buffaloes:  
As an adjunct to Mastitis therapy: 100 gm daily for 4-5 days.



Anti-inflammatory gel for udder

125 gm

500 gm

Each Pack contains:  
Turmeric  
Glycyrrhiza glabra  
Eucalyptus globulus  
Calendula officinalis  
Cedrus deodara  
Aloe vera  
Vitamin E  
with Humectants




Gel formula for better penetration and easier application on the udder and teats.

Indicated for prophylaxis and management of mastitis, Helps in strengthening the keratin layer of the teat canal lumen, Enhances the udder defense mechanism.





Wash udder and teats thoroughly after each milking,

Dry with a clean cloth/towel and apply a sufficient quantity of Maspre gel to cover the udder/infected quarters twice daily for 5 days.

# LIVE STOCK PRODUCTS


PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <p>Strengthens udder defense mechanism</p>	1 Ltr 5 Ltr 25 Ltr 50 Ltr	Each 100 ml contains: Tea tree oil Eucalyptus oil Cinnamon oil Thyme oil Nano silver Vitamin A Vitamin E Humectant & Preservative	Helps in strengthening the keratin layer of the teat canal lumen to reduce the risk of infections, Enhances the udder defense mechanism and maintains healthy udder, Reduces pain and inflammation of udder	Wash udder and teats thoroughly after each milking Dry with a clean cloth/towel and dip in a sufficient quantity of Maspredip to cover the udder daily.
 <p>Instantly Bioavailable Nano Calcium and Magnesium with Nanogel Technology</p>	350 gm squeezable bottle	Each 350 gm Contains: Calcium ..... 40 gm Phosphorus.....13 gm Magnesium.....6 gm Phyto bio- Calphos®...300 mg Vitamin D <sub>3</sub> .....50000 IU Gluconeogenic precursors (Propylene glycol & Glycerol) eq. to Metabolizable energy value of 4000 Kilojoules	Comprehensive nutrition supplement for Milk Fever management Reduce the chances of Milk Fever relapse after I/V Calcium administration Recommended during anti-hemoprotozoal treatment, impaction, uterine inertia, retention of placenta and to support normal parturition	Regular Use- Administer one bottle at the first sign of calving to support normal parturition, alleviate negative energy balance and reduce the chances of milk fever and associated complications. Milk Fever Management- Administer one bottle post-parturition (upon observing milk fever symptoms or follow-up therapy after I/V calcium administration) by oral route, repeat after 24-48 hrs if required
 <p>Instantly Bioavailable Nano Calcium and Magnesium with High Metabolizable Energy</p>	500 gm squeezable bottle	Each 500 gm Contains: Calcium ..... 40 gm Phosphorus.....13 gm Magnesium.....6 gm Phyto bio- Calphos®.....300 mg Vitamin D <sub>3</sub> .....50000 IU Gluconeogenic precursors (Propylene glycol, organic honey & Glycerol) eq. to Metabolizable energy value of 6,710 Kilojoules	Comprehensive nutrition supplement for Milk Fever and negative energy balance management Reduce the chances of milk fever relapse after I/V calcium administration Recommended during anti-hemoprotozoal treatment, impaction, uterine inertia, retention of placenta and to support normal parturition.	<b>Directions for use:</b> Remove the seal of the bottle. Hold the head of the animal in a normal to slightly elevated position. Carefully place the nozzle by side of the muzzle and squeeze the center of the tube slowly. Note: Do not administer to animals that are unable to swallow.

# LIVE STOCK PRODUCTS

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
	25 kg bag	Each kg contains: Calcium 358 gm, Magnesium 120 gm, Cobalt sulphate 5 gm, Copper sulphate 15 gm, Zinc sulphate 30 gm, Manganese sulphate 5 gm, Saccharomyces cerevisiae 125 Billion CFU, Aspergillus oryzae 1.25 Billion CFU, Bacillus coagulans 1.25 Billion CFU, Bacillus licheniformis 25 billion CFU, Beta-Glucan 18 gm, Mannan oligosaccharide 22.5 gm	Restores normal rumen pH Reduces the risk of chronic indigestion Helps to improve appetite	1% mixed with feed, twice daily.
	100 gm 200 gm	Each 200 gm contains: Calcium 73 gm, Magnesium 27 gm, DL-Methionine 10 gm, Biotin 20 mg, Cobalt sulphate 50 mg, Copper sulphate 200 mg, Zinc sulphate 400 mg, Manganese sulphate 75 mg, Saccharomyces cerevisiae 100 Billion CFU, Aspergillus oryzae 1 billion CFU, Bacillus coagulans 10 billion CFU, Bacillus licheniformis 25 billion CFU, Fructo oligosaccharide 500 mg	Restores normal pH during rumen acidosis Reduces the risk of chronic indigestion Helps to improve appetite	100 gm bottle twice daily for 2-3 days to reduce the severity of rumen acidosis. The supplementation may be given 2 bottles twice daily for animal weighing 400 kg or more.
 Management of Post-Parturient Problems	Box Containing 48 Sachets	Each sachet contains : Macro Minerals Micro Nutrients Multi-probiotics Prebiotic Amino Acid Immunomodulators	Prevents the chance of ROP, Milk Fever, Mastitis and Metritis in dairy animals. Improves udder conformity (increases value of animal), Uterine cleansing and involution process to initiate early heat in recently parturated animal with higher conception rate	1 Sachet orally B.I.D. for 24 days.  The supplementation should start 1-2 days prior to parturition
 Management of Tympany and Bloat	1 litre Bottle 5 litre Jar	Each 5 ml contains: (As simethicone USP emulsion) 1% Simethicone 50 mg Dill oil BP 25 mg	Quick and prompt relief from Tympany and Bloat. Makes rumen environment normal and ambient.	Cow/Buffalo: 100ml Calf: 50 ml Sheep/Goat: 20 ml Twice daily till symptoms disappear



# LIVE STOCK PRODUCTS

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <p>Management of Tympany and Bloat</p>	<p>1 litre Bottle</p> <p>5 litre Jar</p>	<p>Each 10 ml contains Phytochemical extracts derived from:</p> <p>Trachyspermum ammi linn 62.5 gm, Ginger 2 gm, Oleum Pinus longifolia, Oleum Linseed, Asafoetida extract, Yavkashar, Mannan oligosaccharides</p>	<p>Quick and prompt relief from Tympany and Bloat. Makes rumen environment normal and ambient.</p>	<p>Cow/Buffalo: 100ml</p> <p>Calf: 50 ml</p> <p>Sheep/Goat: 20 ml</p> <p>Twice daily till symptoms disappear</p>
 <p>Aurilum<sup>Plus</sup></p>	<p>500 ml</p> <p>1 Ltr</p>	<p>Each ml contains:</p> <p>Phytochemical extracts derived from</p> <p>Eugenia jambolana 500 mg</p> <p>Acacia arabica 100 mg</p> <p>Enriched with Methylene blue</p>	<p>Management of Lumpy Skin Disease Symptoms</p> <p>Supportive therapy in cases of PPR affected animals</p>	<p>Cattle: 40 ml thrice daily for 4 to 5 days at 8 hourly interval</p> <p>Calf: 20 ml thrice daily for 4 to 5 days at 8 hourly interval.</p> <p>Sheep/Goat: 10 ml thrice daily for 4 to 5 days at 8 hourly interval For best results, application of Aurilum Topical is recommended.</p> <p>Preventive Supplementation :</p> <p>Cattle : 6 ml twice daily</p> <p>Calf : 2 ml twice daily Till epidemic is over from the area</p>
 <p>Aurilum<sup>Liquid</sup></p>	<p>500 ml</p> <p>1 Ltr.</p>	<p>Each Litre contains:</p> <p>Methylene Blue 1gm</p>	<p>Management of Lumpy Skin Disease Symptoms</p>	<p>Apply or Spray directly over body at alternate days.</p>
 <p>Optimizes Dry Period In Lactating Animals</p>	<p>500 gm</p>	<p>Each Kg contains:</p> <p>Salvia officinalis ext., Mentha piperita oil, Petroselinum crispum ext., Vitex agnus-castus berry ext. Vitamin D3 180 IU, Vitamin E 180 IU Vitamin B1 12.96 mg Vitamin B2 11.88 mg, Vitamin B6 12.24 mg Vitamin B12 43.2 mcg, D-Panthenol 13.68 mg, Vitamin C 1440 mg Niacinamide 120.0 mg, Copper glycinate 25 mg, Manganese Chloride tetrahydrate 42.5 mg, Zinc glycinate 100 mg, Potassium iodide 0.68 mg, Cobalt (II) sulphate 0.1 mg, Lactic acid 1.36 mg, Tocopherol extracts from vegetable oil 4.86 mg</p>	<p>Drylact is intended for high-yielding cows entering the dry period, which still have high milk production. The product inhibits milk secretion and has a positive effect on udder tissue regeneration during the dry period. The product for oral use.</p>	<p>Give to high-Yielding cows orally with an infusion during drying off period in an amount of 500 g per 600 kg body weight a day.</p> <p>Up to 300 Kg bwt- it may be given 300 gms. May be repeated next days.</p>


# LIVE STOCK PRODUCTS

## Minerals and Electrolytes



PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <p><b>AURI LYTE<sup>Plus</sup></b> Electrolyte Powder</p>	<p>1 Kg</p> <p>25 Kg</p>	<p>Each 100 gm contains:</p> <p>Sodium chloride 0.8 gm</p> <p>Potassium chloride 5.0 gm</p> <p>Sodium bicarbonate 3.0 gm</p> <p>Sodium acid phosphate 0.8 gm</p> <p>Sodium citrate 6.5 gm</p> <p>Calcium citrate 2 gm</p> <p>Betaine 0.3 gm</p> <p>Vitamin C 1200 mg (coated)</p> <p>Magnesium sulphate 1 gm</p> <p>Lactobacillus sporogenes viable spore 3 billion</p> <p>Bacillus licheniformis viable spores 30 billion</p> <p>Saccharomyces boulardii 1.5 billion</p> <p>Dextrose qs.</p>	<p>Helps in diarrhea, In extreme temperatures (high or low) and all kind of stress maintains electrolyte balance. Reduces mortality rate during heat stress.</p> <p>Improves layer and broiler performance to increase processing yield and feed consumption.</p>	<p>Recommended usage:</p> <p>Calves/Sheep/Goat:</p> <p>10 to 30 gm per day.</p> <p>Cow/Buffalo/Horse/Camel:</p> <p>50 gm per day.</p> <p>In case of heat induced panting administer 100 gm twice daily for 3 to 5 days or as directed by the veterinarians.</p>
 <p><b>Neuna Forte</b> Super Nutrition with Nano Dose Advantage</p>	<p>500 gm</p> <p>5 kg</p> <p>25 kg</p>	<p>Each pack contains :</p> <p>Very high concentrations of Coated Vitamin A, Coated Vitamin D3, Coated Vitamin E, Magnesium, Nicotinamide, Cobalt, Zinc</p> <p>Neunamin, Manganese Neunamin, Copper Neunamin, Iron Neunamin, Selenium Neunamin, Iodine Neunamin, Chromium Neunamin, Sulphur, Potassium, Sodium, Saccharomyces cerevisiae, Aspergillus oryzae, Lactobacillus sporogenes, Grape PP extract, Phytobio-Calpos®, Myo-inositol-hexakisphosphate-3-phosphohydrolase concentrate, Energy Booster Complex</p>	<p>Premium Super Rich Nutrition supplementation for lactating dairy cows and buffaloes to optimise milk production</p> <p>Improves reproductive efficiency and fertile estrus with higher conception rate.</p> <p>Enhances immunity against diseases</p>	<p>Cows-10 gm upto 10 litre milk yield per day and 1 gm per liter per day on the additional yield</p> <p>Buffaloes-10 gm upto 8 litres milk yield per day and 1.25 gm per litre per day on the additional yield</p> <p>MIXING RATIO</p> <p>Cows, Buffaloes: 0.2% to be mixed in feed</p>
 <p><b>Auril Phos<sup>®</sup></b> Fortified Phosphorus Bolus</p>	<p>5X4</p> <p>Boli</p>	<p>Each bolus contains:</p> <p>Sodium acid phosphate.....10 gm</p> <p>Vitamin A.....25000 IU</p> <p>Vitamin D3.....20000 IU</p> <p>Cobalt sulphate.....20 mg</p> <p>Vitamin E.....500 IU</p> <p>Selenium Neunamin.....1600 mcg</p> <p>Chromium Neunamin.....3200 mcg</p> <p>Phytase Enzyme.....20000 Units</p> <p>Myo Inositol .....10 mg</p>	<p>Pica and poor appetite,</p> <p>Milk leakage in dairy cows through teat,</p> <p>Metabolic disorder i.e. post-parturient hemoglobinuria (Red urine), Ketosis and Milk fever,</p> <p>Drop in milk production,</p> <p>Infertility (Delayed maturity, Anoestrus and Delayed ovulation) associated with phosphorus deficiency.</p>	<p>Cow and buffalo: 1 bolus b.i.d. for 3-5 days.</p> <p>Sheep and goat: ½ bolus b.i.d. for 3-5 days.</p>

# LIVE STOCK PRODUCTS



## Minerals and Electrolytes

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <b>Auriphos<sup>®</sup> Nano Gel</b> Single shot Powerful Phosphorus Supplement	450 gm Bottle	Each 450 gm contains: Phosphorus.....20 gm Vitamin A.....100000 IU Vitamin D3.....50000 IU Cobalt Sulfate.....50 mg Vitamin E.....2000 IU Selenium Neunamin.....10 mg Chromium Neunamin.....30 mg Gluconeogenic Precursor Metabolizable energy value of 6,750 kj	Infertility (Delayed maturity, Anoestrus and Delayed ovulation) associated with phosphorus deficiency. Metabolic disorder i.e. post-parturient hemoglobinuria (Red urine), Pica and poor appetite, Milk leakage in dairy cows through teat, Ketosis and sudden drop in milk production,	Regular use: Administer one bottle at the first sign of deficiency to support normal breeding, alleviates negative energy balance and associated complications

## Woundhealer sprays

 <b>AURO SPRAY<sup>®</sup></b> Maggoticidal Wound Healer Spray	100 ml Aluminium bottle	Each 100 ml contains : Ocimum sanctum oil 6.4 gm, Cinnamomum tamala oil 1.6 gm, Eucalyptus oil 6.4 gm, Cedrus deodara oil 2 gm, Azadirachta indica oil 5 gm, Pongamia pinnata oil 4 gm, Cymbopogon citratus oil 9.6 gm, Curcuma longa oil 2 gm	Wound healer Maggoticide Fly repellent Fungal infections Mange infestations	2 to 3 topical applications daily for 3 to 5 days
 <b>AURIHEAL<sup>™</sup></b> 100% Actives No Gas	75 ml 100 ml bottle	Each 100 ml contains : Ocimum sanctum oil 8 gm, Cinnamomum tamala oil 2 gm, Eucalyptus oil 8 gm, Cedrus deodara oil 2 gm, Azadirachta indica oil 5 gm, Pongamia pinnata oil 5 gm, Cymbopogon citratus oil 12 gm, Curcuma longa oil 2 gm	Wound healer Maggoticide Fly repellent Fungal infections Mange infestations	2 to 3 topical applications daily for 3 to 5 days


## Antiparasitics

 <b>MEC FEN</b> PLUS Mega Spectrum Dewormer for Small Animals	6 tablets strip in a unit carton	Each tablet contains Fenbendazole 300 mg, Praziquantel 150 mg, Ivermectin 12 mg	Round worm Tape worm Ectoparasite infestation	Sheep/Goat/Calves/Foal- 1 tablet for 40 kg bwt Sheep/Goat/Calves/Foal- 1ml for 10 kg bwt by oral route
 <b>MEC FEN</b> Synergistic Combination of Fenbendazole and Ivermectin	100 ml, 250 ml and 500 ml bottle  Single bolus strip in a unit carton	Each ml contains Fenbendazole 75 mg, Praziquantel 37.5 mg, Ivermectin 3 mg  Each bolus contains: Fenbendazole 3 gm, Ivermectin 100 mg	Round worm Tape worm Ectoparasite infestation	Cow/Buffalo- 7.5 to 10 mg per kg bwt by oral route For 300-400 kg bwt

# LIVE STOCK PRODUCTS


## Antiparasitics

## Antibiotics

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 High Power Combination of Fenbendazole and Ivermectin	Single bolus strip in a unit carton	Each bolus contains: Fenbendazole 5 gm, Ivermectin 150 mg	Round worm Tape worm Ectoparasite infestation	Cow/Bufalo/ Horse/Camel-7.5 to 10 mg per kg bwt by oral route for heavy weight animals for 450-650 kg bwt
<b>AURIMEC™</b> Ivermectin Oral Solution BP (vet) 0.08% W/v	1 L	Each ml contains: Ivermectin IP 0.8 mg, Benzyl Alcohol IP (As Preservative) 0.02 ml Aqueous base q.s.	Sheep Gastro-intestinal Nematodes, Pulmonary Nematodes, Ostertagia, Oestrous ovis Dogs Gastro intestinal Nematodes & Heart worms Cattle Gastro-intestinal Nematodes, Lung worms, Eye worms, Skin worms Horses Gastro- intestinal nematodes, Lung worms, Ostertagia Strongylus	25 ml/100 kg body weight or as directed by Veterinarian
<b>TRICLAURI™</b> Broad Spectrum Flukicide and Endectocide	100 ml 500ml Bottle 1 ltr. Bottle	Each ml contains: Triclabendazole 50 mg, Ivermectin 1 mg	Liver fluke infestation Nasal bots Round worm infestation Itch mite infestation	As an oral drench- Sheep, Goat, Cattle and Buffalo: 1 ml/5 kg body weight or as directed by veterinarian.
<b>SILYFAS®</b> Potent Flukicide with Proven Liver Protection	Single bolus strip in a unit carton  90 ml and 500 ml bottle	Each bolus contains: Oxyclozanide 4000 mg, Levamisole 2000 mg, Silymarin 300 mg, (in phosphatidylcholine complex)  Each ml contains: Oxyclozanide 60 mg, Levamisole 30 mg, Silymarin 4 mg (in phosphatidyl-choline complex)	Liver fluke Rumen fluke Schistosomiasis	Cow/ Buffalo- 1 bolus for 300-400 kg bwt by oral route, Suspension: Cow/ Buffalo- 10 to 15 mg per kg bwt, Sheep- 15 mg per kg bwt by oral route, or as directed by veterinarian.
<b>NEUBAC®</b> Advanced Antibacterial for Acute Infections	30 ml Vial in a unit carton with yray and Antiseptic swab	Each ml contains: Moxifloxacin 100 mg	Endometritis, Metritis, Pyometra, Prolapse of uterus, Pneumonia, HS, CCPP, CBPP and Mastitis	Cow/ Buffalo/ Sheep/Goat- 5 mg per kg bwt by IM/ IV route

# LIVE STOCK PRODUCTS

Specialties

PRODUCT	PACK	COMPOSITION	INDICATIONS	RECOMMENDED USAGE
 <p><b>SUPERTHO</b> Supports Joint Health</p>	1 Ltr	Each Ltr contains- Calcium chloride 30 gm, Sodium chloride 10 gm, Chondroitin sulphate 500 mg, Glucosamine 500 mg, Orthophosphoric acid 30 gm, Vitamin D <sub>3</sub> 20000 IU, Choline chloride 50 gm, DL-Methionine 10 gm, Manganese glycinate 2.5 gm, Zinc glycinate 2.5 gm, Copper glycinate 100 mg, Biotin 15 mg	Supports musculo-skeletal health. Helps to reduce the onset of arthritic joint pain. Helps to improve the mobility of joints.	For Prevention: Cow/Buffalo/Horse: 100 ml twice daily.
 <p><b>ERAURI PLUS</b> Powerful Hematinic and Hepatoprotectant</p>		Each 50 ml contains: Chelated Ferrous glycinate 2250 mg (eq. to 450 mg of Iron), Chelated Copper glycinate 600 mg (eq. to 90 mg of Copper), Cobalt chloride 10 mg (eq. to 4.5 mg of Cobalt), Cholecalciferol 25000 IU, Niacinamide 300 mg, Pyridoxine Hcl 100 mg, Vitamin E 500 IU, Folic acid 15 mg, Cyanocobalamin 200 mcg, Calcium Pantothenate 100 mg, Andrographis paniculata eq. to 8000 mg, Phyllanthus niruri eq. to 5000 mg, Eclipta alba eq. to 6000 mg, Boerhavia diffusa eq. to 4000 mg, Choline chloride 937.5 mg	Supplementation of Iron and Copper during anaemia or nutritional deficiency, Recommended during pregnancy and young age (calves, kids, lamb, foal, piglet etc.) Adjunctive therapy with the treatment of Trypanosomiasis, Babesiosis, Theileriosis, Anaplasmosis etc.	Cow and Buffalo: 40-50 ml daily orally Calf, Sheep and Goat: 10-15 ml daily orally
 <p><b>PHOSBOL</b> Supports Metabolic Activation</p>	100 gm	Each gm contains: Butaphosphan INN 100 mg Vitamin B <sub>12</sub> 50 mcg	Increases Meat, Milk & Egg Production Augments body Metabolism Improves FCR Prevents Cannibalism Improves Appetite Removes deficiency signs of phosphorus	Cattle: 10-25 gm per animal in feed or, as per direction of registered veterinarian Consultant.
 <p><b>AURIMOS</b> Organic long acting mosquito repellent</p>	100 gm 250 gm 1 kg Bottle	Each 100 gm essential oil contains: Eugenol 5000 mg, Citral 3900 mg, Thymol 1300 mg, Linalool 2400 mg,	Prevent from the incidence of all kind of mosquitoes infections including Dengue, Chikungunya, Malaria, Zika virus	10-20 gm needs to be diluted in 1 ltr of water to spray over 1000 sq. feet area, mainly roof, pillar and walls. The dilution depends on the intensity of mosquito problem in the area.

## Aurivet Division

### AURINKO HEALTHCARE PVT. LTD.

**Head office:** Plot No. 1, Mirzapur, Sec-74, Mirzapur Mor, Ballabhgarh, Faridabad, Haryana-121004, India. **Tel:** +91-129-6662200 (30 Lines), **Fax:** 0129-6660899

**Email:** info@aurinkohealthcare.com, **Website:** www.aurinkohealthcare.com

**Registered Office:** 104/B, Kasturi Complex, Judges Bungalow Road, Bodakdev, Ahmedabad, Gujarat-380054, India.