


A17-C03-root-cowl-a

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J1.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 146.290 x 77.726; scale 0.766

XZ; all edges, hidden included



Overall 146.290 x 118.300; scale 0.766

YZ; all edges, hidden included



Overall 77.726 x 118.300; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.


Not a metal GD&T drawing or production release.

A17-C03-root-cowl-b

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J1.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 146.290 x 73.590; scale 0.766

XZ; all edges, hidden included



Overall 146.290 x 118.300; scale 0.766

YZ; all edges, hidden included



Overall 73.590 x 118.300; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C04-J2-cowl-a


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J2.fixed; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 142.000 x 77.900; scale 0.789



Overall 142.000 x 75.650; scale 0.789



Overall 77.900 x 75.650; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.


Not a metal GD&T drawing or production release.

A17-C04-J2-cowl-b

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J2.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 142.000 x 77.900; scale 0.789

XZ; all edges, hidden included



Overall 142.000 x 71.510; scale 0.789

YZ; all edges, hidden included



Overall 77.900 x 71.510; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.


Not a metal GD&T drawing or production release.

A17-C04-J3-cowl-a

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J3.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 77.400 x 140.000; scale 0.943

XZ; all edges, hidden included



Overall 77.400 x 75.460; scale 1.000

YZ; all edges, hidden included



Overall 140.000 x 75.460; scale 0.800

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.


Not a metal GD&T drawing or production release.

A17-C04-J3-cowl-b

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J3.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 77.400 x 140.000; scale 0.943

XZ; all edges, hidden included



Overall 77.400 x 71.451; scale 1.000

YZ; all edges, hidden included



Overall 140.000 x 71.451; scale 0.800

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C04-J4-cowl-a


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J3.rotor; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 135.750 x 90.000; scale 0.825



Overall 135.750 x 75.650; scale 0.825



Overall 90.000 x 75.650; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C04-J4-cowl-b


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J3.rotor; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 135.750 x 90.000; scale 0.825



Overall 135.750 x 71.510; scale 0.825



Overall 90.000 x 71.510; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C05-J5-cowl-a


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J5.fixed; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 74.000 x 82.754; scale 1.000



Overall 74.000 x 39.200; scale 1.000



Overall 82.754 x 39.200; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C05-J5-cowl-b


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J5.fixed; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 74.000 x 79.720; scale 1.000



Overall 74.000 x 37.144; scale 1.000



Overall 79.720 x 37.144; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.


Not a metal GD&T drawing or production release.

A17-C05-J6-cowl-a

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J6.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 74.000 x 34.136; scale 1.000

XZ; all edges, hidden included



Overall 74.000 x 82.560; scale 1.000

YZ; all edges, hidden included



Overall 34.136 x 82.560; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C05-J6-cowl-b

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J6.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 74.000 x 32.323; scale 1.000

XZ; all edges, hidden included



Overall 74.000 x 82.529; scale 1.000

YZ; all edges, hidden included



Overall 32.323 x 82.529; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.


Not a metal GD&T drawing or production release.

A17-C05-J7-cowl-a

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J7.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 98.000 x 94.000; scale 1.000

XZ; all edges, hidden included



Overall 98.000 x 50.350; scale 1.000

YZ; all edges, hidden included



Overall 94.000 x 50.350; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.


Not a metal GD&T drawing or production release.

A17-C05-J7-cowl-b

mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded


STEP local frame: J7.fixed; orthographic coordinates use this frame.

XY; all edges, hidden included




Overall 98.000 x 94.000; scale 1.000

XZ; all edges, hidden included



Overall 98.000 x 47.590; scale 1.000

YZ; all edges, hidden included



Overall 94.000 x 47.590; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C06-upper-dorsal


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J3.rotor; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 228.750 x 85.482; scale 0.490



Overall 228.750 x 50.632; scale 0.490



Overall 85.482 x 50.632; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C06-upper-ventral


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J3.rotor; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 228.750 x 85.504; scale 0.490



Overall 228.750 x 50.388; scale 0.490



Overall 85.504 x 50.388; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C06-fore-dorsal


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J4.rotor; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 87.000 x 70.500; scale 1.000



Overall 87.000 x 39.188; scale 1.000



Overall 70.500 x 39.188; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.

A17-C06-fore-ventral


mm | REPLACEMENT FIT DRAWING | supported, unpowered, unloaded

STEP local frame: J4.rotor; orthographic coordinates use this frame.


XY; all edges, hidden included

XZ; all edges, hidden included


YZ; all edges, hidden included



Overall 54.000 x 70.000; scale 1.000



Overall 54.000 x 37.140; scale 1.000



Overall 70.000 x 37.140; scale 1.000

STEP is complete nominal geometry. Extents are exact BREP bounds, not outline sample extrema.

C03-C06 fixing axes and standard screws retained; see inherited-mounts.csv and A16 assembly07.

Do not stack the old cover. Covers are cosmetic parts, not a qualified arm load path.

Curved section nominal2.6mm; rear cap nominal axial/radial2.6. Global minimum wall not qualified.

Bed STL uses a proper rigid transform. Check slicer supports, screw seats and actual fit before use.

Finite samples exclude swept volume, dynamic harness, thermal holding and3kg operation.

Not a metal GD&T drawing or production release.