

Strudel

Complete reference

[Beginner](#) • [Intermediate](#) • [Advanced](#)

Plain explanations for your first sounds, your next ideas, and the tools you may use later.

Includes 576 command and command-family entries and 197 recorded aliases. The catalog has 1,654 default sound names plus 218 collections from the optional full Dirt-Samples pack: 1,852 distinct names in total.

Start with Beginner. You do not need to learn the whole book before making music. Search the digital companion when you want to find a command or sound.

The learning levels are suggestions for this guide. Strudel lets you try any tool at any time.

Catalog checked: 3 October 2026. The current website command reference and default sample maps were captured for this edition. People can add new sounds and commands, so the guide also explains how to add your own.

This is an independent learning guide. Official source links appear throughout. The interactive HTML companion includes filters, copy buttons, and individual sample-file details.

Contents

Quick jumps

Click a learning guide to start learning, or a command index to look up commands for that level.

Level	Start learning	Look up commands
Beginner	Beginner learning guide	Beginner command index
Intermediate	Intermediate learning guide	Intermediate command index
Advanced	Advanced learning guide	Advanced command index

Contents	2
Words you will see	3
Beginner learning guide	4
Intermediate learning guide	9
Advanced learning guide	16
The Strudel screen	22
Beginner command index	25
Intermediate command index	32
Advanced command index	83
Default and optional sound catalog	120
Coverage and sources	226

Tip: use the PDF search box to find an exact command or sound name. Use the HTML copy buttons to copy full examples without line breaks added by PDF layout.

Words you will see

Word	Plain meaning
Pattern	Instructions saying what happens and when, usually repeating.
Cycle	One repeating unit of time. It can represent a four-beat bar, but it does not have to.
Event	One scheduled thing, such as a note or drum hit. The technical docs also call it a hap.
Sample	A recorded sound that Strudel can play, crop, loop, or change.
Synth / oscillator	A sound maker that creates repeating waves electronically.
Pitch / octave / semitone	Pitch is how high a note sounds. An octave doubles its frequency; a semitone is one of twelve equal steps in an octave in ordinary equal tuning.
Scale / chord / voicing	A scale is a chosen set of notes. A chord plays several notes together. A voicing chooses their pitch ranges and arrangement.
Control / parameter	A setting, such as note pitch, volume, or filter brightness.
Signal / modulation	A signal supplies values over time. Modulation uses changing values to move a setting.
Envelope	The way a sound or control rises, holds, and falls during one note.
Effect / filter	An effect changes sound. A filter reduces or emphasizes chosen frequency areas.
Frequency / hertz / Hz	Frequency counts repeats per second. Hertz, written Hz, is the unit.
Mini-notation	The compact rhythm language inside double quotes or backticks.
REPL	The interactive editor where you write code, play it, edit it, and hear updates.
Prerequisite	Something you must set up or understand before an example can work.
Ratio	How big one number is compared with another. A frequency ratio of 2 means twice as high.
Tuning	The chosen exact pitches of your notes. Different tunings can divide an octave in different ways.
Output / input	An output sends something out, such as sound or MIDI notes. An input brings something in, such as mouse position or controller messages.
Server / localhost	A server provides files or messages. localhost means a server running on your own computer.
Browser permission	A browser question asking whether a site may use something, such as your MIDI device or motion sensors.
Library / package	A reusable collection of programming tools. Developers can use a Strudel package in their own project.
Experimental	Still being developed. A later version may change its name or behavior.

Beginner learning guide

1. Make one sound, then a beat

Learn these first. Open strudel.cc, paste one example, and press Play. Change one thing, then press Update to hear your change. Stop ends playback. A cycle is a repeating chunk of time. We will count four beats in each cycle, but Strudel lets you choose other ways to count.

Code / name	What it means
Start the clock	CPM means cycles per minute. Dividing 120 by 4 gives 30 cycles per minute. If you count four beats per cycle, this is 120 beats per minute, or BPM. An event is one scheduled hit or note. Adding more events gives each a smaller slot inside the same cycle. <pre>setcpm(120/4) s("bd*4").gain(0.5)</pre> Official source
Code / name	What it means
Choose a sound: sound or s	<code>sound("bd")</code> and <code>s("bd")</code> mean the same thing. <code>bd</code> is a kick drum: a low thump. <code>sd</code> is a snare: a sharp drum hit. <code>cp</code> is a handclap. <code>hh</code> is a closed hi-hat, a short metallic tick; <code>oh</code> is an open hi-hat, a longer metallic sound. You hear four different hits in this example. <pre>s("bd sd hh cp")</pre> Official source
Code / name	What it means
Read the outside of the quotes	<code>s</code> and <code>gain</code> are functions: commands that do a job. Round parentheses <code>()</code> hold their settings. A dot attaches another command. Double quotes hold a rhythm pattern, which gives the order and timing of sounds. Here the kick plays four times per cycle, at a quieter level. <pre>s("bd*4").gain(0.4)</pre> Official source
Code / name	What it means
Leave a silent slot: ~ or -	A rest is a pause. Both <code>~</code> and <code>-</code> make rests. The kick sounds on beat 1, the snare on beat 3. Each silent slot still takes up its share of time. <pre>s("bd ~ sd -")</pre> Official source
Code / name	What it means
Repeat faster: *	The asterisk, or star symbol <code>*</code> , speeds up the item it follows. <code>hh*8</code> gives eight hi-hats per cycle. <code>[bd sd]*2</code> repeats the two-hit sequence twice in one cycle. Decimal amounts, which can include part of a whole number, also work: <code>*1.5</code> means one and a half times as fast. <pre>s("hh*8")</pre> Official source

Code / name	What it means
Split a slot: []	Square brackets make a smaller sequence, or ordered group of sounds, inside one slot. Here the two hi-hats share beat 2. Brackets can go inside other brackets. Keep the round function parentheses outside the quotes too. <pre>s("bd [hh hh] sd cp")</pre> Official source

Code / name	What it means
Take turns across cycles: < >	Angle brackets choose the next item each cycle. This plays a kick in cycle 1 and a snare in cycle 2. <bd sd>*4 runs those turns four times per cycle instead. <pre>s("<bd sd>")</pre> Official source

Code / name	What it means
Play together: comma	A comma inside the pattern plays sounds together. This plays four kicks and eight hi-hats at the same time. A comma outside the quotes separates function settings or the separate patterns given to stack(). <pre>s("bd*4, hh*8").gain(0.4)</pre> Official source

Code / name	What it means
Choose a bank and a recording	A bank is a sound collection, often from one drum machine, an electronic drum instrument. A colon : after a sound selects its recording number. Counting starts at 0, so hh:2 means the third hi-hat recording. The n command can select recording numbers too. <pre>s("hh:0 hh:1 hh:2 hh:3").bank("RolandTR909")</pre> Official source

Code / name	What it means
Keep your punctuation paired	Each opening quote, parenthesis, or bracket needs its closing partner. A // comment explains code and does not play. Backticks, the ` marks, can hold patterns on several lines. Single quotes hold ordinary text. Double quotes and backticks can hold mini-notation, Strudel's compact rhythm language. <pre>// four quiet kicks s("bd*4").gain(0.3)</pre> Official source

2. Notes, chords, and a complete little tune

Pitch means how high or low a sound is. A melody plays notes in an order. A chord plays notes together. Try each short example before playing several parts together.

Code / name	What it means
Name a note	In c4, c is the note name and 4 is the octave, the range of notes. c5 is the next C above c4. Strudel uses a triangle synth, a soft electronic tone, if you write note() without choosing a sound. This plays C, E, then G. <pre>note("c4 e4 g4").s("triangle").gain(0.3)</pre> Official source

Code / name	What it means
Raise or lower a note: #, s, b	A semitone is one small pitch step on a piano, counting black keys too. <code>c#4</code> means C sharp, one semitone above C. <code>db4</code> means D flat, one semitone below D. They name the same pitch here. <code>s</code> can also spell a sharp in note and scale-step values; chord symbols use <code>#</code>. These pitch marks are called accidentals. <pre>note("c4 c#4 db4 d4").s("triangle")</pre> Official source
Code / name	What it means
Play a chord	Commas play notes together. The brackets keep each chord grouped as one item when it belongs inside a longer sequence. This takes turns between two three-note chords, one per cycle. <pre>note("<[c4,e4,g4] [d4,f4,a4]>").s("triangle").gain(0.3)</pre> Official source
Code / name	What it means
Use a scale	A scale is a chosen collection of notes. Numbered scale steps start at 0. In C major, 0, 2, and 4 become C, E, and G. <code>n</code> selects scale steps when <code>scale()</code> is present. With a sample, which is a recorded sound, <code>n</code> often selects recording numbers. <pre>n("0 2 4").scale("C4:major").s("triangle")</pre> Official source
Code / name	What it means
Turn the part down	<code>gain</code> changes the sound level. Smaller values are quieter; 0 is silent. <code>gain(0.3)</code> is a level setting, and how loud it feels depends on the sound too. A setting can be a pattern: this makes the first half quieter than the second. <pre>s("hh*8").gain("0.2 0.6")</pre> Official source
Code / name	What it means
Make several parts: <code>stack</code>	<code>stack</code> plays patterns together. Separate its parts with commas. This has kick, clap, hi-hat, and bass parts. Bass means the low notes. The piano roll draws blocks showing when each hit or note happens. Try changing only <code>hh*8</code> to <code>hh*16</code>. <pre>setcpm(120/4) stack(s("bd*4").gain(0.5), s("~ cp ~ cp").gain(0.3), s("hh*8").gain(0.2), note("c3 ~ g3 ~").s("triangle").gain(0.3))._pianoroll() </pre> Official source
Code / name	What it means
Watch the music	The editor highlights the pattern bits currently playing. <code>_pianoroll()</code> draws a piano roll: blocks showing hits and notes under this code. Seeing the blocks helps you notice pauses, note lengths, and chords. The display follows the notes you play. <pre>note("c4 e4 [g4,b4] ~")._pianoroll()</pre> Official source

3. Shape the sound

A sample plays a recording. A synth makes sound electronically. An effect changes that sound. Try a quiet level while learning. These are starting controls, or settings; the later reference lists many more.

Code / name	What it means
<code>Choose a synth waveform</code>	A waveform is the tiny repeating shape that makes a synth tone. Sine is smooth, triangle is soft, sawtooth is buzzy, and square is hollow or bright. This keeps one pitch while the tone changes each cycle. <pre>note("c3").s("<sine triangle sawtooth square>").gain(0.2)</pre> Official source
Code / name	What it means
<code>Cut high or low frequencies</code>	Frequency counts vibrations per second; hertz, written Hz, is its unit. lpf is a low-pass filter: it reduces high frequencies for a darker tone. hpf reduces lows for a thinner tone. bpf keeps a chosen band, or range, in the middle. This changes between dark and brighter sawtooth tones. <pre>note("c3*4").s("sawtooth").lpf("<400 2000>").gain(0.2)</pre> Official source
Code / name	What it means
<code>Add resonance</code>	Resonance makes frequencies near the filter's cutoff stand out. The cutoff is where the filter starts reducing frequencies. lpq controls this emphasis for the low-pass filter; hpq and bpq belong to the other filters. Raising it can make a sharper, more ringing tone. Start with small changes. <pre>note("c3*4").s("sawtooth").lpf(800).lpq(2).gain(0.2)</pre> Official source
Code / name	What it means
<code>Make the start and ending softer</code>	An envelope describes how a note's loudness changes as it plays. ADSR names four envelope controls: attack is its rise time, decay is the time to fall from the peak, sustain is the level held afterward, and release is its fade-out time. The times here are seconds; sustain is a level. <pre>note("c4 e4").s("triangle").attack(0.1).decay(0.2).sustain(0.4).release(0.3)</pre> Official source
Code / name	What it means
<code>Place a sound left or right</code>	pan sets stereo position, meaning where a sound sits between the left and right speakers. 0 is left, 0.5 is the middle, and 1 is right. Use stereo speakers or headphones to hear this example move between the two sides. <pre>s("hh*4").pan("0 1").gain(0.3)</pre> Official source
Code / name	What it means
<code>Make a room sound</code>	room adds reverb: the lingering reflections after a sound, as if it played in a room. room(0.3) controls how much reverb joins the original sound. roomsize and other room controls shape its tail, the sound left fading afterward. Here the short notes leave a gentle lingering sound. <pre>note("c4 e4 g4").s("triangle").room(0.3)</pre> Official source

Code / name	What it means
Add echoes	delay sets how much echo you hear. delaytime sets the wait between echoes, in seconds. delayfeedback sets how much of an echo returns to make another echo. This repeats short notes with quarter-second gaps between their echoes. <pre>note("c4 ~ g4 ~").s("triangle").delay(0.3).delaytime(0.25)</pre> Official source

Code / name	What it means
Separate effect groups	An orbit is a sound output group sharing one delay and reverb. Give parts different orbit numbers when they need different room or echo settings. Two parts in the same orbit can replace each other's settings for those shared effects. <pre>stack(s("bd*4").orbit(1), note("c4 e4").room(0.4).orbit(2))</pre> Official source

Intermediate learning guide

4. Finish learning the symbols inside quotes

Come here after you can make a beat and melody. These symbols belong to mini-notation inside the quotes. Round parentheses outside quotes call a function; round parentheses after an event inside quotes make a Euclidean rhythm.

Code / name	What it means
Stretch time: /	/2 makes a sequence take twice as long. It changes event timing. speed(2) is different: it makes a recording play faster and usually raises its pitch, while its trigger pattern stays in place. <code>s("[bd sd]/2")</code> Official source
Code / name	What it means
Give an item more time: @ and _	@2 gives an item twice the time weight of an ordinary item. One bare @ or _ adds one unit; c_ _ means c@3. This holds C longer than E. Use a leading zero for small weights, such as @0.5. <code>note("c4@2 e4").s("triangle")</code> Official source
Code / name	What it means
Repeat without squeezing: !	!2 copies an item twice into its sequence. Within < >, those copies each get their own cycle. This plays kick, kick, then snare over three cycles. *2 would speed an item up instead. Bare ! repeats once extra; !!! makes four copies. <code>s("<bd!2 sd>")</code> Official source
Code / name	What it means
Group equal chunks with a foot: .	A standalone dot inside the quotes separates equal chunks called feet. Each chunk gets the same total time, even if it has more notes. This is the same as note("[c4 d4 e4] g4"): three short notes, then one longer note. <code>note("c4 d4 e4 . g4")</code> Official source
Code / name	What it means
Sometimes skip a hit: ?	? after an item gives a 50% chance of removing it. ?0.1 means a 10% chance of removing it, so most hits stay. The hats here leave different gaps. These choices follow Strudel's patterned randomness. <code>s("hh*8?0.1")</code> Official source
Code / name	What it means
Choose between patterns:	A pipe chooses one of its separated patterns randomly for each cycle. This cycle might play four kicks; another might play four snares. It chooses a whole alternative, not a new sound for every slot. <code>s("bd*4 sd*4")</code> Official source

Code / name	What it means
Spread hits out: (hits,slots,offset)	Euclidean rhythms distribute a chosen number of hits over a chosen number of slots. <code>bd(3,8)</code> spreads three kicks over eight slots. The optional third number rotates the rhythm. These parentheses are inside the pattern string. <code>s("bd(3,8,0), hh*8").gain(0.4)</code> Official source

Code / name	What it means
Several streams with a shared step: { } and %	Curly braces inside quotes make a polymeter: the streams share a step length while their different lengths keep going. By default, the first stream sets steps per cycle. % sets that number yourself. Here both streams move at four steps per cycle. <code>s("{bd sd, hh hh oh}%4").gain(0.3)</code> Official source

Code / name	What it means
Build a number range: ..	Two dots make a range including its endpoints. This plays scale steps 0 through 7 in order. A standalone dot is a foot; a decimal dot in 0.5 is part of a number. The same mark has different jobs depending on its position. <code>n("0 .. 7").scale("C4:major").s("triangle")</code> Official source

Code / name	What it means
Mark which level counts steps: ^	In experimental stepwise patterns, ^ at the start of a subpattern marks the level used to count steps. In "a [^b c] d e", b and c each count as one step; the longer outer events each count as two. This is for step-based transformations. <code>s("bd [^hh hh] sd cp").pace(8)</code> Official source

Code / name	What it means
A colon has several jobs: :	After a sound, : chooses a sample number. Some controls use colon-separated values for several settings, such as ADSR. The function decides what those values mean. This gives attack, decay, sustain, and release in one command. <code>note("c4 e4").adsr("0.1:0.2:0.4:0.3")</code> Official source

5. Move and combine patterns

A pattern can be changed after you write it. Learn the difference between changing when an event happens, changing its value, and changing its sound.

Code / name	What it means
Fast, slow, early, late	fast and slow change how quickly the pattern repeats. early and late move its events by fractions of a cycle. This moves four hi-hats later by one eighth of a cycle, putting them between the four kicks. <code>stack(s("bd*4"), s("hh*4").late(1/8)).gain(0.4)</code> Official source

Code / name	What it means
Reverse and turn around	rev reads a pattern backwards. palindrome alternates its forward and backward forms. Other time tools rotate pieces, repeat events, zoom into a region, or compress it into part of a cycle. This plays G, E, then C. <pre>note("c4 e4 g4").rev()</pre> Official source
Code / name	What it means
Control note length and groove	clip or legato scales how long events sound compared with their pattern slots. Short values give spaces between notes; larger values can overlap. swing shifts subdivisions for a less even groove. This makes the melody short and bouncy. <pre>note("c4 e4 g4 b4").clip(0.4)</pre> Official source
Code / name	What it means
One cycle each: cat	cat takes turns: each of its patterns gets a cycle. seq fits its patterns into one cycle. stack plays them together. This plays four kicks for one cycle, then a snare-and-hat pattern for one cycle. <pre>cat(s("bd*4"), s("sd hh sd hh"))</pre> Official source
Code / name	What it means
Make sections: arrange	arrange takes pairs of cycle counts and patterns. Here you hear a four-cycle kick section followed by a two-cycle snare section, then the arrangement repeats. The square brackets outside quotes hold each pair as a JavaScript list. <pre>arrange([4, s("bd*4")], [2, s("sd*2")])</pre> Official source
Code / name	What it means
Turn a part on and off: mask	A mask decides which parts of time can play. 0 turns the part off and 1 lets it through. This waits two cycles, plays two cycles, and repeats. Masks let different instruments enter at different points in a song. <pre>s("hh*8").mask("<0!2 1!2>")</pre> Official source
Code / name	What it means
Borrow another rhythm: struct	struct supplies the timing from another pattern. x is a hit marker here; it is not a special sound name. This plays the C note at the first, third, and sixth slots of an eight-slot rhythm. <pre>note("c4").struct("x ~ x ~ ~ x ~ ~")</pre> Official source
Code / name	What it means
Change only some cycles	lastOf(4, ...) changes the last cycle in each group of four. x => x.rev() means: take this pattern, call it x, then reverse it. firstOf, when, and chunk offer other ways to choose which times change. <pre>note("c4 d4 e4 g4").lastOf(4, x => x.rev())</pre> Official source

Code / name	What it means
Add a changed copy: off	off keeps the original and adds a transformed copy at a later time. The delay here is one eighth of a cycle, not seconds. The copy is seven semitones higher. layer, superimpose, echo, and stut provide related layering tools. <pre>"c3 eb3 g3".off(1/8, x => x.add(7)).note().gain(0.3)</pre> Official source

Code / name	What it means
Change a value with arithmetic	add, sub, mul, and div change pattern values. round, floor, and ceil make whole numbers. Label values with note, gain, or another control so Strudel knows their job. This raises the melody an octave on alternate cycles. <pre>note("60 64 67".add("<0 12>"))</pre> Official source

Code / name	What it means
Pick a stored pattern	pick uses a pattern of numbers to select from a list. Here 0 selects four kicks and 1 selects two snares. Related pick, reset, restart, and inhabit tools let you choose and retrigger larger musical ideas. <pre>"<0 1>".pick([s("bd*4"), s("sd*2")])</pre> Official source

Code / name	What it means
Generate numbers and rhythmic bits	Build a number sequence with run. Label the numbers with n and scale to turn them into notes. This plays scale steps 0, 1, 2, and 3 without typing every number. binary and binaryN make on/off pattern data that can help build rhythms. <pre>n(run(4)).scale("C4:major").s("triangle")</pre> Official source

6. Samples, harmony, and changing controls

Learn these when your patterns already play reliably. Network sample examples need an internet connection and a working sample source. Your sound library can grow with imports; the printed catalog is a dated snapshot.

Code / name	What it means
Bring in a sample collection	samples registers recordings so s can play them by name. A strudel.json file lists names and file locations. A github: shortcut can load a repository collection. This loads Dirt-Samples, then plays its drums. <pre>samples('github:tidalcycles/dirt-samples') s("bd sd, hh*8").gain(0.4)</pre> Official source

Code / name	What it means
Import your own folder	Use Import Sounds Folder in the Sounds area for recordings on your computer. They are stored locally in your browser and are not uploaded. Use the names shown after import. Sharing code alone does not give someone else your local recordings. <pre>// After importing a sound listed as mykick: s("mykick*4")</pre> Official source

Code / name	What it means
Register a URL with your own name	A JavaScript object uses name: value pairs inside curly braces outside quotes. Here popkick becomes a sound name for this hosted WAV file. These braces describe data; they do a different job from mini-notation polimeter braces. <pre>samples({popkick: 'bd/BT0AADA.wav'}, 'https://raw.githubusercontent.com/tidalcycles/Dirt-Samples/master/') s("popkick*4")</pre> Official source
Code / name	What it means
Select, crop, loop, or chop a recording	begin and end select fractions of a recording. speed changes its playback rate and pitch; a negative speed reverses it. chop splits a recording into pieces. slice and splice select slices, loop repeats audio, and loopAt fits it into cycles. <pre>s("sd*4").begin(0).end(0.5).speed(0.8)</pre> Official source
Code / name	What it means
Pitch a recording correctly	Tell Strudel the pitch of your original recording so it can play other notes correctly. Before trying this: let this online G3 recording load. The sample map says it was recorded at G3. The example plays it as G3, B-flat3, then C4. You can supply more recordings for other pitch ranges too. <pre>samples({moog: {g3: 'moog/005_Mighty%20Moog%20G3.wav'}}, 'github:tidalcycles/dirt-samples') note("g3 bb3 c4").s('moog').gain(0.3)</pre> Official source
Code / name	What it means
Find or speak new samples	The documented Shabda service can find Freesound recordings or make speech samples. It needs network access. This requests spoken words and plays them by the generated names. Availability and returned recordings can change. <pre>samples('shabda/speech:the_drum,forever') s("the_drum forever")</pre> Official source
Code / name	What it means
Make a chord progression	A progression is a sequence of chords. chord reads chord names; voicing chooses actual notes for them. C^7 means C major seventh here: the ^ is part of a chord name. Chord dictionaries and voicing settings help choose other arrangements of the notes. <pre>chord("<C^7 A7 Dm7 G7>").voicing().s("triangle").gain(0.3)</pre> Official source
Code / name	What it means
Transpose or arpeggiate	transpose moves pitches by semitones; scaleTranspose moves by steps within a scale. An arpeggio plays chord notes one after another. rootNotes gives the starting note of each chord, useful for bass. This moves a three-note idea up and down across cycles. <pre>"c3 e3 g3".transpose("<0 5 -2>").note()</pre> Official source

Code / name	What it means
Use a signal to change settings	Get a changing number as time moves. That number stream is called a signal. sine rolls up and down, saw rises then jumps back, tri rises then falls, and square flips between two values. range gives useful minimum and maximum settings. Each new note here gets a filter cutoff from a slow sine curve. <pre>note("c3*8").s("sawtooth").lpf(sine.range(300,2000).slow(4)).gain(0.2)</pre> Official source
Code / name	What it means
Use random values and random changes	Let Strudel choose some values for you. irand chooses whole numbers; rand gives random fractions; perlin moves smoothly through random values. choose and wchoose choose values; degrade removes hits. sometimes changes some events; someCycles changes whole cycles. Here sixteen slots get random steps of C minor. <pre>n(irand(8)).segment(16).scale("C4:minor").s("triangle").gain(0.3)</pre> Official source
Code / name	What it means
Move the mouse	Move the mouse to change a setting. mouseX supplies a number for horizontal position and mouseY for vertical position. range turns that number into a useful setting. Here each new note gets darker or brighter as you move sideways. Other signals include cosine, smooth perlin changes, and true/false choices called brand. <pre>note("c3*8").s("sawtooth").lpf(mouseX.range(200,3000)).gain(0.2)</pre> Official source
Code / name	What it means
Drag a live slider	Change a number by dragging a control in the editor. Before trying this: use the Strudel editor with slider support. slider takes a starting value, a minimum, a maximum, and an optional step size. Here volume starts at 0.3 and can move between 0 and 0.6. New hi-hat events use the chosen level. <pre>s("hh*8").gain(slider(0.3,0,0.6))</pre> Official source
Code / name	What it means
Use instrument recordings	Choose recordings of instruments, such as guitar or flute. Soundfonts are collections of pitched instrument recordings. Loaded gm_ names are General MIDI instrument names. Check Sounds to see what is ready to play. This uses a jazz guitar sound. Imports can add more instruments. <pre>note("c3 e3 g3").s("gm_electric_guitar_jazz").gain(0.3)</pre> Official source

Code / name	What it means
Serve a sample folder locally	Load recordings from a small server on your own computer. Before trying this: install Node.js and start the documented <code>@strudel/sampler</code> server in your sounds folder. It lists sound names in a <code>strudel.json</code> file. Load its localhost address, then use a listed name. This template plays swoop if your folder provides it. <pre>samples('http://localhost:5432/') s("swoop*4")</pre> Official source

Advanced learning guide

7. Sound design and unusual timing

Before trying this: you can already make notes, use filters and envelopes, and read a chain of commands. These examples start with built-in sounds. Stepwise and xenharmonic tools are marked experimental in the docs, so names or behavior may change.

Code / name	What it means
Know what the effect chain means	Choose the order in which effects change your sound. Ordinary effect calls use Strudel's built-in order. Calling lpf twice normally replaces its first setting. FX lets you choose a different order. This example first distorts the tone, then turns it down, then removes high frequencies. <pre>s("saw").FX(distort(3), gain(0.3), lpf(400))</pre> Official source
Code / name	What it means
Move a setting during a note: LFO	Make a setting move while a long note is still playing. An LFO is a repeating change, such as a filter opening and closing. Ordinary sine signals are usually read when a new event starts. Here lfo keeps moving the filter twice per second, between 550 and 1050 Hz. <pre>s("saw").lpf(800).lfo({rate:2, depthabs:250}).gain(0.2)</pre> Official source
Code / name	What it means
Shape an LFO	Choose how fast, how far, and in what shape the setting moves. rate counts repeats per second; sync counts repeats per cycle. depth sets the amount of movement. dcoffset shifts it above or below its starting value. skew changes the shape's balance, and curve bends its rise and fall. This makes volume pulse four times per cycle. <pre>s("saw").gain(0.2).lfo({control:"gain", sync:4, shape:"sine"})</pre> Official source
Code / name	What it means
Move filters or pitch with envelopes	Give each note a changing tone. A filter envelope opens and closes a filter during that note; lpenv sets how far it moves. A pitch envelope bends the note higher or lower. Vibrato repeatedly wobbles pitch a little. Here each buzzy note brightens quickly, then becomes darker. <pre>note("c3*4").s("sawtooth").lpf(400).lpa(0.01).lpd(0.2).lps(0).lpenv(4).gain(0.2)</pre> Official source
Code / name	What it means
Make rough, moving, or squeezed sounds	Make a sound crunchy with crush or coarse, or rougher with distort. vowel makes a voice-like tone. phaser creates a moving sweep. Tremolo makes volume rise and fall repeatedly. compressor turns loud peaks down. This example makes a crunchy electronic melody. <pre>note("c3 e3 g3").s("sawtooth").crush(6).lpf(2000).gain(0.2)</pre> Official source

Code / name	What it means
Build noise and additive tones	Make a hiss with white, pink, or brown noise, or little crackles with crackle. To build a pitched tone, additive synthesis combines smaller tones called harmonics. partials sets how strong they are. phases sets where each starts in its repeating wave. This example builds a tone from three chosen strengths. <pre>note("c3 e3 g3").s("user").partials([1,0,0.3,0,0.1]).gain(0.2)</pre> Official source
Code / name	What it means
FM, wavetables, and ZZFX	Try different ways to make a synth tone. FM lets one repeating wave change another's pitch very quickly. A wavetable repeats a tiny recorded wave. ZZFX makes compact game-style sounds using z_ names and its own settings. This example plays a short ZZFX sine melody. See the separate FM and wavetable examples below. <pre>note("c3 e3 g3").s("z_sine").zrand(0).attack(0.01).decay(0.1).sustain(0).release(0.1).gain(0.2)</pre> Official source
Code / name	What it means
Ducking and multiple outputs	Make room for a kick by briefly turning down another part; this is called ducking. You can also send different orbits to separate stereo outputs. Before trying that: set up Multi Channel Orbits and an audio router, which sends audio between apps. This example puts two parts in separate groups for recording after setup. <pre>// Two groups to route separately after setup: stack(s("bd*4").orbit(1), note("c3*4").orbit(2))</pre> Official source
Code / name	What it means
Fit patterns by steps: stepcat	Join patterns so their individual steps take equal time. Ordinary seq gives each whole pattern an equal share of the cycle. stepcat counts the steps inside instead. Here three steps and five steps join into eight even steps. pace sets how many steps play per cycle. These stepwise tools are experimental. <pre>stepcat("bd hh hh", "bd hh hh cp hh").sound().pace(8)</pre> Official source
Code / name	What it means
Grow, shrink, and combine steps	Change how many steps a pattern has or how much time its steps get. The experimental stepwise tools can take steps, drop them, repeat them, or join streams. Changing a count alone may sound the same until another stepwise tool uses it. Here expand makes the first melody's steps longer before joining the two melodies. <pre>stepcat("c a f e".expand(2), "g d").note().s("triangle").pace(8)</pre> Official source

Code / name	What it means
Play pitches between piano keys	Try notes between the pitches on a normal piano. Ordinary tuning divides an octave into twelve semitones. A decimal note number can land between two of those notes. This plays note 60, halfway to 61, then 61. freq can choose a pitch by its exact frequency. tune and xen offer other tuning systems. <pre>note("60 60.5 61").s("sine").gain(0.2)</pre> Official source
Code / name	What it means
Explore a named tuning	Explore a different collection of pitches. Before trying this: learn frequency and numbered scale steps. tune picks pitch ratios from a named tuning; a ratio tells how much to multiply a starting frequency. Here multiplying by 220 gives a starting frequency of 220 Hz. You hear six pitches from hexany15. This feature is experimental. <pre>i("0 1 2 3 4 5").tune("hexany15").mul(220).freq().s("sine").gain(0.2)</pre> Official source
Code / name	What it means
Place hits at uneven fractions	Place hits between the usual evenly spaced slots. This is called microrhythm. The @ numbers give each gap its own time weight. These four hi-hats start at the beginning, one fifth, halfway, and two thirds of the cycle. Then the uneven rhythm repeats. <pre>s("hh").struct("x@6 x@9 x@5 x@10")</pre> Official source
Code / name	What it means
Make an FM tone	Change one wave's pitch very quickly with another wave. This is frequency modulation, or FM, and can make bell-like or metallic tones. fm sets how strongly the pitch changes; fmh sets how fast the two waves run compared with each other. This melody alternates between two tone colors. Several FM waves can also be linked together. <pre>note("c3 e3 g3").s("sine").fm(4).fmh("<1 1.61>").gain(0.2)</pre> Official source
Code / name	What it means
Load a wavetable	Make a tone by repeating a tiny recorded wave at the chosen pitch. That recording is called a wavetable. Before trying this: the online waveform collection must load. wt_ sound names use this method. Here n chooses between two flute waveforms while the same melody plays. You can import your own tiny waves too. <pre>samples('bubo:waveforms') note("c4 e4 g4").s('wt_flute').n("<1 2>").gain(0.2)</pre> Official source

Code / name	What it means
Shift sample pitch without changing pace	Raise a recording's pitch without making it finish faster. stretch does this with an effect called a phase vocoder, which analyzes and rebuilds the sound. It may change the texture too. Here 0 keeps the original pitch and 1 raises it an octave. Those choices alternate each cycle. <pre>s("gm_flute").stretch("<0 1>").gain(0.2)</pre> Official source

8. Play with other tools and build your own

These are optional paths. Each needs its own setup. Follow the linked official page before copying a hardware or network example. MIDI and OSC send musical instructions; another device or program must turn them into sound.

Code / name	What it means
Control an external synth with MIDI	Send notes to another instrument or music app. MIDI carries playing instructions, such as which note to start. Before trying this: connect a destination, allow browser MIDI access, and choose the correct device or virtual port. midi() chooses the first output if no name is given. The receiving instrument makes the sound. <pre>note("c4 e4 g4").midi()</pre> Official source

Code / name	What it means
MIDI controls and input	Read a MIDI controller with midin or midikeys, or send settings to a synth. CC messages move controls; program changes choose sounds. MIDI also supports pitch bend, key pressure, special device messages called SysEx, and timing messages. Before this example: check what CC 74 does on your synth. It receives a slowly changing value with the notes. <pre>note("c4 e4 g4").ccn(74).ccv(sine.slow(4)).midi()</pre> Official source

Code / name	What it means
Send OSC to another sound engine	Send the pattern to another program that makes sound. OSC is a way for programs to exchange control messages. Before trying this: run the documented SuperCollider/SuperDirt or StrudelDirt setup and the local OSC bridge, which forwards messages. This sends kick and snare instructions there. Its sound controls can differ from the browser engine. <pre>s("bd sd").osc()</pre> Official source

Code / name	What it means
Send network messages with MQTT	Send timed messages to another program or device over a network. MQTT is a messaging system. A broker is the server that passes messages on; a topic is the name of the message stream. Before trying this: get a broker with a secure WebSocket address, meaning a protected browser connection. Replace the template values. Strudel sends MQTT messages but does not receive them. <pre>// Replace broker and topic with your own setup. "hello world".mqtt(undefined, undefined, '/my-topic', 'wss://YOUR-BROKER/mqtt', 'mystrudel', 0)</pre> Official source

Code / name	What it means
Play with a game controller	Use a game controller to turn notes on or change a setting. Before trying this: connect a compatible gamepad and let the browser detect it. <code>gamepad(0)</code> selects the first one. Here the melody plays while you hold A. Stick positions, button toggles, and button sequences can control other parts of your tune. <pre>const gp = gamepad(0) note("c4 e4 g4").mask(gp.a)</pre> Official source
Code / name	What it means
Move a phone to change music	Use a phone's movement to change the tune. Before trying this: use a device with motion sensors and allow access after <code>enableMotion()</code>. Sensors can report tilt, turning, and speeding up or slowing down. Different devices have different sensors. Here a forward/back tilt changes filter brightness when new notes start. <pre>enableMotion() note("c3*8").s("sawtooth").lpf(gravityY.range(200,2000)).gain(0.2)</pre> Official source
Code / name	What it means
Use other visualizers	See another view of your music. Pianoroll and punchcard draw events. spiral puts timing around a circle. scope draws the sound wave. spectrum shows how much low and high frequency energy you have. pitchwheel puts pitches around a wheel. A supported <code>_</code> version appears under the code; the plain version uses the main canvas. This draws a sound wave. <pre>note("c3 e3 g3").s("sawtooth").gain(0.2)._scope()</pre> Official source
Code / name	What it means
Make video with Hydra	Make moving pictures alongside your music. Before trying this: connect to the internet to load Hydra and use a browser that can draw its visuals. H lets a music pattern choose a Hydra value. Here the shapes change their number of sides as notes play. <code>detectAudio</code> can use captured audio; <code>feedStrudel</code> can reshape Strudel's own visual displays. <pre>await initHydra() let p = "3 4 5 [6 7]*2" shape(H(p)).out(o0) n(p).scale("A:minor").s("triangle").gain(0.2)</pre> Official source
Code / name	What it means
Use Csound instruments	Play instruments made in Csound, another sound programming system. Before trying this: load its orchestra file, which contains instrument definitions, and let its browser audio engine start. This plays the loaded FM1 instrument. The integration is experimental. It receives timing, pitch, and level data, but ordinary Strudel audio effects do not work on this output. <pre>await loadOrc('github:kunstmusik/csound-live-code/master/livecode.orc') note("c4 e4 g4").csound('FM1')</pre> Official source

Code / name	What it means
Write named parts and change everything	Play several parts using separate lines. \$: starts a playing part; a unique name such as drums\$: identifies one part. _\$: mutes a part. A new line alone does not add a part. all changes the combined parts at once. Here it turns both playing parts down. <pre>\$: s("bd*4") \$: note("c3 e3 g3") all(x => x.gain(0.3))</pre> Official source
Code / name	What it means
Make your own command	Give a useful group of changes one name. Before trying this: understand pat => pat.decay(...), meaning take a pattern called pat and return it with a changed decay setting. register names the new command. Here softPluck adds a short envelope and reverb. Shared code must include this definition before using the command. <pre>const softPluck = register('softPluck', pat => pat.decay(0.1).sustain(0).room(0.2)) note("c4 e4 g4").softPluck()</pre> Official source
Code / name	What it means
Try Mondo notation	Try another way to write Strudel code. Mondo mixes rhythm notation and commands in one expression. # joins commands here. This example uses the documented mondo tag to play eight hi-hats with a drum bank. Learn ordinary function syntax first. The linked page explains how to add local changes, functions, and variables. <pre>mondo`s hh*8 # bank tr909`</pre> Official source
Code / name	What it means
Create custom data and outputs	Make patterns for something you define yourself. Before trying this: learn JavaScript and Strudel patterns. createParam creates a named setting; createParams creates several. A custom output decides what that setting does. Here x is just a number label, so log prints changing values and makes no sound. Developers can also put Strudel inside an app or website. <pre>let x = createParam('x') x(sine.range(0,200)).segment(4).log()</pre> Official source

The Strudel screen

Code / name	What it means
Play / Update / Stop	Play starts the music. Update uses your new code. Stop silences it. Editing alone does not update what is playing. Use the buttons above the Strudel editor. Official source
Sounds panel	Find sound names and their choices. You can also import a folder of your own audio files. Open Sounds, then choose a sound group. Official source
Reference panel	Search the command list inside Strudel while you write. Open Reference and type a command name. Official source
Patterns and Files	Patterns lets you browse tunes. Files helps keep pieces of Strudel code. Save your own copy when you want to keep your work. Open the matching panel in Strudel. Official source
Share	Makes a link to your code so another person can open it. Imported local audio files still need to be supplied separately. Use Share in the Strudel panel. Official source
Export audio	Makes a WAV audio file from a chosen range of cycles. Choose the start and end, then export. The Export panel also lets you choose audio quality and separate output groups. Export: start cycle 0, end cycle 8 = eight cycles. Official source
Settings	Change text size, colors, code hints, bracket helpers, and the audio engine. Bigger text can make the code easier to read. Open Settings. Official source
Offline use	Install or save Strudel for offline use using its supported offline setup. Sounds must already be available or imported locally to play without the internet. Read the official offline guide for your browser. Official source

Other possibilities

Code / name	What it means
Find sounds and functions in the editor	The Sounds tab lists the samples and synths actually loaded. The Reference tab lists functions. Use those live lists when a printed catalog lacks a new import or feature. Some demo code loads extra tools before its custom function names work. Official source
Save and share code	The REPL can share code using its share control. Someone opening the link can run the pattern. Include sample loads and custom-function setup needed to reproduce it. Locally imported sound files are not uploaded with a shared pattern. Keep your own copy of valued code as well. Official source
Export or record sound	The Export tab renders and downloads an audio file. Capturing a live performance with an audio/video recording tool is another option. An exported sound file records what was rendered; a code link lets someone change the tune. Hardware or other external outputs need their own recording route. Official source
Use Strudel offline	Visit online first so the app can be cached. Samples load when you use them, not all at once. The docs list offline caching for GitHub, Freesound, and Shabda sources. Test your tune without network access before relying on it. New imports and external services still need their own setup. Official source
Install the web app	Strudel can be installed as a web app in supported browsers. Desktop Chromium browsers offer an install control; iOS Safari offers Add to Home Screen. It opens in its own window or full-screen view. Installation still uses the app and samples available to that browser. Official source
Editor options and metadata	The REPL supports live updates, syntax and event highlighting, visual displays, theme/settings choices, and documented Vim or Helix editing modes. Comment tags such as <code>@title</code>, <code>@by</code>, <code>@license</code>, and <code>@genre</code> describe a tune; the Patterns search can use tags such as <code>by: Ada L.</code> Official source
Develop extensions and contribute	The technical manual describes package structure, pattern internals, alignment, custom sounds, project setup, documentation, and testing. JavaScript developers can register sounds/functions, write outputs, or embed Strudel. Follow the documented package APIs and project license when building or sharing software based on it. Official source
Connect serial devices	Send messages through a serial connection to hardware such as a small microcontroller. Before trying this: use a compatible browser, connect the device, and write a program on it that understands your messages. The technical manual lists the Web Serial package. Follow its documentation before building an interactive project. Official source

Code / name	What it means
Learn and share with the community	Share a tune's code link, hear what others make, or ask about a small example you are trying. The official Strudel site links to its Discord community. The r/strudel Reddit group and the Uzu forum's Strudel area also have music, questions, and discussions. Official source Official Strudel site Official Discord community r/strudel Uzu Strudel forum

Beginner command index

Each entry gives the exact command name. Aliases are other spellings for the same command. Inputs are the settings you put inside parentheses. For library helpers, read the linked source before using them to write your own tools.

Additional public helpers

Code / name	What it means
piano	Choose the prepared piano sound with short release and pitch-based stereo placement. <code>note("c a f e").piano()</code> Official source
Code / name	What it means
setcps	Set the global tempo in cycles per second. Multiply by 60 to get cycles per minute. Also called: setCps Inputs: cps: How many cycles play each second. <code>setcps(0.5)</code> <code>s("bd sd")</code> Official source

Creating, layering, and selecting patterns

Code / name	What it means
seq	Fit the given patterns one after another into one cycle. Also called: fastcat <code>seq("e5", "b4", ["d5", "c5"]).note()</code> <code>// "e5 b4 [d5 c5]".note()</code> Official source
Code / name	What it means
slowcat	Play the given patterns in turn, one per cycle. Also called: cat <code>slowcat("e5", "b4", ["d5", "c5"])</code> Official source
Code / name	What it means
stack	Play several patterns at the same time. Also called: polyrhythm, pr <code>stack("g3", "b3", ["e4", "d4"]).note()</code> <code>// "g3,b3,[e4 d4]".note()</code> Official source

Filters and filter movement

Code / name	What it means
hpf	Choose the frequency below which a high pass filter reduces the sound's low parts. Also called: hp, hcutoff Inputs: frequency: Vibrations per second, measured in hertz. <pre>s("bd sd [~ bd] sd,hh*8").hpf("<4000 2000 1000 500 200 100>")</pre> Official source

Code / name	What it means
lpf	Reduce high frequencies to make the sound darker. The number sets where the filter starts working, in Hz. Also called: cutoff, ctf, lp Inputs: frequency: Vibrations per second, measured in hertz. <pre>s("bd sd [~ bd] sd,hh*6").lpf("<4000 2000 1000 500 200 100>")</pre> Official source

Loading sounds and tables

Code / name	What it means
samples	Load a collection of recordings so their names can be used with s. <pre>samples('github:tidalcycles/dirt-samples');</pre> <pre>s("bd ~]*2, [~ hh]*2, ~ sd")</pre> Official source

Notes, scales, chords, and tuning

Code / name	What it means
n	Choose a recording number, a numbered scale step, or one note from a chord voicing. Counting starts at 0. Inputs: value: The value or pattern of values to use. <pre>s("bd sd [~ bd] sd,hh*6").n("<0 1>")</pre> Official source

Code / name	What it means
note	Choose pitches using note names such as c4, or MIDI note numbers. <pre>note("c a f e")</pre> Official source

Code / name	What it means
scale	Turn numbered scale steps into notes, or move notes onto the chosen scale. Inputs: scale: Choose name of scale <pre>n("0 2 4 6 4 2").scale("C:major")</pre> Official source

Number transformations

Code / name	What it means
add	Add a number to every value in a number pattern. // Here, the triad 0, 2, 4 is shifted by different amounts n("0 2 4".add("<0 3 4 0>")).scale("C:major") // Without add, the equivalent would be: // n("<[0 2 4] [3 5 7] [4 6 8] [0 2 4]>").scale("C:major") Official source
div	Divide every value in a number pattern by a number. Official source
mul	Multiply every value in a number pattern by a number. "<1 1.5 [1.66, <2 2.33>]>*4".mul(150).freq() Official source
sub	Subtract a number from every value in a number pattern. n("0 2 4".sub("<0 1 2 3>")).scale("C4:minor") // See add for more information. Official source

Randomness and conditions

Code / name	What it means
choose	Pick an item from a list at random. Inputs: xs: Choose values / patterns to choose from. note("c2 g2!2 d2 f1").s(choose("sine", "triangle", "bd:6")) Official source
degrade	Randomly remove events with a 50 percent chance. s("hh*8").degrade() Official source
sometimes	Apply a change with a 50 percent chance. Inputs: function: Choose the transformation to apply s("hh*8").sometimes(x=>x.speed("0.5")) Official source

Sample playback and slicing

Code / name	What it means
bank	Choose a sound collection; its name is added in front of each sound name. Inputs: bank: Choose the name of the bank <pre>s("bd sd [~ bd] sd").bank('RolandTR909') // = s("RolandTR909_bd RolandTR909_sd")</pre> Official source

Code / name	What it means
s	Pick the recorded sound or instrument to play by its name. Also called: sound Inputs: sound: The sound name or pattern of sound names. <pre>s("bd hh")</pre> Official source

Shared effects, echoes, and reverb

Code / name	What it means
delay	Mix in delayed copies of a sound to make an echo effect. Inputs: level: Choose between 0 and 1 <pre>s("bd bd").delay("<0 .25 .5 1>")</pre> Official source

Code / name	What it means
room	Mix in reverb, the lingering sound that suggests a room. Inputs: level: Choose between 0 and 1 <pre>s("bd sd [~ bd] sd").room("<0 .2 .4 .6 .8 1>")</pre> Official source

Synth and audio controls

Code / name	What it means
clip	Multiply event length by a number and stop a sample when that length ends. Also called: legato Inputs: factor: The multiplier or divider to use. <pre>note("c a f e").s("piano").clip("<.5 1 2>")</pre> Official source

Code / name	What it means
pan	Place a sound between the left and right speakers. Inputs: pan: Choose between 0 and 1, from left to right (assuming stereo), once round a circle (assuming multichannel) <pre>s("[bd hh]*2").pan("<.5 1 .5 0>")</pre> Official source

Tempo and runtime

Code / name	What it means
<code>hush()</code> — <code>global</code>	Stop every playing pattern through the editor runtime. <code>hush()</code> Official source
Code / name	What it means
<code>setcpm</code>	Set the global tempo in cycles per minute. Inputs: cpm: Cycles per minute; divide beats per minute by beats in a cycle. <code>setcpm(140/4) // =140 bpm in 4/4</code> <code>\$: s("bd*4, [- sd]*2").bank('tr707')</code> Official source

Timing, rhythm, and repetition

Code / name	What it means
<code>fast</code>	Repeat the pattern faster by the chosen factor. Inputs: factor: The multiplier or divider to use. <code>s("bd hh sd hh").fast(2) // s("[bd hh sd hh]*2")</code> Official source
Code / name	What it means
<code>ply</code>	Repeat every event the chosen number of times within its original space. <code>s("bd ~ sd cp").ply("<1 2 3>")</code> Official source
Code / name	What it means
<code>rev</code>	Reverse the order of events inside each cycle. <code>note("c d e g").rev()</code> Official source
Code / name	What it means
<code>slow</code>	Stretch the pattern over more cycles by the chosen factor. Also called: sparsity Inputs: factor: The multiplier or divider to use. <code>s("bd hh sd hh").slow(2) // s("[bd hh sd hh]/2")</code> Official source

Value and pattern generators

Code / name	What it means
<code>run</code>	Make evenly spaced numbers from 0 up to one less than the chosen count. <code>n(run(4)).scale("C4:pentatonic")</code> <code>// n("0 1 2 3").scale("C4:pentatonic")</code> Official source

Code / name	What it means
<code>silence</code>	Create a pattern that plays nothing. <code>silence // "~"</code> Official source

Visuals and live controls

Code / name	What it means
<code>color</code>	Choose the color used for events in highlights and visual displays. Also called: colour Inputs: color: Choose hexadecimal or CSS color name Official source

Code / name	What it means
<code>slider</code>	Show a slider that lets you change a value while the pattern runs. Inputs: value: The value or pattern of values to use.; min: The lowest value in the new range.; max: The highest value in the new range.; step: Choose step size - optional Official source

Volume and volume movement

Code / name	What it means
<code>attack</code>	Set how long a sound takes to rise to its loudest point. Also called: att Inputs: attack: Choose time in seconds. <code>note("c3 e3 f3 g3").attack("<0 .1 .5>")</code> Official source

Code / name	What it means
<code>decay</code>	Set how long the sound takes to fall from its peak to its held volume. Also called: dec Inputs: time: The time value for this control. Measured in seconds. <code>note("c3 e3 f3 g3").decay("<.1 .2 .3 .4>").sustain(0)</code> Official source

Code / name	What it means
<code>gain</code>	Change how loud the sound is. Inputs: amount: How much of the change to apply. <code>s("hh*8").gain(".4!2 1 .4!2 1 .4 1").fast(2)</code> Official source

Code / name	What it means
<code>release</code>	Set how long the sound takes to fade after the note ends. Also called: <code>rel</code> Inputs: <code>time</code>: The time value for this control. Measured in seconds. <pre>note("c3 e3 g3 c4").release("<0 .1 .4 .6 1>/2")</pre> Official source

Code / name	What it means
<code>sustain</code>	Set the volume that a note holds after its rise and fall. Also called: <code>sus</code> Inputs: <code>gain</code>: The volume or strength value. <pre>note("c3 e3 f3 g3").decay(.2).sustain("<0 .1 .4 .6 1>")</pre> Official source

Intermediate command index

Each entry gives the exact command name. Aliases are other spellings for the same command. Inputs are the settings you put inside parentheses. For library helpers, read the linked source before using them to write your own tools.

Audio effects

Code / name	What it means
<code>asym</code>	Apply diode-style distortion that reshapes the two halves of the wave differently. Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion Official source
Code / name	What it means
<code>chebyshev</code>	Reshape the wave with Chebyshev mathematical curves. Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion Official source
Code / name	What it means
<code>chorus</code>	Set how much of the chorus effect is mixed in. Inputs: chorus: Choose mix amount between 0 and 1 <code>note("d d a# a").s("sawtooth").chorus(.5)</code> Official source
Code / name	What it means
<code>coarse</code>	Lower the apparent sample rate for a rough sound; the docs note browser limitations. Inputs: factor: The multiplier or divider to use. <code>s("bd sd [~ bd] sd,hh*8").coarse("<1 4 8 16 32>")</code> Official source
Code / name	What it means
<code>compressor</code>	Turn down sound peaks that pass a chosen level. Its settings control when it starts, how strongly it reduces peaks, and how quickly it starts and stops. <code>s("bd sd [~ bd] sd,hh*8").compressor("-20:20:10:.002:.02")</code> Official source
Code / name	What it means
<code>crush</code>	Reduce the sound's bit depth for a rough digital sound. Inputs: depth: How far the movement travels. <code>s("<bd sd>,hh*3").fast(2).crush("<16 8 7 6 5 4 3 2>")</code> Official source

Code / name	What it means
cubic	Apply distortion using a cubic curve to reshape the wave. Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion Official source
Code / name	What it means
diode	Apply distortion modeled on a diode, an electronic component that shapes a signal. Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion Official source
Code / name	What it means
distort	Reshape the sound wave for distortion; the optional second value lowers its output volume. Also called: dist Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion; type: Choose type of distortion to apply <pre>s("bd sd [~ bd] sd,hh*8").distort("<0 2 3 10:.5>")</pre> Official source
Code / name	What it means
distorttype	Choose the kind of wave reshaping used by the distortion effect. Also called: disttype Inputs: type: Choose type of distortion to apply <pre>s("bd*4").bank("tr909").distort(2).distorttype("<0 1 2>")</pre> Official source
Code / name	What it means
distortvol	Set the volume after the distortion effect. Also called: distortion, distvol Inputs: volume: Choose linear postgain of the distortion <pre>s("bd*4").bank("tr909").distort(2).distortvol(0.8)</pre> Official source
Code / name	What it means
fold	Fold the wave back over itself for a harsher sound. Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion Official source
Code / name	What it means
hard	Apply distortion that sharply cuts off the loudest wave peaks. Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion Official source

Code / name	What it means
phaser	Add a moving phase effect like the sound of some guitar pedals. Also called: ph Inputs: speed: Choose speed of modulation <pre>n(run(8)).scale("D:pentatonic").s("sawtooth").release(0.5) .phaser("<1 2 4 8>")</pre> Official source
Code / name	What it means
phasercenter	Set the middle frequency around which the phaser moves. Also called: phc Inputs: centerfrequency: Choose in HZ <pre>n(run(8)).scale("D:pentatonic").s("sawtooth").release(0.5) .phaser(2).phasercenter("<800 2000 4000>")</pre> Official source
Code / name	What it means
phaserdepth	Set how much of the phaser effect is heard. Also called: phd, phasdp Inputs: depth: How far the movement travels. <pre>n(run(8)).scale("D:pentatonic").s("sawtooth").release(0.5) .phaser(2).phaserdepth("<0 .5 .75 1>")</pre> Official source
Code / name	What it means
phasersweep	Set the range swept by the phaser's automatic movement. Also called: phs Inputs: phasersweep: Choose most useful values are between 0 and 4000 <pre>n(run(8)).scale("D:pentatonic").s("sawtooth").release(0.5) .phaser(2).phasersweep("<800 2000 4000>")</pre> Official source
Code / name	What it means
shape	Apply an older distortion effect that can jump in volume. It is deprecated; the docs recommend distort. Inputs: distortion: Choose between 0 and 1 Before you try it: Deprecated or older API; check the documented replacement. <pre>s("bd sd [~ bd] sd,hh*8").shape("<0 .2 .4 .6 .8>")</pre> Official source
Code / name	What it means
sinefold	Fold the wave using an additional sine curve. Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion Official source

Code / name	What it means
<code>soft</code>	Apply distortion that rounds off the loudest wave peaks. Inputs: distortion: Choose amount of distortion to apply; volume: Choose linear postgain of the distortion Official source

Code / name	What it means
<code>transient</code>	Change the emphasis on sharp attacks and sustained parts of a sound separately. Inputs: attack: Choose emphasis on transients; between -1 (deaccentuate) and 1 (accentuate); sustain: Choose emphasis on the sustains; between -1 (deaccentuate) and 1 (accentuate) <pre>s("bd").transient("<-1 -0.5 0 0.5 1>")</pre> Official source

Code / name	What it means
<code>vowel</code>	Shape the sound with filters so it resembles a vowel such as a or e. Inputs: vowel: The vowel setting. <pre>note("[c2 <eb2 <g2 g1>>]*2").s('sawtooth') .vowel("<a e i <o u>>")</pre> Official source

Continuous signals and measurements

Code / name	What it means
<code>cosine</code>	Make a repeating control value shaped like a smooth cosine wave, between 0 and 1. <pre>n(stack(sine, cosine).segment(16).range(0, 15)) .scale("C:minor")</pre> Official source

Code / name	What it means
<code>cosine2</code>	Make a repeating control value shaped like a smooth cosine wave, between -1 and 1. Official source

Code / name	What it means
<code>cyclesPer</code>	Measure each event's length in cycles, using timing supplied by another pattern. <pre>// Shorter events are lower in pitch sound("saw saw [saw saw] saw") .note(cyclesPer.range(50, 100))</pre> Official source

Code / name	What it means
<code>isaw</code>	Make a repeating control value shaped like a falling ramp, between 0 and 1. <pre>note("<c3 [eb3, g3] g2 [g3, bb3]>*8") .clip(isaw.slow(2))</pre> Official source

Code / name	What it means
isaw2	Make a repeating control value shaped like a falling ramp, between -1 and 1. Official source
Code / name	What it means
isquare	Make a repeating control value shaped like an inverted square wave, between 0 and 1. Official source
Code / name	What it means
isquare2	Make a repeating control value shaped like an inverted square wave, between -1 and 1. Official source
Code / name	What it means
itri	Make a repeating control value shaped like an inverted triangle wave, between 0 and 1. <code>n(itri.segment(8).range(0,7)).scale("C:minor")</code> Official source
Code / name	What it means
itri2	Make a repeating control value shaped like an inverted triangle wave, between -1 and 1. Official source
Code / name	What it means
per	Measure how many events of this length fit in a cycle, using another pattern's timing. Also called: perCycle <code>// Shorter events are more distorted</code> <code>n("0 0*2 0 0*2 0 [0 0 0]@2").sound("bd")</code> <code>.distort(per.div(2))</code> Official source
Code / name	What it means
perx	Measure event shortness on an exponential scale: halving its duration increases the value by 1. Official source
Code / name	What it means
saw	Make a repeating control value shaped like a rising ramp, between 0 and 1. <code>note("<c3 [eb3,g3] g2 [g3,bb3]>*8")</code> <code>.clip(saw.slow(2))</code> Official source

Code / name	What it means
saw2	Make a repeating control value shaped like a rising ramp, between -1 and 1. Official source
Code / name	What it means
sine	Make a repeating control value shaped like a smooth sine wave, between 0 and 1. <code>n(sine.segment(16).range(0,15)).scale("C:minor")</code> Official source
Code / name	What it means
sine2	Make a repeating control value shaped like a smooth sine wave, between -1 and 1. Official source
Code / name	What it means
square	Make a repeating control value shaped like a switching square wave, between 0 and 1. <code>n(square.segment(4).range(0,7)).scale("C:minor")</code> Official source
Code / name	What it means
square2	Make a repeating control value shaped like a switching square wave, between -1 and 1. Official source
Code / name	What it means
time	Read the current cycle time as a continuously changing number. Official source
Code / name	What it means
tri	Make a repeating control value shaped like a rising-and-falling triangle wave, between 0 and 1. <code>n(tri.segment(8).range(0,7)).scale("C:minor")</code> Official source
Code / name	What it means
tri2	Make a repeating control value shaped like a rising-and-falling triangle wave, between -1 and 1. Official source

Creating, layering, and selecting patterns

Code / name	What it means
all	Change all running patterns after combining them into one stack. Official source

Code / name	What it means
apply	Run a function on the pattern once. <pre>"<c3 eb3 g3>".scale('C minor').apply(scaleTranspose("0,2,4")).note()</pre> Official source
Code / name	What it means
arrange	Plan a sequence by giving each pattern the number of cycles it should last. <pre>arrange([4, "<c a f e>(3,8)"], [2, "<g a>(5,8)"]).note()</pre> Official source
Code / name	What it means
as	Set several named controls together in one call. Inputs: mapping: Choose the control names that are set <pre>"c:.5 a:1 f:.25 e:.8".as("note:clip")</pre> Official source
Code / name	What it means
each	Change each running pattern separately. Official source
Code / name	What it means
inhabit	Choose patterns and squeeze their cycles into the choosing events. Also called: pickSqueeze Inputs: pat: The pattern to use.; xs: The xs setting. <pre>let a = s("bd(3,8)") let b = s("cp sd") "<a b [a,b]>".inhabit({ a, b })</pre> Official source
Code / name	What it means
inhabitmod	Use inhabit with list indices that wrap around at the end. Also called: pickmodSqueeze Inputs: pat: The pattern to use.; xs: The xs setting. Official source
Code / name	What it means
layer	Make several changed copies of a pattern and play those copies together. <pre>"<0 2 4 6 ~ 4 ~ 2 0!3 ~!5>*8" .layer(x=>x.add("0,2")) .scale('C minor').note()</pre> Official source

Code / name	What it means
<code>parray</code>	Make a pattern whose values are lists built from several patterns. Official source
Code / name	What it means
<code>pick</code>	Choose a value or pattern from a list or named table while keeping the choosing pattern's rhythm. Inputs: <code>pat</code> : The pattern to use.; <code>xs</code> : The <code>xs</code> setting. <code>note("<0 1 2!2 3>".pick(["g a", "e f", "f g f g" , "g c d"]))</code> Official source
Code / name	What it means
<code>pickF</code>	Use a pattern of numbers to choose which function changes another pattern. Inputs: <code>pat</code> : The pattern to use.; <code>lookup</code> : Choose a pattern of indices or names; <code>lookup</code> : Choose the array or lookup object of functions from which to pull <code>s("bd [rim hh]").pickF("<0 1 2>", [rev,jux(rev),fast(2)])</code> Official source
Code / name	What it means
<code>pickmod</code>	Use <code>pick</code> , but wrap numbers around the list when they go past its end. Inputs: <code>pat</code> : The pattern to use.; <code>xs</code> : The <code>xs</code> setting. Official source
Code / name	What it means
<code>pickmodF</code>	Use <code>pickF</code> , but wrap numbers around the functions list when they go past its end. Inputs: <code>pat</code> : The pattern to use.; <code>lookup</code> : Choose a pattern of indices or names; <code>lookup</code> : Choose the array or lookup object of functions from which to pull Official source
Code / name	What it means
<code>pickmodOut</code>	Use <code>pickOut</code> with list indices that wrap around at the end. Inputs: <code>pat</code> : The pattern to use.; <code>xs</code> : The <code>xs</code> setting. Official source
Code / name	What it means
<code>pickmodReset</code>	Use <code>pickReset</code> with list indices that wrap around at the end. Inputs: <code>pat</code> : The pattern to use.; <code>xs</code> : The <code>xs</code> setting. Official source

Code / name	What it means
<code>pickmodRestart</code>	Use <code>pickRestart</code> with list indices that wrap around at the end. Inputs: <code>pat</code>: The pattern to use.; <code>xs</code>: The <code>xs</code> setting. <pre>"<a@2 b@2 c@2 d@2>".pickRestart({ a: n("0 1 2 0"), b: n("2 3 4 ~"), c: n("[4 5] [4 3] 2 0"), d: n("0 -3 0 ~") }).scale("C:major").s("piano")</pre> Official source
Code / name	What it means
<code>pickOut</code>	Choose patterns while taking event timing from the chosen patterns. Inputs: <code>pat</code>: The pattern to use.; <code>xs</code>: The <code>xs</code> setting. Official source
Code / name	What it means
<code>pickReset</code>	Choose a pattern and reset its current cycle whenever its choice is triggered. Inputs: <code>pat</code>: The pattern to use.; <code>xs</code>: The <code>xs</code> setting. Official source
Code / name	What it means
<code>pickRestart</code>	Choose a pattern and restart it whenever its choice is triggered. Inputs: <code>pat</code>: The pattern to use.; <code>xs</code>: The <code>xs</code> setting. Official source
Code / name	What it means
<code>seqPLoop</code>	Plan patterns with start and stop times, then repeat that arrangement. <pre>seqPLoop([0, 2, "bd(3,8)"], [1, 3, "cp(3,8)"]).sound()</pre> Official source
Code / name	What it means
<code>sequence</code>	Use the same one-cycle sequence behavior as <code>fastcat</code>. Official source
Code / name	What it means
<code>sequenceP</code>	Combine a list of patterns into a pattern whose values are lists. Official source
Code / name	What it means
<code>slowcatPrime</code>	Play the patterns one per cycle, skipping through source cycles rather than reading each in turn. Inputs: <code>items</code>: Choose the items to concatenate Official source

Code / name	What it means
<code>squeeze</code>	Choose list entries by a number pattern and fit each chosen pattern into its event's space. Inputs: <code>pat</code>: The pattern to use.; <code>xs</code>: The <code>xs</code> setting. <pre>note(squeeze("<0@2 [1!2] 2>", ["g a", "f g f g", "g a c d"]))</pre> Official source

Code / name	What it means
<code>superimpose</code>	Play changed copies of a pattern together with the original. <pre>"<0 2 4 6 ~ 4 ~ 2 0!3 ~!5>*8" .superimpose(x=>x.add(2)) .scale('C minor').note()</pre> Official source

Custom functions

Code / name	What it means
<code>chunk</code>	Change a different section on each cycle, moving forward through the sections. Also called: <code>slowChunk</code>, <code>slowchunk</code> <pre>"0 1 2 3".chunk(4, x=>x.add(7)) .scale("A:minor").note()</pre> Official source

Code / name	What it means
<code>echoWith</code>	Add delayed copies, applying your function again at each repeat. Also called: <code>echowith</code>, <code>stutWith</code>, <code>stutwith</code> Inputs: <code>times</code>: Choose how many times to repeat; <code>time</code>: The time value for this control.; <code>func</code>: The function to apply. <pre>"<0 [2 4]>" .echoWith(4, 1/8, (p,n) => p.add(n*2)) .scale("C:minor").note()</pre> Official source

Code / name	What it means
<code>filter</code>	Keep only the events that pass your function's test. Inputs: <code>test</code>: Choose function to test Hap <pre>s("hh!7 oh").filter(hap => hap.value.s === 'hh')</pre> Official source

Code / name	What it means
<code>filterWhen</code>	Keep only events whose starting times pass your test. Inputs: <code>test</code>: Choose function to test Hap.<code>whole.begin</code> <pre>oneCycle: s("bd*4").filterWhen((t) => t < 1)</pre> Official source

Code / name	What it means
<code>within</code>	Apply a change only inside the chosen part of a cycle. Inputs: start: Choose start within cycle (0 - 1) Use values from 0 to 1.; end: The ending point. Use values from 0 to 1.; func: The function to apply. Official source

Code / name	What it means
<code>withValue</code>	Run a function on each event's value, keeping its timing. Also called: <code>fmap</code> Inputs: func: The function to apply. <pre>"0 1 2".withValue(v => v + 10).log()</pre> Official source

Editor appearance

Code / name	What it means
<code>fontFamily</code>	Change the editor typeface when this pattern triggers. Inputs: value: A font family available to the browser. <pre>s("bd sd").fontFamily("monospace")</pre> Official source

Code / name	What it means
<code>fontSize</code>	Change the editor text size when this pattern triggers. Inputs: value: The text size. <pre>s("bd sd").fontSize(18)</pre> Official source

Code / name	What it means
<code>theme</code>	Change the editor color theme when this pattern triggers. Inputs: value: The registered theme name. <pre>s("bd sd").theme("strudelTheme")</pre> Official source

Filters and filter movement

Code / name	What it means
<code>bpattack</code>	Set how long the band pass filter movement takes to reach its peak. Also called: <code>bpa</code> Inputs: attack: Choose time of the bandpass filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .bpf(500) .bpa("<.5 .25 .1 .01>/4") .bpenv(4)</pre> Official source

Code / name	What it means
bpdc	Set a constant offset for the band pass filter's repeating movement. Inputs: dcoffset: Choose dc offset. set to 0 for unipolar Official source
Code / name	What it means
bpdecay	Set how long the band pass filter movement takes to fall to its held level. Also called: bpd Inputs: decay: Choose time of the bandpass filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .bpf(500) .bpd("<.5 .25 .1 0>/4") .bps(0.2) .bpenv(4)</pre> Official source
Code / name	What it means
bpdepth	Set how far the band pass filter moves automatically. Inputs: depth: How far the movement travels. Official source
Code / name	What it means
bpdepthfrequency	Set the size of the band pass filter movement in hertz. Also called: bpdepthfreq Inputs: depth: How far the movement travels. <pre>note("<c c c# c c c4>*16").s("sawtooth").lpf(600).bpdepthfrequency("<200 500 100 0>")</pre> Official source
Code / name	What it means
bpenv	Set how far the note-shaped movement changes the band pass filter. Also called: bpe Inputs: modulation: Choose depth of the bandpass filter envelope between 0 and n <pre>note("c2 e2 f2 g2") .sound('sawtooth') .bpf(500) .bpa(.5) .bpenv("<4 2 1 0 -1 -2 -4>/4")</pre> Official source
Code / name	What it means
bpf	Choose the middle frequency of a filter that keeps a band of frequencies. Also called: bandf, bp Inputs: frequency: Vibrations per second, measured in hertz. <pre>s("<bd sd [~ bd] sd,hh*6").bpf("<1000 2000 4000 8000>")</pre> Official source

Code / name	What it means
bpq	Set the emphasis around the band pass filter's middle frequency. Also called: bandq Inputs: q: Choose q factor <pre>s("bd sd [~ bd] sd").bpf(500).bpq("<0 1 2 3>")</pre> Official source
Code / name	What it means
bprate	Set how fast the band pass filter moves automatically. Inputs: rate: How fast the movement repeats. Official source
Code / name	What it means
bprelease	Set how long the band pass filter movement takes to fade after the note ends. Also called: bpr Inputs: release: Choose time of the bandpass filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .clip(.5) .bpf(500) .bpenv(4) .bpr("<.5 .25 .1 0>/4") .release(.5)</pre> Official source
Code / name	What it means
bpshape	Choose the wave shape of the band pass filter's repeating movement. Inputs: shape: Choose shape of the lfo (0, 1, 2, ..) Official source
Code / name	What it means
bpskew	Change the symmetry of the band pass filter's repeating movement. Inputs: skew: Choose how much to bend the LFO shape Official source
Code / name	What it means
bpsustain	Set the held level of the band pass filter movement. Also called: bps Inputs: sustain: Choose amplitude of the bandpass filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .bpf(500) .bpd(.5) .bps("<0 .25 .5 1>/4") .bpenv(4)</pre> Official source

Code / name	What it means
bpsync	Set the repeating movement rate of the band pass filter relative to cycles. Inputs: rate: How fast the movement repeats. Measured in cycles. Official source
Code / name	What it means
djf	Use one knob for a DJ filter: below 0.5 cuts high sounds, above 0.5 cuts low sounds. Inputs: cutoff: Choose below 0.5 is low pass filter, above is high pass filter <code>n(irand(16).seg(8)).scale("d:phrygian").s("supersaw").djf("<.5 .3 .2 .75>")</code> Official source
Code / name	What it means
drive	Add overdrive inside supported filter types, making their sound rougher. Inputs: amount: How much of the change to apply. <code>note("{f g g c d a a#}%16").sub(17)).s("supersaw").lpenv(8).lpf(150).lpq(.8).ftype('ladder').drive("<.5 4>")</code> Official source
Code / name	What it means
fanchor	Choose where the filter movement sits around its starting point: above, on both sides, or below. Inputs: center: Choose 0 to 1 Use values from 0 to 1. <code>note("{f g g c d a a#}%8").s("sawtooth").lpf("{1000}%2").lpenv(8).fanchor("<0 .5 1>")</code> Official source
Code / name	What it means
ftype	Choose the kind of filter; the ladder filter has a more aggressive sound. Inputs: type: Choose 12db (0), ladder (1), or 24db (2) <code>note("{f g g c d a a#}%8").s("sawtooth").lpenv(4).lpf(500).ftype("<0 1 2>").lpq(1)</code> Official source
Code / name	What it means
hpattack	Set how long the high pass filter movement takes to reach its peak. Also called: hpa Inputs: attack: Choose time of the highpass filter envelope <code>note("c2 e2 f2 g2").sound('sawtooth').hpf(500).hpa("<.5 .25 .1 .01>/4").hpenv(4)</code> Official source

Code / name	What it means
hpdc	Set a constant offset for the high pass filter's repeating movement. Inputs: dcoffset: Choose dc offset. set to 0 for unipolar Official source
Code / name	What it means
hpdecay	Set how long the high pass filter movement takes to fall to its held level. Also called: hpd Inputs: decay: Choose time of the highpass filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .hpf(500) .hpd("<.5 .25 .1 0>/4") .hps(0.2) .hpenv(4)</pre> Official source
Code / name	What it means
hpdepth	Set how far the high pass filter moves automatically. Inputs: depth: How far the movement travels. Official source
Code / name	What it means
hpdepthfrequency	Set the size of the high pass filter movement in hertz. Also called: hpdepthfreq Inputs: depth: How far the movement travels. <pre>note("<c c c# c c c4>*16").s("sawtooth").lpf(600).hpdepthfrequency("<200 500 100 0>")</pre> Official source
Code / name	What it means
hpenv	Set how far the note-shaped movement changes the high pass filter. Also called: hpe Inputs: modulation: Choose depth of the highpass filter envelope between 0 and n <pre>note("c2 e2 f2 g2") .sound('sawtooth') .hpf(500) .hpa(.5) .hpenv("<4 2 1 0 -1 -2 -4>/4")</pre> Official source
Code / name	What it means
hpq	Set the emphasis around the high pass filter's cutoff frequency. Also called: hresonance Inputs: q: Choose resonance factor between 0 and 50 <pre>s("bd sd [~ bd] sd,hh*8").hpf(2000).hpq("<0 10 20 30>")</pre> Official source

Code / name	What it means
hprate	Set how fast the high pass filter moves automatically. Inputs: rate: How fast the movement repeats. Official source
Code / name	What it means
hprelease	Set how long the high pass filter movement takes to fade after the note ends. Also called: hpr Inputs: release: Choose time of the highpass filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .clip(.5) .hpf(500) .hpenv(4) .hpr("<.5 .25 .1 0>/4") .release(.5)</pre> Official source
Code / name	What it means
hpshape	Choose the wave shape of the high pass filter's repeating movement. Inputs: shape: Choose shape of the lfo (0, 1, 2, ..) Official source
Code / name	What it means
hpskew	Change the symmetry of the high pass filter's repeating movement. Inputs: skew: Choose how much to bend the LFO shape Official source
Code / name	What it means
hpsustain	Set the held level of the high pass filter movement. Also called: hps Inputs: sustain: Choose amplitude of the highpass filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .hpf(500) .hpd(.5) .hps("<0 .25 .5 1>/4") .hpenv(4)</pre> Official source
Code / name	What it means
hpsync	Set the repeating movement rate of the high pass filter relative to cycles. Inputs: rate: How fast the movement repeats. Measured in cycles. Official source

Code / name	What it means
lpattack	Set how long the low pass filter movement takes to reach its peak. Also called: lpa Inputs: attack: Choose time of the filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .lpf(300) .lpa("<.5 .25 .1 .01>/4") .lpenv(4)</pre> Official source
Code / name	What it means
lpdc	Set a constant offset for the low pass filter's repeating movement. Inputs: dcoffset: Choose dc offset. set to 0 for unipolar Official source
Code / name	What it means
lpdecay	Set how long the low pass filter movement takes to fall to its held level. Also called: lpd Inputs: decay: Choose time of the filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .lpf(300) .lpd("<.5 .25 .1 0>/4") .lpenv(4)</pre> Official source
Code / name	What it means
lpdepth	Set how far the low pass filter moves automatically. Inputs: depth: How far the movement travels. <pre>note("<c c c# c c c4>*16").s("sawtooth").lpf(600).lpdepth("<1 .5 1.8 0>")</pre> Official source
Code / name	What it means
lpdepthfrequency	Set the size of the low pass filter movement in hertz. Also called: lpdepthfreq Inputs: depth: How far the movement travels. <pre>note("<c c c# c c c4>*16").s("sawtooth").lpf(600).lpdepthfrequency("<200 500 100 0>")</pre> Official source

Code / name	What it means
lpenv	Set how far the low-pass filter opens or closes during each note. Its envelope controls how that movement starts and ends. Also called: lpe Inputs: modulation: Choose depth of the lowpass filter envelope between 0 and n <pre>note("c2 e2 f2 g2") .sound('sawtooth') .lpf(300) .lpa(.5) .lpenv("<4 2 1 0 -1 -2 -4>/4")</pre> Official source
Code / name	What it means
lpq	Set the emphasis around the low pass filter's cutoff frequency. Also called: resonance Inputs: q: Choose resonance factor between 0 and 50 <pre>s("bd sd [~ bd] sd,hh*8").lpf(2000).lpq("<0 10 20 30>")</pre> Official source
Code / name	What it means
lprate	Set how fast the low pass filter moves automatically. Inputs: rate: How fast the movement repeats. <pre>note("<c c c# c c c4>*16").s("sawtooth").lpf(600).lprate("<4 8 2 1>")</pre> Official source
Code / name	What it means
lprelease	Set how long the low pass filter movement takes to fade after the note ends. Also called: lpr Inputs: release: Choose time of the filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .clip(.5) .lpf(300) .lpenv(4) .lpr("<.5 .25 .1 0>/4") .release(.5)</pre> Official source
Code / name	What it means
lpshape	Choose the wave shape of the low pass filter's repeating movement. Inputs: shape: Choose shape of the lfo (0, 1, 2, ..) Official source
Code / name	What it means
lpskew	Change the symmetry of the low pass filter's repeating movement. Inputs: skew: Choose how much to bend the LFO shape Official source

Code / name	What it means
<code>lpsustain</code>	Set the held level of the low pass filter movement. Also called: <code>lps</code> Inputs: <code>sustain</code>: Choose amplitude of the lowpass filter envelope <pre>note("c2 e2 f2 g2") .sound('sawtooth') .lpf(300) .lpd(.5) .lps("<0 .25 .5 1>/4") .lpenv(4)</pre> Official source

Code / name	What it means
<code>lpsync</code>	Set the repeating movement rate of the low pass filter relative to cycles. Inputs: <code>rate</code>: How fast the movement repeats. Measured in cycles. <pre>note("<c c c# c c c4>*16").s("sawtooth").lpf(600).lpsync("<4 8 2 1>")</pre> Official source

Inline visualizers

Code / name	What it means
<code>_pianoroll</code>	Show event blocks under this code to see when its notes and rests happen. Inputs: <code>options</code>: Display settings such as width and height; settings depend on the visualizer. Before you try it: Requires the Strudel editor widget support; these are editor pattern methods, not ordinary standalone library functions. Official source

Code / name	What it means
<code>_pitchwheel</code>	Show pitches around a circle under this code. Inputs: <code>options</code>: Display settings such as width and height; settings depend on the visualizer. Before you try it: Requires the Strudel editor widget support; these are editor pattern methods, not ordinary standalone library functions. <pre>n("0 .. 12").scale("C:chromatic") .s("sawtooth") .lpf(500) ._pitchwheel()</pre> Official source

Code / name	What it means
<code>_punchcard</code>	Show an event-block display under this code using its active-event highlighting. Inputs: <code>options</code>: Display settings such as width and height; settings depend on the visualizer. Before you try it: Requires the Strudel editor widget support; these are editor pattern methods, not ordinary standalone library functions. Official source

Code / name	What it means
<code>_scope</code>	Show the changing sound wave under this code. Inputs: options: Display settings such as width and height; settings depend on the visualizer. Before you try it: Requires the Strudel editor widget support; these are editor pattern methods, not ordinary standalone library functions. <pre>note("c e g b g e") .fm(4) .fmh("<1 2 1.5 1.61>") ._scope()</pre> Official source

Code / name	What it means
<code>_spectrum</code>	Show the strength of low and high sound frequencies under this code. Inputs: options: Display settings such as width and height; settings depend on the visualizer. Before you try it: Requires the Strudel editor widget support; these are editor pattern methods, not ordinary standalone library functions. <pre>n("<0 4 <2 3> 1>*3") .off(1/8, add(n(5))) .off(1/5, add(n(7))) .scale("d3:minor:pentatonic") .s('sine') .dec(.3).room(.5) ._spectrum()</pre> Official source

Code / name	What it means
<code>_spiral</code>	Show this pattern as a spiral under its code. Inputs: options: Display settings such as width and height; settings depend on the visualizer. Before you try it: Requires the Strudel editor widget support; these are editor pattern methods, not ordinary standalone library functions. <pre>note("c2 a2 eb2") .euclid(5,8) .s('sawtooth') .lpfenv(4).lpf(300) ._spiral({ steady: .96 })</pre> Official source

Loading sounds and tables

Code / name	What it means
<code>aliasBank</code>	Give an existing sound bank another name. Inputs: bank: Choose the bank to alias; alias: Choose the alias to use for the bank Official source

Code / name	What it means
getDur	Get a sample's length in seconds after its sample collection has loaded. Inputs: sampleName: The sample Name setting.; (optional): Choose n <pre>// Set a patterns cycle length to exactly the length of the sample samples('github:tidalcycles/dirt-samples') let k = await getDuration('sax') s("sax").cps(1/k)</pre> Official source

Code / name	What it means
soundAlias	Give an existing sound another name. Inputs: original: Choose the original sound name; alias: Choose the alias to use for the sound Official source

Code / name	What it means
tables	Load a collection of wave shapes for wavetable sounds. Official source

Notes, scales, chords, and tuning

Code / name	What it means
addVoicings	Add your own named set of chord voicings. Inputs: name: Choose identifier for the voicing dictionary; dictionary: Choose maps chord symbol to possible voicings; range: Choose min, max note Full worked example in the searchable HTML companion. Official source

Code / name	What it means
anchor	Choose the reference note for positioning a chord's notes; the default is c5. Inputs: anchorNote: Choose the note to align the voicing or scale to <pre>anchor("<c4 g4 c5 g5>").chord("C").voicing()</pre> Official source

Code / name	What it means
chord	Choose a chord symbol to turn into a group of notes. Inputs: symbols: Choose chord symbols to voice e.g., C, Eb, Fm7, G7. The symbols can be defined via addVoicings <pre>chord("<Am C D F Am E Am E>").voicing()</pre> Official source

Code / name	What it means
dictionary	Choose the set of chord voicings, or ways to spread a chord's notes. Inputs: dictionaryName: Choose which dictionary (having been defined with addVoicings) to use <pre>addVoicings('house', { '': ['7 12 16', '0 7 16', '4 7 12'], 'm': ['0 3 7'] }) chord("<Am C D F Am E Am E>") .dict('house').anchor(66) .voicing().room(.5)</pre> Official source
Code / name	What it means
ftranspose	Move frequency values by scale steps, optionally choosing the number of divisions per octave. Also called: ftrans, fTrans, fTranspose Inputs: amt: The amt setting.; edoSize: Choose (optional) <pre>i("0 1 2").xen("12edo").ftrans("7") // n("0 1 2").scale("A:chromatic").trans("7")</pre> Official source
Code / name	What it means
i	Choose a scale step for the tune and xen tuning commands. Inputs: value: The value or pattern of values to use. <pre>i("0 1 2 3 4 5 6 7").xen("<5edo 10edo 15edo hexany15>")</pre> Official source
Code / name	What it means
mode	Choose whether the chord notes sit below, above, or around the anchor. Inputs: modeName: Choose one of {below above duck root oldabove oldroot} <pre>mode("<below above duck root>").chord("C").voicing()</pre> Official source
Code / name	What it means
octaves	Choose how many octaves apart voicing steps are spread. Inputs: count: How many to use. <pre>chord("<Am C D F Am E Am E>").octaves("<2 4>").voicing()</pre> Official source
Code / name	What it means
offset	Move the chosen chord voicing relative to its anchor position. Inputs: shift: Choose the amount to shift the voicing up or down <pre>chord("<Am C D F Am E Am E>").offset("<0 1 2 3 4 5>") // alter the voicing each time</pre> Official source

Code / name	What it means
<code>rootNotes</code>	Take the root note of each chord and put it in the chosen octave. Inputs: octave: Choose octave to use <pre>"<C^7 A7 Dm7 G7>".rootNotes(2).note()</pre> Official source
Code / name	What it means
<code>scaleTranspose</code>	Move notes by steps inside the scale already set on the pattern. Also called: <code>scaleTrans</code>, <code>strans</code> Inputs: offset: Choose number of steps inside the scale <pre>"-8 [2,4,6]" .scale('C4 bebop major') .scaleTranspose("<0 -1 -2 -3 -4 -5 -6 -4>") .note()</pre> Official source
Code / name	What it means
<code>transpose</code>	Move notes up or down by a chosen number of semitones or a named interval. Also called: <code>trans</code> Inputs: amount: How much of the change to apply. <pre>"c2 c3".fast(2).transpose("<0 -2 5 3>".slow(2)).note()</pre> Official source
Code / name	What it means
<code>tune</code>	Turn numbered scale steps on the <code>i</code> control into pitches using a named tuning or frequency list. Inputs: scale: The scale setting. <pre>i("0 1 2 3 4 5").tune("hexany15").mul("220").freq()</pre> Official source
Code / name	What it means
<code>voicing</code>	Turn chord symbols into groups of notes using the selected voicing settings. <pre>n("0 1 2 3").chord("<C Am F G>").voicing()</pre> Official source
Code / name	What it means
<code>voicings</code>	Use the older chord-voicing command; the docs recommend <code>voicing</code> instead. Inputs: dictionary: Choose which voicing dictionary to use. Before you try it: Deprecated or older API; check the documented replacement. <pre>stack("<C^7 A7 Dm7 G7>".voicings('lefthand'), "<C3 A2 D3 G2>").note()</pre> Official source
Code / name	What it means
<code>withBase</code>	Retune frequency values from their original base pitch to a new base pitch. Inputs: base: The base setting.; (optional): Choose originalBase <pre>i("[0 1 2 3] [3 4] [4 3 2 1]").xen("hexany23").withBase("<220 [300 200]>")</pre> Official source

Code / name	What it means
<code>xen</code>	Turn numbered scale steps into frequencies using a tuning, equal division, or interval list. Inputs: <code>scaleNameOrRatios</code>: The scale Name Or Ratios setting. <pre>// A minor triad in 31edo: i("0 8 18").xen("31edo").piano()</pre> Official source

Number transformations

Code / name	What it means
<code>ceil</code>	Round each number up to the whole number above it. <pre>note("42 42.1 42.5 43").ceil()</pre> Official source

Code / name	What it means
<code>floor</code>	Round each number down to the whole number below it. <pre>note("42 42.1 42.5 43").floor()</pre> Official source

Code / name	What it means
<code>fromBipolar</code>	Change numbers from the -1-to-1 range into the 0-to-1 range. Official source

Code / name	What it means
<code>range</code>	Map values from 0–1 into your chosen minimum and maximum. <pre>s("[bd sd]*2, hh*8") .cutoff(sine.range(500, 4000))</pre> Official source

Code / name	What it means
<code>range2</code>	Map values from -1–1 into your chosen minimum and maximum. <pre>s("[bd sd]*2, hh*8") .cutoff(sine2.range2(500, 4000))</pre> Official source

Code / name	What it means
<code>rangex</code>	Turn values between 0 and 1 into your chosen number range. The change follows a curve instead of moving evenly, which can help control frequency. <pre>s("[bd sd]*2, hh*8") .cutoff(sine.rangex(500, 4000))</pre> Official source

Code / name	What it means
<code>ratio</code>	Turn colon-separated divisions such as 3:2 into ordinary numbers. <pre>ratio("1, 5:4, 3:2").mul(110) .freq().s("piano")</pre> Official source

Code / name	What it means
<code>round</code>	Round each number to the nearest whole number. <pre>n("0.5 1.5 2.5").round().scale("C:major")</pre> Official source

Code / name	What it means
<code>toBipolar</code>	Change numbers from the 0-to-1 range into the -1-to-1 range. Official source

Pitch and pitch movement

Code / name	What it means
<code>detune</code>	Slightly separate the pitches of stacked oscillator voices. Also called: <code>det</code> Inputs: amount: How much of the change to apply. <pre>note("d f a# a d3").fast(2).s("supersaw").detune("<.1 .2 .5 24.1>")</pre> Official source

Code / name	What it means
<code>freq</code>	Set a sound's pitch directly as a frequency in hertz, or vibrations per second. Inputs: frequency: Vibrations per second, measured in hertz. <pre>freq("220 110 440 110").s("superzow").osc()</pre> Official source

Code / name	What it means
<code>panchor</code>	Choose whether the pitch movement runs above or below the note's pitch. Inputs: anchor: Choose anchor offset <pre>note("c c4").penv(12).panchor("<0 .5 1 .5>")</pre> Official source

Code / name	What it means
<code>pattack</code>	Set how long the pitch movement takes to reach its peak. Also called: <code>patt</code> Inputs: time: The time value for this control. Measured in seconds. <pre>note("c eb g bb").pattack("0 .1 .25 .5").slow(2)</pre> Official source

Code / name	What it means
pcurve	Choose the shape of the pitch movement, such as linear or exponential. Inputs: type: Choose 0 = linear, 1 = exponential <pre>note("g1*4") .s("sine").pdec(.5) .penv(32) .pcurve("<0 1>")</pre> Official source
Code / name	What it means
pdecay	Set how long pitch takes to move from its peak toward its held level. Also called: pdec Inputs: time: The time value for this control. Measured in seconds. <pre>note("<c eb g bb>").pdecay("<0 .1 .25 .5>")</pre> Official source
Code / name	What it means
penv	Set how far pitch moves during the note; negative amounts reverse the movement. Inputs: semitones: Choose change in semitones <pre>note("c") .penv("<12 7 1 .5 0 -1 -7 -12>")</pre> Official source
Code / name	What it means
prelease	Set how long the pitch movement takes to finish after the note ends. Also called: prel Inputs: time: The time value for this control. Measured in seconds. <pre>note("<c eb g bb> ~") .release(.5) // to hear the pitch release .prelease("<0 .1 .25 .5>")</pre> Official source
Code / name	What it means
vib	Make oscillator pitch wobble up and down. Also called: vibrato, v Inputs: frequency: Vibrations per second, measured in hertz. <pre>note("a e") .vib("<.5 1 2 4 8 16>") ._scope()</pre> Official source
Code / name	What it means
vibmod	Set the pitch wobble's size in semitones; also set vib to turn the wobble on. Also called: vmod Inputs: depth: How far the movement travels. <pre>note("a e").vib(4) .vibmod("<.25 .5 1 2 12>") ._scope()</pre> Official source

Randomness and conditions

Code / name	What it means
<code>almostAlways</code>	Apply the change with a 90 percent chance. <code>s("hh*8").almostAlways(x=>x.speed("0.5"))</code> Official source
Code / name	What it means
<code>almostNever</code>	Apply the change with a 10 percent chance. <code>s("hh*8").almostNever(x=>x.speed("0.5"))</code> Official source
Code / name	What it means
<code>always</code>	Always apply the supplied change. <code>s("hh*8").always(x=>x.speed("0.5"))</code> Official source
Code / name	What it means
<code>berlin</code>	Make the specially designed random signal called berlin noise, ranging from 0 to 1. <code>// ascending arpeggios</code> <code>n("0!16").add(berlin.fast(4).mul(14)).scale("d:minor")</code> Official source
Code / name	What it means
<code>brand</code>	Make a continuously changing random choice of 0 or 1. <code>s("hh*10").pan(brand)</code> Official source
Code / name	What it means
<code>brandBy</code>	Make random 0s and 1s with your chosen chance of getting 1. Inputs: probability: Chance from 0 (never) to 1 (always). <code>s("hh*10").pan(brandBy(0.2))</code> Official source
Code / name	What it means
<code>choose2</code>	Choose from a list using a choosing pattern whose values range from -1 to 1. Inputs: xs: The xs setting. Official source
Code / name	What it means
<code>chooseCycles</code>	Pick one random item from a list for each whole cycle. Also called: randcat <code>chooseCycles("bd", "hh", "sd").s().fast(8)</code> Official source

Code / name	What it means
<code>chooseInWith</code>	Choose from a list using 0–1 values, taking rhythm from the chosen items. Inputs: <code>pat</code> : The pattern to use.; <code>xs</code> : The <code>xs</code> setting. Official source
Code / name	What it means
<code>chooseWith</code>	Choose from a list using a number pattern whose values range from 0 to 1. Inputs: <code>pat</code> : The pattern to use.; <code>xs</code> : The <code>xs</code> setting. <pre>note("c2 g2!2 d2 f1").s(chooseWith(sine.fast(2), ["sawtooth", "triangle", "bd:6"]))</pre> Official source
Code / name	What it means
<code>degradeBy</code>	Randomly remove events with your chosen chance: 0 keeps all and 1 removes all. Inputs: <code>amount</code> : How much of the change to apply. <pre>s("hh*8").degradeBy(0.2)</pre> Official source
Code / name	What it means
<code>irand</code>	Make changing random whole numbers from 0 to one less than the chosen count. Inputs: <code>n</code> : The count, index, or scale step described for this command. <pre>// randomly select scale notes from 0 - 7 (= C to C) n(irand(8)).struct("x x*2 x x*3").scale("C:minor")</pre> Official source
Code / name	What it means
<code>never</code>	Never apply the supplied change. <pre>s("hh*8").never(x=>x.speed("0.5"))</pre> Official source
Code / name	What it means
<code>often</code>	Apply the change with a 75 percent chance. <pre>s("hh*8").often(x=>x.speed("0.5"))</pre> Official source
Code / name	What it means
<code>perlin</code>	Make smoothly changing random values between 0 and 1. <pre>// randomly change the cutoff s("bd*4, hh*8").cutoff(perlin.range(500, 8000))</pre> Official source
Code / name	What it means
<code>rand</code>	Make a continuously changing random value between 0 and 1. <pre>// randomly change the cutoff s("bd*4, hh*8").cutoff(rand.range(500, 8000))</pre> Official source

Code / name	What it means
rand2	Make a continuously changing random value between -1 and 1. Official source
Code / name	What it means
randL	Make a list of random numbers with the chosen length. Inputs: n: The count, index, or scale step described for this command. <pre>s("saw").seg(16).n(irand(12)).scale("F1:minor") .partial(randL(8))</pre> Official source
Code / name	What it means
rarely	Apply the change with a 25 percent chance. <pre>s("hh*8").rarely(x=>x.speed("0.5"))</pre> Official source
Code / name	What it means
scramble	Cut a pattern into pieces and choose pieces randomly; some can repeat and others can be missed. <pre>note("c d e f").sound("piano").scramble(4)</pre> Official source
Code / name	What it means
seed	Change the starting seed for random signals so otherwise matching patterns can differ. Inputs: n: The count, index, or scale step described for this command. <pre>\$: s("hh*4").degrade(); \$: s("bd*4").degrade().seed(1); // Will degrade different events from the hi-hat</pre> Official source
Code / name	What it means
shuffle	Cut a pattern into pieces and play each piece exactly once in random order per cycle. <pre>note("c d e f").sound("piano").shuffle(4)</pre> Official source
Code / name	What it means
someCycles	Choose whether to change each whole cycle with a 50 percent chance. <pre>s("bd, hh*8").someCycles(x=>x.speed("0.5"))</pre> Official source
Code / name	What it means
someCyclesBy	Choose whether to apply a change to each whole cycle using your probability. Inputs: probability: Chance from 0 (never) to 1 (always); function: Choose the transformation to apply <pre>s("bd, hh*8").someCyclesBy(.3, x=>x.speed("0.5"))</pre> Official source

Code / name	What it means
<code>sometimesBy</code>	Apply a change to events with your chosen probability. Inputs: probability: Chance from 0 (never) to 1 (always).; function: Choose the transformation to apply <pre>s("hh*8").sometimesBy(.4, x=>x.speed("0.5"))</pre> Official source
Code / name	What it means
<code>undegrade</code>	Keep the events removed by the matching 50 percent degrade choice. <pre>s("hh*8").undegrade()</pre> Official source
Code / name	What it means
<code>undegradeBy</code>	Keep the random choices complementary to <code>degradeBy</code>, selecting events that <code>degradeBy</code> would remove. Inputs: amount: How much of the change to apply. <pre>s("hh*8").undegradeBy(0.2)</pre> Official source
Code / name	What it means
<code>useRNG</code>	Choose the algorithm Strudel uses to make random numbers. Inputs: mod: Choose mode. One of 'legacy', 'precise' <pre>useRNG('legacy') // Repeats every 300 cycles \$: n(irand(50)).seg(16).scale("C:minor").ribbon(88, 32) \$: n(irand(50)).seg(16).scale("C:minor").ribbon(388, 32)</pre> Official source
Code / name	What it means
<code>wchoose</code>	Pick randomly from a list, giving each choice its own probability weight. Inputs: pairs: Choose arrays of value and weight <pre>note("c2 g2!2 d2 f1").s(wchoose(["sine",10], ["triangle",1], ["bd:6",1]))</pre> Official source
Code / name	What it means
<code>wchooseCycles</code>	Pick one item per cycle, giving each choice its own probability weight. Also called: <code>wrandcat</code> <pre>wchooseCycles(["bd",10], ["hh",1], ["sd",1]).s().fast(8)</pre> Official source
Code / name	What it means
<code>withSeed</code>	Apply a function to a pattern's <code>randomSeed</code> control when that control exists. Inputs: func: The function to apply.; pat: The pattern to use. Official source

Sample playback and slicing

Code / name	What it means
begin	Skip the start of a sample. For example, 0.25 skips its first quarter. Inputs: amount: How much of the change to apply. <pre>samples({ rave: 'rave/AREUREADY.wav' }, 'github:tidalcycles/dirt-samples') s("rave").begin("<0 .25 .5 .75>").fast(2)</pre> Official source
Code / name	What it means
chop	Split each sample into smaller pieces for a chopped or grainy sound. <pre>samples({ rhodes: 'https://cdn.freesound.org/previews/132/132051_316502-1q.mp3' }) s("rhodes") .chop(4) .rev() // reverse order of chops .loopAt(2) // fit sample into 2 cycles</pre> Official source
Code / name	What it means
end	Choose where a sample stops, using a fraction of its full length. Inputs: length: Choose 1 = whole sample, .5 = half sample, .25 = quarter sample etc.. <pre>s("bd*2,oh*4").end("<.1 .2 .5 1>").fast(2)</pre> Official source
Code / name	What it means
fit	Change a sample's speed so it fits the length of its event. <pre>samples({ rhodes: 'https://cdn.freesound.org/previews/132/132051_316502-1q.mp3' }) s("rhodes/2").fit()</pre> Official source
Code / name	What it means
loop	Keep repeating a sample; this does not automatically match the music's tempo. Inputs: on: Choose if 1, the sample is looped <pre>s("casio").loop(1)</pre> Official source
Code / name	What it means
loopAt	Change sample speed so it lasts the chosen number of cycles. <pre>samples({ rhodes: 'https://cdn.freesound.org/previews/132/132051_316502-1q.mp3' }) s("rhodes").loopAt(2)</pre> Official source

Code / name	What it means
loopAtCps	Fit a sample to a cycle count and tempo. This older command is deprecated; use <code>loopAt</code> or <code>fit</code> instead. Before you try it: Deprecated or older API; check the documented replacement. <pre>samples({ rhodes: 'https://cdn.freesound.org/previews/132/132051_316502-lq.mp3' }) s("rhodes").loopAtCps(4,1.5).cps(1.5)</pre> Official source
Code / name	What it means
loopBegin	Choose where the repeating part starts inside the sample's begin and end points. Also called: <code>loopb</code> Inputs: time: The time value for this control. <pre>s("space").loop(1) .loopBegin("<0 .125 .25>")._scope()</pre> Official source
Code / name	What it means
loopEnd	Choose where the repeating part ends inside the sample's begin and end points. Also called: <code>loope</code> Inputs: time: The time value for this control. <pre>s("space").loop(1) .loopEnd("<1 .75 .5 .25>")._scope()</pre> Official source
Code / name	What it means
scrub	Choose positions inside a sample to move through it like a tape loop. <pre>samples('github:switchangel/pad') s("swpad:0").scrub("{0.1!2 .25@3 0.7!2 <0.8:1.5>}%8")</pre> Official source
Code / name	What it means
slice	Divide a sample into slices, then choose which slices to play by number. <pre>samples('github:tidalcycles/dirt-samples') s("breaks165").slice(8, "0 1 <2 2*2> 3 [4 0] 5 6 7".every(3, rev)).slow(0.75)</pre> Official source
Code / name	What it means
speed	Play a sample faster or slower, which also changes its pitch. Inputs: speed: Choose inf to inf, negative numbers play the sample backwards. <pre>s("bd*6").speed("1 2 4 1 -2 -4")</pre> Official source

Code / name	What it means
<code>splice</code>	Choose sample slices and change each slice's speed to fit its pattern step. <pre>samples('github:tidalcycles/dirt-samples') s("breaks165") .splice(8, "0 1 [2 3 0]@2 3 0@2 7")</pre> Official source

Code / name	What it means
<code>stretch</code>	Change a sample's pitch while keeping its playback speed. Inputs: factor: The multiplier or divider to use. <pre>s("gm_flute").stretch("<2 1 0 -2>")</pre> Official source

Code / name	What it means
<code>striate</code>	Split samples into pieces and play successive portions as the pattern repeats. <pre>s("numbers:0 numbers:1 numbers:2").striate(6).slow(3)</pre> Official source

Shared effects, echoes, and reverb

Code / name	What it means
<code>delayfeedback</code>	Set how much of each echo feeds back to make another echo. Values of 1 or more can make it grow louder. Also called: <code>delayfb</code>, <code>dfb</code> Inputs: feedback: Choose between 0 and 1 <pre>s("bd").delay(.25).delayfeedback("<.25 .5 .75 1>")</pre> Official source

Code / name	What it means
<code>delaysync</code>	Set the space between audio echoes in cycles. Also called: <code>delays</code>, <code>ds</code> Inputs: cycles: The chosen number of cycles. <pre>s("bd bd").delay(.25).delaysync("<1 2 3 5>".div(8))</pre> Official source

Code / name	What it means
<code>delaytime</code>	Set the space between audio echoes in seconds. Also called: <code>delayt</code>, <code>dt</code> Inputs: delay: Choose in seconds <pre>note("d d a# a".fast(2)) .s("sawtooth") .delay(.8) .delaytime(1/2) .delayspeed("<2 .5 -1 -2>")</pre> Official source

Code / name	What it means
duckattack	Set how long the chosen groups take to return to normal volume. Also called: duckatt, datt Inputs: time: The time value for this control. Measured in seconds. <pre>sound: n(run(8)).scale("c:minor").s("sawtooth").delay(.7).orbit(2) ducker: s("bd:4!4").beat("0,4,8,11,14",16).duckorbit(2).duckattack("<0.2 0 0.4>").duckdepth(1)</pre> Official source
Code / name	What it means
duckdepth	Set how much the chosen effects groups become quieter. Inputs: depth: How far the movement travels. Use values from 0 to 1. <pre>stack(n(run(8)).scale("c:minor").s("sawtooth").delay(.7).orbit(2), s("bd:4!4").beat("0,4,8,11,14",16).duckorbit(2).duckattack(0.2).duckdept h("<1 .9 .6 0>"))</pre> Official source
Code / name	What it means
duckonset	Set how long the chosen groups take to reach their lowest volume. Also called: duckons Inputs: time: The time value for this control. Measured in seconds. <pre>// Clicks sound: freq("63.2388").s("sine").orbit(2).gain(4) duckerWithClick: s("bd*4").duckorbit(2).duckattack(0.3).duckonset(0).postgain(0)</pre> Official source
Code / name	What it means
duckorbit	Temporarily lower the volume of chosen effects groups when this pattern plays. Also called: duck Inputs: orbit: Choose target orbit <pre>\$: n(run(16)).scale("c:minor:pentatonic").s("sawtooth").delay(.7).orbi t(2) \$: s("bd:4!4").beat("0,4,8,11,14",16).duckorbit(2).duckattack(0.2).duc kdepth(1)</pre> Official source
Code / name	What it means
irbegin	Choose the starting point in the recording used to create the reverb. Inputs: begin: The starting point. <pre>samples('github:switchangel/pad') \$: s("brk/2").fit().scrub(irand(16).div(16).seg(8)).ir("swpad:4").room (.65).irspeed("-2").irbegin("<0 .5 .75>/2").roomsize(.6)</pre> Official source

Code / name	What it means
<code>iresponse</code>	Choose a recording that defines the character of the reverb. Also called: <code>ir</code> Inputs: sample: Choose to use as an impulse response <pre>s("bd sd [~ bd] sd").room(.8).ir("<shaker_large:0 shaker_large:2>")</pre> Official source
Code / name	What it means
<code>irspeed</code>	Change the playback speed of the recording used to create the reverb. Inputs: speed: The speed setting. <pre>samples('github:switchangel/pad') \$: s("brk/2").fit().scrub(irand(16).div(16).seg(8)).ir("swpad:4").room(.2).irspeed("<2 1 .5>/2").irbegin(.5).roomsize(.5)</pre> Official source
Code / name	What it means
<code>orbit</code>	Choose a shared effects group; patterns in the same group share global effects. Also called: <code>o</code> Inputs: number: The number setting. <pre>stack(s("hh*6").delay(.5).delaytime(.25).orbit(1), s("~ sd ~ sd").delay(.5).delaytime(.125).orbit(2))</pre> Official source
Code / name	What it means
<code>roomdim</code>	Choose the reverb filter frequency at its quiet tail, measured at -60 dB; changing it rebuilds the reverb. Also called: <code>rdim</code> Inputs: frequency: Vibrations per second, measured in hertz. <pre>s("bd sd [~ bd] sd").room(0.5).rlp(10000).rdim(8000)</pre> Official source
Code / name	What it means
<code>roomfade</code>	Set the reverb fade time in seconds; changing it rebuilds the reverb. Also called: <code>rfade</code> Inputs: seconds: Choose for the reverb to fade <pre>s("bd sd [~ bd] sd").room(0.5).rlp(10000).rfade(0.5)</pre> Official source
Code / name	What it means
<code>roomlp</code>	Choose the starting frequency of the reverb's low pass filtering; changing it rebuilds the reverb. Also called: <code>rlp</code> Inputs: frequency: Vibrations per second, measured in hertz. <pre>s("bd sd [~ bd] sd").room(0.5).rlp(10000)</pre> Official source

Code / name	What it means
roomsize	Change the size of the simulated room; changing it rebuilds the reverb. Also called: rsize, sz, size Inputs: size: The chosen size. <pre>s("bd sd [~ bd] sd").room(.8).rsize(1)</pre> Official source

Tempo and runtime

Code / name	What it means
clearScope	Clear the user variables and functions created during block evaluation. <pre>// After defining variables in blocks: // let myVar = 5 // function myFunc() { return 10; } clearScope() // removes myVar and myFunc from scope</pre> Official source

Code / name	What it means
cpm	Set the pattern's speed in cycles per minute. Before you try it: Deprecated or older API; check the documented replacement. <pre>s("<bd sd>,hh*2").cpm(90) // = 90 bpm</pre> Official source

Code / name	What it means
csoundm	Send notes to Csound using MIDI-like note and instrument information. Official source

Code / name	What it means
dough	Choose Dough as the audio engine for the pattern. <pre>\$: chord("<Dm9 Dm11 Dm7>").offset("<-1 0 1 0>").voicing() .phaser(3).fm(1.4).fmh(1.01) .dough()</pre> Official source

Code / name	What it means
initDough	Prepare the Dough audio engine before a pattern starts. <pre>await initDough() \$: chord("<Dm9 Dm11 Dm7>").offset("<-1 0 1 0>").voicing() .phaser(3).fm(1.4).fmh(1.01) .dough()</pre> Official source

Code / name	What it means
onTriggerTime	Run a function when an event is due; its browser timer is too imprecise for audio timing. <pre>s("bd!8").onTriggerTime((hap) => {console.log(hap)})</pre> Official source

Timing, rhythm, and repetition

Code / name	What it means
arp	Choose notes by position from groups of simultaneous notes. <pre>note("<[c,eb,g]!2 [c,f,ab] [d,f,ab]>") .arp("0 [0,2] 1 [0,2]")</pre> Official source
Code / name	What it means
arpWith	Choose notes by position from groups of simultaneous notes, using a function. <pre>note("<[c,eb,g]!2 [c,f,ab] [d,f,ab]>") .arpWith(haps => haps[2])</pre> Official source
Code / name	What it means
beat	Make a rhythm by specifying positions within divisions of a cycle. <pre>s("bd").beat("0,7,10", 16)</pre> Official source
Code / name	What it means
bite	Cut pattern timing into pieces and choose their order by number. Inputs: number: Choose of slices; slices: Choose to play <pre>note("0 1 2 3 4 5 6 7".scale('c:mixolydian')) .bite(4, "3 2 1 0")</pre> Official source
Code / name	What it means
brak	On alternating cycles, play the pattern twice as fast and move it one quarter cycle later. Official source
Code / name	What it means
chunkBack	Use chunk but move backward through the sections. Also called: chunkback <pre>"0 1 2 3".chunkBack(4, x=>x.add(7)) .scale("A:minor").note()</pre> Official source
Code / name	What it means
chunkBackInto	Use chunkInto but move backward through the sections. Also called: chunkbackinto <pre>sound("bd sd ht lt bd - cp lt").chunkInto(4, hurry(2)) .bank("tr909")</pre> Official source

Code / name	What it means
<code>chunkInto</code>	Apply a change to a looping subsection, moving through the sections cycle by cycle. Also called: <code>chunkinto</code> <pre>sound("bd sd ht lt bd - cp lt").chunkInto(4, hurry(2)) .bank("tr909")</pre> Official source
Code / name	What it means
<code>compress</code>	Fit each cycle into part of the cycle and leave the rest empty. <pre>cat(s("bd sd").compress(.25,.75), s("~ bd sd ~"))</pre> Official source
Code / name	What it means
<code>early</code>	Move events earlier by a chosen fraction of a cycle. Inputs: cycles: The chosen number of cycles. <pre>"bd ~".stack("hh ~".early(.1)).s()</pre> Official source
Code / name	What it means
<code>echo</code>	Add delayed copies of events, reducing their velocity as they repeat. Inputs: times: Choose how many times to repeat; time: The time value for this control.; feedback: Choose velocity multiplicator for each iteration <pre>s("bd sd").echo(3, 1/6, .8)</pre> Official source
Code / name	What it means
<code>euclid</code>	Spread a chosen number of hits as evenly as possible across a chosen number of steps. Inputs: pulses: The number of hits.; steps: The number of steps. <pre>// The Cuban tresillo pattern. note("c3").euclid(3,8)</pre> Official source
Code / name	What it means
<code>euclidish</code>	Make an evenly spread rhythm and adjust how its rhythm is morphed. Also called: <code>eish</code> Inputs: pulses: The number of hits.; steps: The number of steps.; groove: Choose exists between the extremes of 0 (straight euclidian) and 1 (straight pulse) <pre>sound("hh").euclidish(7,12,sine.slow(8)) .pan(sine.slow(8))</pre> Official source

Code / name	What it means
euclidLegato	Make an evenly spread rhythm and hold each hit until the next one. Inputs: pulses: The number of hits.; steps: The number of steps.; rotation: How far the rhythm is rotated.; pat: The pattern to use. <pre>note("c3").euclidLegato(3,8)</pre> Official source
Code / name	What it means
euclidLegatoRot	Make a held-note Euclidean rhythm and shift its starting position. Inputs: pulses: The number of hits.; steps: The number of steps.; rotation: How far the rhythm is rotated. <pre>note("c3").euclidLegatoRot(3,5,2)</pre> Official source
Code / name	What it means
euclidRot	Make an evenly spread rhythm, then shift its starting position. Inputs: pulses: The number of hits.; steps: The number of steps.; rotation: How far the rhythm is rotated. <pre>// A Samba rhythm necklace from Brazil note("c3").euclidRot(3,16,14)</pre> Official source
Code / name	What it means
every	Use the same first-cycle behavior as firstOf. Inputs: n: The count, index, or scale step described for this command. Measured in cycles.; func: The function to apply. <pre>note("c3 d3 e3 g3").every(4, x=>x.rev())</pre> Official source
Code / name	What it means
fastChunk	Use chunk without repeating source cycles for each group of sections. Also called: fastchunk <pre>"<0 8> 1 2 3 4 5 6 7" .scale("C2:major").note() .fastChunk(4, x => x.color('red')).slow(2)</pre> Official source
Code / name	What it means
fastGap	Play the pattern faster once, then leave silence in the remaining part of the cycle. Also called: fastgap <pre>s("bd sd").fastGap(2)</pre> Official source
Code / name	What it means
firstOf	Apply a change on the first cycle of every group of n cycles. Inputs: n: The count, index, or scale step described for this command. Measured in cycles.; func: The function to apply. <pre>note("c3 d3 e3 g3").firstOf(4, x=>x.rev())</pre> Official source

Code / name	What it means
focus	Fit a pattern into a chosen time region without the gaps made by compress. <pre>s("bd hh sd hh").focus(1/4, 3/4)</pre> Official source
Code / name	What it means
hurry	Speed up both pattern timing and sample playback. <pre>s("bd sd:2").hurry("<1 2 4 3>").slow(1.5)</pre> Official source
Code / name	What it means
hush	Silence this pattern. <pre>stack(s("bd").hush(), s("hh*3"))</pre> Official source
Code / name	What it means
inside	Temporarily speed up a pattern to apply a change, then restore its speed. <pre>"0 1 2 3 4 3 2 1".inside(4, rev).scale('C major').note() // "0 1 2 3 4 3 2 1".slow(4).rev().fast(4).scale('C major').note()</pre> Official source
Code / name	What it means
into	Split a pattern according to another pattern's rhythm and apply changes to those pieces. <pre>sound("bd sd ht lt").into("1 0", hurry(2))</pre> Official source
Code / name	What it means
invert	Swap 1 and 0 in a rhythm pattern. Also called: inv <pre>s("bd").struct("1 0 0 1 0 0 1 0".lastOf(4, invert))</pre> Official source
Code / name	What it means
iter	Divide the pattern into pieces, then start with a different piece on each cycle. <pre>note("0 1 2 3".scale('A minor')).iter(4)</pre> Official source
Code / name	What it means
iterBack	Use iter but move the starting piece backward through the list. Also called: iterback <pre>note("0 1 2 3".scale('A minor')).iterBack(4)</pre> Official source

Code / name	What it means
jux	Keep the original pattern in the left speaker and put a changed version in the right. <pre>s("bd lt [~ ht] mt cp ~ bd hh").jux(rev)</pre> Official source
Code / name	What it means
juxBy	Use jux with adjustable separation between the left and right speakers. Also called: juxby <pre>s("bd lt [~ ht] mt cp ~ bd hh").juxBy("<0 .5 1>/2", rev)</pre> Official source
Code / name	What it means
juxFlip	Use jux, but swap the speakers each cycle. Also called: juxflip, flux <pre>s("bd lt [~ ht] mt cp ~ bd hh").juxFlip(rev)</pre> Official source
Code / name	What it means
juxFlipBy	Use juxBy, but swap the speakers each cycle. Also called: juxflipby, fluxBy, fluxby <pre>s("bd lt [~ ht] mt cp ~ bd hh").juxFlipBy(".8", rev)</pre> Official source
Code / name	What it means
lastOf	Apply a change on the last cycle of every group of n cycles. Inputs: n: The count, index, or scale step described for this command. Measured in cycles.; func: The function to apply. <pre>note("c3 d3 e3 g3").lastOf(4, x=>x.rev())</pre> Official source
Code / name	What it means
late	Move events later by a chosen fraction of a cycle. Inputs: cycles: The chosen number of cycles. <pre>"bd ~".stack("hh ~".late(.1)).s()</pre> Official source
Code / name	What it means
linger	Take the first chosen fraction of a pattern and repeat it to fill the cycle. Inputs: fraction: Choose fraction to select <pre>s("lt ht mt cp, [hh oh]*2").linger("<1 .5 .25 .125>")</pre> Official source
Code / name	What it means
mask	Keep the pattern only where the masking pattern is active; 0 or a rest mutes it. <pre>note("c [eb,g] d [eb,g]").mask("<1 [0 1]>")</pre> Official source

Code / name	What it means
morph	Move between two lists of on/off rhythm steps using an amount from 0 to 1. <pre>sound("hh").struct(morph([1,0,1,0,1,0,1,0], // straight rhythm [1,1,0,1,0,1,0], // wonky rhythm 0.25 // creates a slightly wonky rhythm))</pre> Official source
Code / name	What it means
off	Add a changed copy of a pattern, delayed by the chosen amount. Inputs: time: The time value for this control.; func: The function to apply. <pre>"c3 eb3 g3".off(1/8, x=>x.add(7)).note()</pre> Official source
Code / name	What it means
outside	Temporarily slow down a pattern to apply a change, then restore its speed. <pre>"<[0 1] 2 [3 4] 5>".outside(4, rev).scale('C major').note() // "<[0 1] 2 [3 4] 5>".fast(4).rev().slow(4).scale('C major').note()</pre> Official source
Code / name	What it means
palindrome	Alternate between playing a cycle forward and playing it backward. <pre>note("c d e g").palindrome()</pre> Official source
Code / name	What it means
plyForEach	Repeat each event according to its ply control and change each repeat with a function. Also called: plyforeach Inputs: factor: The multiplier or divider to use.; func: The function to apply. <pre>"<0 [2 4]>" .plyForEach(4, (p,n) => p.add(n*2)) .scale("C:minor").note()</pre> Official source
Code / name	What it means
plyWith	Repeat each event in its space and apply a function to each repeated event. Also called: plywith Inputs: factor: The multiplier or divider to use.; func: The function to apply. <pre>"<0 [2 4]>" .plyWith(4, (p) => p.add(2)) .scale("C:minor").note()</pre> Official source

Code / name	What it means
press	Move each event halfway into its original space for an offbeat rhythm. <pre>stack(s("hh*4"), s("bd mt sd ht").every(4, press)).slow(2)</pre> Official source
Code / name	What it means
pressBy	Move each event later within its own space by the chosen fraction. <pre>stack(s("hh*4"), s("bd mt sd ht").pressBy("<0 0.5 0.25>")).slow(2)</pre> Official source
Code / name	What it means
repeatCycles	Repeat each individual cycle the chosen number of times. <pre>note(irand(12).add(34)).segment(4).repeatCycles(2).s("gm_acoustic_guitar_nylon")</pre> Official source
Code / name	What it means
reset	Return to the start of the current cycle whenever the trigger pattern fires. <pre>s("[<bd lt> sd]*2, hh*8").reset("<x@3 x(5,8)>")</pre> Official source
Code / name	What it means
restart	Return to the start of the entire pattern whenever the trigger pattern fires. <pre>s("[<bd lt> sd]*2, hh*8").restart("<x@3 x(5,8)>")</pre> Official source
Code / name	What it means
revv	Reverse the whole pattern, which can span several cycles. <pre>// This is the same as `[g e] [d c]>`. If `rev()` is used, you get // the same as `[d c] [g e]>`, where each cycle reverses, but the // order of // cycles stays the same. note("<[c d] [e g]>").revv()</pre> Official source
Code / name	What it means
ribbon	Choose a slice of time from the pattern and loop that slice. Also called: rib Inputs: offset: Choose start point of loop in cycles; cycles: The chosen number of cycles. <pre>note("<c d e f>").ribbon(1, 2)</pre> Official source

Code / name	What it means
segment	Take a continuous changing value at a chosen number of points per cycle, making separate events. Also called: seg Inputs: segments: Choose number of segments per cycle <pre>note(saw.range(40,52).segment(24))</pre> Official source
Code / name	What it means
struct	Give a pattern the rhythm of another pattern of on/off values. <pre>note("c,eb,g") .struct("x ~ x ~ ~ x ~ x ~ ~ ~ x ~ x ~ ~") .slow(2)</pre> Official source
Code / name	What it means
stut	Use the older echo form with its final two arguments reversed; it is deprecated. Inputs: times: Choose how many times to repeat; feedback: Choose velocity multiplier for each iteration; time: The time value for this control. Before you try it: Deprecated or older API; check the documented replacement. <pre>s("bd sd").stut(3, .8, 1/6)</pre> Official source
Code / name	What it means
swing	Apply swingBy with its swing amount set to one third. Inputs: subdivision: The subdivision setting. <pre>s("hh*8").swing(4) // s("hh*8").swingBy(1/3, 4)</pre> Official source
Code / name	What it means
swingBy	Delay the second half of each small time slice to give a rhythm a swing feel. Inputs: subdivision: The subdivision setting.; offset: The offset setting. <pre>s("hh*8").swingBy(1/3, 4)</pre> Official source
Code / name	What it means
tag	Give events a label in their metadata so they can be found or filtered later. Inputs: tag: Choose anything unique <pre>s("saw!16").note("F1") .lpf(tri.range(40, 80).slow(4)).lpenv(5).lpq(4).lpd(0.15) .when(rand.late(0.1).gte(0.5), x => x.transpose("12").tag('altered')) .when(rand.late(0.2).gte(0.5), x => x.s("square").tag('altered')) .when("<0 1>", x => x.filter((hap) => hap.hasTag('altered')))</pre> Official source

Code / name	What it means
when	Apply a change whenever a true/false pattern says true. Inputs: binary_pat: The binary pat setting.; func: The function to apply. <pre>"c3 eb3 g3".when("<0 1>/2", x=>x.sub("5")).note()</pre> Official source

Code / name	What it means
zoom	Take a chosen part of a cycle and stretch it to fill a cycle. <pre>s("bd*2 hh*3 [sd bd]*2 perc").zoom(0.25, 0.75) // s("hh*3 [sd bd]*2") // equivalent</pre> Official source

Value and pattern generators

Code / name	What it means
base	Write numbers in a chosen counting base, producing a pattern of their digits. Inputs: n: The count, index, or scale step described for this command.; b: Choose base to convert to (defaults to 10) (can be a pattern); d: Choose max number of digits to produce for each n (defaults to 0 for all) (can be a pattern) <pre>\$: note(base("7175 543", 10, 3)).scale("c:major").s("saw") // \$: note("1 7 5 5 4 3").scale("c:major").s("saw")</pre> Official source

Code / name	What it means
binary	Make an on/off pattern from a number's binary digits. Inputs: n: The count, index, or scale step described for this command. <pre>"hh".s().struct(binary(5)) // "hh".s().struct("1 0 1")</pre> Official source

Code / name	What it means
binaryL	Make a list-valued pattern from a number's binary digits. Inputs: n: The count, index, or scale step described for this command. Official source

Code / name	What it means
binaryN	Make an on/off pattern with a chosen number of binary digits. Inputs: n: The count, index, or scale step described for this command.; nBits: Choose pattern length, defaults to 16 <pre>"hh".s().struct(binaryN(55532, 16)) // "hh".s().struct("1 1 0 1 1 0 0 0 1 1 1 0 1 1 0 0")</pre> Official source

Code / name	What it means
binaryNL	Make a list-valued binary pattern with a chosen digit count. Inputs: n: The count, index, or scale step described for this command.; nBits: Choose pattern length, defaults to 16 Official source

Code / name	What it means
gap	Create an empty pattern with a chosen number of steps. Inputs: steps: The number of steps. <pre>gap(3) // "~@3"</pre> Official source

Code / name	What it means
K	Build a sound or effect with the Kabelsalat modular sound engine. Inputs: expr: Choose kabelsalat graph definition Full worked example in the searchable HTML companion. Official source

Code / name	What it means
noise	Mix in pink noise, a broad rushing sound. Inputs: wet: Choose wet amount <pre>sound("<white pink brown>/2")</pre> Official source

Code / name	What it means
pure	Make one value repeat once in each cycle. <pre>pure('e4') // "e4"</pre> Official source

Visuals and live controls

Code / name	What it means
drawLine	Show a text drawing of pattern timing, mainly for debugging discrete patterns. Inputs: pattern: The pattern to use.; chars: Choose max number of characters (approximately) <pre>const line = drawLine("0 [1 2 3]", 10); // 0--123 0--123 console.log(line); silence;</pre> Official source

Code / name	What it means
fscope	Show an audio display organized by frequency. Inputs: color: Choose line color as hex or color name. defaults to white.; scale: Choose scales the y-axis. Defaults to 0.25; pos: Choose y-position relative to screen height. 0 = top, 1 = bottom of screen; lean: Choose y-axis alignment where 0 = top and 1 = bottom; min: The lowest value in the new range.; max: The highest value in the new range. <pre>s("sawtooth").fscope()</pre> Official source

Code / name	What it means
label	Choose the text shown for an event on the piano roll. Inputs: label: Choose text to display Official source

Code / name	What it means
log	Write the current event's details to the editor's console. <pre>s("bd sd").log()</pre> Official source
Code / name	What it means
logValues	Write just the current event's values to the editor's console. <pre>s("bd sd").gain("0.25 0.5 1").n("2 1 0").logValues()</pre> Official source
Code / name	What it means
markcss	Change the appearance of highlighted events using CSS styling; the docs require single quotes. <pre>note("c a f e") .markcss('text-decoration:underline')</pre> Official source
Code / name	What it means
pianoroll	Show moving event blocks behind the editor, like the notes in a piano roll. Also called: punchcard Inputs: options: An object holding additional settings.; cycles: The chosen number of cycles.; playhead: Choose location of the active notes on the time axis - 0 to 1, defaults to 0.5 Use values from 0 to 1.; vertical: Choose displays the roll vertically - 0 by default; labels: Choose displays labels on individual notes (see the label function) - 0 by default; flipTime: Choose reverse the direction of the roll - 0 by default; flipValues: Choose reverse the relative location of notes on the value axis - 0 by default; overscan: Choose lookup X cycles outside of the cycles window to display notes in advance - 1 by default; hideNegative: Choose hide notes with negative time (before starting playing the pattern) - 0 by default; smear: Choose notes leave a solid trace - 0 by default; fold: Choose notes takes the full value axis width - 0 by default; active: Choose hexadecimal or CSS color of the active notes - defaults to #FFCA28; inactive: Choose hexadecimal or CSS color of the inactive notes - defaults to #7491D2; background: Choose hexadecimal or CSS color of the background - defaults to transparent; playheadColor: Choose hexadecimal or CSS color of the line representing the play head - defaults to white; fill: Choose notes are filled with color (otherwise only the label is displayed) - 0 by default; fillActive: Choose active notes are filled with color - 0 by default; stroke: Choose notes are shown with colored borders - 0 by default; strokeActive: Choose active notes are shown with colored borders - 0 by default; hideInactive: Choose only active notes are shown - 0 by default; colorizeInactive: Choose use note color for inactive notes - 1 by default; fontFamily: Choose define the font used by notes labels - defaults to 'monospace'; minMidi: Choose minimum note value to display on the value axis - defaults to 10; maxMidi: Choose maximum note value to display on the value axis - defaults to 90; autorange: Choose automatically calculate the minMidi and maxMidi parameters - 0 by default <pre>note("c2 a2 eb2") .euclid(5,8) .s('sawtooth') .lpfenv(4).lpf(300) .pianoroll({ labels: 1 })</pre> Official source

Code / name	What it means
pitchwheel	Show pitches around a circle for one octave. Inputs: hapcircles: The hapcircles setting.; circle: The circle setting.; edo: The edo setting.; root: The root setting.; thickness: The thickness setting.; hapRadius: The hap Radius setting.; mode: The mode setting.; margin: The margin setting. <pre>n("0 .. 12").scale("C:chromatic") .s("sawtooth") .lpf(500) ._pitchwheel()</pre> Official source
Code / name	What it means
scope	Show the changing audio wave over time. Also called: tscope Inputs: config: Choose optional config with options;; align: Choose if 1, the scope will be aligned to the first zero crossing. defaults to 1; color: Choose line color as hex or color name. defaults to white.; thickness: Choose line thickness. defaults to 3; scale: Choose scales the y-axis. Defaults to 0.25; pos: Choose y-position relative to screen height. 0 = top, 1 = bottom of screen; trigger: Choose amplitude value that is used to align the scope. defaults to 0. <pre>s("sawtooth")._scope()</pre> Official source
Code / name	What it means
spectrum	Show how strong the different audio frequencies are. Inputs: config: Choose optional config with options;; thickness: Choose line thickness in px (default 3); speed: Choose scroll speed (default 1); min: The lowest value in the new range.; max: The highest value in the new range. <pre>n("<0 4 <2 3> 1>*3") .off(1/8, add(n(5))) .off(1/5, add(n(7))) .scale("d3:minor:pentatonic") .s('sine') .dec(.3).room(.5) ._spectrum()</pre> Official source

Code / name	What it means
spiral	Show a spiral visualization of the pattern. Inputs: options: An object holding additional settings.; stretch: Choose controls the rotations per cycle ratio, where 1 = 1 cycle / 360 degrees; size: The chosen size.; thickness: Choose line thickness; cap: Choose style of line ends: butt (default), round, square; inset: Choose number of rotations before spiral starts (default 3); playheadColor: Choose color of playhead, defaults to white; playheadLength: Choose length of playhead in rotations, defaults to 0.02; playheadThickness: Choose thickness of playheadrotations, defaults to thickness; padding: Choose space around spiral; steady: Choose steadyness of spiral vs playhead. 1 = spiral doesn't move, playhead does.; activeColor: Choose color of active segment. defaults to foreground of theme; inactiveColor: Choose color of inactive segments. defaults to gutterForeground of theme; colorizeInactive: Choose wether or not to colorize inactive segments, defaults to 0; fade: Choose wether or not past and future should fade out. defaults to 1; logSpiral: Choose wether or not the spiral should be logarithmic. defaults to 0 <pre>note("c2 a2 eb2") .euclid(5,8) .s('sawtooth') .lpfenv(4).lpf(300) ._spiral({ steady: .96 })</pre> Official source

Code / name	What it means
wordfall	Show event blocks and labels falling vertically. Official source

Volume and volume movement

Code / name	What it means
adsr	Set the rise time, fall time, held volume, and final fade together. Inputs: time: The time value for this control. Measured in seconds.; time: The time value for this control. Measured in seconds.; gain: The volume or strength value. Use values from 0 to 1.; time: The time value for this control. Measured in seconds. <pre>note("[c3 bb2 f3 eb3]*2").sound("sawtooth").lpf(600).adsr(".1:.1:.5:.2")</pre> Official source

Code / name	What it means
postgain	Change the volume after the sound has passed through its effects. <pre>s("bd sd [~ bd] sd,hh*8") .compressor("-20:20:10:.002:.02").postgain(1.5)</pre> Official source

Code / name	What it means
setGainCurve	Choose a function that changes how pattern gain values become loudness. Inputs: function: Choose to apply to all gain values <pre>setGainCurve((x) => x * x) // quadratic gain s("bd*4").gain(0.5) // equivalent to 0.25 gain normally</pre> Official source
Code / name	What it means
tremolo	Make the sound's volume rise and fall repeatedly. Also called: trem Inputs: speed: Choose modulation speed in HZ <pre>note("d d d# d".fast(4)).s("supersaw").tremolo("<3 2 100>")).tremoloskew("<.5>")</pre> Official source
Code / name	What it means
tremolodepth	Set how much the repeated volume movement changes the loudness. Also called: tremdepth Inputs: depth: How far the movement travels. <pre>note("a1 a1 a#1 a1".fast(4)).s("pulse").tremsync(4).tremolodepth("<1 2 .7>")</pre> Official source
Code / name	What it means
tremolophase	Move the starting position of the repeated volume wave. Also called: tremphase Inputs: offset: Choose the offset in cycles of the modulation <pre>note("{f a c e}%16").s("sawtooth").tremsync(4).tremolophase("<0 .25 .66>")</pre> Official source
Code / name	What it means
tremoloshape	Choose the wave shape used for repeated volume movement. Also called: tremshape Inputs: shape: Choose tri square sine saw ramp <pre>note("{f g c d}%16").tremsync(4).tremoloshape("<sine tri square>").s("sawtooth")</pre> Official source
Code / name	What it means
tremoloskew	Change the symmetry of the repeated volume movement. Also called: tremskew Inputs: amount: How much of the change to apply. <pre>note("{f a c e}%16").s("sawtooth").tremsync(4).tremoloskew("<.5 0 1>")</pre> Official source

Code / name	What it means
tremolosync	Make volume rise and fall repeatedly at a cycle-synced rate. Also called: tremsync Inputs: cycles: The chosen number of cycles. <pre>note("d d d# d".fast(4)).s("supersaw").tremolosync("4").tremoloskew("<1 .5 0>")</pre> Official source
Code / name	What it means
velocity	Set note strength from 0 to 1; this multiplies the gain setting. Also called: vel <pre>s("hh*8") .gain(".4!2 1 .4!2 1 .4 1") .velocity(".4 1")</pre> Official source
Code / name	What it means
xfade	Fade between two patterns: 0 gives the first, 1 gives the second, and 0.5 mixes them equally. <pre>xfade(s("bd*2"), "<0 .25 .5 .75 1>", s("hh*8"))</pre> Official source

Advanced command index

Each entry gives the exact command name. Aliases are other spellings for the same command. Inputs are the settings you put inside parentheses. For library helpers, read the linked source before using them to write your own tools.

Additional public helpers

Code / name	What it means
<code>csound</code>	Play this pattern with a named Csound instrument. Inputs: instrument: The instrument name defined in the loaded orchestra. Before you try it: Requires the Csound engine and a loaded instrument definition. The integration is documented as experimental. <pre>await loadOrc('github:kunstmusik/csound-live-code/master/livecode.orc') note("c a f e").csound('FM1')</pre> Official source
Code / name	What it means
<code>enableMotion</code>	Ask for access to the device movement sensors used by the motion signals. Before you try it: Requires a device with the needed motion sensors and browser permission where requested. <pre>enableMotion()</pre> Official source
Code / name	What it means
<code>FXrelease</code>	Set how long effect tails such as delays are allowed to continue. Also called: FXrel, FXr, fxr Inputs: release: The effect release time. <pre>s("bd").FX(delay(0.5)).fxr(1.7)</pre> Official source
Code / name	What it means
<code>gamepad</code>	Read a connected game controller so its buttons and sticks can change your patterns. Inputs: index: Which connected controller to use; 0 chooses the first. Before you try it: Requires a connected controller recognized by the browser. <pre>const gp = gamepad(0) note("c a f e").mask(gp.a)</pre> Official source
Code / name	What it means
<code>H</code>	Read a Strudel pattern as a changing value for a Hydra drawing. Inputs: pattern: The pattern whose current value Hydra should read. <pre>await initHydra() shape(H("3 4 5 6")).out(o0)</pre> Official source

Code / name	What it means
<code>initHydra</code>	Start the Hydra visual engine so its drawing functions can be used in the editor. Inputs: options: Hydra settings; detectAudio enables audio capture and feedStrudel uses the Strudel drawing. Before you try it: Requires loading the Hydra visual engine. Hydra functions can share names with Strudel audio functions. <pre>await initHydra()</pre> Official source

Code / name	What it means
<code>loadOrc</code>	Load a Csound orchestra file that defines instruments you can play. Inputs: url: The orchestra file address; github: paths are accepted. Before you try it: Requires online access to the orchestra and the Csound browser engine. <pre>await loadOrc('github:kunstmusik/csound-live-code/master/livecode.orc')</pre> Official source

Code / name	What it means
<code>mini</code>	Turn a mini-notation string into a pattern explicitly. Inputs: strings: One or more mini-notation strings. <pre>mini("bd [hh hh] sd hh")</pre> Official source

Code / name	What it means
<code>mqtt</code>	Send timed pattern messages to a network server called an MQTT broker. Inputs: username: The login name, if required.; password: The password, if required.; topic: The message stream name.; host: The broker secure WebSocket address.; client: A name for this connection; a random name is created if omitted.; latency: Additional sending delay, in seconds.; add_meta: Whether to include event information; defaults to true. Before you try it: Requires a reachable broker accepting secure WebSocket connections. Official source

Advanced sound tools

Code / name	What it means
<code>edoScale</code>	Turn numbered steps into notes using an equally divided octave scale description. Inputs: scale: Choose definition of EDO scale. <pre>n("0 2 4 6 4 2").edoScale("C:LLsLLs:2:1")</pre> Official source

Alternative audio engine controls

Code / name	What it means
<code>accelerate</code>	For alternative audio engines: change sample playback speed while a sample is sounding. Inputs: amount: acceleration. Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>s("sax").accelerate("<0 1 2 4 8 16>").slow(2).osc()</pre> Official source
Code / name	What it means
<code>amp</code>	For alternative audio engines: change loudness with a linear multiplier. Inputs: amount: gain. Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>s("bd*8").amp(".1*2 .5 .1*2 .5 .1 .5").osc()</pre> Official source
Code / name	What it means
<code>delayspeed</code>	For Supradough: change the playback speed and pitch of sound fed back through the delay. Inputs: delayspeed: controls the pitch of the delay feedback Before you try it: Requires a configured Supradough sound engine; no verified browser setup is supplied for this row. The normal browser delay engine does not read delayspeed. Official source
Code / name	What it means
<code>fadeTime</code>	For alternative audio engines: set the fade used at the edges of sliced samples to reduce clicks. Also called: fadeOutTime Inputs: time: between 0 and 1 Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>s("oh*4").end(.1).fadeTime("<0 .2 .4 .8>").osc()</pre> Official source
Code / name	What it means
<code>leslie</code>	For alternative audio engines: simulate a rotating Leslie speaker cabinet. Inputs: wet: between 0 and 1 Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>n("0,4,7").s("supersquare").leslie("<0 .4 .6 1>").osc()</pre> Official source

Code / name	What it means
lock	For alternative audio engines: choose whether delay time follows the cycle tempo. Inputs: enable: When set to 1, delaytime is a direct multiple of a cycle. Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>s("sd").delay().lock(1).osc()</pre> Official source
Code / name	What it means
lrate	For alternative audio engines: set the rotation or modulation speed of the Leslie effect. Inputs: rate: 6.7 for fast, 0.7 for slow Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>n("0,4,7").s("supersquare").leslie(1).lrate("<1 2 4 8>").osc()</pre> Official source
Code / name	What it means
lsize	For alternative audio engines: set the simulated Leslie cabinet size in meters. Inputs: meters: somewhere between 0 and 1 Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>n("0,4,7").s("supersquare").leslie(1).lrate(2).lsize("<.1 .5 1>").osc()</pre> Official source
Code / name	What it means
octave	For alternative audio engines: choose the synth's default octave. Also called: oct Inputs: octave: octave number Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>n("0,4,7").scale("F:minor").s('supersaw').octave("<0 1 2 3>").osc()</pre> Official source
Code / name	What it means
panspan	For alternative audio engines: choose how much multichannel output fans out. Inputs: span: between -inf and inf, negative is backwards ordering Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>s("[bd hh]*2").pan("<.5 1 .5 0>").panspan("<0 .5 1>").osc()</pre> Official source

Code / name	What it means
<code>pansplay</code>	For alternative audio engines: choose how widely multichannel output is spread. Inputs: spread: between 0 and 1 Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>s("[bd hh]*2").pan("<.5 1 .5 0>").pansplay("<0 .5 1>").osc()</pre> Official source

Code / name	What it means
<code>squiz</code>	For alternative audio engines: apply the named squiz effect; its docs describe a mixture of filtering, ring modulation, and pitch shifting. Inputs: squiz: Try passing multiples of 2 to it - 2, 4, 8 etc. Before you try it: Requires SuperDirt or StrudelDirt in SuperCollider plus the local OSC bridge. This row comes from SuperDirt-tagged documentation; default browser support is not verified. <pre>squiz("2 4/2 6 [8 16]").s("bd").osc()</pre> Official source

Browser audio controls hidden from Reference

Code / name	What it means
<code>bus</code>	Send audio to a shared bus, a signal path that other controls such as bmod can read. Inputs: number: See engine documentation. Official source

Code / name	What it means
<code>busgain</code>	Set the volume of the audio sent into a shared bus. Also called: bgain Inputs: number: See engine documentation. Official source

Code / name	What it means
<code>dry</code>	Inside an FX delay or reverb effect, choose how much of the unchanged sound stays in the mix. Inputs: dry: 0 = wet, 1 = dry Before you try it: The supplied original example is for SuperDirt: run its sound engine and OSC bridge before using .osc(). <pre>n("[0,3,7](3,8)").s("superpiano").room(.7).dry("<0 .5 .75 1>").osc()</pre> Official source

Code / name	What it means
<code>unit</code>	Choose how sample speed is measured. The browser recognizes c and uses the recording length when calculating playback speed. Inputs: unit: see description above Before you try it: Browser sampler checks <code>unit === c</code>; this is not evidence that all SuperDirt unit modes behave the same in the browser. The supplied original example is for SuperDirt: run its sound engine and OSC bridge before using <code>.osc()</code>. <pre>speed("1 2 .5 3").s("bd").unit("c").osc()</pre> Official source

Custom controls and library helpers

Code / name	What it means
<code>createParam</code>	Make your own named setting and return its control function. Inputs: name: The setting name; a list can name several values in a combined control. Before you try it: A custom setting needs an output that knows what to do with it; its name alone does not create a sound. Official source

Code / name	What it means
<code>createParams</code>	Make several named setting functions and return them together in an object. Inputs: names: The names for the new settings. Before you try it: A custom setting needs an output that knows what to do with it. Official source

Envelope shortcuts

Code / name	What it means
<code>ad</code>	Set attack and decay together; a single number uses the same time for both. Inputs: t: Attack and optional decay time. Official source

Code / name	What it means
<code>ar</code>	Set attack and release together; a single number uses the same time for both. Inputs: t: Attack and optional release time. Official source

Code / name	What it means
<code>ds</code>	Set decay and sustain together; sustain defaults to zero. Inputs: t: Decay time and optional held level. Official source

Frequency modulation

Code / name	What it means
<code>fmattack</code>	Set how long frequency modulation takes to reach its peak. Also called: <code>fmatt</code> Inputs: time: The time value for this control. <pre>note("c e g b g e") .fm(4) .fmattack("<0 .05 .1 .2>") ._scope() Official source</pre>
Code / name	What it means
<code>fmdecay</code>	Set how long frequency modulation takes to fall to its held level. Also called: <code>fmdec</code> Inputs: time: The time value for this control. <pre>note("c e g b g e") .fm(4) .fmdecay("<.01 .05 .1 .2>") .fmsustain(.4) ._scope() Official source</pre>
Code / name	What it means
<code>fmenv</code>	Choose the curve used for the frequency-modulation movement over a note. Also called: <code>fme</code> Inputs: type: Choose <code>lin</code> <code>exp</code> <pre>note("c e g b g e") .fm(4) .fmdecay(.2) .fmsustain(0) .fmenv("<exp lin>") ._scope() Official source</pre>
Code / name	What it means
<code>fmh</code>	Choose the frequency ratio between the modulating wave and the main wave, changing the tone. Inputs: harmonicity: The harmonicity setting. <pre>note("c e g b g e") .fm(4) .fmh("<1 2 1.5 1.61>") ._scope() Official source</pre>

Code / name	What it means
fmi	Set how strongly frequency modulation changes the synth's tone. Also called: fm Inputs: brightness: Choose modulation index <pre>note("c e g b g e") .fm("<0 1 2 8 32>") ._scope()</pre> Official source

Code / name	What it means
fmrelease	Set how long frequency modulation takes to fade after the note ends. Also called: fmrel Inputs: time: The time value for this control. Official source

Code / name	What it means
fmsustain	Set the amount of frequency modulation held during the note. Also called: fmsus Inputs: level: Choose sustain level <pre>note("c e g b g e") .fm(4) .fmdecay(.1) .fmsustain("<1 .75 .5 0>") ._scope()</pre> Official source

Code / name	What it means
fmwave	Choose the wave shape that modulates the synth's frequency. Inputs: wave: Choose waveform <pre>n("0 1 2 3".fast(4)).scale("d:minor").s("sine").fmwave("<sine square sawtooth crackle>").fm(4).fmh(2.01)</pre> Official source

Generated FM operator controls

Code / name	What it means
fmattack1 ... fmattack8	Time for one FM oscillator's movement to reach its peak. Add 1–8 to choose an oscillator; the unnumbered command and the 1 version target the first one. Higher numbered oscillators normally modulate the previous oscillator. Also called: fmatt1 ... fmatt8 Before you try it: Add a number from 1 to 8 to choose one sound-making oscillator. An oscillator is a repeating vibration that makes sound. <pre>note("c e g b g e") .fm(4) .fmattack("<0 .05 .1 .2>") ._scope()</pre> Official source

Code / name	What it means
fmdecay1 ... fmdecay8	Time for one FM oscillator's movement to fall to its held level. Add 1–8 to choose an oscillator; the unnumbered command and the 1 version target the first one. Higher numbered oscillators normally modulate the previous oscillator. Also called: fmdec1 ... fmdec8 Before you try it: Add a number from 1 to 8 to choose one sound-making oscillator. An oscillator is a repeating vibration that makes sound. <pre>note("c e g b g e") .fm(4) .fmdecay("<.01 .05 .1 .2>") .fmsustain(.4) ._scope()</pre> Official source
Code / name	What it means
fmenv1 ... fmenv8	Curve used for one FM oscillator's movement over a note. Add 1–8 to choose an oscillator; the unnumbered command and the 1 version target the first one. Higher numbered oscillators normally modulate the previous oscillator. Also called: fme1 ... fme8 Before you try it: Add a number from 1 to 8 to choose one sound-making oscillator. An oscillator is a repeating vibration that makes sound. The fme1 to fme8 shortcuts work after a dot, rather than as bare commands. <pre>note("c e g b g e") .fm(4) .fmdecay(.2) .fmsustain(0) .fmenv("<exp lin>") ._scope()</pre> Official source
Code / name	What it means
fmh1 ... fmh8	Frequency ratio for one FM oscillator. Add 1–8 to choose an oscillator; the unnumbered command and the 1 version target the first one. Higher numbered oscillators normally modulate the previous oscillator. Before you try it: Add a number from 1 to 8 to choose one sound-making oscillator. An oscillator is a repeating vibration that makes sound. <pre>note("c e g b g e") .fm(4) .fmh("<1 2 1.5 1.61>") ._scope()</pre> Official source

Code / name	What it means
<code>fmi1 ... fmi8</code>	Strength of one FM oscillator. Add 1–8 to choose an oscillator; the unnumbered command and the 1 version target the first one. Higher numbered oscillators normally modulate the previous oscillator. Also called: <code>fm1 ... fm8</code> Before you try it: Add a number from 1 to 8 to choose one sound-making oscillator. An oscillator is a repeating vibration that makes sound. <pre>note("c e g b g e") .fm("<0 1 2 8 32>") ._scope()</pre> Official source

Code / name	What it means
<code>fmrelease1 ... fmrelease8</code>	Fade time for one FM oscillator's movement after the note ends. Add 1–8 to choose an oscillator; the unnumbered command and the 1 version target the first one. Higher numbered oscillators normally modulate the previous oscillator. Also called: <code>fmrel1 ... fmrel8</code> Before you try it: Add a number from 1 to 8 to choose one sound-making oscillator. An oscillator is a repeating vibration that makes sound. Official source

Code / name	What it means
<code>fmsustain1 ... fmsustain8</code>	Held level of one FM oscillator's movement. Add 1–8 to choose an oscillator; the unnumbered command and the 1 version target the first one. Higher numbered oscillators normally modulate the previous oscillator. Also called: <code>fmsus1 ... fmsus8</code> Before you try it: Add a number from 1 to 8 to choose one sound-making oscillator. An oscillator is a repeating vibration that makes sound. <pre>note("c e g b g e") .fm(4) .fmdecay(.1) .fmsustain("<1 .75 .5 0>") ._scope()</pre> Official source

Code / name	What it means
<code>fmwave1 ... fmwave8</code>	Wave shape of one FM oscillator. Add 1–8 to choose an oscillator; the unnumbered command and the 1 version target the first one. Higher numbered oscillators normally modulate the previous oscillator. Before you try it: Add a number from 1 to 8 to choose one sound-making oscillator. An oscillator is a repeating vibration that makes sound. <pre>n("0 1 2 3".fast(4)).scale("d:minor").s("sine").fmwave("<sine square sawtooth crackle>").fm(4).fmh(2.01)</pre> Official source

Generated FM routing controls

Code / name	What it means
<code>fmiIJ / fmIJ - FM routing matrix</code>	Route one FM oscillator into another. In <code>.fm13(amount)</code>, oscillator 1 changes oscillator 3; a target of 0 means the main sound. These commands are pattern methods, not standalone globals. Also called: <code>fm00 ... fm88</code>, <code>fmi00 ... fmi88</code> Before you try it: Use these as chained methods. In <code>fm13</code>, oscillator 1 changes oscillator 3; target 0 is the main sound. Sources run from 1 to 8. Neighbor routes use <code>fm</code>, <code>fm2</code>, and so on instead. The expanded list includes registered names; the working-route list shows the routes read by the browser engine. All 81 pairs and their 81 short aliases are registered, using indices 0–8. Browser audio uses sources 1–8; source 0 is not read. Neighbor routes 1→0, 2→1, ..., 8→7 use ordinary <code>fm/fm2/.../fm8</code>; the matching two-digit matrix control is not read for those pairs. <pre>note("c3 e3 g3").s("sine").fm(2).fm2(1).fm3(1).fm13(0.5).gain(0.2)</pre> Official source

Library and engine helpers

Code / name	What it means
<code>appBoth</code>	For writing your own tools: apply each matching function to each matching value, keeping only their shared time span. Inputs: <code>pat_val</code>: The pat val setting. Official source
Code / name	What it means
<code>appLeft</code>	For writing your own tools: apply matching pattern functions and values, using the function pattern's whole-event timing. Inputs: <code>pat_val</code>: The pat val setting. Official source
Code / name	What it means
<code>applyGradualLowpass</code>	For writing your own tools: apply a low pass filter whose setting keeps changing to a sound. Inputs: <code>input</code>: The input setting.; <code>lpFreqStart</code>: The lp Freq Start setting.; <code>lpFreqEnd</code>: The lp Freq End setting.; <code>lpFreqEndAt</code>: The lp Freq End At setting.; <code>callback</code>: The function called by this command. Official source
Code / name	What it means
<code>applyHannWindow</code>	For writing your own tools: fade the edges of a data block using a Hann curve, changing that block directly. Official source

Code / name	What it means
<code>appRight</code>	For writing your own tools: apply matching pattern functions and values, using the value pattern's whole-event timing. Inputs: <code>pat_val</code> : The pat val setting. Official source
Code / name	What it means
<code>appWhole</code>	For writing your own tools: apply a pattern of functions to a pattern of values, using a supplied function to decide whole-event timing. Inputs: <code>whole_func</code> : The whole func setting.; <code>func</code> : The function to apply. Official source
Code / name	What it means
<code>asNumber</code>	For writing your own tools: convert each pattern value into a number. Official source
Code / name	What it means
<code>chyx</code>	For writing your own tools: internal bytebeat-related helper; the documentation gives no useful behavior or arguments. Official source
Code / name	What it means
<code>computeMagnitudes</code>	For writing your own tools: measure the squared strength of frequency values so peaks can be found. Official source
Code / name	What it means
<code>createCC</code>	For writing your own tools: create a controller-reading function for a particular MIDI input; this is a library helper. Inputs: <code>cc</code> : Choose mIDI CC number; <code>chan</code> : Choose mIDI channel (1-16) or undefined for all channels Official source
Code / name	What it means
<code>crossfade</code>	For writing your own tools: blend two audio signals while keeping their perceived loudness steady. Inputs: <code>a</code> : Choose signal A (can be a single value or an array value in buffer processing).; <code>b</code> : Choose signal B (can be a single value or an array value in buffer processing).; <code>m</code> : Choose crossfade parameter (0.0 = all A, 1.0 = all B, 0.5 = equal mix). Official source
Code / name	What it means
<code>defragmentHaps</code>	For writing your own tools: join touching fragments of the same event; the docs intend this for tests. Official source

Code / name	What it means
<code>discreteOnly</code>	For writing your own tools: keep events with defined whole-event time spans, removing continuous signal events. Official source
Code / name	What it means
<code>filterHaps</code>	For writing your own tools: keep only the returned events that pass your test. Inputs: <code>hap_test</code> : Choose a function which returns false for haps to be removed from the pattern <pre>s("bd*8").velocity(rand).filterHaps((h) => (h.whole.begin % 1) < h.value.velocity)</pre> Official source
Code / name	What it means
<code>filterValues</code>	For writing your own tools: keep only events whose values pass your test. Inputs: <code>value_test</code> : The value test setting. <pre>const drums = s("bd sd bd sd") kick: drums.filterValues((v) => v.s === 'bd').duck(2) snare: drums.filterValues((v) => v.s === 'sd') bass: s("saw!4").note("G#1").lpf(80).lpenv(4).orbit(2)</pre> Official source
Code / name	What it means
<code>findPeaks</code>	For writing your own tools: find the strongest local points in frequency-strength data. Official source
Code / name	What it means
<code>firstCycle</code>	For writing your own tools: get the events in the pattern's first cycle for debugging. Inputs: <code>with_context</code> : Choose set to true, otherwise the context field will be stripped from the resulting haps. Official source
Code / name	What it means
<code>firstCycleValues</code>	For writing your own tools: get a list of the values in the pattern's first cycle. Official source
Code / name	What it means
<code>generateGraph</code>	For writing your own tools: make a canvas picture of a list of data values. Inputs: <code>data</code> : Choose an array of numbers, or a <code>Float32Array</code> .; <code>width</code> : Choose width in pixels of the canvas.; <code>height</code> : Choose height in pixels of the canvas.; <code>min</code> : The lowest value in the new range.; <code>max</code> : The highest value in the new range. Official source

Code / name	What it means
<code>generateReverb</code>	For writing your own tools: create the audio recording that defines a simulated reverberation. Inputs: <code>params</code>: Choose <code>TODO</code>: Document the properties.; <code>callback</code>: The function called by this command. Official source
Code / name	What it means
<code>getDevice</code>	For writing your own tools: find a MIDI device by name or number, or choose the default device. Inputs: <code>indexOrName</code>: The index Or Name setting.; <code>devices</code>: The devices setting. Official source
Code / name	What it means
<code>getMidiDeviceNamesString</code>	For writing your own tools: build a text list of connected MIDI device names, used in error messages. Inputs: <code>devices</code>: The devices setting. Official source
Code / name	What it means
<code>handleOutputBuffersToRetrieve</code>	For writing your own tools: add newly processed output audio to the output buffers. Official source
Code / name	What it means
<code>keep</code>	For writing your own tools: combine two patterns' controls, giving the original controls priority when both set the same thing. Inputs: <code>pat</code>: The pattern to use. <pre>// notes, already defined, will stay "c a f e", // while "s", not defined, will be set to "piano" note("c a f e").keep(note("e f a c").s("piano"))</pre> Official source
Code / name	What it means
<code>onsetsOnly</code>	For writing your own tools: keep only the event fragments that begin at the event's true starting time. Official source
Code / name	What it means
<code>Pattern</code>	For writing your own tools: create a pattern object directly; this is mainly for library code. Inputs: <code>query</code>: Choose the function that maps a State to an array of Hap. Official source
Code / name	What it means
<code>pickAndRename</code>	For writing your own tools: select items from a source collection and rename them using a mapping. Official source

Code / name	What it means
<code>prepareInputBuffersToSend</code>	For writing your own tools: copy buffered input audio into the buffer sent for processing. Official source
Code / name	What it means
<code>queryArc</code>	For writing your own tools: ask a pattern for the events inside a chosen time span. Inputs: begin: The starting point.; end: The ending point. <pre>const pattern = sequence('a', ['b', 'c']) const haps = pattern.queryArc(0, 1) console.log(haps) silence</pre> Official source
Code / name	What it means
<code>readInputs</code>	For writing your own tools: copy the next block of browser audio into the engine's input buffers. Official source
Code / name	What it means
<code>reallocateChannelsIfNeeded</code>	For writing your own tools: resize input and output audio buffers when the number of channels changes. Official source
Code / name	What it means
<code>ref</code>	For writing your own tools: read a changing custom value when the pattern is queried, without reevaluating the code. Official source
Code / name	What it means
<code>register</code>	For writing your own tools: add a custom pattern method and return its standalone function. Inputs: name: Choose name of the function, or an array of names to be used as synonyms; func: The function to apply.; patternify: The patternify setting. <pre>const vlpf = register('vlpf', (freq, pat) => { return pat.fmap((v) => ({...v, cutoff: freq * (v.velocity ?? 1) })); }) s("saw").seg(8).velocity(rand).vlpf(800)</pre> Official source
Code / name	What it means
<code>removeUndefineds</code>	For writing your own tools: remove returned events that have undefined values. Official source

Code / name	What it means
set	For writing your own tools: combine two patterns' controls, giving the incoming controls priority when both set the same thing. Inputs: pat: The pattern to use. <pre>// because input pattern has `s` set, // it overrides the "sine" declared earlier note("c a f e").s("sine").set(s("triangle"))</pre> Official source
Code / name	What it means
setContext	For writing your own tools: put the chosen metadata value on every event. Inputs: context: The context setting. Official source
Code / name	What it means
setDefaultJoin	For writing your own tools: choose the default rule for combining events from two patterns. Inputs: method: The method setting. <pre>setDefaultJoin('mix') // also try 'in', 'out', 'squeeze', etc. s("saw").vel("1 0.5").note("F A C E").delay("0 0.2 0.3")</pre> Official source
Code / name	What it means
shiftInputBuffers	For writing your own tools: move the input buffer contents to make room for the next audio block. Official source
Code / name	What it means
shiftOutputBuffers	For writing your own tools: move the output buffer contents to make room for the next audio block. Official source
Code / name	What it means
shiftPeaks	For writing your own tools: move frequency peaks and the nearby regions they influence to change pitch. Official source
Code / name	What it means
showFirstCycle	For writing your own tools: get a readable text view of the first cycle's values. Official source
Code / name	What it means
sortHapsByPart	For writing your own tools: sort returned event fragments by their timing, mainly for comparing patterns in tests. Official source

Code / name	What it means
<code>splitQueries</code>	For writing your own tools: split pattern queries at cycle edges to simplify timing calculations. Official source
Code / name	What it means
<code>stripContext</code>	For writing your own tools: remove the metadata attached to every event. Official source
Code / name	What it means
<code>withContext</code>	For writing your own tools: apply a function to the metadata attached to every event. Inputs: func: The function to apply. Official source
Code / name	What it means
<code>withHap</code>	For writing your own tools: apply a function to every individual event returned by a pattern query. Inputs: func: The function to apply. Official source
Code / name	What it means
<code>withHaps</code>	For writing your own tools: apply a function to the whole list of events returned by each pattern query. Inputs: func: The function to apply. Official source
Code / name	What it means
<code>withHapSpan</code>	For writing your own tools: apply a function to each returned event's time spans. Inputs: func: The function to apply. Official source
Code / name	What it means
<code>withHapTime</code>	For writing your own tools: apply a function to the start and end times of each returned event. Inputs: func: The function to apply. Official source
Code / name	What it means
<code>withLoc</code>	For writing your own tools: attach code-location information to each event's metadata. Inputs: start: Choose start offset; end: The ending point. Official source

Code / name	What it means
<code>withQuerySpan</code>	For writing your own tools: change the time span requested from the original pattern by applying your function. Inputs: func: The function to apply. Official source

Code / name	What it means
<code>withQueryTime</code>	For writing your own tools: apply a function to both ends of the time span requested from a pattern. Inputs: func: The function to apply. Official source

Code / name	What it means
<code>worklet</code>	For writing your own tools: create an audio worklet effect, usually generated from K code in the editor. Inputs: src: Choose source code of the worklet update function; inputs: Choose worklet inputs Official source

Code / name	What it means
<code>writeOutputs</code>	For writing your own tools: copy the engine's output buffers into the next block of browser audio. Official source

MIDI input and output

Code / name	What it means
<code>ccn</code>	Choose the number of the MIDI controller to change. Inputs: MIDI: Choose control number (0-127) Use values from 0 to 127. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. Official source

Code / name	What it means
<code>ccv</code>	Choose the value sent to the MIDI controller. Inputs: MIDI: Choose control value (0-127) Use values from 0 to 127. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. Official source

Code / name	What it means
<code>control</code>	Send a MIDI controller change message. Inputs: MIDI: Choose control number (0-127) Use values from 0 to 127.; MIDI: Choose controller value (0-127) Use values from 0 to 127. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. Official source

Code / name	What it means
defaultmidimap	Choose the controller mapping used when a pattern does not select one. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>defaultmidimap({ lpf: 74 }) \$: note("c a f e").midi(); \$: lpf(sine.slow(4).segment(16)).midi();</pre> Official source
Code / name	What it means
midi	Choose a MIDI output device to send notes to. Inputs: midiport: Choose MIDI device name or index defaulting to 0; options: An object holding additional settings. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").midichan(1).midi('IAC Driver Bus 1')</pre> Official source
Code / name	What it means
midibend	Send a MIDI pitch bend message. Inputs: midibend: Choose MIDI pitch bend (-1 - 1) Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").midibend(sine.slow(4).range(-0.4,0.4)).midi()</pre> Official source
Code / name	What it means
midichan	Choose the MIDI channel for an event; the documented numbers are 0–15. Inputs: channel: The chosen output channel. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").midichan(1).midi()</pre> Official source
Code / name	What it means
midicmd	Send a chosen kind of MIDI command message. Inputs: command: Choose MIDI command Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>midicmd("clock*48,<start stop>/2").midi()</pre> Official source

Code / name	What it means
midikeys	Receive keyboard notes from a MIDI device; the documented audio notes use a fixed length. Inputs: input: Choose mIDI device name or index defaulting to 0 Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>const kb = await midikeys('Arturia KeyStep 32') kb().s("tri").lpf(80).lpe(6).lpd(0.1).room(2).delay(0.35)</pre> Official source
Code / name	What it means
midimap	Choose the registered table that maps sound controls to MIDI controller numbers. Inputs: name: The name of a table registered with midimaps. Before you try it: Needs a MIDI output device. The example chooses the mapping through midi options. <pre>note("c4").midi("IAC Driver", { midimap: "default" })</pre> Official source
Code / name	What it means
midimaps	Add tables that connect named sound controls to MIDI controller numbers. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>midimaps({ mymap: { lpf: 74 } }) \$: note("c a f e") .lpf(sine.slow(4)) .midimap('mymap') .midi()</pre> Official source
Code / name	What it means
midin	Choose a MIDI input device and make a function that reads its controller values. Inputs: input: Choose mIDI device name or index defaulting to 0 Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>const cc = await midin('IAC Driver Bus 1') note("c a f e").lpf(cc(0).range(0, 1000)).lpq(cc(1).range(0, 10)).sound("sawtooth")</pre> Official source
Code / name	What it means
midiport	Choose the MIDI output device for an event. Inputs: port: The device name, device number, or network port described for this command. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c a f e").midiport("<0 1 2 3>").midi()</pre> Official source

Code / name	What it means
miditouch	Send a MIDI key-pressure message, also called aftertouch. Inputs: miditouch: Choose mIDI key after touch (0-1) Use values from 0 to 1. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").miditouch(sine.slow(4).range(0,1)).midi()</pre> Official source
Code / name	What it means
nrpnn	Choose the number of a device-specific MIDI parameter. Inputs: nrpnn: Choose mIDI NRPN non-registered parameter number (0-127) Use values from 0 to 127. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").nrpnn("1:8").nrpv("123").midichan(1).midi()</pre> Official source
Code / name	What it means
nrpv	Set the value of a device-specific MIDI parameter. Inputs: nrpv: Choose mIDI NRPN non-registered parameter value (0-127) Use values from 0 to 127. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").nrpnn("1:8").nrpv("123").midichan(1).midi()</pre> Official source
Code / name	What it means
progNum	Send a MIDI program number to select a device's instrument preset. Inputs: program: Choose mIDI program number (0-127) Use values from 0 to 127. Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").progNum(10).midichan(1).midi()</pre> Official source
Code / name	What it means
sysex	Send a device-specific MIDI System Exclusive message. Inputs: id: Choose sysex ID; data: Choose sysex data Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").sysex(["0x77", "0x01:0x02:0x03:0x04"]).midichan(1).midi()</pre> Official source
Code / name	What it means
sysexdata	Set the data inside a MIDI System Exclusive message. Inputs: data: Choose sysex data Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").sysexid("0x77").sysexdata("0x01:0x02:0x03:0x04").midichan(1).midi()</pre> Official source

Code / name	What it means
<code>sysexid</code>	Choose the identifier for a MIDI System Exclusive message. Inputs: id: Choose sysex ID Before you try it: Needs a connected MIDI device and a browser or setup supporting MIDI access. <pre>note("c4").sysexid("0x77").sysexdata("0x01:0x02:0x03:0x04").midichan(1).midi()</pre> Official source

Mouse, keyboard, motion, and external tools

Code / name	What it means
<code>absoluteOrientationAlpha</code>	Read the device's absolute orientation on the Alpha axis as a control value from 0 to 1. Also called: <code>absOriA</code>, <code>absOriZ</code>, <code>absoluteOrientationZ</code> Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(absoluteOrientationAlpha.segment(4).range(0,7)).scale("C:minor")</pre> Official source

Code / name	What it means
<code>absoluteOrientationBeta</code>	Read the device's absolute orientation on the Beta axis as a control value from 0 to 1. Also called: <code>absOriB</code>, <code>absOriX</code>, <code>absoluteOrientationX</code> Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(absoluteOrientationBeta.segment(4).range(0,7)).scale("C:minor")</pre> Official source

Code / name	What it means
<code>absoluteOrientationGamma</code>	Read the device's absolute orientation on the Gamma axis as a control value from 0 to 1. Also called: <code>absOriG</code>, <code>absOriY</code>, <code>absoluteOrientationY</code> Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(absoluteOrientationGamma.segment(4).range(0,7)).scale("C:minor")</pre> Official source

Code / name	What it means
<code>accelerationX</code>	Read device acceleration on the X axis as a control value from 0 to 1. Also called: <code>accX</code> Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(accelerationX.segment(4).range(0,7)).scale("C:minor")</pre> Official source

Code / name	What it means
accelerationY	Read device acceleration on the Y axis as a control value from 0 to 1. Also called: accY Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(accelerationY.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
accelerationZ	Read device acceleration on the Z axis as a control value from 0 to 1. Also called: accZ Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(accelerationZ.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
channels	Choose which audio interface outputs receive the sound. Also called: ch Inputs: channels: Choose pattern the output channels <pre>note("e a d b g").channels("3:4")</pre> Official source
Code / name	What it means
gravityX	Read the gravity reading on the X axis as a control value from 0 to 1. Also called: gravX Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(gravityX.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
gravityY	Read the gravity reading on the Y axis as a control value from 0 to 1. Also called: gravY Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(gravityY.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
gravityZ	Read the gravity reading on the Z axis as a control value from 0 to 1. Also called: gravZ Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(gravityZ.segment(4).range(0,7)).scale("C:minor")</pre> Official source

Code / name	What it means
keyDown	Make a true/false value that tells whether the chosen key or keys are held down. <pre>keyDown("Control:j").pick([s("bd(5,8)"), s("cp(3,8)"])]</pre> Official source
Code / name	What it means
mouseX	Read the pointer's horizontal position as a number from 0 to 1. <pre>n(mouseX.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
mouseY	Read the pointer's vertical position as a number from 0 to 1. <pre>n(mouseY.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
orientationAlpha	Read the device's orientation on the Alpha axis as a control value from 0 to 1. Also called: oriA, oriZ, orientationZ Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(orientationAlpha.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
orientationBeta	Read the device's orientation on the Beta axis as a control value from 0 to 1. Also called: oriB, oriX, orientationX Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(orientationBeta.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
orientationGamma	Read the device's orientation on the Gamma axis as a control value from 0 to 1. Also called: oriG, oriY, orientationY Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(orientationGamma.segment(4).range(0,7)).scale("C:minor")</pre> Official source
Code / name	What it means
rotationAlpha	Read the device's rotation on the Alpha axis as a control value from 0 to 1. Also called: rotA, rotZ, rotationZ Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(rotationAlpha.segment(4).range(0,7)).scale("C:minor")</pre> Official source

Code / name	What it means
<code>rotationBeta</code>	Read the device's rotation on the Beta axis as a control value from 0 to 1. Also called: <code>rotB</code>, <code>rotX</code>, <code>rotationX</code> Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(rotationBeta.segment(4).range(0,7)).scale("C:minor")</pre> Official source

Code / name	What it means
<code>rotationGamma</code>	Read the device's rotation on the Gamma axis as a control value from 0 to 1. Also called: <code>rotG</code>, <code>rotY</code>, <code>rotationY</code> Before you try it: Needs supported motion/orientation sensors and permission where required. <pre>n(rotationGamma.segment(4).range(0,7)).scale("C:minor")</pre> Official source

Code / name	What it means
<code>source</code>	Supply a custom Web Audio sound source. Also called: <code>src</code> Inputs: <code>getSource</code>: The get Source setting. Official source

Code / name	What it means
<code>whenKey</code>	Apply a change when a named keyboard key or group of keys is pressed. <pre>s("bd(5,8)").whenKey("Control:j", x => x.segment(16).color("red")).whenKey("Control:i", x => x.fast(2).color("blue"))</pre> Official source

Note parsing and library helpers

Code / name	What it means
<code>freqToMidi</code>	For writing your own tools: convert vibrations per second into a MIDI pitch number, which can include decimals. Inputs: <code>freq</code>: The frequency in hertz. <pre>freqToMidi(440)</pre> Official source

Code / name	What it means
<code>getAccidentalsOffset</code>	For writing your own tools: count the semitone changes made by the sharps and flats in a note name. Inputs: <code>accidentals</code>: A sequence of sharp or flat symbols. <pre>getAccidentalsOffset("#")</pre> Official source

Code / name	What it means
<code>getFreq</code>	For writing your own tools: convert a note name or MIDI pitch number into frequency; this helper is marked deprecated. Inputs: <code>noteOrMidi</code>: The note name or MIDI pitch number. <pre>getFreq("a4")</pre> Official source
Code / name	What it means
<code>isNote</code>	For writing your own tools: check whether text has the shape of a supported note name. Inputs: <code>name</code>: The text to check. <pre>isNote("c#4")</pre> Official source
Code / name	What it means
<code>isNoteWithOctave</code>	For writing your own tools: check text against the note format accepted by this helper; its implementation also allows an omitted octave. Inputs: <code>name</code>: The text to check. Official source
Code / name	What it means
<code>m</code>	Turn a mini-notation string into a pattern and attach its editor position for highlighting. Inputs: <code>str</code>: Mini-notation text.; <code>offset</code>: Code position used for highlighting. <pre>m("bd sd")</pre> Official source
Code / name	What it means
<code>midi2note</code>	For writing your own tools: convert a MIDI pitch number into a note-name string; this older helper is marked deprecated. Inputs: <code>n</code>: The MIDI pitch number. <pre>midi2note(60)</pre> Official source
Code / name	What it means
<code>midiToFreq</code>	For writing your own tools: convert a MIDI pitch number into vibrations per second, using A4 = 440 Hz. Inputs: <code>n</code>: The MIDI pitch number. <pre>midiToFreq(69)</pre> Official source
Code / name	What it means
<code>noteToMidi</code>	For writing your own tools: convert a note name into a MIDI pitch number; missing octaves default to octave 3. Inputs: <code>note</code>: The note name; an optional second argument sets the default octave. <pre>noteToMidi("a4")</pre> Official source

Code / name	What it means
<code>tokenizeNote</code>	For writing your own tools: split a note name into its letter, sharps or flats, and optional octave number. Inputs: note: The note name. <pre>tokenizeNote("c#4")</pre> Official source

Code / name	What it means
<code>valueToMidi</code>	For writing your own tools: get a MIDI pitch number from an event value containing freq or note. Inputs: value: An object holding frequency or note; a second argument supplies a fallback. <pre>valueToMidi({note: "a4"})</pre> Official source

OSC output

Code / name	What it means
<code>osc</code>	Send each event as a message to software that understands Open Sound Control. Before you try it: Needs the OSC bridge and receiving software. Official source

Code / name	What it means
<code>oschost</code>	Choose the destination computer for OSC messages; the OSC bridge must be running. Inputs: oschost: Choose e.g. 'localhost' Before you try it: Needs the OSC bridge and receiving software. <pre>note("c4").oschost('127.0.0.1').oscport(57120).osc();</pre> Official source

Code / name	What it means
<code>oscport</code>	Choose the destination network port for OSC messages; the OSC bridge must be running. Inputs: oscport: Choose e.g. 57120 Before you try it: Needs the OSC bridge and receiving software. <pre>note("c4").oschost('127.0.0.1').oscport(57120).osc();</pre> Official source

Step counts and step sequences

Code / name	What it means
<code>contract</code>	Make each pattern step smaller by the chosen factor. Before you try it: The documentation marks this stepwise family experimental. <pre>sound("tha dhi thom nam").bank("mridangam").contract("3 2 1 1 2 3").pace(8)</pre> Official source

Code / name	What it means
drop	Remove the chosen number of steps; positive counts remove the start and negative counts remove the end. Before you try it: The documentation marks this stepwise family experimental. <pre>"tha dhi thom nam".drop("1").sound().bank("mridangam")</pre> Official source
Code / name	What it means
expand	Make each pattern step larger by the chosen factor. Before you try it: The documentation marks this stepwise family experimental. <pre>sound("tha dhi thom nam").bank("mridangam").expand("3 2 1 1 2 3").pace(8)</pre> Official source
Code / name	What it means
extend	Repeat a pattern while increasing its recorded step count as well as its event density. Before you try it: The documentation marks this stepwise family experimental. <pre>stepcat(sound("bd bd - cp").extend(2), sound("bd - sd -")).pace(8)</pre> Official source
Code / name	What it means
grow	Add more steps on successive repetitions until the chosen stopping size is reached. Before you try it: The documentation marks this stepwise family experimental. <pre>"tha dhi thom nam".grow("1").sound() .bank("mridangam")</pre> Official source
Code / name	What it means
pace	Adjust pattern speed so it has the chosen number of steps per cycle. Before you try it: The documentation marks this stepwise family experimental. <pre>sound("bd sd cp").pace(4) // The same as sound("{bd sd cp}%4") or sound("<bd sd cp>*4")</pre> Official source
Code / name	What it means
polymer	Play patterns with different numbers of steps together, keeping step lengths equal. For patterns of three and two steps, repeat both to fill six steps. Also called: pm Before you try it: The documentation marks this stepwise family experimental. <pre>// The same as note("{c eb g, c2 g2}%6") polymer("c eb g", "c2 g2").note()</pre> Official source

Code / name	What it means
<code>replicate</code>	Repeat a pattern while increasing its recorded step count as well as its event density. Before you try it: The documentation marks this stepwise family experimental. <pre>stepcat(sound("bd bd - cp").replicate(2), sound("bd - sd -")).pace(8)</pre> Official source
Code / name	What it means
<code>shrink</code>	Remove more steps on successive repetitions until the chosen stopping size is reached. Before you try it: The documentation marks this stepwise family experimental. <pre>"tha dhi thom nam".shrink("1").sound() .bank("mridangam")</pre> Official source
Code / name	What it means
<code>stepalt</code>	Join patterns by step count; when a part is a list, alternate its choices over repetitions. Before you try it: The documentation marks this stepwise family experimental. <pre>stepalt(["bd cp", "mt"], "bd").sound() // The same as "bd cp bd mt bd".sound()</pre> Official source
Code / name	What it means
<code>stepcat</code>	Join patterns using their step counts to decide how much time each receives. Also called: <code>timeCat</code>, <code>timecat</code> Before you try it: The documentation marks this stepwise family experimental. <pre>stepcat([3, "e3"], [1, "g3"]).note() // the same as "e3@3 g3".note()</pre> Official source
Code / name	What it means
<code>take</code>	Keep the chosen number of steps; positive counts keep the start and negative counts keep the end. Before you try it: The documentation marks this stepwise family experimental. <pre>"bd cp ht mt".take("2").sound() // The same as "bd cp".sound()</pre> Official source
Code / name	What it means
<code>tour</code>	Move one inserted pattern backward through a list of patterns across repetitions. Before you try it: The documentation marks this stepwise family experimental. <pre>"[c g]".tour("e f", "e f g", "g f e c").note() .sound("folkharp") .pace(8)</pre> Official source

Code / name	What it means
zip	Interleave the steps of several patterns into one dense cycle. Before you try it: The documentation marks this stepwise family experimental. <pre>zip("e f", "e f g", "g [f e] a f4 c").note() .sound("folkharp") .pace(8)</pre> Official source

Synth and audio controls

Code / name	What it means
bmod	Move a control using the signal sent to an audio bus. Inputs: config: Choose bus modulation configuration.; config.bus: Choose bus to get modulation signal from; config.control: Choose node to modulate. Aliases: c; config.subControl: Choose sub-control name to append to the control key. Aliases: sc; config.depth: Choose relative modulation depth. Aliases: dep, dr; config.depthabs: Choose absolute modulation depth. Aliases: da; config.dc: Choose dC offset prior to application; config.fxi: Choose fX index to target; id: Choose iD to use for this modulator <pre>modulator: s("one").seg(64).gain(slider(0, 0, 1)).bus(1).dry(0) carrier: s("saw").bmod({ b: 1 })</pre> Official source

Code / name	What it means
byteBeatExpression	Make a bytebeat sound from a custom mathematical expression. Also called: bbexpr, bb Inputs: byteBeatExpression: Choose bitwise expression for creating bytebeat <pre>s("bytebeat").bbexpr('t*(t>>15^t>>66)')</pre> Official source

Code / name	What it means
byteBeatStartTime	Set the starting time used by a bytebeat expression. Also called: bbst Inputs: byteBeatStartTime: Choose in samples (t) <pre>note("c3!8".add("{0 0 12 0 7 5 3}%8")).s("bytebeat:5").bbst("<31>".mul(10000))._scope()</pre> Official source

Code / name	What it means
channel	Choose the audio channel the pattern is sent to. Inputs: channel: The chosen output channel. Official source

Code / name	What it means
cut	Give sounds a shared cut group so a new sound stops the previous sound in that group. Inputs: group: Choose cut group number <pre>s("[oh hh]*4").cut(1)</pre> Official source

Code / name	What it means
density	Set the density of crackle noise. The deployed API lists this as a sound control. Inputs: density: Choose between 0 and x Before you try it: Name collision: current source also calls density a synonym for fast; the deployed reference consumes the crackle control first. Use fast for timing. <pre>s("crackle*4").density("<0.01 0.04 0.2 0.5>".slow(4))</pre> Official source

Code / name	What it means
duration	Set event length in cycles and stop a sample when that length ends. Also called: dur Inputs: seconds: Choose = 0 <pre>note("c a f e").s("piano").dur("<.5 1 2>")</pre> Official source

Code / name	What it means
env	Set up a control movement that follows the start, held part, and end of a note. Inputs: config: Choose envelope configuration.; config.control: Choose node to modulate. Aliases: c; config.subControl: Choose sub-control name to append to the control key. Aliases: sc; config.depth: Choose relative modulation depth. Aliases: dep, dr; config.depthabs: Choose absolute modulation depth. Aliases: da; config.attack: Choose time to reach depth. Aliases: att, a; config.decay: Choose time to reach sustain. Aliases: dec, d; config.sustain: Choose sustain depth. Aliases: sus, s; config.release: Choose time to return to nominal value. Aliases: rel, r; config.acurve: Choose snappiness of attack curve (-1 = relaxed, 1 = snappy). Aliases: ac; config.dcurve: Choose snappiness of decay curve (-1 = relaxed, 1 = snappy). Aliases: dc; config.rcurve: Choose snappiness of release curve (-1 = relaxed, 1 = snappy). Aliases: rc; config.fx: Choose fX index to target; id: Choose iD to use for this modulator <pre>s("saw").note("F1").lpf(500).env({ a: 1 })</pre> Official source

Code / name	What it means
FX	Build a chain of audio effects to process the sound in order. Full worked example in the searchable HTML companion. Official source

Code / name	What it means
lfo	Make a sound setting move repeatedly while a note plays. Inputs: config: Settings written inside braces, such as {control: "lpf", rate: 2}.; config.control: Which setting to move, such as gain or lpf. If left out, uses the setting just before lfo. Alias: c.; config.subControl: When moving another LFO, choose its setting, such as skew. Alias: sc.; config.rate: Repeats per second. Alias: r.; config.sync: Repeats per cycle, following the tempo. Alias: s.; config.depth: How far to move compared with the starting value. Depth 1 at 800 moves 400 above and below it. Aliases: dep, dr.; config.depthabs: How far to move in the setting's own units. For a filter, 250 means 250 Hz above and below. Alias: da.; config.dcoffset: Shift the movement above or below its starting value: -0.5 centers it, 0 moves up, and -1 moves down. Alias: dc.; config.shape: Wave shape: 0 triangle, 1 sine, 2 ramp, 3 saw, 4 square. Named shapes also work. Alias: sh.; config.skew: Change the triangle turning point or how long the square stays high. 0.5 is even. Alias: sk.; config.curve: Bend the rise and fall. 1 keeps the ordinary shape. Alias: cu.; config.retrig: A value above 0.5 restarts the movement when each new event begins. Alias: rt.; config.fx: Which effect in an FX chain to move. Counting starts at 0.; id: A name or number for this LFO. Use it again to change the same one. <pre>s("saw").note("F1").lpf(500).lfo()</pre> Official source

Code / name	What it means
partials	Set the strength of the higher tones that make up a synth sound. Inputs: magnitudes: The magnitudes setting. <pre>s("user").seg(16).n(irand(8)).scale("A:major") .partial([1, 0, 1, 0, 0, 1])</pre> Official source

Code / name	What it means
phases	Set the starting positions of the higher tones that make up a synth sound. Inputs: phases: Choose list of [0, 1) phases for partials. 0th entry is the fundamental phase (i.e. DC offset is skipped) <pre>// Phase cancellation s("saw").seg(8).n(irand(12)).scale("G#1:minor") .partial(partial([1, 1, 1])) .superimpose(x => x.phases([0.5, 0.5, 0.5]))</pre> Official source

Code / name	What it means
pw	Choose the width of a pulse oscillator's high part, which changes its tone. Inputs: pulsewidth: The pulsewidth setting. <pre>note("{f a c e}%16").s("pulse").pw(".8:1:.2")</pre> Official source

Code / name	What it means
<code>pwrate</code>	Set how fast the pulse width moves automatically. Also called: <code>pwr</code> Inputs: <code>rate</code>: How fast the movement repeats. <pre>n(run(8)).scale("D:pentatonic").s("pulse").pw("0.5").pwrate("<5 .1 25>").pwsweep("<0.3 .8>")</pre> Official source

Code / name	What it means
<code>pwsweep</code>	Set the range of the pulse width's automatic movement. Also called: <code>pws</code> Inputs: <code>sweep</code>: The sweep setting. <pre>n(run(8)).scale("D:pentatonic").s("pulse").pw("0.5").pwrate("<5 .1 25>").pwsweep("<0.3 .8>")</pre> Official source

Code / name	What it means
<code>setMaxPolyphony</code>	Limit how many notes can sound at once; older notes are stopped first when the limit is reached. Inputs: <code>Max</code>: Choose polyphony. Defaults to 128 <pre>setMaxPolyphony(4) n(irand(24).seg(8)).scale("C#3:minor").room(1).release(4).gain(0.5)</pre> Official source

Code / name	What it means
<code>spread</code>	Spread supported oscillator voices across the left and right speakers. Inputs: <code>spread</code>: Choose between 0 and 1 <pre>note("d f a a# a d3").fast(2).s("supersaw").spread("<0 .3 1>")</pre> Official source

Code / name	What it means
<code>unison</code>	Choose how many oscillator voices play together. Inputs: <code>numvoices</code>: The numvoices setting. <pre>note("d f a a# a d3").fast(2).s("supersaw").unison("<1 2 7>")</pre> Official source

Wavetable sound controls

Code / name	What it means
<code>warp</code>	Set how much the wavetable wave shape is reshaped. Also called: <code>wavetableWarp</code> Inputs: <code>amount</code>: How much of the change to apply. Use values from 0 to 1. <pre>s("basique").bank("wt_digital").seg(8).note("F1").warp("0 0.25 0.5 0.75 1") .warpmode("spin")</pre> Official source

Code / name	What it means
warpattack	Set how long the wavetable wave reshaping movement takes to reach its peak. Also called: warpatt Inputs: time: The time value for this control. Measured in seconds. Official source
Code / name	What it means
warpdc	Set a constant offset for the wavetable wave reshaping's repeating movement. Inputs: dcoffset: Choose dc offset. set to 0 for unipolar Official source
Code / name	What it means
warpdecay	Set how long the wavetable wave reshaping movement takes to fall to its held level. Also called: warpdec Inputs: time: The time value for this control. Measured in seconds. Official source
Code / name	What it means
warpdepth	Set how far the wavetable wave reshaping moves automatically. Inputs: depth: How far the movement travels. Official source
Code / name	What it means
warpenv	Set the wavetable envelope amount; the deployed description refers to position despite this command's warp name. Inputs: amount: How much of the change to apply. Official source
Code / name	What it means
warpmode	Choose the method used to reshape the wavetable wave. Also called: wavetableWarpMode Inputs: mode: Choose warp mode <pre>s("morgana").bank("wt_digital").seg(8).note("F1").warp("0 0.25 0.5 0.75 1") .warpmode("<asym bendp spin logistic sync wormhole brownian>*2")</pre> Official source
Code / name	What it means
warprate	Set how fast the wavetable wave reshaping moves automatically. Inputs: rate: How fast the movement repeats. Official source

Code / name	What it means
warprelease	Set how long the wavetable wave reshaping movement takes to fade after the note ends. Also called: warprel Inputs: time: The time value for this control. Measured in seconds. Official source
Code / name	What it means
warpshape	Choose the wave shape of the wavetable wave reshaping's repeating movement. Inputs: shape: Choose shape of the lfo (0, 1, 2, ..) Official source
Code / name	What it means
warpskew	Change the symmetry of the wavetable wave reshaping's repeating movement. Inputs: skew: Choose how much to bend the LFO shape Official source
Code / name	What it means
warpsustain	Set the held level of the wavetable wave reshaping movement. Also called: warpsus Inputs: gain: The volume or strength value. Use values from 0 to 1. Official source
Code / name	What it means
warpsync	Set the repeating movement rate of the wavetable wave reshaping relative to cycles. Inputs: rate: How fast the movement repeats. Measured in cycles. Official source
Code / name	What it means
wt	Choose a position in the stored collection of wave shapes for a wavetable oscillator. Also called: wavetablePosition Inputs: position: The chosen position. Use values from 0 to 1. <pre>s("squelch").bank("wt_digital").seg(8).note("F1").wt("0 0.25 0.5 0.75 1")</pre> Official source
Code / name	What it means
wtattack	Set how long the wavetable position movement takes to reach its peak. Also called: wtatt Inputs: time: The time value for this control. Measured in seconds. Official source
Code / name	What it means
wtde	Set a constant offset for the wavetable position's repeating movement. Inputs: dcoffset: Choose dc offset. set to 0 for unipolar Official source

Code / name	What it means
<code>wtdecay</code>	Set how long the wavetable position movement takes to fall to its held level. Also called: <code>wtdec</code> Inputs: time: The time value for this control. Measured in seconds. Official source
Code / name	What it means
<code>wtdepth</code>	Set how far the wavetable position moves automatically. Inputs: depth: How far the movement travels. Official source
Code / name	What it means
<code>wtenv</code>	Set how far the note-shaped movement changes the wavetable position. Inputs: amount: How much of the change to apply. Official source
Code / name	What it means
<code>wtphaserand</code>	Set how random the wavetable oscillator's starting wave position is. Also called: <code>wavetablePhaseRand</code> Inputs: amount: How much of the change to apply. <pre>s("basique").bank("wt_digital").seg(16).wtphaserand("<0 1>")</pre> Official source
Code / name	What it means
<code>wtrate</code>	Set how fast the wavetable position moves automatically. Inputs: rate: How fast the movement repeats. Official source
Code / name	What it means
<code>wtrelease</code>	Set how long the wavetable position movement takes to fade after the note ends. Also called: <code>wtre</code> Inputs: time: The time value for this control. Measured in seconds. Official source
Code / name	What it means
<code>wtshape</code>	Choose the wave shape of the wavetable position's repeating movement. Inputs: shape: Choose shape of the lfo (0, 1, 2, ..) Official source
Code / name	What it means
<code>wtskew</code>	Change the symmetry of the wavetable position's repeating movement. Inputs: skew: Choose how much to bend the LFO shape Official source

Code / name	What it means
<code>wtsustain</code>	Set the held level of the wavetable position movement. Also called: <code>wtsus</code> Inputs: <code>gain</code>: The volume or strength value. Use values from 0 to 1. Official source

Code / name	What it means
<code>wtsync</code>	Set the repeating movement rate of the wavetable position relative to cycles. Inputs: <code>rate</code>: How fast the movement repeats. Measured in cycles. Official source

Default and optional sound catalog

You can try any of these sounds at any level. A sound name chooses the instrument or recording. Choosing a sound is different from learning how to change it.

For a drum or flat sample list, choices are numbered from 0. If a sound has 4 choices, use `n(0)`, `n(1)`, `n(2)`, or `n(3)`. The HTML companion lists every individual filename. For pitched instruments, a file count means recordings at different pitches; use `note()` to choose the pitch. Sound-font entries have preset choices instead of recorded sample-file lists.

The optional Dirt-Samples section needs `samples('github:tidalcycles/dirt-samples')` first. Loading it changes some existing names, including `bd` and `sd`, to the pack's own recordings. Counts in the default and optional sections describe those two different setups.

```
sound("bd*4").bank("RolandTR909").n(0)
note("c4 e4 g4").sound("piano")
```

Default drums

Code / name	What it means
bd	Bass drum: a low boom. 8 choices
brk	Recorded drum break: a ready-made beat. 1 choices
cb	Cowbell or cowbell-style percussion. 1 choices
cp	Hand clap: a clap sound. 2 choices
cr	Crash cymbal: a big metal splash. 2 choices
hh	Closed hi-hat: a short metal tick. 5 choices
ht	High tom: a higher drum hit. 1 choices
lt	Low tom: a lower drum hit. 1 choices
misc	Other percussion and effects. 5 choices
mt	Middle tom: a middle drum hit. 1 choices
oh	Open hi-hat: a longer metal hiss. 4 choices
rd	Ride cymbal: a ringing metal tap. 1 choices
rim	Rim hit: a short woody click. 2 choices
sd	Snare drum: a sharp smack. 5 choices
sh	Shaker: a rattling sound. 1 choices
tb	Tambourine or tambourine-style percussion. 1 choices

Dirt samples

Code / name	What it means
casio	Casio keyboard: high, low, and noisy electronic sounds. 3 choices
crow	Crow: bird calls. 4 choices
east	Japanese-style drums and wooden blocks. 9 choices
insect	Insects: chirping and buzzing nature sounds. 3 choices
jazz	Jazz kit: recorded drum and percussion hits. 8 choices
metal	Metal: metallic sample sounds. 10 choices
num	A voice speaking number sounds. 21 choices
numbers	A voice speaking number sounds. 9 choices
space	Space: electronic sound effects. 18 choices
wind	Wind: blowing and whooshing nature sounds. 10 choices

Drum aliases

Code / name	What it means
9000_bd	Short bank name for linn9000_bd: Linn9000: bass drum: a low boom. 1 choices
9000_cb	Short bank name for linn9000_cb: Linn9000: cowbell or cowbell-style percussion. 2 choices
9000_cr	Short bank name for linn9000_cr: Linn9000: crash cymbal: a big metal splash. 2 choices
9000_hh	Short bank name for linn9000_hh: Linn9000: closed hi-hat: a short metal tick. 1 choices
9000_ht	Short bank name for linn9000_ht: Linn9000: high tom: a higher drum hit. 2 choices
9000_lt	Short bank name for linn9000_lt: Linn9000: low tom: a lower drum hit. 2 choices
9000_mt	Short bank name for linn9000_mt: Linn9000: middle tom: a middle drum hit. 1 choices
9000_oh	Short bank name for linn9000_oh: Linn9000: open hi-hat: a longer metal hiss. 1 choices
9000_perc	Short bank name for linn9000_perc: Linn9000: mixed percussion hits. 3 choices
9000_rd	Short bank name for linn9000_rd: Linn9000: ride cymbal: a ringing metal tap. 2 choices
9000_rim	Short bank name for linn9000_rim: Linn9000: rim hit: a short woody click. 1 choices
9000_sd	Short bank name for linn9000_sd: Linn9000: snare drum: a sharp smack. 1 choices
9000_tb	Short bank name for linn9000_tb: Linn9000: tambourine or tambourine-style percussion. 1 choices
ace_bd	Short bank name for rhythmace_bd: RhythmAce: bass drum: a low boom. 3 choices
ace_hh	Short bank name for rhythmace_hh: RhythmAce: closed hi-hat: a short metal tick. 1 choices
ace_ht	Short bank name for rhythmace_ht: RhythmAce: high tom: a higher drum hit. 1 choices
ace_lt	Short bank name for rhythmace_lt: RhythmAce: low tom: a lower drum hit. 1 choices
ace_oh	Short bank name for rhythmace_oh: RhythmAce: open hi-hat: a longer metal hiss. 1 choices
ace_perc	Short bank name for rhythmace_perc: RhythmAce: mixed percussion hits. 6 choices

Code / name	What it means
<code>ace_sd</code>	Short bank name for <code>rhythmace_sd</code> : RhythmAce: snare drum: a sharp smack. 3 choices
<code>circuitsdrumtracks_bd</code>	Short bank name for <code>sequentialcircuitsdrumtracks_bd</code> : SequentialCircuitsDrumtracks: bass drum: a low boom. 1 choices
<code>circuitsdrumtracks_cb</code>	Short bank name for <code>sequentialcircuitsdrumtracks_cb</code> : SequentialCircuitsDrumtracks: cowbell or cowbell-style percussion. 1 choices
<code>circuitsdrumtracks_cp</code>	Short bank name for <code>sequentialcircuitsdrumtracks_cp</code> : SequentialCircuitsDrumtracks: hand clap: a clap sound. 1 choices
<code>circuitsdrumtracks_cr</code>	Short bank name for <code>sequentialcircuitsdrumtracks_cr</code> : SequentialCircuitsDrumtracks: crash cymbal: a big metal splash. 1 choices
<code>circuitsdrumtracks_hh</code>	Short bank name for <code>sequentialcircuitsdrumtracks_hh</code> : SequentialCircuitsDrumtracks: closed hi-hat: a short metal tick. 1 choices
<code>circuitsdrumtracks_ht</code>	Short bank name for <code>sequentialcircuitsdrumtracks_ht</code> : SequentialCircuitsDrumtracks: high tom: a higher drum hit. 1 choices
<code>circuitsdrumtracks_oh</code>	Short bank name for <code>sequentialcircuitsdrumtracks_oh</code> : SequentialCircuitsDrumtracks: open hi-hat: a longer metal hiss. 1 choices
<code>circuitsdrumtracks_rd</code>	Short bank name for <code>sequentialcircuitsdrumtracks_rd</code> : SequentialCircuitsDrumtracks: ride cymbal: a ringing metal tap. 1 choices
<code>circuitsdrumtracks_rim</code>	Short bank name for <code>sequentialcircuitsdrumtracks_rim</code> : SequentialCircuitsDrumtracks: rim hit: a short woody click. 1 choices
<code>circuitsdrumtracks_sd</code>	Short bank name for <code>sequentialcircuitsdrumtracks_sd</code> : SequentialCircuitsDrumtracks: snare drum: a sharp smack. 1 choices
<code>circuitsdrumtracks_sh</code>	Short bank name for <code>sequentialcircuitsdrumtracks_sh</code> : SequentialCircuitsDrumtracks: shaker: a rattling sound. 1 choices
<code>circuitsdrumtracks_tb</code>	Short bank name for <code>sequentialcircuitsdrumtracks_tb</code> : SequentialCircuitsDrumtracks: tambourine or tambourine-style percussion. 1 choices
<code>circuitstom_bd</code>	Short bank name for <code>sequentialcircuitstom_bd</code> : SequentialCircuitsTom: bass drum: a low boom. 1 choices
<code>circuitstom_cp</code>	Short bank name for <code>sequentialcircuitstom_cp</code> : SequentialCircuitsTom: hand clap: a clap sound. 1 choices

Code / name	What it means
circuitstom_cr	Short bank name for sequentialcircuitstom_cr: SequentialCircuitsTom: crash cymbal: a big metal splash. 1 choices
circuitstom_hh	Short bank name for sequentialcircuitstom_hh: SequentialCircuitsTom: closed hi-hat: a short metal tick. 1 choices
circuitstom_ht	Short bank name for sequentialcircuitstom_ht: SequentialCircuitsTom: high tom: a higher drum hit. 2 choices
circuitstom_oh	Short bank name for sequentialcircuitstom_oh: SequentialCircuitsTom: open hi-hat: a longer metal hiss. 1 choices
circuitstom_sd	Short bank name for sequentialcircuitstom_sd: SequentialCircuitsTom: snare drum: a sharp smack. 1 choices
compurhythm1000_bd	Short bank name for rolandcompurhythm1000_bd: RolandCompurhythm1000: bass drum: a low boom. 1 choices
compurhythm1000_cb	Short bank name for rolandcompurhythm1000_cb: RolandCompurhythm1000: cowbell or cowbell-style percussion. 1 choices
compurhythm1000_cp	Short bank name for rolandcompurhythm1000_cp: RolandCompurhythm1000: hand clap: a clap sound. 1 choices
compurhythm1000_cr	Short bank name for rolandcompurhythm1000_cr: RolandCompurhythm1000: crash cymbal: a big metal splash. 1 choices
compurhythm1000_hh	Short bank name for rolandcompurhythm1000_hh: RolandCompurhythm1000: closed hi-hat: a short metal tick. 1 choices
compurhythm1000_ht	Short bank name for rolandcompurhythm1000_ht: RolandCompurhythm1000: high tom: a higher drum hit. 1 choices
compurhythm1000_lt	Short bank name for rolandcompurhythm1000_lt: RolandCompurhythm1000: low tom: a lower drum hit. 1 choices
compurhythm1000_mt	Short bank name for rolandcompurhythm1000_mt: RolandCompurhythm1000: middle tom: a middle drum hit. 1 choices
compurhythm1000_oh	Short bank name for rolandcompurhythm1000_oh: RolandCompurhythm1000: open hi-hat: a longer metal hiss. 1 choices

Code / name	What it means
compurhythm1000_perc	Short bank name for rolandcompurhythm1000_perc: RolandCompurhythm1000: mixed percussion hits. 3 choices
compurhythm1000_rd	Short bank name for rolandcompurhythm1000_rd: RolandCompurhythm1000: ride cymbal: a ringing metal tap. 1 choices
compurhythm1000_rim	Short bank name for rolandcompurhythm1000_rim: RolandCompurhythm1000: rim hit: a short woody click. 1 choices
compurhythm1000_sd	Short bank name for rolandcompurhythm1000_sd: RolandCompurhythm1000: snare drum: a sharp smack. 1 choices
compurhythm78_bd	Short bank name for rolandcompurhythm78_bd: RolandCompurhythm78: bass drum: a low boom. 1 choices
compurhythm78_cb	Short bank name for rolandcompurhythm78_cb: RolandCompurhythm78: cowbell or cowbell-style percussion. 1 choices
compurhythm78_hh	Short bank name for rolandcompurhythm78_hh: RolandCompurhythm78: closed hi-hat: a short metal tick. 2 choices
compurhythm78_misc	Short bank name for rolandcompurhythm78_misc: RolandCompurhythm78: other percussion and effects. 4 choices
compurhythm78_oh	Short bank name for rolandcompurhythm78_oh: RolandCompurhythm78: open hi-hat: a longer metal hiss. 2 choices
compurhythm78_perc	Short bank name for rolandcompurhythm78_perc: RolandCompurhythm78: mixed percussion hits. 8 choices
compurhythm78_sd	Short bank name for rolandcompurhythm78_sd: RolandCompurhythm78: snare drum: a sharp smack. 1 choices
compurhythm78_tb	Short bank name for rolandcompurhythm78_tb: RolandCompurhythm78: tambourine or tambourine-style percussion. 1 choices
Code / name	What it means
compurhythm8000_bd	Short bank name for rolandcompurhythm8000_bd: RolandCompurhythm8000: bass drum: a low boom. 1 choices
compurhythm8000_cb	Short bank name for rolandcompurhythm8000_cb: RolandCompurhythm8000: cowbell or cowbell-style percussion. 1 choices

Code / name	What it means
compurhythm8000_cp	Short bank name for rolandcompurhythm8000_cp: RolandCompurhythm8000: hand clap: a clap sound. 1 choices
compurhythm8000_cr	Short bank name for rolandcompurhythm8000_cr: RolandCompurhythm8000: crash cymbal: a big metal splash. 1 choices
compurhythm8000_hh	Short bank name for rolandcompurhythm8000_hh: RolandCompurhythm8000: closed hi-hat: a short metal tick. 1 choices
compurhythm8000_ht	Short bank name for rolandcompurhythm8000_ht: RolandCompurhythm8000: high tom: a higher drum hit. 1 choices
compurhythm8000_lt	Short bank name for rolandcompurhythm8000_lt: RolandCompurhythm8000: low tom: a lower drum hit. 1 choices
compurhythm8000_mt	Short bank name for rolandcompurhythm8000_mt: RolandCompurhythm8000: middle tom: a middle drum hit. 1 choices
compurhythm8000_oh	Short bank name for rolandcompurhythm8000_oh: RolandCompurhythm8000: open hi-hat: a longer metal hiss. 1 choices
compurhythm8000_perc	Short bank name for rolandcompurhythm8000_perc: RolandCompurhythm8000: mixed percussion hits. 2 choices
compurhythm8000_rim	Short bank name for rolandcompurhythm8000_rim: RolandCompurhythm8000: rim hit: a short woody click. 1 choices
compurhythm8000_sd	Short bank name for rolandcompurhythm8000_sd: RolandCompurhythm8000: snare drum: a sharp smack. 1 choices
concertmatemg1_bd	Short bank name for moogconcertmatemg1_bd: MoogConcertMateMG1: bass drum: a low boom. 3 choices
concertmatemg1_sd	Short bank name for moogconcertmatemg1_sd: MoogConcertMateMG1: snare drum: a sharp smack. 2 choices
d110_bd	Short bank name for rolandd110_bd: RolandD110: bass drum: a low boom. 1 choices
d110_cb	Short bank name for rolandd110_cb: RolandD110: cowbell or cowbell-style percussion. 2 choices
d110_cr	Short bank name for rolandd110_cr: RolandD110: crash cymbal: a big metal splash. 1 choices

Code / name	What it means
d110_hh	Short bank name for rolandd110_hh: RolandD110: closed hi-hat: a short metal tick. 1 choices
d110_lt	Short bank name for rolandd110_lt: RolandD110: low tom: a lower drum hit. 1 choices
d110_oh	Short bank name for rolandd110_oh: RolandD110: open hi-hat: a longer metal hiss. 2 choices
d110_perc	Short bank name for rolandd110_perc: RolandD110: mixed percussion hits. 3 choices
d110_rd	Short bank name for rolandd110_rd: RolandD110: ride cymbal: a ringing metal tap. 1 choices
d110_rim	Short bank name for rolandd110_rim: RolandD110: rim hit: a short woody click. 1 choices
d110_sd	Short bank name for rolandd110_sd: RolandD110: snare drum: a sharp smack. 3 choices
d110_sh	Short bank name for rolandd110_sh: RolandD110: shaker: a rattling sound. 1 choices
d110_tb	Short bank name for rolandd110_tb: RolandD110: tambourine or tambourine-style percussion. 1 choices
d70_bd	Short bank name for rolandd70_bd: RolandD70: bass drum: a low boom. 4 choices
d70_cb	Short bank name for rolandd70_cb: RolandD70: cowbell or cowbell-style percussion. 1 choices
d70_cp	Short bank name for rolandd70_cp: RolandD70: hand clap: a clap sound. 1 choices
d70_cr	Short bank name for rolandd70_cr: RolandD70: crash cymbal: a big metal splash. 1 choices
d70_hh	Short bank name for rolandd70_hh: RolandD70: closed hi-hat: a short metal tick. 1 choices
d70_lt	Short bank name for rolandd70_lt: RolandD70: low tom: a lower drum hit. 1 choices
d70_mt	Short bank name for rolandd70_mt: RolandD70: middle tom: a middle drum hit. 1 choices
d70_oh	Short bank name for rolandd70_oh: RolandD70: open hi-hat: a longer metal hiss. 1 choices
d70_perc	Short bank name for rolandd70_perc: RolandD70: mixed percussion hits. 1 choices

Code / name	What it means
d70_rd	Short bank name for rolandd70_rd: RolandD70: ride cymbal: a ringing metal tap. 1 choices
d70_rim	Short bank name for rolandd70_rim: RolandD70: rim hit: a short woody click. 1 choices
d70_sd	Short bank name for rolandd70_sd: RolandD70: snare drum: a sharp smack. 5 choices
d70_sh	Short bank name for rolandd70_sh: RolandD70: shaker: a rattling sound. 1 choices
ddm110_bd	Short bank name for korgddm110_bd: KorgDDM110: bass drum: a low boom. 1 choices
ddm110_cp	Short bank name for korgddm110_cp: KorgDDM110: hand clap: a clap sound. 1 choices
ddm110_cr	Short bank name for korgddm110_cr: KorgDDM110: crash cymbal: a big metal splash. 1 choices
ddm110_hh	Short bank name for korgddm110_hh: KorgDDM110: closed hi-hat: a short metal tick. 1 choices
ddm110_ht	Short bank name for korgddm110_ht: KorgDDM110: high tom: a higher drum hit. 2 choices
ddm110_lt	Short bank name for korgddm110_lt: KorgDDM110: low tom: a lower drum hit. 2 choices
ddm110_oh	Short bank name for korgddm110_oh: KorgDDM110: open hi-hat: a longer metal hiss. 1 choices
ddm110_rim	Short bank name for korgddm110_rim: KorgDDM110: rim hit: a short woody click. 1 choices
ddm110_sd	Short bank name for korgddm110_sd: KorgDDM110: snare drum: a sharp smack. 1 choices
ddr30_bd	Short bank name for rolandddr30_bd: RolandDDR30: bass drum: a low boom. 8 choices
ddr30_ht	Short bank name for rolandddr30_ht: RolandDDR30: high tom: a higher drum hit. 4 choices
ddr30_lt	Short bank name for rolandddr30_lt: RolandDDR30: low tom: a lower drum hit. 4 choices
ddr30_sd	Short bank name for rolandddr30_sd: RolandDDR30: snare drum: a sharp smack. 8 choices
dmx_bd	Short bank name for oberheimdmx_bd: OberheimDMX: bass drum: a low boom. 3 choices

Code / name	What it means
dmx_cp	Short bank name for oberheimdmx_cp: OberheimDMX: hand clap: a clap sound. 1 choices
dmx_cr	Short bank name for oberheimdmx_cr: OberheimDMX: crash cymbal: a big metal splash. 1 choices
dmx_hh	Short bank name for oberheimdmx_hh: OberheimDMX: closed hi-hat: a short metal tick. 1 choices
dmx_ht	Short bank name for oberheimdmx_ht: OberheimDMX: high tom: a higher drum hit. 1 choices
dmx_lt	Short bank name for oberheimdmx_lt: OberheimDMX: low tom: a lower drum hit. 1 choices
dmx_mt	Short bank name for oberheimdmx_mt: OberheimDMX: middle tom: a middle drum hit. 1 choices
dmx_oh	Short bank name for oberheimdmx_oh: OberheimDMX: open hi-hat: a longer metal hiss. 1 choices
Code / name	What it means
dmx_rd	Short bank name for oberheimdmx_rd: OberheimDMX: ride cymbal: a ringing metal tap. 1 choices
dmx_rim	Short bank name for oberheimdmx_rim: OberheimDMX: rim hit: a short woody click. 1 choices
dmx_sd	Short bank name for oberheimdmx_sd: OberheimDMX: snare drum: a sharp smack. 3 choices
dmx_sh	Short bank name for oberheimdmx_sh: OberheimDMX: shaker: a rattling sound. 1 choices
dmx_tb	Short bank name for oberheimdmx_tb: OberheimDMX: tambourine or tambourine-style percussion. 1 choices
dpm48_bd	Short bank name for sakatadpm48_bd: SakataDPM48: bass drum: a low boom. 3 choices
dpm48_cp	Short bank name for sakatadpm48_cp: SakataDPM48: hand clap: a clap sound. 1 choices
dpm48_cr	Short bank name for sakatadpm48_cr: SakataDPM48: crash cymbal: a big metal splash. 1 choices

Code / name	What it means
dpm48_hh	Short bank name for sakatadpm48_hh: SakataDPM48: closed hi-hat: a short metal tick. 2 choices
dpm48_ht	Short bank name for sakatadpm48_ht: SakataDPM48: high tom: a higher drum hit. 1 choices
dpm48_lt	Short bank name for sakatadpm48_lt: SakataDPM48: low tom: a lower drum hit. 2 choices
dpm48_mt	Short bank name for sakatadpm48_mt: SakataDPM48: middle tom: a middle drum hit. 1 choices
dpm48_oh	Short bank name for sakatadpm48_oh: SakataDPM48: open hi-hat: a longer metal hiss. 1 choices
dpm48_perc	Short bank name for sakatadpm48_perc: SakataDPM48: mixed percussion hits. 2 choices
dpm48_rd	Short bank name for sakatadpm48_rd: SakataDPM48: ride cymbal: a ringing metal tap. 1 choices
dpm48_rim	Short bank name for sakatadpm48_rim: SakataDPM48: rim hit: a short woody click. 1 choices
dpm48_sd	Short bank name for sakatadpm48_sd: SakataDPM48: snare drum: a sharp smack. 2 choices
dpm48_sh	Short bank name for sakatadpm48_sh: SakataDPM48: shaker: a rattling sound. 2 choices
dr110_bd	Short bank name for bossdr110_bd: BossDR110: bass drum: a low boom. 1 choices
dr110_cp	Short bank name for bossdr110_cp: BossDR110: hand clap: a clap sound. 1 choices
dr110_cr	Short bank name for bossdr110_cr: BossDR110: crash cymbal: a big metal splash. 1 choices
dr110_hh	Short bank name for bossdr110_hh: BossDR110: closed hi-hat: a short metal tick. 1 choices
dr110_oh	Short bank name for bossdr110_oh: BossDR110: open hi-hat: a longer metal hiss. 1 choices
dr110_rd	Short bank name for bossdr110_rd: BossDR110: ride cymbal: a ringing metal tap. 1 choices
dr110_sd	Short bank name for bossdr110_sd: BossDR110: snare drum: a sharp smack. 1 choices

Code / name	What it means
dr220_bd	Short bank name for bossdr220_bd: BossDR220: bass drum: a low boom. 1 choices
dr220_cp	Short bank name for bossdr220_cp: BossDR220: hand clap: a clap sound. 1 choices
dr220_cr	Short bank name for bossdr220_cr: BossDR220: crash cymbal: a big metal splash. 1 choices
dr220_hh	Short bank name for bossdr220_hh: BossDR220: closed hi-hat: a short metal tick. 1 choices
dr220_ht	Short bank name for bossdr220_ht: BossDR220: high tom: a higher drum hit. 1 choices
dr220_lt	Short bank name for bossdr220_lt: BossDR220: low tom: a lower drum hit. 1 choices
dr220_mt	Short bank name for bossdr220_mt: BossDR220: middle tom: a middle drum hit. 1 choices
dr220_oh	Short bank name for bossdr220_oh: BossDR220: open hi-hat: a longer metal hiss. 1 choices
dr220_perc	Short bank name for bossdr220_perc: BossDR220: mixed percussion hits. 1 choices
dr220_rd	Short bank name for bossdr220_rd: BossDR220: ride cymbal: a ringing metal tap. 1 choices
dr220_sd	Short bank name for bossdr220_sd: BossDR220: snare drum: a sharp smack. 1 choices
dr550_bd	Short bank name for bossdr550_bd: BossDR550: bass drum: a low boom. 5 choices
dr550_cb	Short bank name for bossdr550_cb: BossDR550: cowbell or cowbell-style percussion. 2 choices
dr550_cp	Short bank name for bossdr550_cp: BossDR550: hand clap: a clap sound. 1 choices
dr550_cr	Short bank name for bossdr550_cr: BossDR550: crash cymbal: a big metal splash. 1 choices
dr550_hh	Short bank name for bossdr550_hh: BossDR550: closed hi-hat: a short metal tick. 2 choices
dr550_ht	Short bank name for bossdr550_ht: BossDR550: high tom: a higher drum hit. 3 choices
dr550_lt	Short bank name for bossdr550_lt: BossDR550: low tom: a lower drum hit. 3 choices

Code / name	What it means
dr550_misc	Short bank name for bossdr550_misc: BossDR550: other percussion and effects. 3 choices
dr550_mt	Short bank name for bossdr550_mt: BossDR550: middle tom: a middle drum hit. 2 choices
dr550_oh	Short bank name for bossdr550_oh: BossDR550: open hi-hat: a longer metal hiss. 2 choices
dr550_perc	Short bank name for bossdr550_perc: BossDR550: mixed percussion hits. 11 choices
dr550_rd	Short bank name for bossdr550_rd: BossDR550: ride cymbal: a ringing metal tap. 2 choices
dr550_rim	Short bank name for bossdr550_rim: BossDR550: rim hit: a short woody click. 1 choices
dr550_sd	Short bank name for bossdr550_sd: BossDR550: snare drum: a sharp smack. 6 choices
dr550_sh	Short bank name for bossdr550_sh: BossDR550: shaker: a rattling sound. 2 choices
dr550_tb	Short bank name for bossdr550_tb: BossDR550: tambourine or tambourine-style percussion. 1 choices
dr55_bd	Short bank name for bossdr55_bd: BossDR55: bass drum: a low boom. 2 choices
dr55_hh	Short bank name for bossdr55_hh: BossDR55: closed hi-hat: a short metal tick. 2 choices
dr55_rim	Short bank name for bossdr55_rim: BossDR55: rim hit: a short woody click. 1 choices
dr55_sd	Short bank name for bossdr55_sd: BossDR55: snare drum: a sharp smack. 8 choices
drumulator_bd	Short bank name for emudrumulator_bd: EmuDrumulator: bass drum: a low boom. 1 choices
drumulator_cb	Short bank name for emudrumulator_cb: EmuDrumulator: cowbell or cowbell-style percussion. 1 choices
drumulator_cp	Short bank name for emudrumulator_cp: EmuDrumulator: hand clap: a clap sound. 1 choices
drumulator_cr	Short bank name for emudrumulator_cr: EmuDrumulator: crash cymbal: a big metal splash. 1 choices

Code / name	What it means
drumulator_hh	Short bank name for emudrumulator_hh: EmuDrumulator: closed hi-hat: a short metal tick. 1 choices
drumulator_ht	Short bank name for emudrumulator_ht: EmuDrumulator: high tom: a higher drum hit. 1 choices
drumulator_lt	Short bank name for emudrumulator_lt: EmuDrumulator: low tom: a lower drum hit. 1 choices
drumulator_mt	Short bank name for emudrumulator_mt: EmuDrumulator: middle tom: a middle drum hit. 1 choices
drumulator_oh	Short bank name for emudrumulator_oh: EmuDrumulator: open hi-hat: a longer metal hiss. 1 choices
drumulator_perc	Short bank name for emudrumulator_perc: EmuDrumulator: mixed percussion hits. 1 choices
drumulator_rim	Short bank name for emudrumulator_rim: EmuDrumulator: rim hit: a short woody click. 1 choices
drumulator_sd	Short bank name for emudrumulator_sd: EmuDrumulator: snare drum: a sharp smack. 1 choices
hr16_bd	Short bank name for alesishr16_bd: AlesisHR16: bass drum: a low boom. 1 choices
hr16_cp	Short bank name for alesishr16_cp: AlesisHR16: hand clap: a clap sound. 1 choices
hr16_hh	Short bank name for alesishr16_hh: AlesisHR16: closed hi-hat: a short metal tick. 1 choices
hr16_ht	Short bank name for alesishr16_ht: AlesisHR16: high tom: a higher drum hit. 1 choices
hr16_lt	Short bank name for alesishr16_lt: AlesisHR16: low tom: a lower drum hit. 1 choices
hr16_oh	Short bank name for alesishr16_oh: AlesisHR16: open hi-hat: a longer metal hiss. 1 choices
hr16_perc	Short bank name for alesishr16_perc: AlesisHR16: mixed percussion hits. 8 choices
hr16_rim	Short bank name for alesishr16_rim: AlesisHR16: rim hit: a short woody click. 1 choices
hr16_sd	Short bank name for alesishr16_sd: AlesisHR16: snare drum: a sharp smack. 1 choices

Code / name	What it means
hr16_sh	Short bank name for alesishr16_sh: AlesisHR16: shaker: a rattling sound. 3 choices
jd990_bd	Short bank name for rolandjd990_bd: RolandJD990: bass drum: a low boom. 10 choices
jd990_cb	Short bank name for rolandjd990_cb: RolandJD990: cowbell or cowbell-style percussion. 1 choices
jd990_cp	Short bank name for rolandjd990_cp: RolandJD990: hand clap: a clap sound. 1 choices
jd990_cr	Short bank name for rolandjd990_cr: RolandJD990: crash cymbal: a big metal splash. 1 choices
jd990_hh	Short bank name for rolandjd990_hh: RolandJD990: closed hi-hat: a short metal tick. 4 choices
jd990_ht	Short bank name for rolandjd990_ht: RolandJD990: high tom: a higher drum hit. 1 choices
jd990_lt	Short bank name for rolandjd990_lt: RolandJD990: low tom: a lower drum hit. 5 choices
jd990_misc	Short bank name for rolandjd990_misc: RolandJD990: other percussion and effects. 12 choices
jd990_mt	Short bank name for rolandjd990_mt: RolandJD990: middle tom: a middle drum hit. 2 choices
jd990_oh	Short bank name for rolandjd990_oh: RolandJD990: open hi-hat: a longer metal hiss. 2 choices
jd990_perc	Short bank name for rolandjd990_perc: RolandJD990: mixed percussion hits. 6 choices
jd990_rd	Short bank name for rolandjd990_rd: RolandJD990: ride cymbal: a ringing metal tap. 1 choices
jd990_sd	Short bank name for rolandjd990_sd: RolandJD990: snare drum: a sharp smack. 15 choices
jd990_tb	Short bank name for rolandjd990_tb: RolandJD990: tambourine or tambourine-style percussion. 1 choices
kpr77_bd	Short bank name for korgkpr77_bd: KorgKPR77: bass drum: a low boom. 1 choices
kpr77_cp	Short bank name for korgkpr77_cp: KorgKPR77: hand clap: a clap sound. 1 choices

Code / name	What it means
kpr77_hh	Short bank name for korgkpr77_hh: KorgKPR77: closed hi-hat: a short metal tick. 1 choices
kpr77_oh	Short bank name for korgkpr77_oh: KorgKPR77: open hi-hat: a longer metal hiss. 1 choices
kpr77_sd	Short bank name for korgkpr77_sd: KorgKPR77: snare drum: a sharp smack. 1 choices
kr55_bd	Short bank name for korgkr55_bd: KorgKR55: bass drum: a low boom. 1 choices
kr55_cb	Short bank name for korgkr55_cb: KorgKR55: cowbell or cowbell-style percussion. 1 choices
kr55_cr	Short bank name for korgkr55_cr: KorgKR55: crash cymbal: a big metal splash. 1 choices
kr55_hh	Short bank name for korgkr55_hh: KorgKR55: closed hi-hat: a short metal tick. 1 choices
kr55_ht	Short bank name for korgkr55_ht: KorgKR55: high tom: a higher drum hit. 1 choices
kr55_oh	Short bank name for korgkr55_oh: KorgKR55: open hi-hat: a longer metal hiss. 1 choices
kr55_perc	Short bank name for korgkr55_perc: KorgKR55: mixed percussion hits. 2 choices
kr55_rim	Short bank name for korgkr55_rim: KorgKR55: rim hit: a short woody click. 1 choices
kr55_sd	Short bank name for korgkr55_sd: KorgKR55: snare drum: a sharp smack. 1 choices
krz_bd	Short bank name for korgkrz_bd: KorgKRZ: bass drum: a low boom. 1 choices
krz_cr	Short bank name for korgkrz_cr: KorgKRZ: crash cymbal: a big metal splash. 1 choices
krz_fx	Short bank name for korgkrz_fx: KorgKRZ: sound effects. 2 choices
krz_hh	Short bank name for korgkrz_hh: KorgKRZ: closed hi-hat: a short metal tick. 1 choices
krz_ht	Short bank name for korgkrz_ht: KorgKRZ: high tom: a higher drum hit. 1 choices
krz_lt	Short bank name for korgkrz_lt: KorgKRZ: low tom: a lower drum hit. 1 choices
krz_misc	Short bank name for korgkrz_misc: KorgKRZ: other percussion and effects. 1 choices

Code / name	What it means
krz_oh	Short bank name for korgkrz_oh: KorgKRZ: open hi-hat: a longer metal hiss. 1 choices
krz_rd	Short bank name for korgkrz_rd: KorgKRZ: ride cymbal: a ringing metal tap. 1 choices
krz_sd	Short bank name for korgkrz_sd: KorgKRZ: snare drum: a sharp smack. 2 choices
linn_bd	Short bank name for akailinn_bd: AkaiLinn: bass drum: a low boom. 1 choices
linn_cb	Short bank name for akailinn_cb: AkaiLinn: cowbell or cowbell-style percussion. 1 choices
linn_cp	Short bank name for akailinn_cp: AkaiLinn: hand clap: a clap sound. 1 choices
linn_cr	Short bank name for akailinn_cr: AkaiLinn: crash cymbal: a big metal splash. 1 choices

Code / name	What it means
linn_hh	Short bank name for akailinn_hh: AkaiLinn: closed hi-hat: a short metal tick. 1 choices
linn_ht	Short bank name for akailinn_ht: AkaiLinn: high tom: a higher drum hit. 1 choices
linn_lt	Short bank name for akailinn_lt: AkaiLinn: low tom: a lower drum hit. 1 choices
linn_mt	Short bank name for akailinn_mt: AkaiLinn: middle tom: a middle drum hit. 1 choices
linn_oh	Short bank name for akailinn_oh: AkaiLinn: open hi-hat: a longer metal hiss. 1 choices
linn_rd	Short bank name for akailinn_rd: AkaiLinn: ride cymbal: a ringing metal tap. 1 choices
linn_sd	Short bank name for akailinn_sd: AkaiLinn: snare drum: a sharp smack. 1 choices
linn_sh	Short bank name for akailinn_sh: AkaiLinn: shaker: a rattling sound. 1 choices
linn_tb	Short bank name for akailinn_tb: AkaiLinn: tambourine or tambourine-style percussion. 1 choices
lm1_bd	Short bank name for linnlm1_bd: LinnLM1: bass drum: a low boom. 4 choices
lm1_cb	Short bank name for linnlm1_cb: LinnLM1: cowbell or cowbell-style percussion. 1 choices

Code / name	What it means
lm1_cp	Short bank name for linnlm1_cp: LinnLM1: hand clap: a clap sound. 1 choices
lm1_hh	Short bank name for linnlm1_hh: LinnLM1: closed hi-hat: a short metal tick. 1 choices
lm1_ht	Short bank name for linnlm1_ht: LinnLM1: high tom: a higher drum hit. 1 choices
lm1_lt	Short bank name for linnlm1_lt: LinnLM1: low tom: a lower drum hit. 1 choices
lm1_oh	Short bank name for linnlm1_oh: LinnLM1: open hi-hat: a longer metal hiss. 1 choices
lm1_perc	Short bank name for linnlm1_perc: LinnLM1: mixed percussion hits. 3 choices
lm1_rim	Short bank name for linnlm1_rim: LinnLM1: rim hit: a short woody click. 1 choices
lm1_sd	Short bank name for linnlm1_sd: LinnLM1: snare drum: a sharp smack. 1 choices
lm1_sh	Short bank name for linnlm1_sh: LinnLM1: shaker: a rattling sound. 1 choices
lm1_tb	Short bank name for linnlm1_tb: LinnLM1: tambourine or tambourine-style percussion. 1 choices
lm2_bd	Short bank name for linnlm2_bd: LinnLM2: bass drum: a low boom. 4 choices
lm2_cb	Short bank name for linnlm2_cb: LinnLM2: cowbell or cowbell-style percussion. 1 choices
lm2_cp	Short bank name for linnlm2_cp: LinnLM2: hand clap: a clap sound. 1 choices
lm2_cr	Short bank name for linnlm2_cr: LinnLM2: crash cymbal: a big metal splash. 1 choices
lm2_hh	Short bank name for linnlm2_hh: LinnLM2: closed hi-hat: a short metal tick. 2 choices
lm2_ht	Short bank name for linnlm2_ht: LinnLM2: high tom: a higher drum hit. 1 choices
lm2_lt	Short bank name for linnlm2_lt: LinnLM2: low tom: a lower drum hit. 1 choices
lm2_mt	Short bank name for linnlm2_mt: LinnLM2: middle tom: a middle drum hit. 1 choices
lm2_oh	Short bank name for linnlm2_oh: LinnLM2: open hi-hat: a longer metal hiss. 2 choices

Code / name	What it means
lm2_rd	Short bank name for linnlm2_rd: LinnLM2: ride cymbal: a ringing metal tap. 1 choices
lm2_rim	Short bank name for linnlm2_rim: LinnLM2: rim hit: a short woody click. 2 choices
lm2_sd	Short bank name for linnlm2_sd: LinnLM2: snare drum: a sharp smack. 4 choices
lm2_sh	Short bank name for linnlm2_sh: LinnLM2: shaker: a rattling sound. 1 choices
lm2_tb	Short bank name for linnlm2_tb: LinnLM2: tambourine or tambourine-style percussion. 1 choices
lm8953_bd	Short bank name for xdruml8953_bd: XdrumLM8953: bass drum: a low boom. 3 choices
lm8953_cr	Short bank name for xdruml8953_cr: XdrumLM8953: crash cymbal: a big metal splash. 1 choices
lm8953_hh	Short bank name for xdruml8953_hh: XdrumLM8953: closed hi-hat: a short metal tick. 2 choices
lm8953_ht	Short bank name for xdruml8953_ht: XdrumLM8953: high tom: a higher drum hit. 2 choices
lm8953_lt	Short bank name for xdruml8953_lt: XdrumLM8953: low tom: a lower drum hit. 2 choices
lm8953_mt	Short bank name for xdruml8953_mt: XdrumLM8953: middle tom: a middle drum hit. 2 choices
lm8953_oh	Short bank name for xdruml8953_oh: XdrumLM8953: open hi-hat: a longer metal hiss. 1 choices
lm8953_rd	Short bank name for xdruml8953_rd: XdrumLM8953: ride cymbal: a ringing metal tap. 1 choices
lm8953_rim	Short bank name for xdruml8953_rim: XdrumLM8953: rim hit: a short woody click. 2 choices
lm8953_sd	Short bank name for xdruml8953_sd: XdrumLM8953: snare drum: a sharp smack. 5 choices
lm8953_tb	Short bank name for xdruml8953_tb: XdrumLM8953: tambourine or tambourine-style percussion. 1 choices

Code / name	What it means
m1_bd	Short bank name for korgm1_bd: KorgM1: bass drum: a low boom. 3 choices
m1_cb	Short bank name for korgm1_cb: KorgM1: cowbell or cowbell-style percussion. 1 choices
m1_cp	Short bank name for korgm1_cp: KorgM1: hand clap: a clap sound. 1 choices
m1_cr	Short bank name for korgm1_cr: KorgM1: crash cymbal: a big metal splash. 1 choices
m1_hh	Short bank name for korgm1_hh: KorgM1: closed hi-hat: a short metal tick. 2 choices
m1_ht	Short bank name for korgm1_ht: KorgM1: high tom: a higher drum hit. 2 choices
m1_misc	Short bank name for korgm1_misc: KorgM1: other percussion and effects. 16 choices
m1_mt	Short bank name for korgm1_mt: KorgM1: middle tom: a middle drum hit. 1 choices
m1_oh	Short bank name for korgm1_oh: KorgM1: open hi-hat: a longer metal hiss. 2 choices
m1_perc	Short bank name for korgm1_perc: KorgM1: mixed percussion hits. 7 choices
m1_rd	Short bank name for korgm1_rd: KorgM1: ride cymbal: a ringing metal tap. 1 choices
m1_rim	Short bank name for korgm1_rim: KorgM1: rim hit: a short woody click. 1 choices
m1_sd	Short bank name for korgm1_sd: KorgM1: snare drum: a sharp smack. 4 choices
m1_sh	Short bank name for korgm1_sh: KorgM1: shaker: a rattling sound. 1 choices
Code / name	What it means
m1_tb	Short bank name for korgm1_tb: KorgM1: tambourine or tambourine-style percussion. 1 choices
mc202_bd	Short bank name for rolandmc202_bd: RolandMC202: bass drum: a low boom. 5 choices
mc202_ht	Short bank name for rolandmc202_ht: RolandMC202: high tom: a higher drum hit. 3 choices
mc202_perc	Short bank name for rolandmc202_perc: RolandMC202: mixed percussion hits. 1 choices

Code / name	What it means
mc303_bd	Short bank name for rolandmc303_bd: RolandMC303: bass drum: a low boom. 16 choices
mc303_cb	Short bank name for rolandmc303_cb: RolandMC303: cowbell or cowbell-style percussion. 2 choices
mc303_cp	Short bank name for rolandmc303_cp: RolandMC303: hand clap: a clap sound. 8 choices
mc303_fx	Short bank name for rolandmc303_fx: RolandMC303: sound effects. 2 choices
mc303_hh	Short bank name for rolandmc303_hh: RolandMC303: closed hi-hat: a short metal tick. 6 choices
mc303_ht	Short bank name for rolandmc303_ht: RolandMC303: high tom: a higher drum hit. 5 choices
mc303_lt	Short bank name for rolandmc303_lt: RolandMC303: low tom: a lower drum hit. 5 choices
mc303_misc	Short bank name for rolandmc303_misc: RolandMC303: other percussion and effects. 8 choices
mc303_mt	Short bank name for rolandmc303_mt: RolandMC303: middle tom: a middle drum hit. 6 choices
mc303_oh	Short bank name for rolandmc303_oh: RolandMC303: open hi-hat: a longer metal hiss. 5 choices
mc303_perc	Short bank name for rolandmc303_perc: RolandMC303: mixed percussion hits. 39 choices
mc303_rd	Short bank name for rolandmc303_rd: RolandMC303: ride cymbal: a ringing metal tap. 2 choices
mc303_rim	Short bank name for rolandmc303_rim: RolandMC303: rim hit: a short woody click. 6 choices
mc303_sd	Short bank name for rolandmc303_sd: RolandMC303: snare drum: a sharp smack. 26 choices
mc303_sh	Short bank name for rolandmc303_sh: RolandMC303: shaker: a rattling sound. 7 choices
mc303_tb	Short bank name for rolandmc303_tb: RolandMC303: tambourine or tambourine-style percussion. 5 choices

Code / name	What it means
microrhythmer12_bd	Short bank name for univoxmicrorhythmer12_bd: UnivoxMicroRhythmer12: bass drum: a low boom. 1 choices
microrhythmer12_hh	Short bank name for univoxmicrorhythmer12_hh: UnivoxMicroRhythmer12: closed hi-hat: a short metal tick. 1 choices
microrhythmer12_oh	Short bank name for univoxmicrorhythmer12_oh: UnivoxMicroRhythmer12: open hi-hat: a longer metal hiss. 1 choices
microrhythmer12_sd	Short bank name for univoxmicrorhythmer12_sd: UnivoxMicroRhythmer12: snare drum: a sharp smack. 1 choices
minipops_bd	Short bank name for korgminipops_bd: KorgMinipops: bass drum: a low boom. 7 choices
minipops_hh	Short bank name for korgminipops_hh: KorgMinipops: closed hi-hat: a short metal tick. 4 choices
minipops_misc	Short bank name for korgminipops_misc: KorgMinipops: other percussion and effects. 4 choices
minipops_oh	Short bank name for korgminipops_oh: KorgMinipops: open hi-hat: a longer metal hiss. 4 choices
minipops_sd	Short bank name for korgminipops_sd: KorgMinipops: snare drum: a sharp smack. 13 choices
mpc60_bd	Short bank name for akaimpc60_bd: AkaiMPC60: bass drum: a low boom. 2 choices
mpc60_cp	Short bank name for akaimpc60_cp: AkaiMPC60: hand clap: a clap sound. 1 choices
mpc60_cr	Short bank name for akaimpc60_cr: AkaiMPC60: crash cymbal: a big metal splash. 1 choices
mpc60_hh	Short bank name for akaimpc60_hh: AkaiMPC60: closed hi-hat: a short metal tick. 1 choices
mpc60_ht	Short bank name for akaimpc60_ht: AkaiMPC60: high tom: a higher drum hit. 1 choices
mpc60_lt	Short bank name for akaimpc60_lt: AkaiMPC60: low tom: a lower drum hit. 1 choices
mpc60_misc	Short bank name for akaimpc60_misc: AkaiMPC60: other percussion and effects. 2 choices

Code / name	What it means
mpc60_mt	Short bank name for akaimpc60_mt: AkaiMPC60: middle tom: a middle drum hit. 1 choices
mpc60_oh	Short bank name for akaimpc60_oh: AkaiMPC60: open hi-hat: a longer metal hiss. 1 choices
mpc60_perc	Short bank name for akaimpc60_perc: AkaiMPC60: mixed percussion hits. 5 choices
mpc60_rd	Short bank name for akaimpc60_rd: AkaiMPC60: ride cymbal: a ringing metal tap. 1 choices
mpc60_rim	Short bank name for akaimpc60_rim: AkaiMPC60: rim hit: a short woody click. 1 choices
mpc60_sd	Short bank name for akaimpc60_sd: AkaiMPC60: snare drum: a sharp smack. 3 choices
ms404_bd	Short bank name for doepferms404_bd: DoepferMS404: bass drum: a low boom. 2 choices
ms404_hh	Short bank name for doepferms404_hh: DoepferMS404: closed hi-hat: a short metal tick. 1 choices
ms404_lt	Short bank name for doepferms404_lt: DoepferMS404: low tom: a lower drum hit. 1 choices
ms404_oh	Short bank name for doepferms404_oh: DoepferMS404: open hi-hat: a longer metal hiss. 1 choices
ms404_sd	Short bank name for doepferms404_sd: DoepferMS404: snare drum: a sharp smack. 1 choices
mt32_bd	Short bank name for rolandmt32_bd: RolandMT32: bass drum: a low boom. 1 choices
mt32_cb	Short bank name for rolandmt32_cb: RolandMT32: cowbell or cowbell-style percussion. 1 choices
mt32_cp	Short bank name for rolandmt32_cp: RolandMT32: hand clap: a clap sound. 1 choices
mt32_cr	Short bank name for rolandmt32_cr: RolandMT32: crash cymbal: a big metal splash. 1 choices
mt32_hh	Short bank name for rolandmt32_hh: RolandMT32: closed hi-hat: a short metal tick. 1 choices
mt32_ht	Short bank name for rolandmt32_ht: RolandMT32: high tom: a higher drum hit. 1 choices

Code / name	What it means
mt32_lt	Short bank name for rolandmt32_lt: RolandMT32: low tom: a lower drum hit. 1 choices
mt32_mt	Short bank name for rolandmt32_mt: RolandMT32: middle tom: a middle drum hit. 1 choices
mt32_oh	Short bank name for rolandmt32_oh: RolandMT32: open hi-hat: a longer metal hiss. 2 choices
mt32_perc	Short bank name for rolandmt32_perc: RolandMT32: mixed percussion hits. 13 choices
mt32_rd	Short bank name for rolandmt32_rd: RolandMT32: ride cymbal: a ringing metal tap. 1 choices
mt32_rim	Short bank name for rolandmt32_rim: RolandMT32: rim hit: a short woody click. 1 choices
mt32_sd	Short bank name for rolandmt32_sd: RolandMT32: snare drum: a sharp smack. 2 choices
Code / name	What it means
mt32_sh	Short bank name for rolandmt32_sh: RolandMT32: shaker: a rattling sound. 2 choices
mt32_tb	Short bank name for rolandmt32_tb: RolandMT32: tambourine or tambourine-style percussion. 1 choices
percysyn_bd	Short bank name for ajkpercusyn_bd: AJKPercusyn: bass drum: a low boom. 1 choices
percysyn_cb	Short bank name for ajkpercusyn_cb: AJKPercusyn: cowbell or cowbell-style percussion. 2 choices
percysyn_ht	Short bank name for ajkpercusyn_ht: AJKPercusyn: high tom: a higher drum hit. 1 choices
percysyn_sd	Short bank name for ajkpercusyn_sd: AJKPercusyn: snare drum: a sharp smack. 1 choices
polaris_bd	Short bank name for rhodespolaris_bd: RhodesPolaris: bass drum: a low boom. 4 choices
polaris_misc	Short bank name for rhodespolaris_misc: RhodesPolaris: other percussion and effects. 4 choices
polaris_sd	Short bank name for rhodespolaris_sd: RhodesPolaris: snare drum: a sharp smack. 4 choices
poly800_bd	Short bank name for korgpoly800_bd: KorgPoly800: bass drum: a low boom. 4 choices

Code / name	What it means
r88_bd	Short bank name for soundmastersr88_bd: SoundmastersR88: bass drum: a low boom. 1 choices
r88_cr	Short bank name for soundmastersr88_cr: SoundmastersR88: crash cymbal: a big metal splash. 1 choices
r88_hh	Short bank name for soundmastersr88_hh: SoundmastersR88: closed hi-hat: a short metal tick. 1 choices
r88_oh	Short bank name for soundmastersr88_oh: SoundmastersR88: open hi-hat: a longer metal hiss. 1 choices
r88_sd	Short bank name for soundmastersr88_sd: SoundmastersR88: snare drum: a sharp smack. 2 choices
r8_bd	Short bank name for rolandr8_bd: RolandR8: bass drum: a low boom. 7 choices
r8_cb	Short bank name for rolandr8_cb: RolandR8: cowbell or cowbell-style percussion. 1 choices
r8_cp	Short bank name for rolandr8_cp: RolandR8: hand clap: a clap sound. 1 choices
r8_cr	Short bank name for rolandr8_cr: RolandR8: crash cymbal: a big metal splash. 1 choices
r8_hh	Short bank name for rolandr8_hh: RolandR8: closed hi-hat: a short metal tick. 2 choices
r8_ht	Short bank name for rolandr8_ht: RolandR8: high tom: a higher drum hit. 4 choices
r8_lt	Short bank name for rolandr8_lt: RolandR8: low tom: a lower drum hit. 4 choices
r8_mt	Short bank name for rolandr8_mt: RolandR8: middle tom: a middle drum hit. 4 choices
r8_oh	Short bank name for rolandr8_oh: RolandR8: open hi-hat: a longer metal hiss. 1 choices
r8_perc	Short bank name for rolandr8_perc: RolandR8: mixed percussion hits. 8 choices
r8_rd	Short bank name for rolandr8_rd: RolandR8: ride cymbal: a ringing metal tap. 2 choices
r8_rim	Short bank name for rolandr8_rim: RolandR8: rim hit: a short woody click. 2 choices
r8_sd	Short bank name for rolandr8_sd: RolandR8: snare drum: a sharp smack. 12 choices

Code / name	What it means
r8_sh	Short bank name for rolandr8_sh: RolandR8: shaker: a rattling sound. 2 choices
r8_tb	Short bank name for rolandr8_tb: RolandR8: tambourine or tambourine-style percussion. 1 choices
rm50_bd	Short bank name for yamaharm50_bd: YamahaRM50: bass drum: a low boom. 103 choices
rm50_cb	Short bank name for yamaharm50_cb: YamahaRM50: cowbell or cowbell-style percussion. 6 choices
rm50_cp	Short bank name for yamaharm50_cp: YamahaRM50: hand clap: a clap sound. 2 choices
rm50_cr	Short bank name for yamaharm50_cr: YamahaRM50: crash cymbal: a big metal splash. 22 choices
rm50_hh	Short bank name for yamaharm50_hh: YamahaRM50: closed hi-hat: a short metal tick. 18 choices
rm50_ht	Short bank name for yamaharm50_ht: YamahaRM50: high tom: a higher drum hit. 25 choices
rm50_lt	Short bank name for yamaharm50_lt: YamahaRM50: low tom: a lower drum hit. 49 choices
rm50_misc	Short bank name for yamaharm50_misc: YamahaRM50: other percussion and effects. 28 choices
rm50_mt	Short bank name for yamaharm50_mt: YamahaRM50: middle tom: a middle drum hit. 34 choices
rm50_oh	Short bank name for yamaharm50_oh: YamahaRM50: open hi-hat: a longer metal hiss. 12 choices
rm50_perc	Short bank name for yamaharm50_perc: YamahaRM50: mixed percussion hits. 56 choices
rm50_rd	Short bank name for yamaharm50_rd: YamahaRM50: ride cymbal: a ringing metal tap. 13 choices
rm50_sd	Short bank name for yamaharm50_sd: YamahaRM50: snare drum: a sharp smack. 108 choices
rm50_sh	Short bank name for yamaharm50_sh: YamahaRM50: shaker: a rattling sound. 6 choices

Code / name	What it means
rm50_tb	Short bank name for yamaharm50_tb: YamahaRM50: tambourine or tambourine-style percussion. 3 choices
rx21_bd	Short bank name for yamaharx21_bd: YamahaRX21: bass drum: a low boom. 1 choices
rx21_cp	Short bank name for yamaharx21_cp: YamahaRX21: hand clap: a clap sound. 1 choices
rx21_cr	Short bank name for yamaharx21_cr: YamahaRX21: crash cymbal: a big metal splash. 1 choices
rx21_hh	Short bank name for yamaharx21_hh: YamahaRX21: closed hi-hat: a short metal tick. 1 choices
rx21_ht	Short bank name for yamaharx21_ht: YamahaRX21: high tom: a higher drum hit. 1 choices
rx21_lt	Short bank name for yamaharx21_lt: YamahaRX21: low tom: a lower drum hit. 1 choices
rx21_mt	Short bank name for yamaharx21_mt: YamahaRX21: middle tom: a middle drum hit. 1 choices
rx21_oh	Short bank name for yamaharx21_oh: YamahaRX21: open hi-hat: a longer metal hiss. 1 choices
rx21_sd	Short bank name for yamaharx21_sd: YamahaRX21: snare drum: a sharp smack. 1 choices
rx5_bd	Short bank name for yamaharx5_bd: YamahaRX5: bass drum: a low boom. 2 choices
rx5_cb	Short bank name for yamaharx5_cb: YamahaRX5: cowbell or cowbell-style percussion. 1 choices
rx5_fx	Short bank name for yamaharx5_fx: YamahaRX5: sound effects. 1 choices
rx5_hh	Short bank name for yamaharx5_hh: YamahaRX5: closed hi-hat: a short metal tick. 1 choices
rx5_lt	Short bank name for yamaharx5_lt: YamahaRX5: low tom: a lower drum hit. 1 choices
rx5_oh	Short bank name for yamaharx5_oh: YamahaRX5: open hi-hat: a longer metal hiss. 1 choices

Code / name	What it means
rx5_rim	Short bank name for yamaharx5_rim: YamahaRX5: rim hit: a short woody click. 1 choices
rx5_sd	Short bank name for yamaharx5_sd: YamahaRX5: snare drum: a sharp smack. 3 choices
rx5_sh	Short bank name for yamaharx5_sh: YamahaRX5: shaker: a rattling sound. 1 choices
rx5_tb	Short bank name for yamaharx5_tb: YamahaRX5: tambourine or tambourine-style percussion. 1 choices
ry30_bd	Short bank name for yamahary30_bd: YamahaRY30: bass drum: a low boom. 13 choices
ry30_cb	Short bank name for yamahary30_cb: YamahaRY30: cowbell or cowbell-style percussion. 2 choices
ry30_cp	Short bank name for yamahary30_cp: YamahaRY30: hand clap: a clap sound. 1 choices
ry30_cr	Short bank name for yamahary30_cr: YamahaRY30: crash cymbal: a big metal splash. 2 choices
ry30_hh	Short bank name for yamahary30_hh: YamahaRY30: closed hi-hat: a short metal tick. 4 choices
ry30_ht	Short bank name for yamahary30_ht: YamahaRY30: high tom: a higher drum hit. 3 choices
ry30_lt	Short bank name for yamahary30_lt: YamahaRY30: low tom: a lower drum hit. 3 choices
ry30_misc	Short bank name for yamahary30_misc: YamahaRY30: other percussion and effects. 8 choices
ry30_mt	Short bank name for yamahary30_mt: YamahaRY30: middle tom: a middle drum hit. 2 choices
ry30_oh	Short bank name for yamahary30_oh: YamahaRY30: open hi-hat: a longer metal hiss. 4 choices
ry30_perc	Short bank name for yamahary30_perc: YamahaRY30: mixed percussion hits. 13 choices
ry30_rd	Short bank name for yamahary30_rd: YamahaRY30: ride cymbal: a ringing metal tap. 3 choices
ry30_rim	Short bank name for yamahary30_rim: YamahaRY30: rim hit: a short woody click. 2 choices

Code / name	What it means
ry30_sd	Short bank name for yamahary30_sd: YamahaRY30: snare drum: a sharp smack. 21 choices
ry30_sh	Short bank name for yamahary30_sh: YamahaRY30: shaker: a rattling sound. 2 choices
ry30_tb	Short bank name for yamahary30_tb: YamahaRY30: tambourine or tambourine-style percussion. 1 choices
rz1_bd	Short bank name for casiorz1_bd: CasioRZ1: bass drum: a low boom. 1 choices
rz1_cb	Short bank name for casiorz1_cb: CasioRZ1: cowbell or cowbell-style percussion. 1 choices
rz1_cp	Short bank name for casiorz1_cp: CasioRZ1: hand clap: a clap sound. 1 choices
rz1_cr	Short bank name for casiorz1_cr: CasioRZ1: crash cymbal: a big metal splash. 1 choices
rz1_hh	Short bank name for casiorz1_hh: CasioRZ1: closed hi-hat: a short metal tick. 1 choices
rz1_ht	Short bank name for casiorz1_ht: CasioRZ1: high tom: a higher drum hit. 1 choices
rz1_lt	Short bank name for casiorz1_lt: CasioRZ1: low tom: a lower drum hit. 1 choices
rz1_mt	Short bank name for casiorz1_mt: CasioRZ1: middle tom: a middle drum hit. 1 choices
rz1_rd	Short bank name for casiorz1_rd: CasioRZ1: ride cymbal: a ringing metal tap. 2 choices
rz1_rim	Short bank name for casiorz1_rim: CasioRZ1: rim hit: a short woody click. 1 choices
rz1_sd	Short bank name for casiorz1_sd: CasioRZ1: snare drum: a sharp smack. 1 choices
s50_bd	Short bank name for rolands50_bd: RolandS50: bass drum: a low boom. 4 choices
s50_cb	Short bank name for rolands50_cb: RolandS50: cowbell or cowbell-style percussion. 1 choices
s50_cp	Short bank name for rolands50_cp: RolandS50: hand clap: a clap sound. 1 choices
s50_cr	Short bank name for rolands50_cr: RolandS50: crash cymbal: a big metal splash. 2 choices
s50_ht	Short bank name for rolands50_ht: RolandS50: high tom: a higher drum hit. 1 choices

Code / name	What it means
s50_lt	Short bank name for rolands50_lt: RolandS50: low tom: a lower drum hit. 2 choices
s50_misc	Short bank name for rolands50_misc: RolandS50: other percussion and effects. 6 choices
s50_mt	Short bank name for rolands50_mt: RolandS50: middle tom: a middle drum hit. 1 choices
s50_oh	Short bank name for rolands50_oh: RolandS50: open hi-hat: a longer metal hiss. 1 choices
s50_perc	Short bank name for rolands50_perc: RolandS50: mixed percussion hits. 14 choices
s50_rd	Short bank name for rolands50_rd: RolandS50: ride cymbal: a ringing metal tap. 1 choices
s50_sd	Short bank name for rolands50_sd: RolandS50: snare drum: a sharp smack. 3 choices
s50_sh	Short bank name for rolands50_sh: RolandS50: shaker: a rattling sound. 4 choices
s50_tb	Short bank name for rolands50_tb: RolandS50: tambourine or tambourine-style percussion. 2 choices
sds400_ht	Short bank name for simmonssds400_ht: SimmonsSDS400: high tom: a higher drum hit. 3 choices
sds400_lt	Short bank name for simmonssds400_lt: SimmonsSDS400: low tom: a lower drum hit. 6 choices
sds400_mt	Short bank name for simmonssds400_mt: SimmonsSDS400: middle tom: a middle drum hit. 8 choices
sds400_sd	Short bank name for simmonssds400_sd: SimmonsSDS400: snare drum: a sharp smack. 3 choices
sds5_bd	Short bank name for simmonssds5_bd: SimmonsSDS5: bass drum: a low boom. 12 choices
sds5_hh	Short bank name for simmonssds5_hh: SimmonsSDS5: closed hi-hat: a short metal tick. 5 choices
sds5_ht	Short bank name for simmonssds5_ht: SimmonsSDS5: high tom: a higher drum hit. 3 choices
sds5_lt	Short bank name for simmonssds5_lt: SimmonsSDS5: low tom: a lower drum hit. 8 choices

Code / name	What it means
sds5_mt	Short bank name for simmonssds5_mt: SimmonsSDS5: middle tom: a middle drum hit. 6 choices
sds5_oh	Short bank name for simmonssds5_oh: SimmonsSDS5: open hi-hat: a longer metal hiss. 2 choices
sds5_rim	Short bank name for simmonssds5_rim: SimmonsSDS5: rim hit: a short woody click. 7 choices
sds5_sd	Short bank name for simmonssds5_sd: SimmonsSDS5: snare drum: a sharp smack. 21 choices
sh09_bd	Short bank name for rolandsh09_bd: RolandSH09: bass drum: a low boom. 43 choices
sk1_bd	Short bank name for casiosk1_bd: CasioSK1: bass drum: a low boom. 1 choices
sk1_hh	Short bank name for casiosk1_hh: CasioSK1: closed hi-hat: a short metal tick. 1 choices
Code / name	What it means
sk1_ht	Short bank name for casiosk1_ht: CasioSK1: high tom: a higher drum hit. 1 choices
sk1_mt	Short bank name for casiosk1_mt: CasioSK1: middle tom: a middle drum hit. 1 choices
sk1_oh	Short bank name for casiosk1_oh: CasioSK1: open hi-hat: a longer metal hiss. 1 choices
sk1_sd	Short bank name for casiosk1_sd: CasioSK1: snare drum: a sharp smack. 1 choices
sp12_bd	Short bank name for emusp12_bd: EmuSP12: bass drum: a low boom. 14 choices
sp12_cb	Short bank name for emusp12_cb: EmuSP12: cowbell or cowbell-style percussion. 1 choices
sp12_cp	Short bank name for emusp12_cp: EmuSP12: hand clap: a clap sound. 1 choices
sp12_cr	Short bank name for emusp12_cr: EmuSP12: crash cymbal: a big metal splash. 1 choices
sp12_hh	Short bank name for emusp12_hh: EmuSP12: closed hi-hat: a short metal tick. 2 choices
sp12_ht	Short bank name for emusp12_ht: EmuSP12: high tom: a higher drum hit. 6 choices

Code / name	What it means
sp12_lt	Short bank name for emusp12_lt: EmuSP12: low tom: a lower drum hit. 6 choices
sp12_misc	Short bank name for emusp12_misc: EmuSP12: other percussion and effects. 7 choices
sp12_mt	Short bank name for emusp12_mt: EmuSP12: middle tom: a middle drum hit. 4 choices
sp12_oh	Short bank name for emusp12_oh: EmuSP12: open hi-hat: a longer metal hiss. 1 choices
sp12_perc	Short bank name for emusp12_perc: EmuSP12: mixed percussion hits. 1 choices
sp12_rd	Short bank name for emusp12_rd: EmuSP12: ride cymbal: a ringing metal tap. 1 choices
sp12_rim	Short bank name for emusp12_rim: EmuSP12: rim hit: a short woody click. 2 choices
sp12_sd	Short bank name for emusp12_sd: EmuSP12: snare drum: a sharp smack. 21 choices
spacedrum_bd	Short bank name for viscospacedrum_bd: ViscoSpaceDrum: bass drum: a low boom. 11 choices
spacedrum_cb	Short bank name for viscospacedrum_cb: ViscoSpaceDrum: cowbell or cowbell-style percussion. 1 choices
spacedrum_hh	Short bank name for viscospacedrum_hh: ViscoSpaceDrum: closed hi-hat: a short metal tick. 6 choices
spacedrum_ht	Short bank name for viscospacedrum_ht: ViscoSpaceDrum: high tom: a higher drum hit. 7 choices
spacedrum_lt	Short bank name for viscospacedrum_lt: ViscoSpaceDrum: low tom: a lower drum hit. 2 choices
spacedrum_misc	Short bank name for viscospacedrum_misc: ViscoSpaceDrum: other percussion and effects. 2 choices
spacedrum_mt	Short bank name for viscospacedrum_mt: ViscoSpaceDrum: middle tom: a middle drum hit. 2 choices
spacedrum_oh	Short bank name for viscospacedrum_oh: ViscoSpaceDrum: open hi-hat: a longer metal hiss. 3 choices

Code / name	What it means
spacedrum_perc	Short bank name for viscospacedrum_perc: ViscoSpaceDrum: mixed percussion hits. 2 choices
spacedrum_rim	Short bank name for viscospacedrum_rim: ViscoSpaceDrum: rim hit: a short woody click. 1 choices
spacedrum_sd	Short bank name for viscospacedrum_sd: ViscoSpaceDrum: snare drum: a sharp smack. 3 choices
sr16_bd	Short bank name for alesissr16_bd: AlesisSR16: bass drum: a low boom. 13 choices
sr16_cb	Short bank name for alesissr16_cb: AlesisSR16: cowbell or cowbell-style percussion. 1 choices
sr16_cp	Short bank name for alesissr16_cp: AlesisSR16: hand clap: a clap sound. 1 choices
sr16_cr	Short bank name for alesissr16_cr: AlesisSR16: crash cymbal: a big metal splash. 2 choices
sr16_hh	Short bank name for alesissr16_hh: AlesisSR16: closed hi-hat: a short metal tick. 3 choices
sr16_misc	Short bank name for alesissr16_misc: AlesisSR16: other percussion and effects. 3 choices
sr16_oh	Short bank name for alesissr16_oh: AlesisSR16: open hi-hat: a longer metal hiss. 4 choices
sr16_perc	Short bank name for alesissr16_perc: AlesisSR16: mixed percussion hits. 7 choices
sr16_rd	Short bank name for alesissr16_rd: AlesisSR16: ride cymbal: a ringing metal tap. 3 choices
sr16_rim	Short bank name for alesissr16_rim: AlesisSR16: rim hit: a short woody click. 1 choices
sr16_sd	Short bank name for alesissr16_sd: AlesisSR16: snare drum: a sharp smack. 12 choices
sr16_sh	Short bank name for alesissr16_sh: AlesisSR16: shaker: a rattling sound. 1 choices
sr16_tb	Short bank name for alesissr16_tb: AlesisSR16: tambourine or tambourine-style percussion. 1 choices
system100_bd	Short bank name for rolandsystem100_bd: RolandSystem100: bass drum: a low boom. 15 choices

Code / name	What it means
system100_hh	Short bank name for rolandsystem100_hh: RolandSystem100: closed hi-hat: a short metal tick. 2 choices
system100_misc	Short bank name for rolandsystem100_misc: RolandSystem100: other percussion and effects. 2 choices
system100_oh	Short bank name for rolandsystem100_oh: RolandSystem100: open hi-hat: a longer metal hiss. 3 choices
system100_perc	Short bank name for rolandsystem100_perc: RolandSystem100: mixed percussion hits. 19 choices
system100_sd	Short bank name for rolandsystem100_sd: RolandSystem100: snare drum: a sharp smack. 21 choices
t3_bd	Short bank name for korgt3_bd: KorgT3: bass drum: a low boom. 5 choices
t3_cp	Short bank name for korgt3_cp: KorgT3: hand clap: a clap sound. 1 choices
t3_hh	Short bank name for korgt3_hh: KorgT3: closed hi-hat: a short metal tick. 2 choices
t3_misc	Short bank name for korgt3_misc: KorgT3: other percussion and effects. 4 choices
t3_oh	Short bank name for korgt3_oh: KorgT3: open hi-hat: a longer metal hiss. 2 choices
t3_perc	Short bank name for korgt3_perc: KorgT3: mixed percussion hits. 4 choices
t3_rim	Short bank name for korgt3_rim: KorgT3: rim hit: a short woody click. 1 choices
t3_sd	Short bank name for korgt3_sd: KorgT3: snare drum: a sharp smack. 5 choices
t3_sh	Short bank name for korgt3_sh: KorgT3: shaker: a rattling sound. 3 choices
tg33_bd	Short bank name for yamahatg33_bd: YamahaTG33: bass drum: a low boom. 4 choices
tg33_cb	Short bank name for yamahatg33_cb: YamahaTG33: cowbell or cowbell-style percussion. 3 choices
tg33_cp	Short bank name for yamahatg33_cp: YamahaTG33: hand clap: a clap sound. 1 choices

Code / name	What it means
tg33_cr	Short bank name for yamahatg33_cr: YamahaTG33: crash cymbal: a big metal splash. 3 choices
tg33_fx	Short bank name for yamahatg33_fx: YamahaTG33: sound effects. 1 choices
tg33_ht	Short bank name for yamahatg33_ht: YamahaTG33: high tom: a higher drum hit. 2 choices
tg33_lt	Short bank name for yamahatg33_lt: YamahaTG33: low tom: a lower drum hit. 2 choices
tg33_misc	Short bank name for yamahatg33_misc: YamahaTG33: other percussion and effects. 10 choices
tg33_mt	Short bank name for yamahatg33_mt: YamahaTG33: middle tom: a middle drum hit. 2 choices
tg33_oh	Short bank name for yamahatg33_oh: YamahaTG33: open hi-hat: a longer metal hiss. 1 choices
tg33_perc	Short bank name for yamahatg33_perc: YamahaTG33: mixed percussion hits. 12 choices
tg33_rd	Short bank name for yamahatg33_rd: YamahaTG33: ride cymbal: a ringing metal tap. 2 choices
tg33_rim	Short bank name for yamahatg33_rim: YamahaTG33: rim hit: a short woody click. 1 choices
tg33_sd	Short bank name for yamahatg33_sd: YamahaTG33: snare drum: a sharp smack. 5 choices
tg33_sh	Short bank name for yamahatg33_sh: YamahaTG33: shaker: a rattling sound. 1 choices
tg33_tb	Short bank name for yamahatg33_tb: YamahaTG33: tambourine or tambourine-style percussion. 1 choices
tr505_bd	Short bank name for rolandtr505_bd: RolandTR505: bass drum: a low boom. 1 choices
tr505_cb	Short bank name for rolandtr505_cb: RolandTR505: cowbell or cowbell-style percussion. 2 choices
tr505_cp	Short bank name for rolandtr505_cp: RolandTR505: hand clap: a clap sound. 1 choices
tr505_cr	Short bank name for rolandtr505_cr: RolandTR505: crash cymbal: a big metal splash. 1 choices

Code / name	What it means
tr505_hh	Short bank name for rolandtr505_hh: RolandTR505: closed hi-hat: a short metal tick. 1 choices
tr505_ht	Short bank name for rolandtr505_ht: RolandTR505: high tom: a higher drum hit. 1 choices
tr505_lt	Short bank name for rolandtr505_lt: RolandTR505: low tom: a lower drum hit. 1 choices
tr505_mt	Short bank name for rolandtr505_mt: RolandTR505: middle tom: a middle drum hit. 1 choices
tr505_oh	Short bank name for rolandtr505_oh: RolandTR505: open hi-hat: a longer metal hiss. 1 choices
tr505_perc	Short bank name for rolandtr505_perc: RolandTR505: mixed percussion hits. 3 choices
tr505_rd	Short bank name for rolandtr505_rd: RolandTR505: ride cymbal: a ringing metal tap. 1 choices
tr505_rim	Short bank name for rolandtr505_rim: RolandTR505: rim hit: a short woody click. 1 choices
tr505_sd	Short bank name for rolandtr505_sd: RolandTR505: snare drum: a sharp smack. 1 choices
tr606_bd	Short bank name for rolandtr606_bd: RolandTR606: bass drum: a low boom. 1 choices
tr606_cr	Short bank name for rolandtr606_cr: RolandTR606: crash cymbal: a big metal splash. 1 choices
tr606_hh	Short bank name for rolandtr606_hh: RolandTR606: closed hi-hat: a short metal tick. 1 choices
tr606_ht	Short bank name for rolandtr606_ht: RolandTR606: high tom: a higher drum hit. 1 choices
tr606_lt	Short bank name for rolandtr606_lt: RolandTR606: low tom: a lower drum hit. 1 choices
tr606_oh	Short bank name for rolandtr606_oh: RolandTR606: open hi-hat: a longer metal hiss. 1 choices
tr606_sd	Short bank name for rolandtr606_sd: RolandTR606: snare drum: a sharp smack. 1 choices
tr626_bd	Short bank name for rolandtr626_bd: RolandTR626: bass drum: a low boom. 2 choices

Code / name	What it means
tr626_cb	Short bank name for rolandtr626_cb: RolandTR626: cowbell or cowbell-style percussion. 1 choices
tr626_cp	Short bank name for rolandtr626_cp: RolandTR626: hand clap: a clap sound. 1 choices
tr626_cr	Short bank name for rolandtr626_cr: RolandTR626: crash cymbal: a big metal splash. 2 choices
tr626_hh	Short bank name for rolandtr626_hh: RolandTR626: closed hi-hat: a short metal tick. 1 choices
tr626_ht	Short bank name for rolandtr626_ht: RolandTR626: high tom: a higher drum hit. 2 choices
tr626_lt	Short bank name for rolandtr626_lt: RolandTR626: low tom: a lower drum hit. 2 choices
tr626_mt	Short bank name for rolandtr626_mt: RolandTR626: middle tom: a middle drum hit. 2 choices
tr626_oh	Short bank name for rolandtr626_oh: RolandTR626: open hi-hat: a longer metal hiss. 1 choices
tr626_perc	Short bank name for rolandtr626_perc: RolandTR626: mixed percussion hits. 8 choices
tr626_rd	Short bank name for rolandtr626_rd: RolandTR626: ride cymbal: a ringing metal tap. 2 choices
tr626_rim	Short bank name for rolandtr626_rim: RolandTR626: rim hit: a short woody click. 1 choices
tr626_sd	Short bank name for rolandtr626_sd: RolandTR626: snare drum: a sharp smack. 3 choices
tr626_sh	Short bank name for rolandtr626_sh: RolandTR626: shaker: a rattling sound. 1 choices
tr626_tb	Short bank name for rolandtr626_tb: RolandTR626: tambourine or tambourine-style percussion. 1 choices
tr707_bd	Short bank name for rolandtr707_bd: RolandTR707: bass drum: a low boom. 2 choices
tr707_cb	Short bank name for rolandtr707_cb: RolandTR707: cowbell or cowbell-style percussion. 1 choices
tr707_cp	Short bank name for rolandtr707_cp: RolandTR707: hand clap: a clap sound. 1 choices

Code / name	What it means
tr707_cr	Short bank name for rolandtr707_cr: RolandTR707: crash cymbal: a big metal splash. 1 choices
tr707_hh	Short bank name for rolandtr707_hh: RolandTR707: closed hi-hat: a short metal tick. 1 choices
tr707_ht	Short bank name for rolandtr707_ht: RolandTR707: high tom: a higher drum hit. 1 choices
tr707_lt	Short bank name for rolandtr707_lt: RolandTR707: low tom: a lower drum hit. 1 choices
tr707_mt	Short bank name for rolandtr707_mt: RolandTR707: middle tom: a middle drum hit. 1 choices
tr707_oh	Short bank name for rolandtr707_oh: RolandTR707: open hi-hat: a longer metal hiss. 1 choices
tr707_rim	Short bank name for rolandtr707_rim: RolandTR707: rim hit: a short woody click. 1 choices
tr707_sd	Short bank name for rolandtr707_sd: RolandTR707: snare drum: a sharp smack. 2 choices
tr707_tb	Short bank name for rolandtr707_tb: RolandTR707: tambourine or tambourine-style percussion. 1 choices
Code / name	What it means
tr727_perc	Short bank name for rolandtr727_perc: RolandTR727: mixed percussion hits. 10 choices
tr727_sh	Short bank name for rolandtr727_sh: RolandTR727: shaker: a rattling sound. 2 choices
tr808_bd	Short bank name for rolandtr808_bd: RolandTR808: bass drum: a low boom. 25 choices
tr808_cb	Short bank name for rolandtr808_cb: RolandTR808: cowbell or cowbell-style percussion. 2 choices
tr808_cp	Short bank name for rolandtr808_cp: RolandTR808: hand clap: a clap sound. 5 choices
tr808_cr	Short bank name for rolandtr808_cr: RolandTR808: crash cymbal: a big metal splash. 25 choices
tr808_hh	Short bank name for rolandtr808_hh: RolandTR808: closed hi-hat: a short metal tick. 1 choices

Code / name	What it means
tr808_ht	Short bank name for rolandtr808_ht: RolandTR808: high tom: a higher drum hit. 5 choices
tr808_lt	Short bank name for rolandtr808_lt: RolandTR808: low tom: a lower drum hit. 5 choices
tr808_mt	Short bank name for rolandtr808_mt: RolandTR808: middle tom: a middle drum hit. 5 choices
tr808_oh	Short bank name for rolandtr808_oh: RolandTR808: open hi-hat: a longer metal hiss. 5 choices
tr808_perc	Short bank name for rolandtr808_perc: RolandTR808: mixed percussion hits. 16 choices
tr808_rim	Short bank name for rolandtr808_rim: RolandTR808: rim hit: a short woody click. 1 choices
tr808_sd	Short bank name for rolandtr808_sd: RolandTR808: snare drum: a sharp smack. 25 choices
tr808_sh	Short bank name for rolandtr808_sh: RolandTR808: shaker: a rattling sound. 2 choices
tr909_bd	Short bank name for rolandtr909_bd: RolandTR909: bass drum: a low boom. 4 choices
tr909_cp	Short bank name for rolandtr909_cp: RolandTR909: hand clap: a clap sound. 5 choices
tr909_cr	Short bank name for rolandtr909_cr: RolandTR909: crash cymbal: a big metal splash. 5 choices
tr909_hh	Short bank name for rolandtr909_hh: RolandTR909: closed hi-hat: a short metal tick. 4 choices
tr909_ht	Short bank name for rolandtr909_ht: RolandTR909: high tom: a higher drum hit. 9 choices
tr909_lt	Short bank name for rolandtr909_lt: RolandTR909: low tom: a lower drum hit. 9 choices
tr909_mt	Short bank name for rolandtr909_mt: RolandTR909: middle tom: a middle drum hit. 9 choices
tr909_oh	Short bank name for rolandtr909_oh: RolandTR909: open hi-hat: a longer metal hiss. 5 choices
tr909_rd	Short bank name for rolandtr909_rd: RolandTR909: ride cymbal: a ringing metal tap. 5 choices

Code / name	What it means
tr909_rim	Short bank name for rolandtr909_rim: RolandTR909: rim hit: a short woody click. 3 choices
tr909_sd	Short bank name for rolandtr909_sd: RolandTR909: snare drum: a sharp smack. 16 choices
v11_bd	Short bank name for casiov11_bd: CasioVL1: bass drum: a low boom. 1 choices
v11_hh	Short bank name for casiov11_hh: CasioVL1: closed hi-hat: a short metal tick. 1 choices
v11_sd	Short bank name for casiov11_sd: CasioVL1: snare drum: a sharp smack. 1 choices
xr10_bd	Short bank name for akaixr10_bd: AkaiXR10: bass drum: a low boom. 10 choices
xr10_cb	Short bank name for akaixr10_cb: AkaiXR10: cowbell or cowbell-style percussion. 1 choices
xr10_cp	Short bank name for akaixr10_cp: AkaiXR10: hand clap: a clap sound. 1 choices
xr10_cr	Short bank name for akaixr10_cr: AkaiXR10: crash cymbal: a big metal splash. 3 choices
xr10_hh	Short bank name for akaixr10_hh: AkaiXR10: closed hi-hat: a short metal tick. 2 choices
xr10_ht	Short bank name for akaixr10_ht: AkaiXR10: high tom: a higher drum hit. 1 choices
xr10_lt	Short bank name for akaixr10_lt: AkaiXR10: low tom: a lower drum hit. 2 choices
xr10_misc	Short bank name for akaixr10_misc: AkaiXR10: other percussion and effects. 4 choices
xr10_mt	Short bank name for akaixr10_mt: AkaiXR10: middle tom: a middle drum hit. 2 choices
xr10_oh	Short bank name for akaixr10_oh: AkaiXR10: open hi-hat: a longer metal hiss. 1 choices
xr10_perc	Short bank name for akaixr10_perc: AkaiXR10: mixed percussion hits. 15 choices
xr10_rd	Short bank name for akaixr10_rd: AkaiXR10: ride cymbal: a ringing metal tap. 1 choices
xr10_rim	Short bank name for akaixr10_rim: AkaiXR10: rim hit: a short woody click. 2 choices
xr10_sd	Short bank name for akaixr10_sd: AkaiXR10: snare drum: a sharp smack. 10 choices
xr10_sh	Short bank name for akaixr10_sh: AkaiXR10: shaker: a rattling sound. 1 choices

Code / name	What it means
xr10_tb	Short bank name for akaixr10_tb: AkaiXR10: tambourine or tambourine-style percussion. 1 choices

Drum machines

Code / name	What it means
ajkpercusyn_bd	AJKPercusyn: bass drum: a low boom. 1 choices
ajkpercusyn_cb	AJKPercusyn: cowbell or cowbell-style percussion. 2 choices
ajkpercusyn_ht	AJKPercusyn: high tom: a higher drum hit. 1 choices
ajkpercusyn_sd	AJKPercusyn: snare drum: a sharp smack. 1 choices
akailinn_bd	AkaiLinn: bass drum: a low boom. 1 choices
akailinn_cb	AkaiLinn: cowbell or cowbell-style percussion. 1 choices
akailinn_cp	AkaiLinn: hand clap: a clap sound. 1 choices
akailinn_cr	AkaiLinn: crash cymbal: a big metal splash. 1 choices
akailinn_hh	AkaiLinn: closed hi-hat: a short metal tick. 1 choices
akailinn_ht	AkaiLinn: high tom: a higher drum hit. 1 choices
akailinn_lt	AkaiLinn: low tom: a lower drum hit. 1 choices
akailinn_mt	AkaiLinn: middle tom: a middle drum hit. 1 choices
akailinn_oh	AkaiLinn: open hi-hat: a longer metal hiss. 1 choices
akailinn_rd	AkaiLinn: ride cymbal: a ringing metal tap. 1 choices
akailinn_sd	AkaiLinn: snare drum: a sharp smack. 1 choices
akailinn_sh	AkaiLinn: shaker: a rattling sound. 1 choices
akailinn_tb	AkaiLinn: tambourine or tambourine-style percussion. 1 choices
akaimpc60_bd	AkaiMPC60: bass drum: a low boom. 2 choices
akaimpc60_cp	AkaiMPC60: hand clap: a clap sound. 1 choices

Code / name	What it means
akaimpc60_cr	AkaiMPC60: crash cymbal: a big metal splash. 1 choices
akaimpc60_hh	AkaiMPC60: closed hi-hat: a short metal tick. 1 choices
akaimpc60_ht	AkaiMPC60: high tom: a higher drum hit. 1 choices
akaimpc60_lt	AkaiMPC60: low tom: a lower drum hit. 1 choices
akaimpc60_misc	AkaiMPC60: other percussion and effects. 2 choices
akaimpc60_mt	AkaiMPC60: middle tom: a middle drum hit. 1 choices
akaimpc60_oh	AkaiMPC60: open hi-hat: a longer metal hiss. 1 choices
akaimpc60_perc	AkaiMPC60: mixed percussion hits. 5 choices
akaimpc60_rd	AkaiMPC60: ride cymbal: a ringing metal tap. 1 choices
akaimpc60_rim	AkaiMPC60: rim hit: a short woody click. 1 choices
akaimpc60_sd	AkaiMPC60: snare drum: a sharp smack. 3 choices
akaixr10_bd	AkaiXR10: bass drum: a low boom. 10 choices
akaixr10_cb	AkaiXR10: cowbell or cowbell-style percussion. 1 choices
akaixr10_cp	AkaiXR10: hand clap: a clap sound. 1 choices
akaixr10_cr	AkaiXR10: crash cymbal: a big metal splash. 3 choices
akaixr10_hh	AkaiXR10: closed hi-hat: a short metal tick. 2 choices
akaixr10_ht	AkaiXR10: high tom: a higher drum hit. 1 choices
akaixr10_lt	AkaiXR10: low tom: a lower drum hit. 2 choices
akaixr10_misc	AkaiXR10: other percussion and effects. 4 choices
akaixr10_mt	AkaiXR10: middle tom: a middle drum hit. 2 choices

Code / name	What it means
akaixr10_oh	AkaiXR10: open hi-hat: a longer metal hiss. 1 choices
akaixr10_perc	AkaiXR10: mixed percussion hits. 15 choices
akaixr10_rd	AkaiXR10: ride cymbal: a ringing metal tap. 1 choices
akaixr10_rim	AkaiXR10: rim hit: a short woody click. 2 choices
akaixr10_sd	AkaiXR10: snare drum: a sharp smack. 10 choices
akaixr10_sh	AkaiXR10: shaker: a rattling sound. 1 choices
akaixr10_tb	AkaiXR10: tambourine or tambourine-style percussion. 1 choices
alesishr16_bd	AlesisHR16: bass drum: a low boom. 1 choices
alesishr16_cp	AlesisHR16: hand clap: a clap sound. 1 choices
alesishr16_hh	AlesisHR16: closed hi-hat: a short metal tick. 1 choices
alesishr16_ht	AlesisHR16: high tom: a higher drum hit. 1 choices
alesishr16_lt	AlesisHR16: low tom: a lower drum hit. 1 choices
alesishr16_oh	AlesisHR16: open hi-hat: a longer metal hiss. 1 choices
alesishr16_perc	AlesisHR16: mixed percussion hits. 8 choices
alesishr16_rim	AlesisHR16: rim hit: a short woody click. 1 choices
alesishr16_sd	AlesisHR16: snare drum: a sharp smack. 1 choices
alesishr16_sh	AlesisHR16: shaker: a rattling sound. 3 choices
alesissr16_bd	AlesisSR16: bass drum: a low boom. 13 choices
alesissr16_cb	AlesisSR16: cowbell or cowbell-style percussion. 1 choices
alesissr16_cp	AlesisSR16: hand clap: a clap sound. 1 choices

Code / name	What it means
alesissr16_cr	AlesisSR16: crash cymbal: a big metal splash. 2 choices
Code / name	What it means
alesissr16_hh	AlesisSR16: closed hi-hat: a short metal tick. 3 choices
alesissr16_misc	AlesisSR16: other percussion and effects. 3 choices
alesissr16_oh	AlesisSR16: open hi-hat: a longer metal hiss. 4 choices
alesissr16_perc	AlesisSR16: mixed percussion hits. 7 choices
alesissr16_rd	AlesisSR16: ride cymbal: a ringing metal tap. 3 choices
alesissr16_rim	AlesisSR16: rim hit: a short woody click. 1 choices
alesissr16_sd	AlesisSR16: snare drum: a sharp smack. 12 choices
alesissr16_sh	AlesisSR16: shaker: a rattling sound. 1 choices
alesissr16_tb	AlesisSR16: tambourine or tambourine-style percussion. 1 choices
bossdr110_bd	BossDR110: bass drum: a low boom. 1 choices
bossdr110_cp	BossDR110: hand clap: a clap sound. 1 choices
bossdr110_cr	BossDR110: crash cymbal: a big metal splash. 1 choices
bossdr110_hh	BossDR110: closed hi-hat: a short metal tick. 1 choices
bossdr110_oh	BossDR110: open hi-hat: a longer metal hiss. 1 choices
bossdr110_rd	BossDR110: ride cymbal: a ringing metal tap. 1 choices
bossdr110_sd	BossDR110: snare drum: a sharp smack. 1 choices
bossdr220_bd	BossDR220: bass drum: a low boom. 1 choices
bossdr220_cp	BossDR220: hand clap: a clap sound. 1 choices

Code / name	What it means
bossdr220_cr	BossDR220: crash cymbal: a big metal splash. 1 choices
bossdr220_hh	BossDR220: closed hi-hat: a short metal tick. 1 choices
bossdr220_ht	BossDR220: high tom: a higher drum hit. 1 choices
bossdr220_lt	BossDR220: low tom: a lower drum hit. 1 choices
bossdr220_mt	BossDR220: middle tom: a middle drum hit. 1 choices
bossdr220_oh	BossDR220: open hi-hat: a longer metal hiss. 1 choices
bossdr220_perc	BossDR220: mixed percussion hits. 1 choices
bossdr220_rd	BossDR220: ride cymbal: a ringing metal tap. 1 choices
bossdr220_sd	BossDR220: snare drum: a sharp smack. 1 choices
bossdr550_bd	BossDR550: bass drum: a low boom. 5 choices
bossdr550_cb	BossDR550: cowbell or cowbell-style percussion. 2 choices
bossdr550_cp	BossDR550: hand clap: a clap sound. 1 choices
bossdr550_cr	BossDR550: crash cymbal: a big metal splash. 1 choices
bossdr550_hh	BossDR550: closed hi-hat: a short metal tick. 2 choices
bossdr550_ht	BossDR550: high tom: a higher drum hit. 3 choices
bossdr550_lt	BossDR550: low tom: a lower drum hit. 3 choices
bossdr550_misc	BossDR550: other percussion and effects. 3 choices
bossdr550_mt	BossDR550: middle tom: a middle drum hit. 2 choices
bossdr550_oh	BossDR550: open hi-hat: a longer metal hiss. 2 choices
bossdr550_perc	BossDR550: mixed percussion hits. 11 choices

Code / name	What it means
bossdr550_rd	BossDR550: ride cymbal: a ringing metal tap. 2 choices
bossdr550_rim	BossDR550: rim hit: a short woody click. 1 choices
bossdr550_sd	BossDR550: snare drum: a sharp smack. 6 choices
bossdr550_sh	BossDR550: shaker: a rattling sound. 2 choices
bossdr550_tb	BossDR550: tambourine or tambourine-style percussion. 1 choices
bossdr55_bd	BossDR55: bass drum: a low boom. 2 choices
bossdr55_hh	BossDR55: closed hi-hat: a short metal tick. 2 choices
bossdr55_rim	BossDR55: rim hit: a short woody click. 1 choices
bossdr55_sd	BossDR55: snare drum: a sharp smack. 8 choices
casiorz1_bd	CasioRZ1: bass drum: a low boom. 1 choices
casiorz1_cb	CasioRZ1: cowbell or cowbell-style percussion. 1 choices
casiorz1_cp	CasioRZ1: hand clap: a clap sound. 1 choices
casiorz1_cr	CasioRZ1: crash cymbal: a big metal splash. 1 choices
casiorz1_hh	CasioRZ1: closed hi-hat: a short metal tick. 1 choices
casiorz1_ht	CasioRZ1: high tom: a higher drum hit. 1 choices
casiorz1_lt	CasioRZ1: low tom: a lower drum hit. 1 choices
casiorz1_mt	CasioRZ1: middle tom: a middle drum hit. 1 choices
casiorz1_rd	CasioRZ1: ride cymbal: a ringing metal tap. 2 choices
casiorz1_rim	CasioRZ1: rim hit: a short woody click. 1 choices
casiorz1_sd	CasioRZ1: snare drum: a sharp smack. 1 choices

Code / name	What it means
casiosk1_bd	CasioSK1: bass drum: a low boom. 1 choices
casiosk1_hh	CasioSK1: closed hi-hat: a short metal tick. 1 choices
Code / name	What it means
casiosk1_ht	CasioSK1: high tom: a higher drum hit. 1 choices
casiosk1_mt	CasioSK1: middle tom: a middle drum hit. 1 choices
casiosk1_oh	CasioSK1: open hi-hat: a longer metal hiss. 1 choices
casiosk1_sd	CasioSK1: snare drum: a sharp smack. 1 choices
casiovl1_bd	CasioVL1: bass drum: a low boom. 1 choices
casiovl1_hh	CasioVL1: closed hi-hat: a short metal tick. 1 choices
casiovl1_sd	CasioVL1: snare drum: a sharp smack. 1 choices
doepferms404_bd	DoepferMS404: bass drum: a low boom. 2 choices
doepferms404_hh	DoepferMS404: closed hi-hat: a short metal tick. 1 choices
doepferms404_lt	DoepferMS404: low tom: a lower drum hit. 1 choices
doepferms404_oh	DoepferMS404: open hi-hat: a longer metal hiss. 1 choices
doepferms404_sd	DoepferMS404: snare drum: a sharp smack. 1 choices
emudrumulator_bd	EmuDrumulator: bass drum: a low boom. 1 choices
emudrumulator_cb	EmuDrumulator: cowbell or cowbell-style percussion. 1 choices
emudrumulator_cp	EmuDrumulator: hand clap: a clap sound. 1 choices
emudrumulator_cr	EmuDrumulator: crash cymbal: a big metal splash. 1 choices
emudrumulator_hh	EmuDrumulator: closed hi-hat: a short metal tick. 1 choices

Code / name	What it means
emudrumulator_ht	EmuDrumulator: high tom: a higher drum hit. 1 choices
emudrumulator_lt	EmuDrumulator: low tom: a lower drum hit. 1 choices
emudrumulator_mt	EmuDrumulator: middle tom: a middle drum hit. 1 choices
emudrumulator_oh	EmuDrumulator: open hi-hat: a longer metal hiss. 1 choices
emudrumulator_perc	EmuDrumulator: mixed percussion hits. 1 choices
emudrumulator_rim	EmuDrumulator: rim hit: a short woody click. 1 choices
emudrumulator_sd	EmuDrumulator: snare drum: a sharp smack. 1 choices
emumodular_bd	EmuModular: bass drum: a low boom. 2 choices
emumodular_misc	EmuModular: other percussion and effects. 1 choices
emumodular_perc	EmuModular: mixed percussion hits. 2 choices
emusp12_bd	EmuSP12: bass drum: a low boom. 14 choices
emusp12_cb	EmuSP12: cowbell or cowbell-style percussion. 1 choices
emusp12_cp	EmuSP12: hand clap: a clap sound. 1 choices
emusp12_cr	EmuSP12: crash cymbal: a big metal splash. 1 choices
emusp12_hh	EmuSP12: closed hi-hat: a short metal tick. 2 choices
emusp12_ht	EmuSP12: high tom: a higher drum hit. 6 choices
emusp12_lt	EmuSP12: low tom: a lower drum hit. 6 choices
emusp12_misc	EmuSP12: other percussion and effects. 7 choices
emusp12_mt	EmuSP12: middle tom: a middle drum hit. 4 choices
emusp12_oh	EmuSP12: open hi-hat: a longer metal hiss. 1 choices

Code / name	What it means
emuspl2_perc	EmuSP12: mixed percussion hits. 1 choices
emuspl2_rd	EmuSP12: ride cymbal: a ringing metal tap. 1 choices
emuspl2_rim	EmuSP12: rim hit: a short woody click. 2 choices
emuspl2_sd	EmuSP12: snare drum: a sharp smack. 21 choices
korgddm110_bd	KorgDDM110: bass drum: a low boom. 1 choices
korgddm110_cp	KorgDDM110: hand clap: a clap sound. 1 choices
korgddm110_cr	KorgDDM110: crash cymbal: a big metal splash. 1 choices
korgddm110_hh	KorgDDM110: closed hi-hat: a short metal tick. 1 choices
korgddm110_ht	KorgDDM110: high tom: a higher drum hit. 2 choices
korgddm110_lt	KorgDDM110: low tom: a lower drum hit. 2 choices
korgddm110_oh	KorgDDM110: open hi-hat: a longer metal hiss. 1 choices
korgddm110_rim	KorgDDM110: rim hit: a short woody click. 1 choices
korgddm110_sd	KorgDDM110: snare drum: a sharp smack. 1 choices
korgkpr77_bd	KorgKPR77: bass drum: a low boom. 1 choices
korgkpr77_cp	KorgKPR77: hand clap: a clap sound. 1 choices
korgkpr77_hh	KorgKPR77: closed hi-hat: a short metal tick. 1 choices
korgkpr77_oh	KorgKPR77: open hi-hat: a longer metal hiss. 1 choices
korgkpr77_sd	KorgKPR77: snare drum: a sharp smack. 1 choices
korgkr55_bd	KorgKR55: bass drum: a low boom. 1 choices
korgkr55_cb	KorgKR55: cowbell or cowbell-style percussion. 1 choices

Code / name	What it means
korgkr55_cr	KorgKR55: crash cymbal: a big metal splash. 1 choices
korgkr55_hh	KorgKR55: closed hi-hat: a short metal tick. 1 choices
korgkr55_ht	KorgKR55: high tom: a higher drum hit. 1 choices
Code / name	What it means
korgkr55_oh	KorgKR55: open hi-hat: a longer metal hiss. 1 choices
korgkr55_perc	KorgKR55: mixed percussion hits. 2 choices
korgkr55_rim	KorgKR55: rim hit: a short woody click. 1 choices
korgkr55_sd	KorgKR55: snare drum: a sharp smack. 1 choices
korgkrz_bd	KorgKRZ: bass drum: a low boom. 1 choices
korgkrz_cr	KorgKRZ: crash cymbal: a big metal splash. 1 choices
korgkrz_fx	KorgKRZ: sound effects. 2 choices
korgkrz_hh	KorgKRZ: closed hi-hat: a short metal tick. 1 choices
korgkrz_ht	KorgKRZ: high tom: a higher drum hit. 1 choices
korgkrz_lt	KorgKRZ: low tom: a lower drum hit. 1 choices
korgkrz_misc	KorgKRZ: other percussion and effects. 1 choices
korgkrz_oh	KorgKRZ: open hi-hat: a longer metal hiss. 1 choices
korgkrz_rd	KorgKRZ: ride cymbal: a ringing metal tap. 1 choices
korgkrz_sd	KorgKRZ: snare drum: a sharp smack. 2 choices
korgm1_bd	KorgM1: bass drum: a low boom. 3 choices
korgm1_cb	KorgM1: cowbell or cowbell-style percussion. 1 choices

Code / name	What it means
korgml_cp	KorgM1: hand clap: a clap sound. 1 choices
korgml_cr	KorgM1: crash cymbal: a big metal splash. 1 choices
korgml_hh	KorgM1: closed hi-hat: a short metal tick. 2 choices
korgml_ht	KorgM1: high tom: a higher drum hit. 2 choices
korgml_misc	KorgM1: other percussion and effects. 16 choices
korgml_mt	KorgM1: middle tom: a middle drum hit. 1 choices
korgml_oh	KorgM1: open hi-hat: a longer metal hiss. 2 choices
korgml_perc	KorgM1: mixed percussion hits. 7 choices
korgml_rd	KorgM1: ride cymbal: a ringing metal tap. 1 choices
korgml_rim	KorgM1: rim hit: a short woody click. 1 choices
korgml_sd	KorgM1: snare drum: a sharp smack. 4 choices
korgml_sh	KorgM1: shaker: a rattling sound. 1 choices
korgml_tb	KorgM1: tambourine or tambourine-style percussion. 1 choices
korgminipops_bd	KorgMinipops: bass drum: a low boom. 7 choices
korgminipops_hh	KorgMinipops: closed hi-hat: a short metal tick. 4 choices
korgminipops_misc	KorgMinipops: other percussion and effects. 4 choices
korgminipops_oh	KorgMinipops: open hi-hat: a longer metal hiss. 4 choices
korgminipops_sd	KorgMinipops: snare drum: a sharp smack. 13 choices
korgpoly800_bd	KorgPoly800: bass drum: a low boom. 4 choices
korgt3_bd	KorgT3: bass drum: a low boom. 5 choices

Code / name	What it means
korgt3_cp	KorgT3: hand clap: a clap sound. 1 choices
korgt3_hh	KorgT3: closed hi-hat: a short metal tick. 2 choices
korgt3_misc	KorgT3: other percussion and effects. 4 choices
korgt3_oh	KorgT3: open hi-hat: a longer metal hiss. 2 choices
korgt3_perc	KorgT3: mixed percussion hits. 4 choices
korgt3_rim	KorgT3: rim hit: a short woody click. 1 choices
korgt3_sd	KorgT3: snare drum: a sharp smack. 5 choices
korgt3_sh	KorgT3: shaker: a rattling sound. 3 choices
linn9000_bd	Linn9000: bass drum: a low boom. 1 choices
linn9000_cb	Linn9000: cowbell or cowbell-style percussion. 2 choices
linn9000_cr	Linn9000: crash cymbal: a big metal splash. 2 choices
linn9000_hh	Linn9000: closed hi-hat: a short metal tick. 1 choices
linn9000_ht	Linn9000: high tom: a higher drum hit. 2 choices
linn9000_lt	Linn9000: low tom: a lower drum hit. 2 choices
linn9000_mt	Linn9000: middle tom: a middle drum hit. 1 choices
linn9000_oh	Linn9000: open hi-hat: a longer metal hiss. 1 choices
linn9000_perc	Linn9000: mixed percussion hits. 3 choices
linn9000_rd	Linn9000: ride cymbal: a ringing metal tap. 2 choices
linn9000_rim	Linn9000: rim hit: a short woody click. 1 choices
linn9000_sd	Linn9000: snare drum: a sharp smack. 1 choices

Code / name	What it means
linn9000_tb	Linn9000: tambourine or tambourine-style percussion. 1 choices
linndrum_bd	LinnDrum: bass drum: a low boom. 1 choices
linndrum_cb	LinnDrum: cowbell or cowbell-style percussion. 1 choices
linndrum_cp	LinnDrum: hand clap: a clap sound. 1 choices
Code / name	What it means
linndrum_cr	LinnDrum: crash cymbal: a big metal splash. 1 choices
linndrum_hh	LinnDrum: closed hi-hat: a short metal tick. 3 choices
linndrum_ht	LinnDrum: high tom: a higher drum hit. 2 choices
linndrum_lt	LinnDrum: low tom: a lower drum hit. 2 choices
linndrum_mt	LinnDrum: middle tom: a middle drum hit. 1 choices
linndrum_oh	LinnDrum: open hi-hat: a longer metal hiss. 1 choices
linndrum_perc	LinnDrum: mixed percussion hits. 6 choices
linndrum_rd	LinnDrum: ride cymbal: a ringing metal tap. 1 choices
linndrum_rim	LinnDrum: rim hit: a short woody click. 3 choices
linndrum_sd	LinnDrum: snare drum: a sharp smack. 3 choices
linndrum_sh	LinnDrum: shaker: a rattling sound. 1 choices
linndrum_tb	LinnDrum: tambourine or tambourine-style percussion. 1 choices
linnlm1_bd	LinnLM1: bass drum: a low boom. 4 choices
linnlm1_cb	LinnLM1: cowbell or cowbell-style percussion. 1 choices
linnlm1_cp	LinnLM1: hand clap: a clap sound. 1 choices

Code / name	What it means
linnlm1_hh	LinnLM1: closed hi-hat: a short metal tick. 1 choices
linnlm1_ht	LinnLM1: high tom: a higher drum hit. 1 choices
linnlm1_lt	LinnLM1: low tom: a lower drum hit. 1 choices
linnlm1_oh	LinnLM1: open hi-hat: a longer metal hiss. 1 choices
linnlm1_perc	LinnLM1: mixed percussion hits. 3 choices
linnlm1_rim	LinnLM1: rim hit: a short woody click. 1 choices
linnlm1_sd	LinnLM1: snare drum: a sharp smack. 1 choices
linnlm1_sh	LinnLM1: shaker: a rattling sound. 1 choices
linnlm1_tb	LinnLM1: tambourine or tambourine-style percussion. 1 choices
linnlm2_bd	LinnLM2: bass drum: a low boom. 4 choices
linnlm2_cb	LinnLM2: cowbell or cowbell-style percussion. 1 choices
linnlm2_cp	LinnLM2: hand clap: a clap sound. 1 choices
linnlm2_cr	LinnLM2: crash cymbal: a big metal splash. 1 choices
linnlm2_hh	LinnLM2: closed hi-hat: a short metal tick. 2 choices
linnlm2_ht	LinnLM2: high tom: a higher drum hit. 1 choices
linnlm2_lt	LinnLM2: low tom: a lower drum hit. 1 choices
linnlm2_mt	LinnLM2: middle tom: a middle drum hit. 1 choices
linnlm2_oh	LinnLM2: open hi-hat: a longer metal hiss. 2 choices
linnlm2_rd	LinnLM2: ride cymbal: a ringing metal tap. 1 choices
linnlm2_rim	LinnLM2: rim hit: a short woody click. 2 choices

Code / name	What it means
linnlm2_sd	LinnLM2: snare drum: a sharp smack. 4 choices
linnlm2_sh	LinnLM2: shaker: a rattling sound. 1 choices
linnlm2_tb	LinnLM2: tambourine or tambourine-style percussion. 1 choices
mfb512_bd	MFB512: bass drum: a low boom. 1 choices
mfb512_cp	MFB512: hand clap: a clap sound. 1 choices
mfb512_cr	MFB512: crash cymbal: a big metal splash. 1 choices
mfb512_hh	MFB512: closed hi-hat: a short metal tick. 1 choices
mfb512_ht	MFB512: high tom: a higher drum hit. 1 choices
mfb512_lt	MFB512: low tom: a lower drum hit. 1 choices
mfb512_mt	MFB512: middle tom: a middle drum hit. 1 choices
mfb512_oh	MFB512: open hi-hat: a longer metal hiss. 1 choices
mfb512_sd	MFB512: snare drum: a sharp smack. 1 choices
moogconcertmatemg1_bd	MoogConcertMateMG1: bass drum: a low boom. 3 choices
moogconcertmatemg1_sd	MoogConcertMateMG1: snare drum: a sharp smack. 2 choices
mpc1000_bd	MPC1000: bass drum: a low boom. 5 choices
mpc1000_cp	MPC1000: hand clap: a clap sound. 1 choices
mpc1000_hh	MPC1000: closed hi-hat: a short metal tick. 4 choices
mpc1000_oh	MPC1000: open hi-hat: a longer metal hiss. 1 choices
mpc1000_perc	MPC1000: mixed percussion hits. 1 choices
mpc1000_sd	MPC1000: snare drum: a sharp smack. 4 choices

Code / name	What it means
mpc1000_sh	MPC1000: shaker: a rattling sound. 1 choices
oberheimdmx_	OberheimDMX: mixed percussion hits (the manifest has an empty suffix). 3 choices
oberheimdmx_bd	OberheimDMX: bass drum: a low boom. 3 choices
oberheimdmx_cp	OberheimDMX: hand clap: a clap sound. 1 choices
oberheimdmx_cr	OberheimDMX: crash cymbal: a big metal splash. 1 choices
Code / name	What it means
oberheimdmx_hh	OberheimDMX: closed hi-hat: a short metal tick. 1 choices
oberheimdmx_ht	OberheimDMX: high tom: a higher drum hit. 1 choices
oberheimdmx_lt	OberheimDMX: low tom: a lower drum hit. 1 choices
oberheimdmx_mt	OberheimDMX: middle tom: a middle drum hit. 1 choices
oberheimdmx_oh	OberheimDMX: open hi-hat: a longer metal hiss. 1 choices
oberheimdmx_rd	OberheimDMX: ride cymbal: a ringing metal tap. 1 choices
oberheimdmx_rim	OberheimDMX: rim hit: a short woody click. 1 choices
oberheimdmx_sd	OberheimDMX: snare drum: a sharp smack. 3 choices
oberheimdmx_sh	OberheimDMX: shaker: a rattling sound. 1 choices
oberheimdmx_tb	OberheimDMX: tambourine or tambourine-style percussion. 1 choices
rhodespolaris_bd	RhodesPolaris: bass drum: a low boom. 4 choices
rhodespolaris_misc	RhodesPolaris: other percussion and effects. 4 choices
rhodespolaris_sd	RhodesPolaris: snare drum: a sharp smack. 4 choices
rhythmace_bd	RhythmAce: bass drum: a low boom. 3 choices

Code / name	What it means
rhythmace_hh	RhythmAce: closed hi-hat: a short metal tick. 1 choices
rhythmace_ht	RhythmAce: high tom: a higher drum hit. 1 choices
rhythmace_lt	RhythmAce: low tom: a lower drum hit. 1 choices
rhythmace_oh	RhythmAce: open hi-hat: a longer metal hiss. 1 choices
rhythmace_perc	RhythmAce: mixed percussion hits. 6 choices
rhythmace_sd	RhythmAce: snare drum: a sharp smack. 3 choices
rolandcompurhythm1000_bd	RolandCompurhythm1000: bass drum: a low boom. 1 choices
rolandcompurhythm1000_cb	RolandCompurhythm1000: cowbell or cowbell-style percussion. 1 choices
rolandcompurhythm1000_cp	RolandCompurhythm1000: hand clap: a clap sound. 1 choices
rolandcompurhythm1000_cr	RolandCompurhythm1000: crash cymbal: a big metal splash. 1 choices
rolandcompurhythm1000_hh	RolandCompurhythm1000: closed hi-hat: a short metal tick. 1 choices
rolandcompurhythm1000_ht	RolandCompurhythm1000: high tom: a higher drum hit. 1 choices
rolandcompurhythm1000_lt	RolandCompurhythm1000: low tom: a lower drum hit. 1 choices
rolandcompurhythm1000_mt	RolandCompurhythm1000: middle tom: a middle drum hit. 1 choices
rolandcompurhythm1000_oh	RolandCompurhythm1000: open hi-hat: a longer metal hiss. 1 choices
rolandcompurhythm1000_perc	RolandCompurhythm1000: mixed percussion hits. 3 choices
rolandcompurhythm1000_rd	RolandCompurhythm1000: ride cymbal: a ringing metal tap. 1 choices
rolandcompurhythm1000_rim	RolandCompurhythm1000: rim hit: a short woody click. 1 choices
rolandcompurhythm1000_sd	RolandCompurhythm1000: snare drum: a sharp smack. 1 choices
rolandcompurhythm78_bd	RolandCompurhythm78: bass drum: a low boom. 1 choices

Code / name	What it means
rolandcompurhythm78_cb	RolandCompurhythm78: cowbell or cowbell-style percussion. 1 choices
rolandcompurhythm78_hh	RolandCompurhythm78: closed hi-hat: a short metal tick. 2 choices
rolandcompurhythm78_misc	RolandCompurhythm78: other percussion and effects. 4 choices
rolandcompurhythm78_oh	RolandCompurhythm78: open hi-hat: a longer metal hiss. 2 choices
rolandcompurhythm78_perc	RolandCompurhythm78: mixed percussion hits. 8 choices
rolandcompurhythm78_sd	RolandCompurhythm78: snare drum: a sharp smack. 1 choices
rolandcompurhythm78_tb	RolandCompurhythm78: tambourine or tambourine-style percussion. 1 choices
rolandcompurhythm8000_bd	RolandCompurhythm8000: bass drum: a low boom. 1 choices
rolandcompurhythm8000_cb	RolandCompurhythm8000: cowbell or cowbell-style percussion. 1 choices
rolandcompurhythm8000_cp	RolandCompurhythm8000: hand clap: a clap sound. 1 choices
rolandcompurhythm8000_cr	RolandCompurhythm8000: crash cymbal: a big metal splash. 1 choices
rolandcompurhythm8000_hh	RolandCompurhythm8000: closed hi-hat: a short metal tick. 1 choices
rolandcompurhythm8000_ht	RolandCompurhythm8000: high tom: a higher drum hit. 1 choices
rolandcompurhythm8000_lt	RolandCompurhythm8000: low tom: a lower drum hit. 1 choices
rolandcompurhythm8000_mt	RolandCompurhythm8000: middle tom: a middle drum hit. 1 choices
rolandcompurhythm8000_oh	RolandCompurhythm8000: open hi-hat: a longer metal hiss. 1 choices
rolandcompurhythm8000_perc	RolandCompurhythm8000: mixed percussion hits. 2 choices
rolandcompurhythm8000_rim	RolandCompurhythm8000: rim hit: a short woody click. 1 choices
rolandcompurhythm8000_sd	RolandCompurhythm8000: snare drum: a sharp smack. 1 choices
rolandd110_bd	RolandD110: bass drum: a low boom. 1 choices

Code / name	What it means
rolandd110_cb	RolandD110: cowbell or cowbell-style percussion. 2 choices
rolandd110_cr	RolandD110: crash cymbal: a big metal splash. 1 choices
rolandd110_hh	RolandD110: closed hi-hat: a short metal tick. 1 choices
rolandd110_lt	RolandD110: low tom: a lower drum hit. 1 choices
rolandd110_oh	RolandD110: open hi-hat: a longer metal hiss. 2 choices
rolandd110_perc	RolandD110: mixed percussion hits. 3 choices
Code / name	What it means
rolandd110_rd	RolandD110: ride cymbal: a ringing metal tap. 1 choices
rolandd110_rim	RolandD110: rim hit: a short woody click. 1 choices
rolandd110_sd	RolandD110: snare drum: a sharp smack. 3 choices
rolandd110_sh	RolandD110: shaker: a rattling sound. 1 choices
rolandd110_tb	RolandD110: tambourine or tambourine-style percussion. 1 choices
rolandd70_bd	RolandD70: bass drum: a low boom. 4 choices
rolandd70_cb	RolandD70: cowbell or cowbell-style percussion. 1 choices
rolandd70_cp	RolandD70: hand clap: a clap sound. 1 choices
rolandd70_cr	RolandD70: crash cymbal: a big metal splash. 1 choices
rolandd70_hh	RolandD70: closed hi-hat: a short metal tick. 1 choices
rolandd70_lt	RolandD70: low tom: a lower drum hit. 1 choices
rolandd70_mt	RolandD70: middle tom: a middle drum hit. 1 choices
rolandd70_oh	RolandD70: open hi-hat: a longer metal hiss. 1 choices

Code / name	What it means
rolandd70_perc	RolandD70: mixed percussion hits. 1 choices
rolandd70_rd	RolandD70: ride cymbal: a ringing metal tap. 1 choices
rolandd70_rim	RolandD70: rim hit: a short woody click. 1 choices
rolandd70_sd	RolandD70: snare drum: a sharp smack. 5 choices
rolandd70_sh	RolandD70: shaker: a rattling sound. 1 choices
rolandddr30_bd	RolandDDR30: bass drum: a low boom. 8 choices
rolandddr30_ht	RolandDDR30: high tom: a higher drum hit. 4 choices
rolandddr30_lt	RolandDDR30: low tom: a lower drum hit. 4 choices
rolandddr30_sd	RolandDDR30: snare drum: a sharp smack. 8 choices
rolandjd990_bd	RolandJD990: bass drum: a low boom. 10 choices
rolandjd990_cb	RolandJD990: cowbell or cowbell-style percussion. 1 choices
rolandjd990_cp	RolandJD990: hand clap: a clap sound. 1 choices
rolandjd990_cr	RolandJD990: crash cymbal: a big metal splash. 1 choices
rolandjd990_hh	RolandJD990: closed hi-hat: a short metal tick. 4 choices
rolandjd990_ht	RolandJD990: high tom: a higher drum hit. 1 choices
rolandjd990_lt	RolandJD990: low tom: a lower drum hit. 5 choices
rolandjd990_misc	RolandJD990: other percussion and effects. 12 choices
rolandjd990_mt	RolandJD990: middle tom: a middle drum hit. 2 choices
rolandjd990_oh	RolandJD990: open hi-hat: a longer metal hiss. 2 choices
rolandjd990_perc	RolandJD990: mixed percussion hits. 6 choices

Code / name	What it means
rolandjd990_rd	RolandJD990: ride cymbal: a ringing metal tap. 1 choices
rolandjd990_sd	RolandJD990: snare drum: a sharp smack. 15 choices
rolandjd990_tb	RolandJD990: tambourine or tambourine-style percussion. 1 choices
rolandmc202_bd	RolandMC202: bass drum: a low boom. 5 choices
rolandmc202_ht	RolandMC202: high tom: a higher drum hit. 3 choices
rolandmc202_perc	RolandMC202: mixed percussion hits. 1 choices
rolandmc303_bd	RolandMC303: bass drum: a low boom. 16 choices
rolandmc303_cb	RolandMC303: cowbell or cowbell-style percussion. 2 choices
rolandmc303_cp	RolandMC303: hand clap: a clap sound. 8 choices
rolandmc303_fx	RolandMC303: sound effects. 2 choices
rolandmc303_hh	RolandMC303: closed hi-hat: a short metal tick. 6 choices
rolandmc303_ht	RolandMC303: high tom: a higher drum hit. 5 choices
rolandmc303_lt	RolandMC303: low tom: a lower drum hit. 5 choices
rolandmc303_misc	RolandMC303: other percussion and effects. 8 choices
rolandmc303_mt	RolandMC303: middle tom: a middle drum hit. 6 choices
rolandmc303_oh	RolandMC303: open hi-hat: a longer metal hiss. 5 choices
rolandmc303_perc	RolandMC303: mixed percussion hits. 39 choices
rolandmc303_rd	RolandMC303: ride cymbal: a ringing metal tap. 2 choices
rolandmc303_rim	RolandMC303: rim hit: a short woody click. 6 choices
rolandmc303_sd	RolandMC303: snare drum: a sharp smack. 26 choices

Code / name	What it means
rolandmc303_sh	RolandMC303: shaker: a rattling sound. 7 choices
rolandmc303_tb	RolandMC303: tambourine or tambourine-style percussion. 5 choices
rolandmt32_bd	RolandMT32: bass drum: a low boom. 1 choices
rolandmt32_cb	RolandMT32: cowbell or cowbell-style percussion. 1 choices
rolandmt32_cp	RolandMT32: hand clap: a clap sound. 1 choices
rolandmt32_cr	RolandMT32: crash cymbal: a big metal splash. 1 choices
rolandmt32_hh	RolandMT32: closed hi-hat: a short metal tick. 1 choices
Code / name	What it means
rolandmt32_ht	RolandMT32: high tom: a higher drum hit. 1 choices
rolandmt32_lt	RolandMT32: low tom: a lower drum hit. 1 choices
rolandmt32_mt	RolandMT32: middle tom: a middle drum hit. 1 choices
rolandmt32_oh	RolandMT32: open hi-hat: a longer metal hiss. 2 choices
rolandmt32_perc	RolandMT32: mixed percussion hits. 13 choices
rolandmt32_rd	RolandMT32: ride cymbal: a ringing metal tap. 1 choices
rolandmt32_rim	RolandMT32: rim hit: a short woody click. 1 choices
rolandmt32_sd	RolandMT32: snare drum: a sharp smack. 2 choices
rolandmt32_sh	RolandMT32: shaker: a rattling sound. 2 choices
rolandmt32_tb	RolandMT32: tambourine or tambourine-style percussion. 1 choices
rolandr8_bd	RolandR8: bass drum: a low boom. 7 choices
rolandr8_cb	RolandR8: cowbell or cowbell-style percussion. 1 choices

Code / name	What it means
rolandr8_cp	RolandR8: hand clap: a clap sound. 1 choices
rolandr8_cr	RolandR8: crash cymbal: a big metal splash. 1 choices
rolandr8_hh	RolandR8: closed hi-hat: a short metal tick. 2 choices
rolandr8_ht	RolandR8: high tom: a higher drum hit. 4 choices
rolandr8_lt	RolandR8: low tom: a lower drum hit. 4 choices
rolandr8_mt	RolandR8: middle tom: a middle drum hit. 4 choices
rolandr8_oh	RolandR8: open hi-hat: a longer metal hiss. 1 choices
rolandr8_perc	RolandR8: mixed percussion hits. 8 choices
rolandr8_rd	RolandR8: ride cymbal: a ringing metal tap. 2 choices
rolandr8_rim	RolandR8: rim hit: a short woody click. 2 choices
rolandr8_sd	RolandR8: snare drum: a sharp smack. 12 choices
rolandr8_sh	RolandR8: shaker: a rattling sound. 2 choices
rolandr8_tb	RolandR8: tambourine or tambourine-style percussion. 1 choices
rolands50_bd	RolandS50: bass drum: a low boom. 4 choices
rolands50_cb	RolandS50: cowbell or cowbell-style percussion. 1 choices
rolands50_cp	RolandS50: hand clap: a clap sound. 1 choices
rolands50_cr	RolandS50: crash cymbal: a big metal splash. 2 choices
rolands50_ht	RolandS50: high tom: a higher drum hit. 1 choices
rolands50_lt	RolandS50: low tom: a lower drum hit. 2 choices
rolands50_misc	RolandS50: other percussion and effects. 6 choices

Code / name	What it means
rolands50_mt	RolandS50: middle tom: a middle drum hit. 1 choices
rolands50_oh	RolandS50: open hi-hat: a longer metal hiss. 1 choices
rolands50_perc	RolandS50: mixed percussion hits. 14 choices
rolands50_rd	RolandS50: ride cymbal: a ringing metal tap. 1 choices
rolands50_sd	RolandS50: snare drum: a sharp smack. 3 choices
rolands50_sh	RolandS50: shaker: a rattling sound. 4 choices
rolands50_tb	RolandS50: tambourine or tambourine-style percussion. 2 choices
rolandsh09_bd	RolandSH09: bass drum: a low boom. 43 choices
rolandsystem100_bd	RolandSystem100: bass drum: a low boom. 15 choices
rolandsystem100_hh	RolandSystem100: closed hi-hat: a short metal tick. 2 choices
rolandsystem100_misc	RolandSystem100: other percussion and effects. 2 choices
rolandsystem100_oh	RolandSystem100: open hi-hat: a longer metal hiss. 3 choices
rolandsystem100_perc	RolandSystem100: mixed percussion hits. 19 choices
rolandsystem100_sd	RolandSystem100: snare drum: a sharp smack. 21 choices
rolandtr505_bd	RolandTR505: bass drum: a low boom. 1 choices
rolandtr505_cb	RolandTR505: cowbell or cowbell-style percussion. 2 choices
rolandtr505_cp	RolandTR505: hand clap: a clap sound. 1 choices
rolandtr505_cr	RolandTR505: crash cymbal: a big metal splash. 1 choices
rolandtr505_hh	RolandTR505: closed hi-hat: a short metal tick. 1 choices
rolandtr505_ht	RolandTR505: high tom: a higher drum hit. 1 choices

Code / name	What it means
rolandtr505_lt	RolandTR505: low tom: a lower drum hit. 1 choices
rolandtr505_mt	RolandTR505: middle tom: a middle drum hit. 1 choices
rolandtr505_oh	RolandTR505: open hi-hat: a longer metal hiss. 1 choices
rolandtr505_perc	RolandTR505: mixed percussion hits. 3 choices
rolandtr505_rd	RolandTR505: ride cymbal: a ringing metal tap. 1 choices
rolandtr505_rim	RolandTR505: rim hit: a short woody click. 1 choices
rolandtr505_sd	RolandTR505: snare drum: a sharp smack. 1 choices
rolandtr606_bd	RolandTR606: bass drum: a low boom. 1 choices
Code / name	What it means
rolandtr606_cr	RolandTR606: crash cymbal: a big metal splash. 1 choices
rolandtr606_hh	RolandTR606: closed hi-hat: a short metal tick. 1 choices
rolandtr606_ht	RolandTR606: high tom: a higher drum hit. 1 choices
rolandtr606_lt	RolandTR606: low tom: a lower drum hit. 1 choices
rolandtr606_oh	RolandTR606: open hi-hat: a longer metal hiss. 1 choices
rolandtr606_sd	RolandTR606: snare drum: a sharp smack. 1 choices
rolandtr626_bd	RolandTR626: bass drum: a low boom. 2 choices
rolandtr626_cb	RolandTR626: cowbell or cowbell-style percussion. 1 choices
rolandtr626_cp	RolandTR626: hand clap: a clap sound. 1 choices
rolandtr626_cr	RolandTR626: crash cymbal: a big metal splash. 2 choices
rolandtr626_hh	RolandTR626: closed hi-hat: a short metal tick. 1 choices

Code / name	What it means
rolandtr626_ht	RolandTR626: high tom: a higher drum hit. 2 choices
rolandtr626_lt	RolandTR626: low tom: a lower drum hit. 2 choices
rolandtr626_mt	RolandTR626: middle tom: a middle drum hit. 2 choices
rolandtr626_oh	RolandTR626: open hi-hat: a longer metal hiss. 1 choices
rolandtr626_perc	RolandTR626: mixed percussion hits. 8 choices
rolandtr626_rd	RolandTR626: ride cymbal: a ringing metal tap. 2 choices
rolandtr626_rim	RolandTR626: rim hit: a short woody click. 1 choices
rolandtr626_sd	RolandTR626: snare drum: a sharp smack. 3 choices
rolandtr626_sh	RolandTR626: shaker: a rattling sound. 1 choices
rolandtr626_tb	RolandTR626: tambourine or tambourine-style percussion. 1 choices
rolandtr707_bd	RolandTR707: bass drum: a low boom. 2 choices
rolandtr707_cb	RolandTR707: cowbell or cowbell-style percussion. 1 choices
rolandtr707_cp	RolandTR707: hand clap: a clap sound. 1 choices
rolandtr707_cr	RolandTR707: crash cymbal: a big metal splash. 1 choices
rolandtr707_hh	RolandTR707: closed hi-hat: a short metal tick. 1 choices
rolandtr707_ht	RolandTR707: high tom: a higher drum hit. 1 choices
rolandtr707_lt	RolandTR707: low tom: a lower drum hit. 1 choices
rolandtr707_mt	RolandTR707: middle tom: a middle drum hit. 1 choices
rolandtr707_oh	RolandTR707: open hi-hat: a longer metal hiss. 1 choices
rolandtr707_rim	RolandTR707: rim hit: a short woody click. 1 choices

Code / name	What it means
rolandtr707_sd	RolandTR707: snare drum: a sharp smack. 2 choices
rolandtr707_tb	RolandTR707: tambourine or tambourine-style percussion. 1 choices
rolandtr727_perc	RolandTR727: mixed percussion hits. 10 choices
rolandtr727_sh	RolandTR727: shaker: a rattling sound. 2 choices
rolandtr808_bd	RolandTR808: bass drum: a low boom. 25 choices
rolandtr808_cb	RolandTR808: cowbell or cowbell-style percussion. 2 choices
rolandtr808_cp	RolandTR808: hand clap: a clap sound. 5 choices
rolandtr808_cr	RolandTR808: crash cymbal: a big metal splash. 25 choices
rolandtr808_hh	RolandTR808: closed hi-hat: a short metal tick. 1 choices
rolandtr808_ht	RolandTR808: high tom: a higher drum hit. 5 choices
rolandtr808_lt	RolandTR808: low tom: a lower drum hit. 5 choices
rolandtr808_mt	RolandTR808: middle tom: a middle drum hit. 5 choices
rolandtr808_oh	RolandTR808: open hi-hat: a longer metal hiss. 5 choices
rolandtr808_perc	RolandTR808: mixed percussion hits. 16 choices
rolandtr808_rim	RolandTR808: rim hit: a short woody click. 1 choices
rolandtr808_sd	RolandTR808: snare drum: a sharp smack. 25 choices
rolandtr808_sh	RolandTR808: shaker: a rattling sound. 2 choices
rolandtr909_bd	RolandTR909: bass drum: a low boom. 4 choices
rolandtr909_cp	RolandTR909: hand clap: a clap sound. 5 choices
rolandtr909_cr	RolandTR909: crash cymbal: a big metal splash. 5 choices

Code / name	What it means
rolandtr909_hh	RolandTR909: closed hi-hat: a short metal tick. 4 choices
rolandtr909_ht	RolandTR909: high tom: a higher drum hit. 9 choices
rolandtr909_lt	RolandTR909: low tom: a lower drum hit. 9 choices
rolandtr909_mt	RolandTR909: middle tom: a middle drum hit. 9 choices
rolandtr909_oh	RolandTR909: open hi-hat: a longer metal hiss. 5 choices
rolandtr909_rd	RolandTR909: ride cymbal: a ringing metal tap. 5 choices
rolandtr909_rim	RolandTR909: rim hit: a short woody click. 3 choices
rolandtr909_sd	RolandTR909: snare drum: a sharp smack. 16 choices
sakatadpm48_bd	SakataDPM48: bass drum: a low boom. 3 choices
Code / name	What it means
sakatadpm48_cp	SakataDPM48: hand clap: a clap sound. 1 choices
sakatadpm48_cr	SakataDPM48: crash cymbal: a big metal splash. 1 choices
sakatadpm48_hh	SakataDPM48: closed hi-hat: a short metal tick. 2 choices
sakatadpm48_ht	SakataDPM48: high tom: a higher drum hit. 1 choices
sakatadpm48_lt	SakataDPM48: low tom: a lower drum hit. 2 choices
sakatadpm48_mt	SakataDPM48: middle tom: a middle drum hit. 1 choices
sakatadpm48_oh	SakataDPM48: open hi-hat: a longer metal hiss. 1 choices
sakatadpm48_perc	SakataDPM48: mixed percussion hits. 2 choices
sakatadpm48_rd	SakataDPM48: ride cymbal: a ringing metal tap. 1 choices
sakatadpm48_rim	SakataDPM48: rim hit: a short woody click. 1 choices

Code / name	What it means
sakatadpm48_sd	SakataDPM48: snare drum: a sharp smack. 2 choices
sakatadpm48_sh	SakataDPM48: shaker: a rattling sound. 2 choices
sequentialcircuitsdrumtrack s_bd	SequentialCircuitsDrumtracks: bass drum: a low boom. 1 choices
sequentialcircuitsdrumtrack s_cb	SequentialCircuitsDrumtracks: cowbell or cowbell-style percussion. 1 choices
sequentialcircuitsdrumtrack s_cp	SequentialCircuitsDrumtracks: hand clap: a clap sound. 1 choices
sequentialcircuitsdrumtrack s_cr	SequentialCircuitsDrumtracks: crash cymbal: a big metal splash. 1 choices
sequentialcircuitsdrumtrack s_hh	SequentialCircuitsDrumtracks: closed hi-hat: a short metal tick. 1 choices
sequentialcircuitsdrumtrack s_ht	SequentialCircuitsDrumtracks: high tom: a higher drum hit. 1 choices
sequentialcircuitsdrumtrack s_oh	SequentialCircuitsDrumtracks: open hi-hat: a longer metal hiss. 1 choices
sequentialcircuitsdrumtrack s_rd	SequentialCircuitsDrumtracks: ride cymbal: a ringing metal tap. 1 choices
sequentialcircuitsdrumtrack s_rim	SequentialCircuitsDrumtracks: rim hit: a short woody click. 1 choices
sequentialcircuitsdrumtrack s_sd	SequentialCircuitsDrumtracks: snare drum: a sharp smack. 1 choices
sequentialcircuitsdrumtrack s_sh	SequentialCircuitsDrumtracks: shaker: a rattling sound. 1 choices
sequentialcircuitsdrumtrack s_tb	SequentialCircuitsDrumtracks: tambourine or tambourine-style percussion. 1 choices
sequentialcircuitstom_bd	SequentialCircuitsTom: bass drum: a low boom. 1 choices
sequentialcircuitstom_cp	SequentialCircuitsTom: hand clap: a clap sound. 1 choices
sequentialcircuitstom_cr	SequentialCircuitsTom: crash cymbal: a big metal splash. 1 choices
sequentialcircuitstom_hh	SequentialCircuitsTom: closed hi-hat: a short metal tick. 1 choices
sequentialcircuitstom_ht	SequentialCircuitsTom: high tom: a higher drum hit. 2 choices
sequentialcircuitstom_oh	SequentialCircuitsTom: open hi-hat: a longer metal hiss. 1 choices

Code / name	What it means
sequentialcircuitstom_sd	SequentialCircuitsTom: snare drum: a sharp smack. 1 choices
sergemodular_bd	SergeModular: bass drum: a low boom. 1 choices
sergemodular_misc	SergeModular: other percussion and effects. 1 choices
sergemodular_perc	SergeModular: mixed percussion hits. 5 choices
simmonssds400_ht	SimmonsSDS400: high tom: a higher drum hit. 3 choices
simmonssds400_lt	SimmonsSDS400: low tom: a lower drum hit. 6 choices
simmonssds400_mt	SimmonsSDS400: middle tom: a middle drum hit. 8 choices
simmonssds400_sd	SimmonsSDS400: snare drum: a sharp smack. 3 choices
simmonssds5_bd	SimmonsSDS5: bass drum: a low boom. 12 choices
simmonssds5_hh	SimmonsSDS5: closed hi-hat: a short metal tick. 5 choices
simmonssds5_ht	SimmonsSDS5: high tom: a higher drum hit. 3 choices
simmonssds5_lt	SimmonsSDS5: low tom: a lower drum hit. 8 choices
simmonssds5_mt	SimmonsSDS5: middle tom: a middle drum hit. 6 choices
simmonssds5_oh	SimmonsSDS5: open hi-hat: a longer metal hiss. 2 choices
simmonssds5_rim	SimmonsSDS5: rim hit: a short woody click. 7 choices
simmonssds5_sd	SimmonsSDS5: snare drum: a sharp smack. 21 choices
soundmastersr88_bd	SoundmastersR88: bass drum: a low boom. 1 choices
soundmastersr88_cr	SoundmastersR88: crash cymbal: a big metal splash. 1 choices
soundmastersr88_hh	SoundmastersR88: closed hi-hat: a short metal tick. 1 choices
soundmastersr88_oh	SoundmastersR88: open hi-hat: a longer metal hiss. 1 choices

Code / name	What it means
soundmastersr88_sd	SoundmastersR88: snare drum: a sharp smack. 2 choices
univoxmicrorhythmer12_bd	UnivoxMicroRhythmer12: bass drum: a low boom. 1 choices
univoxmicrorhythmer12_hh	UnivoxMicroRhythmer12: closed hi-hat: a short metal tick. 1 choices
univoxmicrorhythmer12_oh	UnivoxMicroRhythmer12: open hi-hat: a longer metal hiss. 1 choices
univoxmicrorhythmer12_sd	UnivoxMicroRhythmer12: snare drum: a sharp smack. 1 choices
viscospacedrum_bd	ViscoSpaceDrum: bass drum: a low boom. 11 choices
viscospacedrum_cb	ViscoSpaceDrum: cowbell or cowbell-style percussion. 1 choices
viscospacedrum_hh	ViscoSpaceDrum: closed hi-hat: a short metal tick. 6 choices
viscospacedrum_ht	ViscoSpaceDrum: high tom: a higher drum hit. 7 choices
viscospacedrum_lt	ViscoSpaceDrum: low tom: a lower drum hit. 2 choices
Code / name	What it means
viscospacedrum_misc	ViscoSpaceDrum: other percussion and effects. 2 choices
viscospacedrum_mt	ViscoSpaceDrum: middle tom: a middle drum hit. 2 choices
viscospacedrum_oh	ViscoSpaceDrum: open hi-hat: a longer metal hiss. 3 choices
viscospacedrum_perc	ViscoSpaceDrum: mixed percussion hits. 2 choices
viscospacedrum_rim	ViscoSpaceDrum: rim hit: a short woody click. 1 choices
viscospacedrum_sd	ViscoSpaceDrum: snare drum: a sharp smack. 3 choices
xdruml8953_bd	XdrumLM8953: bass drum: a low boom. 3 choices
xdruml8953_cr	XdrumLM8953: crash cymbal: a big metal splash. 1 choices
xdruml8953_hh	XdrumLM8953: closed hi-hat: a short metal tick. 2 choices

Code / name	What it means
xdruml8953_ht	XdrumLM8953: high tom: a higher drum hit. 2 choices
xdruml8953_lt	XdrumLM8953: low tom: a lower drum hit. 2 choices
xdruml8953_mt	XdrumLM8953: middle tom: a middle drum hit. 2 choices
xdruml8953_oh	XdrumLM8953: open hi-hat: a longer metal hiss. 1 choices
xdruml8953_rd	XdrumLM8953: ride cymbal: a ringing metal tap. 1 choices
xdruml8953_rim	XdrumLM8953: rim hit: a short woody click. 2 choices
xdruml8953_sd	XdrumLM8953: snare drum: a sharp smack. 5 choices
xdruml8953_tb	XdrumLM8953: tambourine or tambourine-style percussion. 1 choices
yamaharm50_bd	YamahaRM50: bass drum: a low boom. 103 choices
yamaharm50_cb	YamahaRM50: cowbell or cowbell-style percussion. 6 choices
yamaharm50_cp	YamahaRM50: hand clap: a clap sound. 2 choices
yamaharm50_cr	YamahaRM50: crash cymbal: a big metal splash. 22 choices
yamaharm50_hh	YamahaRM50: closed hi-hat: a short metal tick. 18 choices
yamaharm50_ht	YamahaRM50: high tom: a higher drum hit. 25 choices
yamaharm50_lt	YamahaRM50: low tom: a lower drum hit. 49 choices
yamaharm50_misc	YamahaRM50: other percussion and effects. 28 choices
yamaharm50_mt	YamahaRM50: middle tom: a middle drum hit. 34 choices
yamaharm50_oh	YamahaRM50: open hi-hat: a longer metal hiss. 12 choices
yamaharm50_perc	YamahaRM50: mixed percussion hits. 56 choices
yamaharm50_rd	YamahaRM50: ride cymbal: a ringing metal tap. 13 choices

Code / name	What it means
yamaharm50_sd	YamahaRM50: snare drum: a sharp smack. 108 choices
yamaharm50_sh	YamahaRM50: shaker: a rattling sound. 6 choices
yamaharm50_tb	YamahaRM50: tambourine or tambourine-style percussion. 3 choices
yamaharx21_bd	YamahaRX21: bass drum: a low boom. 1 choices
yamaharx21_cp	YamahaRX21: hand clap: a clap sound. 1 choices
yamaharx21_cr	YamahaRX21: crash cymbal: a big metal splash. 1 choices
yamaharx21_hh	YamahaRX21: closed hi-hat: a short metal tick. 1 choices
yamaharx21_ht	YamahaRX21: high tom: a higher drum hit. 1 choices
yamaharx21_lt	YamahaRX21: low tom: a lower drum hit. 1 choices
yamaharx21_mt	YamahaRX21: middle tom: a middle drum hit. 1 choices
yamaharx21_oh	YamahaRX21: open hi-hat: a longer metal hiss. 1 choices
yamaharx21_sd	YamahaRX21: snare drum: a sharp smack. 1 choices
yamaharx5_bd	YamahaRX5: bass drum: a low boom. 2 choices
yamaharx5_cb	YamahaRX5: cowbell or cowbell-style percussion. 1 choices
yamaharx5_fx	YamahaRX5: sound effects. 1 choices
yamaharx5_hh	YamahaRX5: closed hi-hat: a short metal tick. 1 choices
yamaharx5_lt	YamahaRX5: low tom: a lower drum hit. 1 choices
yamaharx5_oh	YamahaRX5: open hi-hat: a longer metal hiss. 1 choices
yamaharx5_rim	YamahaRX5: rim hit: a short woody click. 1 choices
yamaharx5_sd	YamahaRX5: snare drum: a sharp smack. 3 choices

Code / name	What it means
yamaharx5_sh	YamahaRX5: shaker: a rattling sound. 1 choices
yamaharx5_tb	YamahaRX5: tambourine or tambourine-style percussion. 1 choices
yamahary30_bd	YamahaRY30: bass drum: a low boom. 13 choices
yamahary30_cb	YamahaRY30: cowbell or cowbell-style percussion. 2 choices
yamahary30_cp	YamahaRY30: hand clap: a clap sound. 1 choices
yamahary30_cr	YamahaRY30: crash cymbal: a big metal splash. 2 choices
yamahary30_hh	YamahaRY30: closed hi-hat: a short metal tick. 4 choices
yamahary30_ht	YamahaRY30: high tom: a higher drum hit. 3 choices
yamahary30_lt	YamahaRY30: low tom: a lower drum hit. 3 choices
yamahary30_misc	YamahaRY30: other percussion and effects. 8 choices
yamahary30_mt	YamahaRY30: middle tom: a middle drum hit. 2 choices
Code / name	What it means
yamahary30_oh	YamahaRY30: open hi-hat: a longer metal hiss. 4 choices
yamahary30_perc	YamahaRY30: mixed percussion hits. 13 choices
yamahary30_rd	YamahaRY30: ride cymbal: a ringing metal tap. 3 choices
yamahary30_rim	YamahaRY30: rim hit: a short woody click. 2 choices
yamahary30_sd	YamahaRY30: snare drum: a sharp smack. 21 choices
yamahary30_sh	YamahaRY30: shaker: a rattling sound. 2 choices
yamahary30_tb	YamahaRY30: tambourine or tambourine-style percussion. 1 choices
yamahatg33_bd	YamahaTG33: bass drum: a low boom. 4 choices

Code / name	What it means
yamahatg33_cb	YamahaTG33: cowbell or cowbell-style percussion. 3 choices
yamahatg33_cp	YamahaTG33: hand clap: a clap sound. 1 choices
yamahatg33_cr	YamahaTG33: crash cymbal: a big metal splash. 3 choices
yamahatg33_fx	YamahaTG33: sound effects. 1 choices
yamahatg33_ht	YamahaTG33: high tom: a higher drum hit. 2 choices
yamahatg33_lt	YamahaTG33: low tom: a lower drum hit. 2 choices
yamahatg33_misc	YamahaTG33: other percussion and effects. 10 choices
yamahatg33_mt	YamahaTG33: middle tom: a middle drum hit. 2 choices
yamahatg33_oh	YamahaTG33: open hi-hat: a longer metal hiss. 1 choices
yamahatg33_perc	YamahaTG33: mixed percussion hits. 12 choices
yamahatg33_rd	YamahaTG33: ride cymbal: a ringing metal tap. 2 choices
yamahatg33_rim	YamahaTG33: rim hit: a short woody click. 1 choices
yamahatg33_sd	YamahaTG33: snare drum: a sharp smack. 5 choices
yamahatg33_sh	YamahaTG33: shaker: a rattling sound. 1 choices
yamahatg33_tb	YamahaTG33: tambourine or tambourine-style percussion. 1 choices

Inputs

Code / name	What it means
bus	Listen to an audio bus. Route sound into it first. Generated sound / input

Mridangam

Code / name	What it means
mridangam_ardha	Mridangam: an Indian hand drum, using the ardha stroke. 20 choices
mridangam_chaapu	Mridangam: an Indian hand drum, using the chaapu stroke. 13 choices
mridangam_dhi	Mridangam: an Indian hand drum, using the dhi stroke. 7 choices
mridangam_dhin	Mridangam: an Indian hand drum, using the dhin stroke. 8 choices
mridangam_dhum	Mridangam: an Indian hand drum, using the dhum stroke. 7 choices
mridangam_gumki	Mridangam: an Indian hand drum, using the gumki stroke. 14 choices
mridangam_ka	Mridangam: an Indian hand drum, using the ka stroke. 12 choices
mridangam_ki	Mridangam: an Indian hand drum, using the ki stroke. 7 choices
mridangam_na	Mridangam: an Indian hand drum, using the na stroke. 12 choices
mridangam_nam	Mridangam: an Indian hand drum, using the nam stroke. 8 choices
mridangam_ta	Mridangam: an Indian hand drum, using the ta stroke. 9 choices
mridangam_tha	Mridangam: an Indian hand drum, using the tha stroke. 7 choices
mridangam_thom	Mridangam: an Indian hand drum, using the thom stroke. 7 choices

Noise

Code / name	What it means
brown	Brown noise: a deeper rushing rumble. Generated sound / input
crackle	Crackle: little pops and crackles. Generated sound / input
pink	Pink noise: a softer rushing hiss. Generated sound / input
white	White noise: a bright rushing hiss. Generated sound / input

Optional Dirt-Samples (load first)

Code / name	What it means
808	Roland 808-style electronic drum sounds. 6 choices
808bd	808-style bass drum recordings. 25 choices
808cy	808-style cymbal recordings. 25 choices
808hc	808-style hand clap recordings. 5 choices
808ht	808-style high tom recordings. 5 choices
808lc	808-style low conga recordings. 5 choices
808lt	808-style low tom recordings. 5 choices
808mc	808-style middle conga recordings. 5 choices
808mt	808-style middle tom recordings. 5 choices
808oh	808-style open hi-hat recordings. 5 choices
808sd	808-style snare drum recordings. 25 choices
909	Roland 909-style electronic drum sounds. 1 choices
ab	Dirt collection "ab": recorded samples. See the file names for each choice. 12 choices
ade	Dirt collection "ade": recorded samples. See the file names for each choice. 10 choices
ades2	Dirt collection "ades2": recorded samples. See the file names for each choice. 9 choices
ades3	Dirt collection "ades3": recorded samples. See the file names for each choice. 7 choices
ades4	Dirt collection "ades4": recorded samples. See the file names for each choice. 6 choices
alex	Dirt collection "alex": recorded samples. See the file names for each choice. 2 choices
alphabet	A voice speaking letters. 26 choices

Code / name	What it means
amencutup	Chopped pieces of an Amen drum break. 32 choices
armora	Dirt collection "armora": recorded samples. See the file names for each choice. 7 choices
arp	Arpeggio-like electronic music sounds. 2 choices
arpy	Arpeggio-like electronic music sounds. 11 choices
auto	Dirt collection "auto": recorded samples. See the file names for each choice. 11 choices
baa	Sheep-like baa sounds. 7 choices
baa2	More sheep-like baa sounds. 7 choices
bass	Bass recordings: low musical sounds. 4 choices
bass0	Bass recordings: low musical sounds. 3 choices
bass1	Bass recordings: low musical sounds. 30 choices
bass2	Bass recordings: low musical sounds. 5 choices
bass3	Bass recordings: low musical sounds. 11 choices
bassdm	Bass recordings: low musical sounds. 24 choices
bassfoo	Bass recordings: low musical sounds. 3 choices
battles	Dirt collection "battles": recorded samples. See the file names for each choice. 2 choices
bd	Bass drum: low booms. 24 choices
bend	Dirt collection "bend": recorded samples. See the file names for each choice. 4 choices
bev	Dirt collection "bev": recorded samples. See the file names for each choice. 2 choices
bin	Dirt collection "bin": recorded samples. See the file names for each choice. 2 choices
birds	Bird sounds. 10 choices

Code / name	What it means
birds3	More bird sounds. 19 choices
bleep	Electronic bleeps. 13 choices
blip	Little electronic blips. 2 choices
blue	Dirt collection "blue": recorded samples. See the file names for each choice. 2 choices
bottle	Bottle sounds. 13 choices
breaks125	Recorded drum breaks: ready-made beats. 2 choices
breaks152	Recorded drum breaks: ready-made beats. 1 choices
breaks157	Recorded drum breaks: ready-made beats. 1 choices
breaks165	Recorded drum breaks: ready-made beats. 1 choices
breath	Breathing sounds. 1 choices
bubble	Bubbling sounds. 8 choices
can	Can sounds. 14 choices
casio	Casio keyboard: high, low, and noisy electronic sounds. 3 choices
cb	Cowbell-style percussion. 1 choices
cc	Dirt collection "cc": recorded samples. See the file names for each choice. 6 choices
chin	Dirt collection "chin": recorded samples. See the file names for each choice. 4 choices
circus	Dirt collection "circus": recorded samples. See the file names for each choice. 3 choices
clak	Dirt collection "clak": recorded samples. See the file names for each choice. 2 choices
click	Small clicking sounds. 4 choices
clubkick	Club-style bass drum kicks. 5 choices

Code / name	What it means
co	Dirt collection "co": recorded samples. See the file names for each choice. 4 choices
Code / name	What it means
coins	Coin sounds. 1 choices
control	Dirt collection "control": recorded samples. See the file names for each choice. 2 choices
cosmicg	Dirt collection "cosmicg": recorded samples. See the file names for each choice. 15 choices
cp	Clap sounds. 2 choices
cr	Crash cymbal: big metal splashes. 6 choices
crow	Crow: bird calls. 4 choices
d	Dirt collection "d": recorded samples. See the file names for each choice. 4 choices
db	Dirt collection "db": recorded samples. See the file names for each choice. 13 choices
diphone	Dirt collection "diphone": recorded samples. See the file names for each choice. 38 choices
diphone2	Dirt collection "diphone2": recorded samples. See the file names for each choice. 12 choices
dist	Dirt collection "dist": recorded samples. See the file names for each choice. 16 choices
dork2	Dirt collection "dork2": recorded samples. See the file names for each choice. 4 choices
dorkbot	Dirt collection "dorkbot": recorded samples. See the file names for each choice. 2 choices
dr	Dirt collection "dr": recorded samples. See the file names for each choice. 42 choices
dr2	Dirt collection "dr2": recorded samples. See the file names for each choice. 6 choices
dr55	Dirt collection "dr55": recorded samples. See the file names for each choice. 4 choices
dr_few	Dirt collection "dr_few": recorded samples. See the file names for each choice. 8 choices
drum	Drum recordings. 6 choices

Code / name	What it means
drumtraks	Dirt collection "drumtraks": recorded samples. See the file names for each choice. 13 choices
e	Dirt collection "e": recorded samples. See the file names for each choice. 8 choices
east	Japanese-style drums and wooden blocks. 9 choices
electro1	Dirt collection "electro1": recorded samples. See the file names for each choice. 13 choices
em2	Dirt collection "em2": recorded samples. See the file names for each choice. 6 choices
erk	Dirt collection "erk": recorded samples. See the file names for each choice. 1 choices
f	Dirt collection "f": recorded samples. See the file names for each choice. 1 choices
feel	Dirt collection "feel": recorded samples. See the file names for each choice. 7 choices
feelfx	Dirt collection "feelfx": recorded samples. See the file names for each choice. 8 choices
fest	Dirt collection "fest": recorded samples. See the file names for each choice. 1 choices
fire	Fire sounds. 1 choices
flick	Dirt collection "flick": recorded samples. See the file names for each choice. 17 choices
fm	Dirt collection "fm": recorded samples. See the file names for each choice. 17 choices
foo	Dirt collection "foo": recorded samples. See the file names for each choice. 27 choices
future	Dirt collection "future": recorded samples. See the file names for each choice. 17 choices
gab	Gabber-style hard electronic sounds. 10 choices
gabba	Gabber-style hard electronic sounds. 4 choices
gabbaloud	Gabber-style hard electronic sounds. 4 choices
gabbalouder	Gabber-style hard electronic sounds. 4 choices
glasstap	Taps on glass. 3 choices

Code / name	What it means
glitch	Glitch recordings: chopped electronic sounds. 8 choices
glitch2	Glitch recordings: chopped electronic sounds. 8 choices
gretsch	Dirt collection "gretsch": recorded samples. See the file names for each choice. 24 choices
gtr	Guitar recordings. 3 choices
h	Dirt collection "h": recorded samples. See the file names for each choice. 7 choices
hand	Hand percussion sounds. 17 choices
hardcore	Dirt collection "hardcore": recorded samples. See the file names for each choice. 12 choices
hardkick	Hard bass drum kicks. 6 choices
haw	Dirt collection "haw": recorded samples. See the file names for each choice. 6 choices
hc	Hand-clap-style sounds. 6 choices
hh	Hi-hat: metal ticks. 13 choices
hh27	Dirt collection "hh27": recorded samples. See the file names for each choice. 13 choices
hit	Dirt collection "hit": recorded samples. See the file names for each choice. 6 choices
hmm	Dirt collection "hmm": recorded samples. See the file names for each choice. 1 choices
ho	Dirt collection "ho": recorded samples. See the file names for each choice. 6 choices
hoover	Dirt collection "hoover": recorded samples. See the file names for each choice. 6 choices
house	Dirt collection "house": recorded samples. See the file names for each choice. 8 choices
ht	High tom: higher drum hits. 16 choices
if	Dirt collection "if": recorded samples. See the file names for each choice. 5 choices
ifdrums	Dirt collection "ifdrums": recorded samples. See the file names for each choice. 3 choices

Code / name	What it means
incoming	Dirt collection "incoming": recorded samples. See the file names for each choice. 8 choices
industrial	Dirt collection "industrial": recorded samples. See the file names for each choice. 32 choices
Code / name	What it means
insect	Insects: chirping and buzzing nature sounds. 3 choices
invaders	Dirt collection "invaders": recorded samples. See the file names for each choice. 18 choices
jazz	Jazz kit: recorded drum and percussion hits. 8 choices
jungbass	Bass recordings: low musical sounds. 20 choices
jungle	Dirt collection "jungle": recorded samples. See the file names for each choice. 13 choices
juno	Dirt collection "juno": recorded samples. See the file names for each choice. 12 choices
jvbass	Bass recordings: low musical sounds. 13 choices
kicklinn	Linn-style bass drum kicks. 1 choices
koy	Dirt collection "koy": recorded samples. See the file names for each choice. 2 choices
kurt	Dirt collection "kurt": recorded samples. See the file names for each choice. 7 choices
latibro	Dirt collection "latibro": recorded samples. See the file names for each choice. 8 choices
led	Dirt collection "led": recorded samples. See the file names for each choice. 1 choices
less	Dirt collection "less": recorded samples. See the file names for each choice. 4 choices
lighter	Lighter sound effects. 33 choices
linnhats	Linn-style hi-hat sounds. 6 choices
lt	Low tom: lower drum hits. 16 choices
made	Dirt collection "made": recorded samples. See the file names for each choice. 7 choices

Code / name	What it means
made2	Dirt collection "made2": recorded samples. See the file names for each choice. 1 choices
mash	Dirt collection "mash": recorded samples. See the file names for each choice. 2 choices
mash2	Dirt collection "mash2": recorded samples. See the file names for each choice. 4 choices
metal	Metal: metallic sample sounds. 10 choices
miniyeah	Short yeah voice sounds. 4 choices
monsterb	Dirt collection "monsterb": recorded samples. See the file names for each choice. 6 choices
moog	Moog synthesizer recordings. 7 choices
mouth	Mouth sounds. 15 choices
mp3	Dirt collection "mp3": recorded samples. See the file names for each choice. 4 choices
msg	Dirt collection "msg": recorded samples. See the file names for each choice. 9 choices
mt	Middle tom: middle drum hits. 16 choices
mute	Dirt collection "mute": recorded samples. See the file names for each choice. 28 choices
newnotes	Dirt collection "newnotes": recorded samples. See the file names for each choice. 15 choices
noise	Noisy recordings. 1 choices
noise2	More noisy recordings. 8 choices
notes	Dirt collection "notes": recorded samples. See the file names for each choice. 15 choices
num	A voice speaking number sounds. 21 choices
numbers	A voice speaking number sounds. 9 choices
oc	Dirt collection "oc": recorded samples. See the file names for each choice. 4 choices
odx	Dirt collection "odx": recorded samples. See the file names for each choice. 15 choices

Code / name	What it means
off	Dirt collection "off": recorded samples. See the file names for each choice. 1 choices
outdoor	Dirt collection "outdoor": recorded samples. See the file names for each choice. 6 choices
pad	Long electronic background tones. 3 choices
padlong	Long electronic background tones. 1 choices
pebbles	Pebble sounds. 1 choices
perc	Percussion hits. 6 choices
peri	Dirt collection "peri": recorded samples. See the file names for each choice. 15 choices
pluck	Plucked sounds. 17 choices
popkick	Pop-style bass drum kicks. 10 choices
print	Dirt collection "print": recorded samples. See the file names for each choice. 11 choices
proc	Dirt collection "proc": recorded samples. See the file names for each choice. 2 choices
procshort	Dirt collection "procshort": recorded samples. See the file names for each choice. 8 choices
psr	Dirt collection "psr": recorded samples. See the file names for each choice. 30 choices
rave	Rave-style electronic music sounds. 8 choices
rave2	Rave-style electronic music sounds. 4 choices
ravemono	Rave-style electronic music sounds. 2 choices
realclaps	Recorded hand claps. 4 choices
reverbkick	Bass drum kicks with an echoing tail. 1 choices
rm	Dirt collection "rm": recorded samples. See the file names for each choice. 2 choices
rs	Dirt collection "rs": recorded samples. See the file names for each choice. 1 choices

Code / name	What it means
sax	Saxophone recordings. 22 choices
sd	Snare drum: sharp smacks. 2 choices
seawolf	Dirt collection "seawolf": recorded samples. See the file names for each choice. 3 choices
Code / name	What it means
sequential	Dirt collection "sequential": recorded samples. See the file names for each choice. 8 choices
sf	Dirt collection "sf": recorded samples. See the file names for each choice. 18 choices
sheffield	Dirt collection "sheffield": recorded samples. See the file names for each choice. 1 choices
short	Dirt collection "short": recorded samples. See the file names for each choice. 5 choices
sid	Dirt collection "sid": recorded samples. See the file names for each choice. 12 choices
simplesine	Smooth sine-wave recordings. 6 choices
sitar	Sitar string recordings. 8 choices
sn	Dirt collection "sn": recorded samples. See the file names for each choice. 52 choices
space	Space: electronic sound effects. 18 choices
speakspell	Speak & Spell electronic voice recordings. 12 choices
speech	Recorded speech sounds. 7 choices
speechless	Dirt collection "speechless": recorded samples. See the file names for each choice. 10 choices
speedupdown	Dirt collection "speedupdown": recorded samples. See the file names for each choice. 9 choices
stab	Short, sharp musical bursts. 23 choices
stomp	Stomping sounds. 10 choices

Code / name	What it means
subroc3d	Dirt collection "subroc3d": recorded samples. See the file names for each choice. 11 choices
sugar	Dirt collection "sugar": recorded samples. See the file names for each choice. 2 choices
sundance	Dirt collection "sundance": recorded samples. See the file names for each choice. 6 choices
tabla	Indian tabla hand drums. 26 choices
tabla2	More Indian tabla hand drums. 46 choices
tablex	Dirt collection "tablex": recorded samples. See the file names for each choice. 3 choices
tacscan	Dirt collection "tacscan": recorded samples. See the file names for each choice. 22 choices
tech	Dirt collection "tech": recorded samples. See the file names for each choice. 13 choices
techno	Dirt collection "techno": recorded samples. See the file names for each choice. 7 choices
tink	Dirt collection "tink": recorded samples. See the file names for each choice. 5 choices
tok	Dirt collection "tok": recorded samples. See the file names for each choice. 4 choices
toys	Toy sounds. 13 choices
trump	Trumpet recordings. 11 choices
ul	Dirt collection "ul": recorded samples. See the file names for each choice. 10 choices
ulgab	Gabber-style hard electronic sounds. 5 choices
uxay	Dirt collection "uxay": recorded samples. See the file names for each choice. 3 choices
v	Dirt collection "v": recorded samples. See the file names for each choice. 6 choices
voodoo	Dirt collection "voodoo": recorded samples. See the file names for each choice. 5 choices
wind	Wind: blowing and whooshing nature sounds. 10 choices
wobble	Dirt collection "wobble": recorded samples. See the file names for each choice. 1 choices

Code / name	What it means
world	Dirt collection "world": recorded samples. See the file names for each choice. 3 choices
xmas	Dirt collection "xmas": recorded samples. See the file names for each choice. 1 choices
yeah	Yeah voice sounds. 31 choices

Piano

Code / name	What it means
piano	Grand piano: soft or bright keyboard notes. 29 recordings

Soundfonts

Code / name	What it means
gm_accordion	Accordion: a General MIDI instrument sound. 7 choices
gm_acoustic_bass	Acoustic bass: a General MIDI instrument sound. 4 choices
gm_acoustic_guitar_nylon	Acoustic guitar nylon: a General MIDI instrument sound. 9 choices
gm_acoustic_guitar_steel	Acoustic guitar steel: a General MIDI instrument sound. 10 choices
gm_agogo	Agogo: two ringing metal bells. 6 choices
gm_alto_sax	Alto sax: a General MIDI instrument sound. 6 choices
gm_applause	Applause: a crowd clapping. 15 choices
gm_bagpipe	Bagpipe: a General MIDI instrument sound. 1 choices
gm_bandoneon	Bandoneon: a small squeeze-box instrument. 10 choices
gm_banjo	Banjo: a General MIDI instrument sound. 6 choices
gm_baritone_sax	Baritone sax: a General MIDI instrument sound. 6 choices
gm_bassoon	Bassoon: a General MIDI instrument sound. 4 choices
gm_bird_tweet	Bird tweet: chirping birds. 7 choices
gm_blown_bottle	Blown bottle: a hollow whistle over a bottle. 5 choices
gm_brass_section	Brass section: a General MIDI instrument sound. 5 choices
gm_breath_noise	Breath noise: blowing sounds. 8 choices
gm_celesta	Celesta: tiny bell-like keyboard notes. 6 choices
gm_cello	Cello: a General MIDI instrument sound. 6 choices
gm_choir_aahs	Choir aahs: a General MIDI instrument sound. 9 choices

Code / name	What it means
gm_church_organ	Church organ: a General MIDI instrument sound. 5 choices
gm_clarinet	Clarinet: a General MIDI instrument sound. 6 choices
gm_clavinet	Clavinet: a short, funky keyboard sound. 4 choices
gm_contrabass	Contrabass: the largest, lowest orchestra string instrument. 3 choices
gm_distortion_guitar	Distortion guitar: a General MIDI instrument sound. 7 choices
gm_drawbar_organ	Drawbar organ: a General MIDI instrument sound. 7 choices
gm_dulcimer	Dulcimer: strings hit or plucked for bright notes. 5 choices
gm_electric_bass_finger	Electric bass finger: a General MIDI instrument sound. 4 choices
gm_electric_bass_pick	Electric bass pick: a General MIDI instrument sound. 5 choices
gm_electric_guitar_clean	Electric guitar clean: a General MIDI instrument sound. 9 choices
gm_electric_guitar_jazz	Electric guitar jazz: a General MIDI instrument sound. 9 choices
gm_electric_guitar_muted	Electric guitar muted: a General MIDI instrument sound. 10 choices
gm_english_horn	English horn: a General MIDI instrument sound. 4 choices
gm_epiano1	Electric piano 1: soft, bell-like keyboard notes. 11 choices
gm_epiano2	Electric piano 2: another electric keyboard sound. 9 choices
gm_fiddle	Fiddle: a General MIDI instrument sound. 9 choices
gm_flute	Flute: a General MIDI instrument sound. 5 choices
gm_french_horn	French horn: a General MIDI instrument sound. 5 choices
gm_fretless_bass	Fretless bass: a General MIDI instrument sound. 2 choices
gm_fx_atmosphere	Atmosphere: an electronic special-effect sound. 13 choices

Code / name	What it means
gm_fx_brightness	Brightness: an electronic special-effect sound. 12 choices
gm_fx_crystal	Crystal: an electronic special-effect sound. 10 choices
gm_fx_echoes	Echoes: an electronic special-effect sound. 10 choices
gm_fx_goblins	Goblins: an electronic special-effect sound. 9 choices
gm_fx_rain	Rain: an electronic special-effect sound. 6 choices
gm_fx_sci_fi	Sci fi: an electronic special-effect sound. 9 choices
gm_fx_soundtrack	Soundtrack: an electronic special-effect sound. 5 choices
gm_glockenspiel	Glockenspiel: a General MIDI instrument sound. 5 choices
gm_guitar_fret_noise	Guitar fret noise: fingers moving on guitar strings. 8 choices
gm_guitar_harmonics	Guitar harmonics: a General MIDI instrument sound. 3 choices
gm_gunshot	Gunshot: a sharp bang effect. 12 choices
gm_harmonica	Harmonica: a General MIDI instrument sound. 6 choices
gm_harpsichord	Harpsichord: a General MIDI instrument sound. 8 choices
gm_helicopter	Helicopter: chopping rotor sounds. 16 choices
gm_kalimba	Kalimba: plucked metal keys. 5 choices
gm_koto	Koto: long Japanese plucked strings. 9 choices
gm_lead_1_square	Lead 1 square: an electronic melody sound. 3 choices
gm_lead_2_sawtooth	Lead 2 sawtooth: an electronic melody sound. 7 choices
gm_lead_3_calliope	Lead 3 calliope: an electronic melody sound. 7 choices
gm_lead_4_chiff	Lead 4 chiff: an electronic melody sound. 6 choices

Code / name	What it means
gm_lead_5_charang	Lead 5 charang: an electronic melody sound. 10 choices
Code / name	What it means
gm_lead_6_voice	Lead 6 voice: an electronic melody sound. 6 choices
gm_lead_7_fifths	Lead 7 fifths: an electronic melody sound. 5 choices
gm_lead_8_bass_lead	Lead 8 bass lead: an electronic melody sound. 5 choices
gm_marimba	Marimba: a General MIDI instrument sound. 7 choices
gm_melodic_tom	Melodic tom: drum hits you can play as notes. 9 choices
gm_music_box	Music box: a General MIDI instrument sound. 5 choices
gm_muted_trumpet	Muted trumpet: a General MIDI instrument sound. 5 choices
gm_oboe	Oboe: a General MIDI instrument sound. 5 choices
gm_ocarina	Ocarina: a little hollow whistle. 4 choices
gm_orchestra_hit	Orchestra hit: a short burst from many orchestra instruments. 5 choices
gm_orchestral_harp	Orchestral harp: a General MIDI instrument sound. 5 choices
gm_overdriven_guitar	Overdriven guitar: a General MIDI instrument sound. 10 choices
gm_pad_bowed	Pad bowed: a long electronic background sound. 5 choices
gm_pad_choir	Pad choir: a long electronic background sound. 6 choices
gm_pad_halo	Pad halo: a long electronic background sound. 8 choices
gm_pad_metallic	Pad metallic: a long electronic background sound. 7 choices
gm_pad_new_age	Pad new age: a long electronic background sound. 12 choices
gm_pad_poly	Pad poly: a long electronic background sound. 7 choices

Code / name	What it means
gm_pad_sweep	Pad sweep: a long electronic background sound. 7 choices
gm_pad_warm	Pad warm: a long electronic background sound. 7 choices
gm_pan_flute	Pan flute: a General MIDI instrument sound. 8 choices
gm_percussive_organ	Percussive organ: a General MIDI instrument sound. 6 choices
gm_piano	Piano: acoustic, bright, electric grand, and honky-tonk choices. 32 choices
gm_piccolo	Piccolo: a General MIDI instrument sound. 5 choices
gm_pizzicato_strings	Pizzicato strings: plucked orchestra strings. 6 choices
gm_recorder	Recorder: a General MIDI instrument sound. 5 choices
gm_reed_organ	Reed organ: a General MIDI instrument sound. 8 choices
gm_reverse_cymbal	Reverse cymbal: a splash that swells backward. 9 choices
gm_rock_organ	Rock organ: a General MIDI instrument sound. 5 choices
gm_seashore	Seashore: wave-like nature sounds. 16 choices
gm_shakuhachi	Shakuhachi: a breathy Japanese bamboo flute. 5 choices
gm_shamisen	Shamisen: a Japanese plucked string instrument. 7 choices
gm_shanai	Shanai: a bright, reedy Indian horn. 5 choices
gm_sitar	Sitar: bright, buzzing Indian strings. 7 choices
gm_slap_bass_1	Slap bass 1: a General MIDI instrument sound. 4 choices
gm_slap_bass_2	Slap bass 2: a General MIDI instrument sound. 4 choices
gm_soprano_sax	Soprano sax: a General MIDI instrument sound. 5 choices
gm_steel_drums	Steel drums: ringing notes on metal pans. 6 choices

Code / name	What it means
gm_string_ensemble_1	String ensemble 1: a General MIDI instrument sound. 11 choices
gm_string_ensemble_2	String ensemble 2: a General MIDI instrument sound. 7 choices
gm_synth_bass_1	Synth bass 1: a General MIDI instrument sound. 9 choices
gm_synth_bass_2	Synth bass 2: a General MIDI instrument sound. 7 choices
gm_synth_brass_1	Synth brass 1: a General MIDI instrument sound. 4 choices
gm_synth_brass_2	Synth brass 2: a General MIDI instrument sound. 7 choices
gm_synth_choir	Synth choir: a General MIDI instrument sound. 5 choices
gm_synth_drum	Synth drum: electronic drum hits. 7 choices
gm_synth_strings_1	Synth strings 1: a General MIDI instrument sound. 7 choices
gm_synth_strings_2	Synth strings 2: a General MIDI instrument sound. 4 choices
gm_taiko_drum	Taiko drum: a big Japanese drum. 10 choices
gm_telephone	Telephone: ringing phone sounds. 10 choices
gm_tenor_sax	Tenor sax: a General MIDI instrument sound. 4 choices
gm_timpani	Timpani: a General MIDI instrument sound. 6 choices
gm_tinkle_bell	Tinkle bell: a General MIDI instrument sound. 1 choices
gm_tremolo_strings	Tremolo strings: quickly repeated bowed notes. 6 choices
gm_trombone	Trombone: a General MIDI instrument sound. 5 choices
gm_trumpet	Trumpet: a General MIDI instrument sound. 4 choices
gm_tuba	Tuba: a General MIDI instrument sound. 4 choices
gm_tubular_bells	Tubular bells: a General MIDI instrument sound. 6 choices

Code / name	What it means
gm_vibraphone	Vibraphone: a General MIDI instrument sound. 6 choices
gm_viola	Viola: a General MIDI instrument sound. 5 choices
Code / name	What it means
gm_violin	Violin: a General MIDI instrument sound. 9 choices
gm_voice_oohs	Voice oohs: a General MIDI instrument sound. 6 choices
gm_whistle	Whistle: a General MIDI instrument sound. 4 choices
gm_woodblock	Woodblock: a hollow wooden knock. 9 choices
gm_xylophone	Xylophone: a General MIDI instrument sound. 6 choices

Synth aliases

Code / name	What it means
saw	Short name for sawtooth. Saw wave: a bright, buzzy electronic tone. Generated sound / input
sin	Short name for sine. Sine wave: a smooth, pure electronic tone. Generated sound / input
sqr	Short name for square. Square wave: a hollow, buzzy video-game tone. Generated sound / input
tri	Short name for triangle. Triangle wave: a soft, hollow electronic tone. Generated sound / input

Synths

Code / name	What it means
<code>bytebeat</code>	Bytebeat: crunchy electronic tones made by tiny math formulas. 15 choices
<code>one</code>	Constant signal. Useful for controlling effects; it is not a normal musical note. Generated sound / input
<code>pulse</code>	Pulse wave: a buzzy tone whose width can change. Generated sound / input
<code>sawtooth</code>	Saw wave: a bright, buzzy electronic tone. Generated sound / input
<code>sbd</code>	Synth bass drum: a low electronic kick. Generated sound / input
<code>sine</code>	Sine wave: a smooth, pure electronic tone. Generated sound / input
<code>square</code>	Square wave: a hollow, buzzy video-game tone. Generated sound / input
<code>supersaw</code>	Supersaw: several bright saw waves together. Generated sound / input
<code>triangle</code>	Triangle wave: a soft, hollow electronic tone. Generated sound / input
<code>user</code>	Your own wave shape. Add <code>.partials(...)</code> to design it; it defaults to triangle. Generated sound / input

VCSL instruments

Code / name	What it means
agogo	Agogo: a pair of metal bells. 5 choices
anvil	Anvil: a bright hit on metal. 9 choices
balafon	Balafon: wooden bars with a hollow ringing sound. 6 recordings
balafon_hard	Balafon: wooden bars with a hollow ringing sound. Hard playing. 6 recordings
balafon_soft	Balafon: wooden bars with a hollow ringing sound. Soft playing. 6 recordings
ballwhistle	Ball whistle: a little whistling instrument. 2 choices
bassdrum1	Bass drum: deep drum booms. 8 choices
bassdrum2	Bass drum: hits, rolls, and rubbing sounds. 30 choices
belltree	Bell tree: a trail of small bell rings. 6 recordings
bongo	Bongo: small hand drum taps. 28 choices
brakedrum	Brake drum: ringing hits on a metal brake part. 17 choices
cabasa	Cabasa: a rolling, rattling shaker. 6 choices
cajon	Cajon: a wooden box drum. 18 choices
clap	Clap: hands clapping. 10 choices
clash	Clash cymbals: two cymbals crashing together. 10 choices
clash2	Clash cymbals: another set of crashing cymbals. 5 choices
clave	Claves: two wooden sticks clicking. 6 choices
clavisynth	Clavi-synth: a keyboard sound. 19 recordings
conga	Conga: taller hand drum hits. 34 choices

Code / name	What it means
cowbell	Cowbell: ringing metal bell hits. 13 choices
dantranh	Dan tranh: a Vietnamese instrument with plucked strings. 17 recordings
dantranh_tremolo	Dan tranh: a Vietnamese instrument with plucked strings. Quick repeated notes. 16 recordings
dantranh_vibrato	Dan tranh: a Vietnamese instrument with plucked strings. Notes that gently wobble. 16 recordings
darbuka	Darbuka: a goblet-shaped hand drum. 20 choices
didgeridoo	Didgeridoo: a deep, buzzy wind instrument. 12 choices
fingercymbal	Finger cymbals: tiny metal cymbals. 1 choices
flexatone	Flexatone: a wobbly metal ringing sound. 8 choices
fmpiano	FM piano: an electronic piano tone. 22 recordings
folkharp	Folk harp: a smaller harp with plucked strings. 29 recordings
framedrum	Frame drum: a wide, shallow hand drum. 18 choices
glockenspiel	Glockenspiel: bright metal-bar notes. 7 recordings
gong	Gong: a big ringing metal disc. 7 choices
gong2	Gong: another ringing metal disc. 6 choices
guiro	Guiro: a scraped, bumpy sound. 5 choices
handbells	Handbells: bells rung by hand. 3 choices
handchimes	Handchimes: small ringing metal tubes. 19 recordings
harmonica	Harmonica: a little mouth organ. 9 recordings
harmonica_soft	Harmonica: a little mouth organ. Soft playing. 10 recordings

Code / name	What it means
harmonica_vib	Harmonica: a little mouth organ. Notes that gently wobble. 10 recordings
harp	Harp: plucked strings. 23 recordings
hihat	Hi-hat: a pair of metal cymbals. 15 choices
kalimba	Kalimba: plucked metal keys. 11 recordings
kalimba2	Kalimba: another plucked-key instrument. 25 recordings
kalimba3	Kalimba: another plucked-key instrument. 22 recordings
kalimba4	Kalimba: another plucked-key instrument. 22 recordings
kalimba5	Kalimba: another plucked-key instrument. 14 recordings
kawai	Kawai grand piano: keyboard notes. 37 recordings
marimba	Marimba: warm wooden-bar notes. 10 recordings
marktrees	Mark tree: a row of tiny hanging chimes. 6 choices
ocarina	Ocarina: a little hollow whistle. 11 recordings
ocarina_small	Ocarina: a little hollow whistle. Small size. 10 recordings
ocarina_small_stacc	Ocarina: a little hollow whistle. Small size. Short notes. 13 recordings
ocarina_vib	Ocarina: a little hollow whistle. Notes that gently wobble. 10 recordings
oceandrum	Ocean drum: rolling beads like waves. 3 choices
organ_4inch	Organ: long keyboard tones. 27 recordings
organ_8inch	Organ: long keyboard tones. 27 recordings
organ_full	Organ: long keyboard tones. 27 recordings
piano1	Electric piano: keyboard notes. 22 recordings

Code / name	What it means
pipeorgan_loud	Pipe organ: big organ pipes. Louder tones. 21 recordings
pipeorgan_loud_pedal	Pipe organ: big organ pipes. Louder tones. Low pedal notes. 11 recordings
Code / name	What it means
pipeorgan_quiet	Pipe organ: big organ pipes. Quieter tones. 21 recordings
pipeorgan_quiet_pedal	Pipe organ: big organ pipes. Quieter tones. Low pedal notes. 11 recordings
psaltery_bow	Psaltery: strings that can be plucked or bowed. Played with a bow. 11 recordings
psaltery_pluck	Psaltery: strings that can be plucked or bowed. Plucked strings. 11 recordings
psaltery_spiccato	Psaltery: strings that can be plucked or bowed. Short, bouncing bow strokes. 11 recordings
ratchet	Ratchet: a wooden clicking rattle. 8 choices
recorder_alto_stacc	Recorder: a small flute you blow into. Alto size. Short notes. 12 recordings
recorder_alto_sus	Recorder: a small flute you blow into. Alto size. Held notes. 12 recordings
recorder_alto_vib	Recorder: a small flute you blow into. Alto size. Notes that gently wobble. 12 recordings
recorder_bass_stacc	Recorder: a small flute you blow into. Low bass size. Short notes. 15 recordings
recorder_bass_sus	Recorder: a small flute you blow into. Low bass size. Held notes. 12 recordings
recorder_bass_vib	Recorder: a small flute you blow into. Low bass size. Notes that gently wobble. 14 recordings
recorder_soprano_stacc	Recorder: a small flute you blow into. High soprano size. Short notes. 12 recordings
recorder_soprano_sus	Recorder: a small flute you blow into. High soprano size. Held notes. 13 recordings
recorder_tenor_stacc	Recorder: a small flute you blow into. Tenor size. Short notes. 12 recordings
recorder_tenor_sus	Recorder: a small flute you blow into. Tenor size. Held notes. 13 recordings
recorder_tenor_vib	Recorder: a small flute you blow into. Tenor size. Notes that gently wobble. 14 recordings

Code / name	What it means
sax	Saxophone: a reedy, singing horn. 23 recordings
sax_stacc	Saxophone: a reedy, singing horn. Short notes. 23 recordings
sax_vib	Saxophone: a reedy, singing horn. Notes that gently wobble. 19 recordings
saxello	Saxello: a small curved saxophone. 8 recordings
saxello_stacc	Saxello: a small curved saxophone. Short notes. 8 recordings
saxello_vib	Saxello: a small curved saxophone. Notes that gently wobble. 8 recordings
shaker_large	Shaker: rattling percussion. Large shaker. 6 choices
shaker_small	Shaker: rattling percussion. Small size. 16 choices
siren	Siren: a rising or falling warning sound. 5 choices
slapstick	Slapstick: two wooden pieces that clap together. 5 choices
sleighbells	Sleigh bells: jingling bells. 6 choices
slitdrum	Slit drum: a hollow wooden drum. 6 choices
snare_hi	Snare drum: a crisp, rattling smack. Higher drum sound. 8 choices
snare_low	Snare drum: a crisp, rattling smack. Lower drum sound. 20 choices
snare_modern	Snare drum: a crisp, rattling smack. Modern snare. 72 choices
snare_rim	Snare drum: a crisp, rattling smack. Hits on the drum rim. 4 choices
steinway	Steinway grand piano: keyboard notes. 42 recordings
strumstick	Strumstick: a small three-string instrument. 19 recordings
super64	Super 64 chromatic harmonica: mouth-organ tones. 13 recordings
super64_acc	Super 64 chromatic harmonica: mouth-organ tones. Accented notes. 13 recordings

Code / name	What it means
super64_vib	Super 64 chromatic harmonica: mouth-organ tones. Notes that gently wobble. 13 recordings
sus_cymbal	Suspended cymbal: a ringing metal splash. 25 choices
sus_cymbal2	Suspended cymbal: a ringing metal splash. 23 choices
tambourine	Tambourine: a drum with jingling discs. 7 choices
tambourine2	Tambourine: another jingling drum. 7 choices
timpani	Timpani: big tuned orchestra drums. 30 choices
timpani2	Timpani2: recorded instrument sounds. 204 choices
timpani_roll	Timpani: big tuned orchestra drums. A fast drum roll. 10 choices
tom2_mallet	Tom drum: another set of round drum hits. Played with soft mallets. 8 choices
tom2_rim	Tom drum: another set of round drum hits. Hits on the drum rim. 6 choices
tom2_stick	Tom drum: another set of round drum hits. Played with sticks. 8 choices
tom_mallet	Tom drum: round drum hits. Played with soft mallets. 8 choices
tom_rim	Tom drum: round drum hits. Hits on the drum rim. 6 choices
tom_stick	Tom drum: round drum hits. Played with sticks. 8 choices
trainwhistle	Train whistle: a train-like whistle. 6 choices
triangles	Triangle: a bright metal ping. 37 choices
tubularbells	Tubular bells: long ringing metal tubes. 9 recordings
tubularbells2	Tubular bells: another set of ringing tubes. 11 recordings
vibraphone	Vibraphone: softly ringing metal-bar notes. 11 recordings
vibraphone_bowed	Vibraphone: softly ringing metal-bar notes. Played with a bow. 6 recordings

Code / name	What it means
vibraphone_soft	Vibraphone: softly ringing metal-bar notes. Soft playing. 11 recordings
vibraslap	Vibraslap: a buzzing wooden rattle. 4 choices
wineglass	Wineglass: ringing glass tones. 4 recordings
Code / name	What it means
wineglass_slow	Wineglass: ringing glass tones. Slow ringing tones. 4 recordings
woodblock	Woodblock: a short hollow wooden knock. 10 choices
xylophone_hard_ff	Xylophone: bright wooden-bar notes. Hard playing. Very loud notes. 8 recordings
xylophone_hard_pp	Xylophone: bright wooden-bar notes. Hard playing. Very quiet notes. 8 recordings
xylophone_medium_ff	Xylophone: bright wooden-bar notes. Very loud notes. 8 recordings
xylophone_medium_pp	Xylophone: bright wooden-bar notes. Very quiet notes. 8 recordings
xylophone_soft_ff	Xylophone: bright wooden-bar notes. Soft playing. Very loud notes. 8 recordings
xylophone_soft_pp	Xylophone: bright wooden-bar notes. Soft playing. Very quiet notes. 8 recordings

Wavetables

Code / name	What it means
wt_digital	Wavetable: an electronic tone whose shape can change. 5 choices
wt_digital_bad_day	Wavetable: an electronic tone whose shape can change. 1 choices
wt_digital_basique	Wavetable: an electronic tone whose shape can change. 1 choices
wt_digital_crickets	Wavetable: an electronic tone whose shape can change. 1 choices
wt_digital_curses	Wavetable: an electronic tone whose shape can change. 1 choices
wt_digital_echoes	Wavetable: an electronic tone whose shape can change. 1 choices
wt_vgame	Wavetable: an electronic tone whose shape can change. 11 choices

ZZFX

Code / name	What it means
z_noise	ZZFX noise: a noisy video-game-style effect. Generated sound / input
z_sawtooth	ZZFX sawtooth: a video-game-style generated tone. Generated sound / input
z_sine	ZZFX sine: a video-game-style generated tone. Generated sound / input
z_square	ZZFX square: a video-game-style generated tone. Generated sound / input
z_tan	ZZFX tan: a video-game-style generated tone. Generated sound / input
z_triangle	ZZFX triangle: a video-game-style generated tone. Generated sound / input
zzfx	ZZFX: a tiny video-game-style sound generator. Generated sound / input

Coverage and sources

This edition includes the captured website Reference entries and their listed aliases, numbered FM command families, documented helper commands, all default sound-map entries, drum-bank aliases, registered synth/noise sounds, wavetables, General MIDI sound-font names, and the feature families in the official learning pages.

New user samples, user-defined commands, third-party extensions, and later updates cannot be listed in a fixed catalog. Use the import and extension sections to add them. Some low-level helper entries have only short official documentation; they are labeled Advanced and linked to their source. These tools are for people writing their own pattern software.

Examples come from the official documentation or use the same documented syntax. The complete catalog was checked for names, counts, and coverage; every possible sound and command combination has not been played.

[Official Strudel documentation](#)

[Official source code](#)

[Samples and banks](#)

[Mini-notation](#)

[Synths](#)

[Audio effects](#)

[Visual feedback](#)

[MIDI and OSC](#)