

3GPP TS 36.211 V19.3.0 (2026-03)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Evolved Universal Terrestrial Radio Access (E-UTRA); Physical channels and modulation (Release 19)



Keywords

E-UTRA, radio, layer 1

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2026, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TSDSI, TTA, TTC).
All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword	9
1 Scope	10
2 References	10
3 Symbols and abbreviations	11
3.1 Symbols	11
3.2 Abbreviations	15
4 Frame structure	15
4.1 Frame structure type 1 for FDD	16
4.2 Frame structure type 2	17
4.3 Frame structure type 3	18
4.4 Frame structure type 1 for IoT NTN TDD	19
5 Uplink	20
5.1 Overview	20
5.1.1 Physical channels	20
5.1.2 Physical signals	20
5.2 Slot structure and physical resources	20
5.2.1 Resource grid	20
5.2.2 Resource elements	22
5.2.3 Resource blocks	22
5.2.4 Narrowbands and widebands	22
5.2.5 Guard period for narrowband and wideband retuning	23
5.3 Physical uplink shared channel	26
5.3.1 Scrambling	26
5.3.2 Modulation	27
5.3.2A Layer mapping	28
5.3.2A.1 Layer mapping for transmission on a single antenna port	28
5.3.2A.2 Layer mapping for spatial multiplexing	28
5.3.3 Transform precoding	29
5.3.3A Precoding	29
5.3.3A.1 Precoding for transmission on a single antenna port	29
5.3.3A.2 Precoding for spatial multiplexing	29
5.3.4 Mapping to physical resources	32
5.4 Physical uplink control channel	38
5.4.1 PUCCH formats 1, 1a and 1b	39
5.4.2 PUCCH formats 2, 2a and 2b	42
5.4.2A PUCCH format 3	43
5.4.2B PUCCH format 4	45
5.4.2C PUCCH format 5	45
5.4.3 Mapping to physical resources	46
5.4A Short Physical Uplink Control Channel	49
5.4A.1 General	49
5.4A.2 SPUCCH formats 1, 1a, 1b	49
5.4A.2.1 Slot-SPUCCH	49
5.4A.2.2 Subslot-SPUCCH	50
5.4A.3 SPUCCH format 3	51
5.4A.3.1 Slot-SPUCCH	51
5.4A.4 SPUCCH format 4	51
5.4A.4.1 Slot-SPUCCH	51
5.4A.4.2 Subslot-SPUCCH	52
5.4A.5 Mapping to physical resources	52
5.5 Reference signals	56
5.5.1 Generation of the reference signal sequence	56
5.5.1.1 Base sequences of length $3 N_{\text{sc}}^{\text{RB}}$ or larger	57

5.5.1.2	Base sequences of length less than $3 N_{sc}^{RB}$	58
5.5.1.3	Group hopping	62
5.5.1.4	Sequence hopping	63
5.5.1.5	Determining virtual cell identity for sequence generation	63
5.5.2	Demodulation reference signal	64
5.5.2.1	Demodulation reference signal for PUSCH	64
5.5.2.1.1	Reference signal sequence	64
5.5.2.1.2	Mapping to physical resources	68
5.5.2.1A	Demodulation reference signal for PUSCH with sub-PRB allocations	69
5.5.2.1A.1	Reference signal sequence using modulation schemes other than $\pi/2$ -BPSK	69
5.5.2.1A.2	Reference signal sequence using $\pi/2$ -BPSK modulation scheme	70
5.5.2.1A.3	Group hopping	71
5.5.2.1A.4	Mapping to physical resources	72
5.5.2.2	Demodulation reference signal for PUCCH	72
5.5.2.2.1	Reference signal sequence	72
5.5.2.2.2	Mapping to physical resources	74
5.5.2.3	Demodulation reference signal for SPUCCH	75
5.5.2.3.1	Reference signal sequence	75
5.5.2.3.2	Mapping to physical resources	76
5.5.3	Sounding reference signal	77
5.5.3.1	Sequence generation	77
5.5.3.1.1	Sequence generation for basic SRS	77
5.5.3.1.2	Sequence generation for additional SRS	77
5.5.3.2	Mapping to physical resources	78
5.5.3.2.1	Mapping to physical resources for basic SRS	78
5.5.3.2.2	Mapping to physical resources for additional SRS	80
5.5.3.3	Sounding reference signal subframe configuration	81
5.6	SC-FDMA baseband signal generation	83
5.6A	SC-FDMA baseband signal generation for PUSCH using sub-PRB allocations	84
5.6A.1	Modulation schemes other than $\pi/2$ -BPSK	84
5.6A.2	Modulation scheme $\pi/2$ -BPSK	84
5.7	Physical random access channel	85
5.7.1	Time and frequency structure	85
5.7.2	Preamble sequence generation	92
5.7.3	Baseband signal generation	97
5.8	Modulation and upconversion	98
6	Downlink	98
6.1	Overview	98
6.1.1	Physical channels	98
6.1.2	Physical signals	98
6.2	Slot structure and physical resource elements	99
6.2.1	Resource grid	99
6.2.2	Resource elements	100
6.2.3	Resource blocks	101
6.2.3.1	Virtual resource blocks of localized type	102
6.2.3.2	Virtual resource blocks of distributed type	102
6.2.4	Resource-element groups (REGs)	103
6.2.4A	Enhanced Resource-Element Groups (EREGs)	104
6.2.4B	Short Resource-Element Groups (SREGs)	104
6.2.5	Guard period for half-duplex FDD operation	104
6.2.6	Guard Period for TDD Operation	105
6.2.7	Narrowbands and widebands	105
6.2.8	Guard period for narrowband and wideband retuning	106
6.3	General structure for downlink physical channels	106
6.3.1	Scrambling	107
6.3.2	Modulation	108
6.3.3	Layer mapping	108
6.3.3.1	Layer mapping for transmission on a single antenna port	108
6.3.3.2	Layer mapping for spatial multiplexing	109
6.3.3.3	Layer mapping for transmit diversity	110
6.3.4	Precoding	110

6.3.4.1	Precoding for transmission on a single antenna port	110
6.3.4.2	Precoding for spatial multiplexing using antenna ports with cell-specific reference signals	111
6.3.4.2.1	Precoding without CDD	111
6.3.4.2.2	Precoding for large delay CDD	111
6.3.4.2.3	Codebook for precoding and CSI reporting	112
6.3.4.3	Precoding for transmit diversity	113
6.3.4.4	Precoding for spatial multiplexing using antenna ports with UE-specific reference signals	114
6.3.5	Mapping to resource elements	115
6.4	Physical downlink shared channel	116
6.4.1	Physical downlink shared channel for BL/CE UEs	118
6.4.2	Slot/subslot-based physical downlink shared channel	121
6.5	Physical multicast channel	123
6.5.1	Cyclic shift for PMCH	123
6.5.2	Frequency-domain interleaving	124
6.6	Physical broadcast channel	125
6.6.1	Scrambling	125
6.6.2	Modulation	125
6.6.3	Layer mapping and precoding	126
6.6.4	Mapping to resource elements	126
6.6.4.1	PBCH repetition in the cell acquisition subframe	127
6.7	Physical control format indicator channel	128
6.7.1	Scrambling	128
6.7.2	Modulation	128
6.7.3	Layer mapping and precoding	129
6.7.4	Mapping to resource elements	129
6.8	Physical downlink control channel	129
6.8.1	PDCCH formats	129
6.8.2	PDCCH multiplexing and scrambling	130
6.8.3	Modulation	130
6.8.4	Layer mapping and precoding	130
6.8.5	Mapping to resource elements	130
6.8A	Enhanced physical downlink control channel	132
6.8A.1	EPDCCH formats	132
6.8A.2	Scrambling	133
6.8A.3	Modulation	133
6.8A.4	Layer mapping and precoding	134
6.8A.5	Mapping to resource elements	134
6.8B	MTC physical downlink control channel	135
6.8B.1	MPDCCH formats	135
6.8B.2	Scrambling	136
6.8B.3	Modulation	136
6.8B.4	Layer mapping and precoding	137
6.8B.5	Mapping to resource elements	137
6.8C	Short physical downlink control channel (SPDCCH)	140
6.8C.1	SPDCCH formats	141
6.8C.2	Scrambling	142
6.8C.3	Modulation	142
6.8C.4	Layer mapping and precoding	142
6.8C.5	Mapping to resource elements	143
6.9	Physical hybrid ARQ indicator channel	144
6.9.1	Modulation	145
6.9.2	Resource group alignment, layer mapping and precoding	146
6.9.3	Mapping to resource elements	147
6.10	Reference signals	149
6.10.1	Cell-specific Reference Signal (CRS)	149
6.10.1.1	Sequence generation	150
6.10.1.2	Mapping to resource elements	150
6.10.2	MBSFN reference signals	152
6.10.2.1	Sequence generation	152
6.10.2.1.1	Sequence generation for 15 kHz and 7.5 kHz subcarrier spacing	152
6.10.2.1.2	Sequence generation for 1.25 kHz subcarrier spacing	153
6.10.2.1.3	Sequence generation for 2.5 kHz subcarrier spacing	153

6.10.2.1.4	Sequence generation for 0.37 kHz subcarrier spacing	153
6.10.2.2	Mapping to resource elements	153
6.10.2.2.1	Mapping to resource elements for 15 kHz and 7.5 kHz subcarrier spacing	153
6.10.2.2.2	Mapping to resource elements for 1.25 kHz	155
6.10.2.2.3	Mapping to resource elements for 2.5 kHz subcarrier spacing	155
6.10.2.2.4	Mapping to resource elements for 0.37 kHz subcarrier spacing	156
6.10.3	UE-specific reference signals associated with PDSCH	156
6.10.3.1	Sequence generation	157
6.10.3.2	Mapping to resource elements	158
6.10.3A	Demodulation reference signals associated with EPDCCH, MPDCCH, or SPDCCH	166
6.10.3A.1	Sequence generation	166
6.10.3A.2	Mapping to resource elements	167
6.10.4	Positioning reference signals	169
6.10.4.1	Sequence generation	169
6.10.4.2	Mapping to resource elements	170
6.10.4.3	Positioning reference signal subframe configuration	172
6.10.5	CSI reference signals	172
6.10.5.1	Sequence generation	173
6.10.5.2	Mapping to resource elements	173
6.10.5.3	CSI reference signal subframe configuration	182
6.11	Synchronization signals	182
6.11.1	Primary synchronization signal (PSS)	182
6.11.1.1	Sequence generation	182
6.11.1.2	Mapping to resource elements	183
6.11.2	Secondary synchronization signal (SSS)	183
6.11.2.1	Sequence generation	184
6.11.2.2	Mapping to resource elements	185
6.11.3	Resynchronization signal (RSS)	186
6.11.3.1	Sequence generation	186
6.11.3.2	Mapping to resource elements	186
6.11A	Discovery signal	187
6.11B	MTC wake-up signal (MWUS)	188
6.11B.1	Sequence generation	188
6.11B.2	Mapping to resource elements	188
6.12	OFDM baseband signal generation	189
6.13	Modulation and upconversion	189
7	Generic functions	191
7.1	Modulation mapper	191
7.1.1	BPSK	191
7.1.2	QPSK	191
7.1.3	16QAM	191
7.1.4	64QAM	192
7.1.5	256QAM	194
7.1.6	1024QAM	195
7.2	Pseudo-random sequence generation	195
8	Timing	195
8.1	Uplink-downlink frame timing	196
9	Sidelink	198
9.1	Overview	198
9.1.1	Physical channels	198
9.1.2	Physical signals	198
9.1.3	Handling of simultaneous sidelink and uplink/downlink transmissions	198
9.2	Slot structure and physical resources	199
9.2.1	Resource grid	199
9.2.2	Resource elements	199
9.2.3	Resource blocks	200
9.2.4	Resource pool	200
9.2.5	Guard period	200
9.3	Physical Sidelink Shared Channel	200
9.3.1	Scrambling	200

9.3.2	Modulation	201
9.3.3	Layer mapping	201
9.3.4	Transform precoding	201
9.3.5	Precoding	201
9.3.6	Mapping to physical resources	201
9.4	Physical Sidelink Control Channel	202
9.4.1	Scrambling	202
9.4.2	Modulation	202
9.4.3	Layer mapping	202
9.4.4	Transform precoding	202
9.4.5	Precoding	202
9.4.6	Mapping to physical resources	202
9.5	Physical Sidelink Discovery Channel	203
9.5.1	Scrambling	203
9.5.2	Modulation	203
9.5.3	Layer mapping	203
9.5.4	Transform precoding	203
9.5.5	Precoding	203
9.5.6	Mapping to physical resources	203
9.6	Physical Sidelink Broadcast Channel	204
9.6.1	Scrambling	204
9.6.2	Modulation	204
9.6.3	Layer mapping	204
9.6.4	Transform precoding	204
9.6.5	Precoding	204
9.6.6	Mapping to physical resources	204
9.7	Sidelink Synchronization Signals	204
9.7.1	Primary sidelink synchronization signal	205
9.7.1.1	Sequence generation	205
9.7.1.2	Mapping to resource elements	205
9.7.2	Secondary sidelink synchronization signal	205
9.7.2.1	Sequence generation	205
9.7.2.2	Mapping to resource elements	205
9.8	Demodulation reference signals	205
9.9	SC-FDMA baseband signal generation	207
9.10	Timing	207
10	Narrowband IoT	208
10.0	General	208
10.0.1	Frame structure	208
10.0.1.1	Frame structure type 1	208
10.0.1.2	Frame structure type 2	208
10.1	Uplink	209
10.1.1	Overview	209
10.1.1.1	Physical channels	209
10.1.1.2	Physical signals	209
10.1.2	Slot structure and physical resources	209
10.1.2.1	Resource grid	209
10.1.2.2	Resource elements	210
10.1.2.3	Resource unit	210
10.1.3	Narrowband physical uplink shared channel	211
10.1.3.1	Scrambling	211
10.1.3.2	Modulation	211
10.1.3.3	Layer mapping	212
10.1.3.4	Transform precoding	212
10.1.3.5	Precoding	212
10.1.3.6	Mapping to physical resources	212
10.1.4	Demodulation reference signal	214
10.1.4.1	Reference signal sequence	214
10.1.4.1.1	Reference signal sequence for $N_{sc}^{RU} = 1$	214
10.1.4.1.2	Reference signal sequence for $N_{sc}^{RU} > 1$	216
10.1.4.1.3	Group hopping	217

10.1.4.2	Mapping to physical resources	218
10.1.5	SC-FDMA baseband signal generation	219
10.1.6	Narrowband physical random-access channel	220
10.1.6.1	Time and frequency structure	220
10.1.6.2	Baseband signal generation	223
10.1.7	Modulation and upconversion	224
10.2	Downlink	224
10.2.1	Overview	224
10.2.1.1	Physical channels	224
10.2.1.2	Physical signals	224
10.2.2	Slot structure and physical resource elements	224
10.2.2.1	Resource grid	224
10.2.2.2	Resource elements	225
10.2.2.3	Guard period for half-duplex FDD operation	225
10.2.2.4	Guard period for TDD operation	225
10.2.3	Narrowband physical downlink shared channel	225
10.2.3.1	Scrambling	225
10.2.3.2	Modulation	225
10.2.3.3	Layer mapping and precoding	225
10.2.3.4	Mapping to resource elements	226
10.2.4	Narrowband physical broadcast channel	227
10.2.4.1	Scrambling	227
10.2.4.2	Modulation	228
10.2.4.3	Layer mapping and precoding	228
10.2.4.4	Mapping to resource elements	228
10.2.5	Narrowband physical downlink control channel	228
10.2.5.1	NPDCCH formats	228
10.2.5.2	Scrambling	229
10.2.5.3	Modulation	229
10.2.5.4	Layer mapping and precoding	229
10.2.5.5	Mapping to resource elements	229
10.2.6	Narrowband reference signal (NRS)	230
10.2.6.1	Sequence generation	234
10.2.6.2	Mapping to resource elements	234
10.2.6A	Narrowband positioning reference signal (NPRS)	235
10.2.6A.1	Sequence generation	236
10.2.6A.2	Mapping to resource elements	236
10.2.6A.3	NPRS subframe configuration	237
10.2.6B	Narrowband wake up signal (NWUS)	238
10.2.6B.1	Sequence generation	238
10.2.6B.2	Mapping to resource elements	238
10.2.7	Synchronization signals	239
10.2.7.1	Narrowband primary synchronization signal (NPSS)	239
10.2.7.1.1	Sequence generation	239
10.2.7.1.2	Mapping to resource elements	239
10.2.7.2	Narrowband secondary synchronization signal (NSSS)	240
10.2.7.2.1	Sequence generation	240
10.2.7.2.2	Mapping to resource elements	241
10.2.8	OFDM baseband signal generation	241
10.2.9	Modulation and upconversion	242
Annex A (informative):	Change history	243