HTML Element Reference

« Previous (default.asp)

Next Reference » (ref_standardattrik

HTML Tags Ordered by Category

= New in HTML5.

Basic HTML

Tag	Description
 (tag_doctype.asp)	Defines the document type
<html> (tag_html.asp)</html>	Defines an HTML document
<title> (tag_title.asp)</td><td>Defines a title for the document</td></tr><tr><td><body> (tag_body.asp)</td><td>Defines the document's body</td></tr><tr><td><h1> to <h6> (tag_hn.asp)</td><td>Defines HTML headings</td></tr><tr><td>(tag_p.asp)</td><td>Defines a paragraph</td></tr><tr><td>

</td><td>Inserts a single line break</td></tr><tr><td><hr> (tag_hr.asp)</td><td>Defines a thematic change in the content</td></tr><tr><td><!>
(tag_comment.asp)</td><td>Defines a comment</td></tr></tbody></table></title>	

Formatting

Tag	Description
<acronym> (tag_acronym.asp)</acronym>	Not supported in HTML5. Use <abbr> instead. Defines an acronym</abbr>
<abbr> (tag_abbr.asp)</abbr>	Defines an abbreviation or an acronym
<address> (tag_address.asp)</address>	Defines contact information for the author/owner of a document/article
(tag_b.asp)	Defines bold text
<bdi> (tag_bdi.asp)</bdi>	Isolates a part of text that might be formatted in a different direction from other text outside it
<bdo> (tag_bdo.asp)</bdo>	Overrides the current text direction
 	Not supported in HTML5. Use CSS instead. Defines big text
 <blockquote> (tag_blockquote.asp)</blockquote>	Defines a section that is quoted from another source
<center> (tag_center.asp)</center>	Not supported in HTML5. Use CSS instead. Defines centered text
<cite> (tag_cite.asp)</cite>	Defines the title of a work
<code> (tag_code.asp)</code>	Defines a piece of computer code
 (tag_del.asp)	Defines text that has been deleted from a document
<dfn> (tag_dfn.asp)</dfn>	Represents the defining instance of a term
 (tag_em.asp)	Defines emphasized text
 (tag_font.asp)	Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<i> (tag_i.asp)</i>	Defines a part of text in an alternate voice or mood
<ins> (tag_ins.asp)</ins>	Defines a text that has been inserted into a document

<kbd> (tag_kbd.asp)</kbd>	Defines keyboard input
<mark> (tag_mark.asp)</mark>	Defines marked/highlighted text
<meter> (tag_meter.asp)</meter>	Defines a scalar measurement within a known range (a gauge)
<pre> (tag_pre.asp)</pre>	Defines preformatted text
<pre><pre><pre><pre><pre><pre>(tag_progress.asp)</pre></pre></pre></pre></pre></pre>	Represents the progress of a task
<q> (tag_q.asp)</q>	Defines a short quotation
<rp> (tag_rp.asp)</rp>	Defines what to show in browsers that do not support ruby annotations
<rt> (tag_rt.asp)</rt>	Defines an explanation/pronunciation of characters (for East Asian typography)
<ruby> (tag_ruby.asp)</ruby>	Defines a ruby annotation (for East Asian typography)
<s> (tag_s.asp)</s>	Defines text that is no longer correct
<samp> (tag_samp.asp)</samp>	Defines sample output from a computer program
<small> (tag_small.asp)</small>	Defines smaller text
<strike> (tag_strike.asp)</strike>	Not supported in HTML5. Use or <s> instead. Defines strikethrough text</s>
 (tag_strong.asp)	Defines important text
_(tag_sub.asp)	Defines subscripted text
^(tag_sup.asp)	Defines superscripted text
<time> (tag_time.asp)</time>	Defines a date/time

<tt> (tag_tt.asp)</tt>	Not supported in HTML5. Use CSS instead. Defines teletype text
<u> (tag_u.asp)</u>	Defines text that should be stylistically different from normal text
<var> (tag_var.asp)</var>	Defines a variable
<wbr/> > (tag_wbr.asp)	Defines a possible line-break

Forms and Input

Tag	Description
<form> (tag_form.asp)</form>	Defines an HTML form for user input
<input/> (tag_input.asp)	Defines an input control
<textarea>
(tag_textarea.asp)</td><td>Defines a multiline input control (text area)</td></tr><tr><td><button> (tag_button.asp)</td><td>Defines a clickable button</td></tr><tr><td><select> (tag_select.asp)</td><td>Defines a drop-down list</td></tr><tr><td><pre><optgroup> (tag_optgroup.asp)</pre></td><td>Defines a group of related options in a drop-down list</td></tr><tr><td><option> (tag_option.asp)</td><td>Defines an option in a drop-down list</td></tr><tr><td><label> (tag_label.asp)</td><td>Defines a label for an <input> element</td></tr><tr><td><fieldset>
(tag_fieldset.asp)</td><td>Groups related elements in a form</td></tr><tr><td><legend>
(tag_legend.asp)</td><td>Defines a caption for a <fieldset> element</td></tr><tr><td><datalist></td><td>Specifies a list of pre-defined options for input controls</td></tr></tbody></table></textarea>	

(tag_datalist.asp)	
<keygen/> (tag_keygen.asp)	Defines a key-pair generator field (for forms)
<output> (tag_output.asp)</output>	Defines the result of a calculation

Frames

Tag	Description
<frame/> (tag_frame.asp)	Not supported in HTML5. Defines a window (a frame) in a frameset
<frameset> (tag_frameset.asp)</frameset>	Not supported in HTML5. Defines a set of frames
<noframes> (tag_noframes.asp)</noframes>	Not supported in HTML5. Defines an alternate content for users that do not support frames
<iframe> (tag_iframe.asp)</iframe>	Defines an inline frame

Images

Tag	Description
 (tag_img.asp)	Defines an image
<map> (tag_map.asp)</map>	Defines a client-side image-map
<area/> (tag_area.asp)	Defines an area inside an image-map
<canvas> (tag_canvas.asp)</canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<figcaption> (tag_figcaption.asp)</figcaption>	Defines a caption for a <figure> element</figure>

<figure> (tag_figure.asp)

Audio / Video

Tag	Description
<audio> (tag_audio.asp)</audio>	Defines sound content
<source/> (tag_source.asp)	Defines multiple media resources for media elements (<video> and <audio>)</audio></video>
<track/> (tag_track.asp)	Defines text tracks for media elements (<video> and <audio>)</audio></video>
<video> (tag_video.asp)</video>	Defines a video or movie

Links

Tag	Description
<a> (tag_a.asp)	Defines a hyperlink
k> (tag_link.asp)	Defines the relationship between a document and an external resource (most used to link to style sheets)
<nav> (tag_nav.asp)</nav>	Defines navigation links

Lists

Tag	Description
(tag_ul.asp)	Defines an unordered list
 (tag_ol.asp)	Defines an ordered list
(tag_li.asp)	Defines a list item
<dir> (tag_dir.asp)</dir>	Not supported in HTML5. Use

	Defines a directory list
<dl> (tag_dl.asp)</dl>	Defines a description list
<dt> (tag_dt.asp)</dt>	Defines a term/name in a description list
<dd> (tag_dd.asp)</dd>	Defines a description of a term/name in a description list
<menu> (tag_menu.asp)</menu>	Defines a list/menu of commands
<menuitem/> (tag_menuitem.asp)	Defines a command/menu item that the user can invoke from a popup menu

Tables

Tag	Description
(tag_table.asp)	Defines a table
<caption> (tag_caption.asp)</caption>	Defines a table caption
(tag_th.asp)	Defines a header cell in a table
(tag_tr.asp)	Defines a row in a table
(tag_td.asp)	Defines a cell in a table
<thead> (tag_thead.asp)</thead>	Groups the header content in a table
(tag_tbody.asp)	Groups the body content in a table
<tfoot> (tag_tfoot.asp)</tfoot>	Groups the footer content in a table
<col/> (tag_col.asp)	Specifies column properties for each column within a <colgroup> element</colgroup>
<colgroup> (tag_colgroup.asp)</colgroup>	Specifies a group of one or more columns in a table for formatting

Styles and Semantics

Tag	Description
<style> (tag_style.asp)</td><td>Defines style information for a document</td></tr><tr><td><div> (tag_div.asp)</td><td>Defines a section in a document</td></tr><tr><td> (tag_span.asp)</td><td>Defines a section in a document</td></tr><tr><td><header> (tag_header.asp)</td><td>Defines a header for a document or section</td></tr><tr><td><footer> (tag_footer.asp)</td><td>Defines a footer for a document or section</td></tr><tr><td><main> (tag_main.asp)</td><td>Specifies the main content of a document</td></tr><tr><td><section> (tag_section.asp)</td><td>Defines a section in a document</td></tr><tr><td><article> (tag_article.asp)</td><td>Defines an article</td></tr><tr><td><aside> (tag_aside.asp)</td><td>Defines content aside from the page content</td></tr><tr><td><details> (tag_details.asp)</td><td>Defines additional details that the user can view or hide</td></tr><tr><td><dialog> (tag_dialog.asp)</td><td>Defines a dialog box or window</td></tr><tr><td><summary> (tag_summary.asp)</td><td>Defines a visible heading for a <details> element</td></tr></tbody></table></style>	

Meta Info

Tag	Description

<head> (tag_head.asp)</head>	Defines information about the document
<meta/> (tag_meta.asp)	Defines metadata about an HTML document
<base/> (tag_base.asp)	Specifies the base URL/target for all relative URLs in a document
<base/> <base/> <base/> <base/> <base/> <base/> <base/> <base/> <base/> <base/> <base/> <base/> <	Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document

Programming

Tag	Description
<script> (tag_script.asp)</td><td>Defines a client-side script</td></tr><tr><td><noscript> (tag_noscript.asp)</td><td>Defines an alternate content for users that do not support client-side scripts</td></tr><tr><td><applet> (tag_applet.asp)</td><td>Not supported in HTML5. Use <embed> or <object> instead. Defines an embedded applet</td></tr><tr><td><embed> (tag_embed.asp)</td><td>Defines a container for an external (non-HTML) application</td></tr><tr><td><object> (tag_object.asp)</td><td>Defines an embedded object</td></tr><tr><td><param> (tag_param.asp)</td><td>Defines a parameter for an object</td></tr></tbody></table></script>	

« Previous (default.asp)

Next Reference » (ref_standardattrik

Copyright 1999-2015 (/about/about_copyright.asp) by Refsnes Data. All Rights Reserved.