

Instagram DDP Data schema

This file includes the detailed data schema for each JSON file in the Instagram DDP, outlining the file structure, entities, and fields, along with their descriptions and examples.

File 1: Link history

Field Name	Data Type	Description	Example
timestamp	Number	Time stamp of the session	1744713442
media	Array	A list of related media if applicable	[Empty]
label_values	Array	An array of key-value pairs representing the details of the session	As show in next table
└─┬─ label	String - Text	Description of the data	As show in next table
└─┬─ value	String - Text	The actual recorded data	As show in next table
Fbid	String - Text	A unique identifier for the session or user activity.	"17841401771655375:F90B379E-*****-3441454"

Labels of links_history		
Label	Description	Example
Website link you visited	URL of the website the user visited	"https://kavalri.com.au/?utm_medium=paid&utm_source=ig&utm_id=120221910736290113&utm_content=120221910738930113&utm_term=120221910738220113&utm_campaign=120221910736290113&fbclid=PAZXh0bgNhZW0BMABhZGIkAasdMOUJB9EBp0PUrgNriTylAA4Yds7VVydN4Pn8qlmiYM-8_ijr4Tvl1vfWP9uPbMHKs1LL_aem_-EjS3YvMACfmgDL2YICqA"

Labels of links_history		
Title of website page you visited	The title of the webpage	"Engagement Rings Engagement Rings Melbourne Wedding Rings"
Website session start time	Start time of the session (formatted date)	"Apr 15, 2025 3:37:21am"
Website session end time	End time of the session (formatted date)	"Apr 15, 2025 3:37:21am"

File 2: Audience insights data

Field Name	Data Type	Description	Example
organic_insights_audience	Array	Information related to the profile Followers and Follows	-
title	String - Text	A title or label for the insights, if applicable	"Empty"
media_map_data	Object	A list of related medi, if applicable	Empty
string_map_data	Object	Objects of related key labels and their values	-
└─ Date Range └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	The period over which the insights are reported	"href": "", "value": "Jan 15 - Apr 14", "timestamp": 0
└─ Followers └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Total number of followers at the end of the period	"href": "", "value": "315", "timestamp": 0
└─ Followers Delta └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Numberr	Percentage increase or decrease in followers compared to the previous period	"href": "", "value": "+4.3% vs Oct 17 - Jan 14", "timestamp": 0

<pre> ├── Follows │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object ├──String - Text ├──String - Text └──Number	Number of new follows during the period	"href": "", "value": "23", "timestamp": 0
<pre> ├── Unfollows │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object ├──String - Text ├──String - Text └──Number	Number of unfollows during the period	"href": "", "value": "10", "timestamp": 0
<pre> ├── Overall followers │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object ├──String - Text ├──String - Text └──Number	Net gain or loss of followers (new follows - unfollows)	"href": "", "value": "13", "timestamp": 0

Summary of information in Audience insights	
Field	Description
Title	A title or label for the insights
media_map_data	Media-related data (array)
string_map_data	Key metrics and their values (object)
Fields inside string_map_data:	
Date Range	Period for the insights report
Followers	Total followers at end of the period
Followers Delta	Percentage (%) change in followers vs previous period
Follows	Number of new follows during the period
Unfollows	Number of unfollows during the period
Overall followers	Net follower gain/loss (Follows - Unfollows)

File 3: Content interaction

Field Name	Data Type	Description	Example
organic_insights_interactions	Array - List	Holds an array of interaction insights, describe audience engagement with posts, stories, videos, and reels	-
title	String - Text	A title or label for the insights, if applicable	"Empty"

media_map_data	Object	A list of related medi, if applicable	Empty
string_map_data	Object	Object of related key labels and their values	-
└─ Date Range └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Period over which the insights are reported	"href": "", "value": "Jan 15 - Apr 14", "timestamp": 0
└─ Content Interactions └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Total number of interactions across all types of content	"href": "", "value": "315", "timestamp": 0
└─ Content Interactions Delt └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Change in interactions compared to the previous period	"href": "", "value": "-75.7% vs Oct 17 - Jan 14", "timestamp": 0
└─ Post Interactions └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Total interactions with posts	"href": "", "value": "23", "timestamp": 0
└─ Post Interactions Delta └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Change in post interactions compared to the previous period	"href": "", "value": "10", "timestamp": 0
└─ Post Likes └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Number of likes on posts	"href": "", "value": "50", "timestamp": 0
└─ Post Comments └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Number of comments on posts	"href": "", "value": "50", "timestamp": 0
└─ Post Saves └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Number of saves on posts	"href": "", "value": "1", "timestamp": 0
└─ Story Interactions └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Total interactions with stories	"href": "", "value": "50", "timestamp": 0

- Story Interactions - Delta "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Change in story interactions compared to the previous period	"href": "", "value": "-57.7% vs Oct 17 - Jan 14", "timestamp": 0
- Story Replies "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Number of replies to stories	"href": "", "value": "50", "timestamp": 0
- Story Shares "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Number of times stories were shared	"href": "", "value": "50", "timestamp": 0
- Reels Interactions: "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Total interactions with reels	"href": "", "value": "50", "timestamp": 0
- Reels Interactions - Delta: "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Change in reels interactions compared to the previous period	"href": "", "value": "-57.7% vs Oct 17 - Jan 14", "timestamp": 0
- Reels Likes "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Number of likes on reels	"href": "", "value": "50", "timestamp": 0
- Reels Comments "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Number of comments on reels	"href": "", "value": "50", "timestamp": 0
- Reels Shares "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Number of times reels were shared	"href": "", "value": "50", "timestamp": 0
- Reels Saves "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Number of times reels were saved	"href": "", "value": "50", "timestamp": 0
- Video Interactions: "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Total interactions with videos	"href": "", "value": "50", "timestamp": 0

Video Interactions Delta: "href" "value" "timestamp"	Object String - Text String - Text Number	Change in reels interactions compared to the previous period	"href": "", "value": "-57.7% vs Oct 17 - Jan 14", "timestamp": 0
live Video Interactions "href" "value" "timestamp"	Object String - Text String - Text Number	Total interactions with live videos	"href": "", "value": "50", "timestamp": 0
Live Video Interactions Delta "href" "value" "timestamp"	Object String - Text String - Text Number	Delta Change in live video interactions compared to the previous period	"href": "", "value": "-57.7% vs Oct 17 - Jan 14", "timestamp": 0
Accounts Engaged "href" "value" "timestamp"	Object String - Text String - Text Number	Total number of unique accounts engaged during the period	"href": "", "value": "50", "timestamp": 0
Accounts Engaged Delta "href" "value" "timestamp"	Object String - Text String - Text Number	Change in account engagement compared to the previous period	"href": "", "value": "-57.7% vs Oct 17 - Jan 14", "timestamp": 0
Engaged Account By Follow Type "href" "value" "timestamp"	Object String - Text String - Text Number	Percentage of engaged followers vs non-followers	"href": "", "value": "Followers: 88.2%, Non-followers: 11.7%", "timestamp": 0
You engaged delta% more accounts that weren't following you compared to the previous period "href" "value" "timestamp"	Object String - Text String - Text Number	Change in engagement from non-followers	"href": "", "value": "-57.7% vs Oct 17 - Jan 14", "timestamp": 0

Summary of information in Content interaction	
Field	Description
title	Text label for the insights section
media_map_data	Media-related data (array)
string_map_data	Interaction insights (object)

Fields inside string_map_data	
Date Range	Report period
Content Interactions	Total across all content types
Content Interactions Delta	Change compared to previous period
Post Interactions	Total interactions with posts
Post Likes	Number of likes on posts
Story Interactions	Total interactions with stories
Story Replies	Number of replies to stories
Reels Interactions	Total interactions with reels
Reels Likes	Number of likes on reels
Video Interactions	Total video interactions
Live Video Interactions	Total live video interactions
Accounts Engaged	Unique engaged accounts
Engaged Account By Follow Type	Followers vs Non-followers

File 4: Live videos

Field Name	Data Type	Description	Example
organic_insights_live	Array - List	Holds an array of Live stream insights	-
title	String - Text	A title or label for the insights, if applicable	"Empty"
media_map_data	Object	A list of related media if applicable	Empty
string_map_data	Object	Object of related key labels and their values	-
└─ Start Time └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Details about the stream's start time	"href": "", "value": "", "timestamp": 0

└─ Duration └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Duration of the live stream	"href": "", "value": "23", "timestamp": 0
└─ Accounts reached └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Number of unique accounts that viewed the stream	"href": "", "value": "23", "timestamp": 0
└─ Peak Concurrent Viewers └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Maximum number of viewers at any point during the stream.	"href": "", "value": "23", "timestamp": 0
└─ Comments └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Number of comments on the live stream(Object)	"href": "", "value": "10", "timestamp": 0
└─ Shares └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Number of times the stream was shared	"href": "", "value": "13", "timestamp": 0

Summary of information in Live video	
Field	Description
Start Time	Object with time info {href, value, timestamp}
Duration	Duration of the stream
Accounts Reached	Unique viewers
Peak Concurrent Viewers	Max concurrent viewers
Comments	Number of comments
Shares	Number of shares

File 5: Profile reached

Field Name	Data Type	Description	Example
organic_insights_reach	Array - List	Holds an array tracks how many times a user's profile was viewed	-
title	String - Text	A title or label for the insights,if applicable	"Empty"
media_map_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values	-
└─ Date Range └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Time period covered by the data	"href": "", "value": "Jan 15 - Apr 14", "timestamp": 0
└─ Accounts Reached └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Total number of unique accounts reached during the period.	"href": "", "value": "480", "timestamp": 0
└─ Accounts Reached Delta └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Change in accounts reached compared to the previous period.	"href": "", "value": "-23.9% vs Oct 17 - Jan 14", "timestamp": 0
└─ Followers └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Percentage of reached accounts that were followers	"href": "", "value": "52.4%", "timestamp": 0
└─ Non-Followers └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Percentage of reached accounts that were not followers	"href": "", "value": "47.6%", "timestamp": 0
└─ Non-Followers Delta └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Change in non-follower reach compared to the previous period	"href": "", "value": "You reached -38.8% more accounts that weren't following"

			you compared to Oct 17 - Jan 14.", "timestamp": 0
- Impressions "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Total number of times the content was displayed	"href": "", "value": "13434", "timestamp": 0
- Impressions Delta "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Change in impressions compared to the previous period	"href": "", "value": "63.7%", "timestamp": 0
- Profile visits "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Number of profile visits during the period	"href": "", "value": "13", "timestamp": 0
- Profile Visits Delta "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Change in profile visits compared to the previous period	"href": "", "value": "-33.7%", "timestamp": 0

Summary of information in Profile Reached	
Field	Description
Date Range	Period of data
Accounts Reached	Unique accounts reached
Accounts Reached Delta	Change compared to previous period
Followers	Percentage (%) of reached who are followers
Non-Followers	Percentage (%) of reached who are not followers
Impressions	Total content displays
Impressions Delta	Change in impressions compared to the previous period.
Profile Visits	Visits to the profile
Profile Visits Delta:	Change in profile visits compared to the previous period.

File 6: Reels

Field Name	Data Type	Description	Example
organic_insights_reels	Array - List	Holds an array about the user's uploaded Reels	-
title	String - Text	The titles of the record if applicable	"Empty"
media_map_data	Object	A list of related media, if applicable	-
└─ Media Thumbnail	Object	Contains key metrics and their values	-
└─ └─ uri	String - Text	Path to the media file in the download file	"media/other/AQPWp3nz5UsBzetmf7ZhGm63r1rJgoJScsWII3CTJFYlyNgl7L90LdBH7F8wRsJKx_aKyxGk210Iz8FhNOX_giCKVWhHt_tkrwnU_18058991887961214.mp4"
└─ └─ creation_timestamp	Number	When the media was created (in UNIX timestamp format)	1739692644
└─ └─ media_metadata	Object	Additional metadata about the media	-
└─ └─ └─ video_metadata	Object	Information about the video	-
└─ └─ └─ exif_data └─ └─ └─ └─ "device_id" └─ └─ └─ └─ "camera_position" └─ └─ └─ └─ "source_type"	Array of Objects └─ String - Text └─ String - Text └─ String - Text	Device and source information	"device_id": "012EF3BD-8C9C-405A-B5D7-EFB77A28658D", "camera_position": "unknown", "source_type": "0"

└─┬─┬─ camera_metadata └─┬─┬─┬─ has_camera_metadata	Array of Objects └─Boolean	Whether camera metadata is available	false
└─┬─ title	String - Text	Title	The journey has come to an end"
└─┬─ cross_post_source └─┬─┬─ source_app	Array of Objects └─String - Text	Source app (e.g., "FB").	"FB"
└─┬─ dubbing_info	Array	-	-
└─┬─ media_variants	Array	-	-
└─ string_map_data └─┬─ Caption └─┬─┬─ "href" └─┬─┬─ "value" └─┬─┬─ "timestamp"	Object └─String - Text └─String - Text └─Number	Text caption for the reel.	"href": "", "value": "The journey has come to an end", "timestamp": 0
└─┬─ Upload Timestamp └─┬─┬─ "href" └─┬─┬─ "value" └─┬─┬─ "timestamp"	Object └─String - Text └─String - Text └─Number	Timestamp of when the reel was uploaded	"href": "", "value": "", "timestamp": 1739692644
└─┬─ Duration └─┬─┬─ "href" └─┬─┬─ "value" └─┬─┬─ "timestamp"	Object └─String - Text └─String - Text └─Number	Length of the reel in Seconds	"href": "", "value": "54", "timestamp": 0
└─┬─ Accounts reached └─┬─┬─ "href" └─┬─┬─ "value" └─┬─┬─ "timestamp"	Object └─String - Text └─String - Text └─Number	Number of unique accounts reached.	"href": "", "value": "130", "timestamp": 0

└─└─Instagram Plays └─└─└─"href" └─└─└─"value" └─└─└─"timestamp"	Object └─String - Text └─String - Text └─Number	Number of plays	"href": "", "value": "13", "timestamp": 0
└─└─Instagram Likes └─└─└─"href" └─└─└─"value" └─└─└─"timestamp"	Object └─String - Text └─String - Text └─Number	Number of likes	"href": "", "value": "13", "timestamp": 0
└─└─Instagram Comments └─└─└─"href" └─└─└─"value" └─└─└─"timestamp"	Object └─String - Text └─String - Text └─Number	Number of comments	"href": "", "value": "13", "timestamp": 0
└─└─Instagram Shares └─└─└─"href" └─└─└─"value" └─└─└─"timestamp"	Object └─String - Text └─String - Text └─Number	Number of shares.	"href": "", "value": "13", "timestamp": 0
└─└─Instagram Saves └─└─└─"href" └─└─└─"value" └─└─└─"timestamp"	Object └─String - Text └─String - Text └─Number	Number of saves.	"href": "", "value": "13", "timestamp": 0

File 7: Profile searches

Field Name	Data Type	Description	Example
searches_user	Array - List	User searches on Instagram.	-
title	String - Text	The titles of the record, if applicable	"Empty"
media_map_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values	-
<pre> ├── Search │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├── String - Text ├── String - Text └── Number </pre>	The search term (e.g., username or page name).	"href": "", "value": "rawan_abu.shaqra", "timestamp": 0
<pre> ├── Time │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├── String - Text ├── String - Text └── Number </pre>	Timestamp of when the search occurred	"href": "", "value": "", "timestamp": 1743431029

File 8: Word or phrase searches

Field Name	Data type	Description	Example
searches_keyword	Array - List	Records the search queries entered on Instagram	-
title	String - Text	The titles of the record, if applicable	"Empty"
media_map_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values	-
<pre> ├── Search │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├── String - Text ├── String - Text └── Number </pre>	The search text	"href": "", "value": "ghibli art", "timestamp": 0

<pre> ├── Time │ ├── "href" │ └── "value" └── "timestamp" </pre>	Object ├── String - Text ├── String - Text └── Number	Timestamp of when the search occurred (Object)	"href": "", "value": "", "timestamp": 1743431029
--	---	--	--

File 9: Videos watched

Field Name	Data Type	Description	Example
impressions_history_videos_watched	Array - List	List of records a history of videos user have watched	-
string_map_data	Object	Contains key metrics and their values	-
<pre> ├── Author │ └── "value" </pre>	Object ├── String - Text	The username or account that posted the video	waleedalsleem
<pre> ├── Time │ └── "timestamp" </pre>	Object ├── Number	A Unix timestamp indicating when the video was watched	1744175274

File 10: Ads clicked

Field Name	Data Type	Description	Example
impressions_history_ads_clicked	Array - List	a history of ads users have interacted with (clicked on)	-
title	String - Text	The product name	"Kavalri Jewellery"
<pre> ├── string_list_data │ └── "timestamp" </pre>	Array of Objects ├── Number	A Unix timestamp indicating when the video was watched.	1744541405

File 11: Ads viewed

Field Name	Data Type	Description	Example
impressions_history_ads_seen	Array - List	Records a history of ads users have seen	-
string_map_data	Object	Contains key metrics and their values	-
<pre> ├── Author ├── └── "value" </pre>	Object └── String - Text	The username or account that posted the ad.	trip
<pre> ├── Time ├── └── "timestamp" </pre>	Object └── Number	A Unix timestamp indicating when the video was watched	1744175274

File 12: Posts viewed

Field Name	Data Type	Description	Example
impressions_history_posts_seen	Array - List	Records a history of post users have seen	-
string_map_data	Object	Contains key metrics and their values	-
<pre> ├── Author ├── └── "value" </pre>	Object └── String - Text	The username or account that posted	omarfares316
<pre> ├── Time ├── └── "timestamp" </pre>	Object └── Number	A Unix timestamp indicating when the post was seen	1744175274

File 13: Profiles you're not interested in

Field Name	Data Type	Description	Example
impressions_history_recs_hidden_authors	Array - List	Records of profiles users have marked as not interested	-
title	String - Text	The titles of the record, if applicable	"Empty"
media_map_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values	-
<pre> ├── Username ├── └── "href" ├── └── "value" └── "timestamp" </pre>	Object - String - Text - String - Text - Number	The username or account that posted	"href": "", "value": "ii4mnoi", "timestamp": 0
<pre> ├── Time ├── └── "href" ├── └── "value" └── "timestamp" </pre>	Object - String - Text - String - Text - Number	A Unix timestamp indicating when the post was seen	"href": "", "value": "", "timestamp": 1744012842

File 14: Posts you're not interested in

Field Name	Data Type	Description	Example
impressions_history_posts_not_interested	Array - List	Records of posts users have marked as not interested	-
string_list_data	Array - List	Contains key metrics and their values (Object)	-
<pre> ├── "href" └── "value" </pre>	- String - Text - String - Text	The URL link of the post The Text Emoji	"href": "https://www.instagram.c

			om/Samplelink", "value": 🙋
└─┬─ "timestamp"	Number	A Unix timestamp indicating when the post was marked as 'not interested'.	"href": "", "value": "", "timestamp": 1744012842

File 15: Ads about meta

Field Name	Data Type	Description	Example
media	Array - List	A list of related media, if applicable	Empty
label_values	Array - List	Contains key metrics and their values (Object)	-
└─┬─ label └─┬─ value	└─String - Text └─String - Text	A Label - Indicates whether the user opted out of receiving ads about Meta. ("fales, True")	Label: Is opted out of ads about Meta Value: "False"
└─┬─ label └─┬─ timestamp_value	└─String - Text └─Number	A label for the timestamp of when the user last opted out	Label: "When you last opted out of ads about Meta" timestamp_value: 0
fbid	String - Text	A unique identifier for the session or user activity on Meta platforms.	364XXXX103670

File 16: Advertisers using your activity or information

Field Name	Data Type	Description	Example
ig_custom_audiences_all_types	Array - List	information about advertisers who use user activity or information for ad targeting	-
advertiser_name	String - Text	The name of the advertiser or the campaign associated	Ikon Communications NZ

		with the custom audience. (Boolean)	
has_data_file_custom_audience	Boolean	Indicates if the custom audience has data file-based custom audience.(Boolean)	true
has_remarketing_custom_audience	Boolean	Indicates if the custom audience is used for remarketing purposes. (Boolean)	true
has_in_person_store_visit	Boolean	Indicates whether the custom audience is related to in-person store visits. (Boolean)	true

File 17: Information you've submitted to advertisers

Field Name	Data Type	Description	Example
ig_lead_gen_info	Array - List	Contains data that users have directly provided to advertisers on Instagram,	-
└─┬─ label └─┬─ value	└─String - Text └─String - Text	A Label of what data submitted	Label: "Last name" Value: "Shaqra"
└─┬─ label └─┬─ value	└─String - Text └─String - Text	A Label of what data submitted	Label: "Postal code" Timestamp_value: "3001"

File 18: Other categories used to reach you

Field Name	Data Type	Description	Example
media	Array - List	A list of related media, if applicable	Empty - (none in this case)
label_values	Array - List	Contains key metrics and their values	-
└─┬─ label	String - Text	A Label - Indicates the name of the categories	Label: "Name"
└─┬─┬─ vec └─┬─┬─ value	Array - List	Array of all labels used	"value": "Away from family"

	└String - Text		"value": "Away from home town"
fbid	String - Text	A unique identifier for the session or user activity on Meta platforms.	364XXXX103670

File 19: ad preferences

Field Name		Description	Example
media	Array - List	A list of related media, if applicable	Empty - (none in this case)
label_values	Array - List	Contains key metrics and their values	-
└ label	String - Text	A Label - Indicates the name of the categories	"label": "Removed categories"
└ vec	Array - List	Array of all labels used	Empty
└ Dict	Array - List	Array of all ads in the removed categories	-
└ └ label value	└String - Text └String - Text	Include the event type	{ "label": "Event", "value": "Hide an Ad" }
└ └ label value	└String - Text └String - Text	Include the ad titles	{ "label": "Ad title", "value": "Title_sample_ad" }
└ └ label value	└String - Text └Number	Include the time	{ "label": "Creation time", "timestamp_value": 1745057324 }

fbid	String - Text	A unique identifier for the session or user activity on Meta platforms.	364XXXX103670

File 20: Your activity off meta technologies

Field Name	Data Type	Description	Example
apps_and_websites_off_meta_activity	Array - List	Third-party activity data	-
name	String - Text	Name of the external app/website	"rmit.edu.au"
events ├── id ├── type └── timestamp	Array of Object ├── String - Text ├── String - Text └── Number	Type of action taken can be: PAGE_VIEW OR COMPLETE_REGISTRATION OR RESULT_SENT	"id": 439256364413061, "type": "PAGE_VIEW", "timestamp": 1742954520

File 21: Synced contacts

Field Name	Data Type	Description	Example
contacts_contact_info	Array - List	contacts that you have uploaded or synced to Instagram	-
title	String - Text	The titles of the record, if applicable	"Empty"
media_map_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
├── First Name ├── "href" ├── "value" └── "timestamp"	Object ├── String - Text ├── String - Text └── Number	First Name	"href": "", "value": "Maha", "timestamp": 0

<pre> ├── Last Name │ ├── "href" │ └── "value" └── "timestamp" </pre>	<pre> Object ├── String - Text ├── String - Text └── Number </pre>	Last Name	"href": "", "value": "Amo", "timestamp": 0
<pre> ├── Contact Information │ ├── "href" │ └── "value" └── "timestamp" </pre>	<pre> Object ├── String - Text ├── String - Text └── Number </pre>	Phone number without the country code	"href": "", "value": "2102XXX42", "timestamp": 0
<pre> ├── Imported Time │ ├── "href" │ └── "value" └── "timestamp" </pre>	<pre> Object ├── String - Text ├── String - Text └── Number </pre>	When this contacts added	"href": "", "value": "", "timestamp": 0

File 22: Blocked profiles

Field Name	Data Type	Description	Example
relationships_blocked_users	Array - List	accounts that the user have blocked on Instagram	
title	String - Text	User name	le_yassine__bh
string_map_data	Object	Contains key metrics and their values (Object)	-
<pre> ├── "href" └── "timestamp" </pre>	<pre> ├── String - Text └── Number </pre>	Link to the user profile Time when the user was block	"href": ""https://www.instagram.com/_u/le_yassine__bh" , "timestamp": 1742579628

File 23: Close friends

Field Name	Data Type	Description	Example
relationships_close_friends	Array - List	Account added to close friend list	
title	String - Text	The titles of the record, if applicable	"Empty"

media_list_data	Array - List	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
└─└─└─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─└─└─ "value"	String - Text	User ID	"raghad_obeidat24"
└─└─└─ "timestamp"	Number	Time when it is added as close friend	1744588731

File 24: Followers

Field Name	Data Type	Description	Example
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Array - List	A list of related media, if applicable	Empty
string_map_data	Objects	Contains key metrics and their values (Object)	-
└─└─└─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─└─└─ "value"	String - Text	User ID	"raghad_obeidat24"
└─└─└─ "timestamp"	Number	Time when it is added to followers	1744588731

File 25: Following

Field Name	Data Type	Description	Example
relationships_following	Array - List	Account followed by the user	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Array - List	A list of related media, if applicable	Empty
string_map_data	Array - List	Contains key metrics and their values (Object)	-
└─┬─┬─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─┬─┬─ "value"	String - Text	User ID	"raghad_obeidat24"
└─┬─┬─ "timestamp"	Number	Time when it is added to following list	1744588731

File 26: Hide story from

Field Name	Data Type	Description	Example
relationships_hide_stories_from	Array - List	Account added to hide story from	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Array - List	A list of related media, if applicable	Empty
string_map_data	Array - List	Contains key metrics and their values (Object)	-

└─└─└─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─└─└─ "value"	String - Text	User ID	"raghad_obeidat24"
└─└─└─ "timestamp"	Number	Time when it is added to hidden list	1744588731

File 27: Recent follow requests

Field Name	Data Type	Description	Example
relationships_permanent_follow_requests	Array - List	Resent follow requests for the account	-
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Array - List	A list of related media, if applicable	Empty
string_map_data	Array - List	Contains key metrics and their values (Object)	-
└─└─└─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─└─└─ "value"	String - Text	User ID	"raghad_obeidat24"
└─└─└─ "timestamp"	Number	Time of the follow request	1744588731

File 28: Recently_unfollowed_profiles

Field Name		Description	Example
relationships_unfollowed_users	Array - List	Account users have unfollowed	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Array - List	A list of related media, if applicable	Empty
string_map_data	Array - List	Contains key metrics and their values (Object)	-
└─┬─┬─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─┬─┬─ "value"	String - Text	User ID	"raghad_obeidat24"
└─┬─┬─ "timestamp"	Number	Time when unfollow	1744588731

File 29: Restricted_profiles

Field Name	Data Type	Description	Example
relationships_restricted_users	Array - List	A list of accounts the user has limited or restricted.	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Array - List	A list of related media, if applicable	Empty

string_map_data	Array - List	Contains key metrics and their values (Object)	-
└─└─└─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─└─└─ "value"	String - Text	User ID	"raghad_obeidat24"
└─└─└─ "timestamp"	Number	Time when unfollow	1744588731

File 30: Profiles_you've_favorited

Field Name	Data Type	Description	Example
relationships_feed_favorites	Array - List	Accounts the user has marked as favorites.	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Array - List	A list of related media, if applicable	Empty
string_map_data	Array - List	Contains key metrics and their values (Object)	-
└─└─└─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─└─└─ "value"	String - Text	User ID	"raghad_obeidat24"
└─└─└─ "timestamp"	Number	Time when unfollow	1744588731

File 31: follow_requests_you've_received

Field Name		Description	Example
relationships_follow_requests_received	Array - List	A list of people who have requested to follow the user.	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Array - List	A list of related media, if applicable	Empty
string_map_data	Array - List	Contains key metrics and their values (Object)	-
└─┬─┬─ "href"	String - Text	Link to the user profile	"https://www.instagram.com/raghad_obeidat24"
└─┬─┬─ "value"	String - Text	User ID	"raghad_obeidat24"
└─┬─┬─ "timestamp"	Number	Time when unfollow	1744588731

File 32: In-app browser autofill settings

Field Name	Data Type	Description	Example
media	Array - List	list of related media, if applicable	Empty - (none in this case)
label_values	Array - List	Contains key metrics and their values (Object)	-
└─┬─ label	String - Text	A Label - Indicates the name of the categories	Label: "Autofill type"

- label - value	- String - Text - String - Text	A Label - Indicates the name of the categories and a value -the user did not or Did opt in to Instagram's autofill feature	"Opt-in status of autofill" "False"
- label - timestamp_value	- String - Text - Number	A Label - Indicates the name of the categories and a value -Expiry time of the autofill	"label": "Expiry time of the autofill", "timestamp_value": 0
- label - value	- String - Text - String - Text	A Label - Indicates the name of the categories and a value	"label": "Name", "value": "Ftoon Abu Shaqra"
fbid	String - Text	A unique identifier for the session or user activity on Meta platforms.	364XXXX103670

File 33: Camera information

Field Name	Data Type	Description	Example
devices_camera	Array - List	Camera setting information	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
- Device ID "href" "value" "timestamp"	- Object - String - Text - String - Text - Number	Unique identifier for the device	"href": "", "value": "749b7fXXXX39c8d28", "timestamp": 0
Supported SDK Versions	- Object - String - Text	Versions of the Instagram Software	"href": "", "value":

<pre> "href" "value" "timestamp" </pre>	<pre> String - Text Number </pre>	Development Kit (SDK) that this device supported when using the camera feature.	"49.0,150.0,151XX", "timestamp": 0
---	---------------------------------------	---	---------------------------------------

File 34: Devices

Field Name	Data Type	Description	Example
devices_devices	Array - List	Device information	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
<pre> Last Login "href" "value" "timestamp" </pre>	<pre> Object String - Text String - Text Number </pre>	Timestamp of the last login	"href": "", "value": "", "timestamp": 1742834643
<pre> User Agent "href" "value" "timestamp" </pre>	<pre> Object String - Text String - Text Number </pre>	Device information	"href": "", "value": "Instagram 372.3.0.35.73 (iPhone14,2; iOS 17_6_1; en_GB; en-GB; scale=3.00; 1170x2532; 710671000) AppleWebKit/420+"; "timestamp": 0

File 35: Profile based in

Field Name	Data Type	Description	Example
inferred_data_primary_location	Array - List	location associated with the account	

title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data		Contains key metrics and their values (Object)	-
<pre> ├── City Name ├── ── "href" ├── ── "value" ├── ── "timestamp" </pre>	Object <pre> ├── String - Text ├── String - Text ├── Number </pre>	Location	"href": "", "value": "Melbourne, Victoria, Australia", "timestamp": 0

File 36: Locations of interest

Field Name	Data Type	Description	Example
media	Array - List	A list of related media, if applicable	"Empty"
label_values	Array - List	Contains key metrics and their values	-
├─ label	String - Text	"Locations of interest"	-
<pre> ├─ Vec ├─ ── "value" </pre>	Array - List <pre> ├─ String - Text </pre>	List of values for the label	"label": "Locations of interest", "vec": [{ "value": "Cairns, Queensland" }, { "value": "Melton, Victoria" }]
<pre> ├─ label ├─ value </pre>	<pre> ├─ String - Text ├─ String - Text </pre>	"label": "Usage explanation" "value": "Locations of interest are used to	-

		personalize your experience on Instagram and show you more relevant ads. Learn more about how Instagram uses location in Privacy Center."	
--	--	---	--

File 37: Instagram profile information

Field Name	Data Type	Description	Example
profile_account_insights	Array - List	Account setting information	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
└─ Contact Syncing └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Indicators for Contact Syncing (Boolean)	"href": "", "value": "True", "timestamp": 0
└─ First Country Code └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Country code	"href": "", "value": "Jo", "timestamp": 0
└─ Has Shared Live Video └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Indicators for Live videos (Boolean)	"href": "", "value": "True", "timestamp": 0
└─ Last Login └─ "href" └─ "value"	Object └─ String - Text └─ String - Text	Last login time	"href": "", "value": "",

timestamp	Number		"timestamp": 1742924717
- Last Logout - href - value - timestamp	- Object - String - Text - String - Text - Number	Last logout time	"href": "", "value": "", "timestamp": 1742924717
- First Story Time - href - value - timestamp	- Object - String - Text - String - Text - Number	First story time	"href": "", "value": "", "timestamp": 1742924717
- Last Story Time - href - value - timestamp	- Object - String - Text - String - Text - Number	Last story time	"href": "", "value": "", "timestamp": 1742924717
- First Close Friends Story Time - href - value - timestamp	- Object - String - Text - String - Text - Number	First close friend story time	"href": "", "value": "", "timestamp": 1742924717

File 38: Note interactions

Field Name	Data Type	Description	Example
profile_note_interactions	Array - List	Interactions related to Instagram Notes	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
- Last Notes Seen Time - href - value - timestamp	- Object - String - Text - String - Text - Number	Time of last Notes seen	"href": "", "value": "", "timestamp": 1744717208

File 39: Personal information

Field Name	Data Type	Description	Example
profile_user	Array - List	Users personal details	-
title	String - Text	A title or label for the data	"User Information"
media_list_data	Object	list of media	-
- Profile Photo - uri	Object String - Text	A path link to the media in the downloaded files	"media/other/333336505_732029525307717_6628571050100040122_n_17981841346947177.jpg"
creation_timestamp	Number	Time when the profile photo created	1678011797
- media_metadata - has_camera_metadata	Object Object Boolean	Indicators for camera metadata (Boolean)	False
title	String - Text	A title or label for the data	Empty
- cross_post_source - source_app	Object String - Text	indicates the profile photo was cross-posted	"FB"
string_map_data	Object	Contains key metrics and their values (Object)	-
- Email "href" "value" "timestamp"	Object String - Text String - Text Number	Email address for the user	"href": "", "value": "EMail@gmial.com", "timestamp": 0
- Phone Number "href" "value" "timestamp"	Object String - Text String - Text Number	Phone number for the user	"href": "", "value": "+6104XXXX", "timestamp": 0
- Phone Confirmed "href" "value" "timestamp"	Object String - Text String - Text Number	Indicates if the phone number was confirmed	"href": "", "value": "True", "timestamp": 0

- Phone Confirmation Method - href - value - timestamp	Object - String - Text - String - Text - Number	How the phone number is confirmed	"href": "", "value": "Manual", "timestamp": 0
- Username - href - value - timestamp	Object - String - Text - String - Text - Number	User profile name	"href": "", "value": "ftoon_abu", "timestamp": 0
- Name - href - value - timestamp	Object - String - Text - String - Text - Number	Display name	"href": "", "value": "ftoon abu Shaqra", "timestamp": 0
- Bio - href - value - timestamp	Object - String - Text - String - Text - Number	Bio on the profile	"href": "", "value": "Normal Text", "timestamp": 0
- Gender - href - value - timestamp	Object - String - Text - String - Text - Number	Gender	"href": "", "value": "Femal", "timestamp": 0
- Date of birth - href - value - timestamp	Object - String - Text - String - Text - Number	Birth date	"href": "", "value": "YYYY-MM-DD", "timestamp": 0
- Private Account - href - value - timestamp	Object - String - Text - String - Text - Number	Indicates if the account is private or public (Boolean)	"href": "", "value": "False", "timestamp": 0
- Emoji Pong High Score - href - value - timestamp	Object - String - Text - String - Text - Number	Emoji scores	"href": "", "value": "0", "timestamp": 0

File 40: Professional information

Field Name	Data Type	Description	Example
profile_business	Array - List	Information of the business profile	

title	String - Text	The titles of the record, if applicable	"Business Information"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-

File 41: profile_changes

Field Name	Data Type	Description	Example
profile_profile_change	Array - List	Information about updates made to the profile, such as changes to the bio.	
title	String - Text	The titles of the record, if applicable	"Profile Change"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
└─ Changed └─ └─ "href" └─ └─ "value" └─ └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number		"href": "", "value": "Profile Bio Text", "timestamp": 0
└─ Previous Value └─ └─ "href" └─ └─ "value" └─ └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number		"href": "", "value": "Biosample", "timestamp": 0

└─ New Value └─ └─ "href" └─ └─ "value" └─ └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number		"href": "", "value": "NeBiosample", "timestamp": 0
└─ Change Date └─ └─ "href" └─ └─ "value" └─ └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number		"href": "", "value": "", "timestamp": 1734703157

File 42: Instagram friend_map


Field Name	Data Typ	Description	Example
profile_friend_map	Array - List	Information about incoming and outgoing friend request	
title	String - Text	The titles of the record, if applicable	"Profile Change"
media_list_data	Object	list of media (array)	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
└─ Incoming requests └─ └─ "href" └─ └─ "value" └─ └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number		"href": "profile link", "value": "Profilename", "timestamp": 0
└─ Outgoing requests └─ └─ "href" └─ └─ "value" └─ └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number		"href": "profile link", "value": "Profilename", "timestamp": 0

--	--	--	--

File 43: Comments allowed from

Field Name	Data Type	Description	Example
settings_allow_comments_from	Array - List	comment privacy setting	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
 Comments Allowed From href value timestamp	Object String - Text String - Text Number	The setting in the comments for that profile	"href": "", "value": "Everyone", "timestamp": 0

File 44: Notification preferences

Field Name	Data Type	Description	Example
settings_notification_preferences	Array - List	Notifications setting	
string_map_data	Object	Contains key metrics and their values (Object)	-
 Channel value	Object String - Text	The values of push a notification	"value": "push"

<pre> └─┬─Type └─┬─"value" </pre>	<pre> Object └─String - Text </pre>	The type of the notification	"value": "LIKES" Note: all other possible values are in the table below
<pre> └─┬─Value └─┬─"value" </pre>	<pre> Object └─String - Text </pre>	The setting preferences	"value": "EVERYONE" Note: all other possible values are in the table below

Details of all possible values for the notification preferences for the account		
Notification Type	Channel	Value
MILESTONE_LIKES	push	EVERYONE
VIEW_COUNT	push	OFF
FELIX_UPLOAD_RESULT	push	OFF
CLIPS_RECENTLY_UPLOADED	push	EVERYONE
Likes	push	EVERYONE
LIVE_BROADCAST	push	OFF

File 45: Use cross-app messaging

Field Name	Data Type	Description	Example
settings_upgraded_to_cross_app_messaging	Array - List	upgraded to cross-app messaging	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-

<pre> ├─┬─ Upgraded To │ │ Cross-App Messaging │ │ │ "href" │ │ │ "value" │ │ │ "timestamp" </pre>	Object ├─String - Text ├─String - Text └─Number	The setting for cross app messaging	"href": "", "value": "True", "timestamp": 0
<pre> ├─┬─ Time Upgraded │ │ │ "href" │ │ │ "value" │ │ │ "timestamp" </pre>	Object ├─String - Text ├─String - Text └─Number	Time of the upgrade	"href": "", "value": "", "timestamp": 1608837081

File 46: Recommended topics

Field Name	Data Type	Description	Example
topics_your_topics			
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
<pre> ├─┬─ Name │ │ │ "href" │ │ │ "value" │ │ │ "timestamp" </pre>	Object ├─String - Text ├─String - Text └─Number	The values is the topic	"href": "", "value": "Crafts", "timestamp": 0

File 47: Last known location

Field Name	Data Tye	Description	Example
account_history_imprecise_last_known_location	Array - List	most recent geographic location from which the account was accessed	
title	String - Text	The titles of the record, if applicable	"Empty"

media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
<pre> ├─┬─ Imprecise Latitude ├─┬─┬─ "href" ├─┬─┬─ "value" ├─┬─┬─ "timestamp" </pre>	Object ├─String - Text ├─String - Text ├─Number	Location details of Latitude	"href": "", "value": "-37.814123191435144" , "timestamp": 0
<pre> ├─┬─ Imprecise Longitude ├─┬─┬─ "href" ├─┬─┬─ "value" ├─┬─┬─ "timestamp" </pre>	Object ├─String - Text ├─String - Text ├─Number	Location details of Longitude	"href": "", "value": "144.964599609375", "timestamp": 0
<pre> ├─┬─ Precise Latitude ├─┬─┬─ "href" ├─┬─┬─ "value" ├─┬─┬─ "timestamp" </pre>	Object ├─String - Text ├─String - Text ├─Number	Location details of Latitude	"href": "", "value": -37.8096087427438", "timestamp": 0
<pre> ├─┬─ Precise Longitude ├─┬─┬─ "href" ├─┬─┬─ "value" ├─┬─┬─ "timestamp" </pre>	Object ├─String - Text ├─String - Text ├─Number	Location details of Longitude	"href": "", "value": "144.95640930667645", "timestamp": 0
<pre> ├─┬─ GPS Time Uploaded ├─┬─┬─ "href" ├─┬─┬─ "value" ├─┬─┬─ "timestamp" </pre>	Object ├─String - Text ├─String - Text ├─Number	Time of last update	"href": "", "value": "", "timestamp": 1744583034

File 48: Login activity

Field Name	Data Type	Description	Example
account_history_login_history	Array - List	Records of login history	
title	String - Text	A title or label for the insights Time of the Login session	"2025-03-25T17:45:17+00:00"

media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
<pre> ├── Cookie Name │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├──String - Text ├──String - Text └──Number </pre>	hidden browser cookie name	"href": "", "value": "*****" kXa", "timestamp": 0
<pre> ├── IP Address │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├──String - Text ├──String - Text └──Number </pre>	public IP address of the device that accessed	"href": "", "value": "103.140.111.157", "timestamp": 0
<pre> ├── Port │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├──String - Text ├──String - Text └──Number </pre>	network port number used for the connection.	"href": "", "value": "55017", "timestamp": 0
<pre> ├── Language Code │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├──String - Text ├──String - Text └──Number </pre>	language preference of the user's browser or system	"href": "", "value": "en", "timestamp": 0
<pre> ├── Time │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├──String - Text ├──String - Text └──Number </pre>	the time of the event.	"href": "", "value": "", "timestamp": 1742924717
<pre> ├── User Agent │ ├── "href" │ ├── "value" │ └── "timestamp" </pre>	Object <pre> ├──String - Text ├──String - Text └──Number </pre>	browser and operating system of the user	"href": "", "value": "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/134.0.0.0 Safari/537.36 Edg/134.0.0.0", "timestamp": 0

File 49: Logout activity

Field Name	Data Type	Description	Example
account_history_logout_history	Array - List	Records of logout history	
title	String - Text	Time of the Logout session	"2025-03-25T17:45:17+00:00"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
- Cookie Name - href - value - timestamp	Object - String - Text - String - Text - Number	hidden browser cookie name	"href": "", "value": "*****" kXa", "timestamp": 0
- Port - href - value - timestamp	Object - String - Text - String - Text - Number	network port number used for the connection.	"href": "", "value": "55017", "timestamp": 0
- Language Code - href - value - timestamp	Object - String - Text - String - Text - Number	language preference of the user's browser or system	"href": "", "value": "en", "timestamp": 0
- Time - href - value - timestamp	Object - String - Text - String - Text - Number	the time of the event.	"href": "", "value": "", "timestamp": 1742924717
- User Agent - href - value - timestamp	Object - String - Text - String - Text - Number	browser and operating system of the user	"href": "", "value": "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/134.0.0.0 Safari/537.36 Edg/134.0.0.0", "timestamp": 0

File 50: Password change activity

Field Name	Data Type	Description	Example
account_history_password_change_history	Array - List	History of password changes	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
└─ Time └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Timestamps when password changed	"href": "", "value": "", "timestamp": 1742831159

File 51: Profile privacy changes

Field Name	Data Type	Description	Example
account_history_account_privacy_history	Array - List	Records of changes to profile privacy settings (e.g., private vs. public account).	-
title	String - Text	A title of the activity	"Switched to Public" OR "Switched to Private"
string_list_data	Array of Object	Contains key metrics and their values	Empty
└─ "timestamp"	└─ Number	The time of the activity	1759592394

File 52: Signup details

Field Name	Data Type	Description	Example
account_history_registration_inf	Array - List	Information provided during account creation	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
└─ Username └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	The Username used when creating the account	"href": "", "value": "FtOnn", "timestamp": 0
└─ IP Address └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	public IP address of the device that accessed when creating the account	"href": "", "value": "94.277.97.125", "timestamp": 0
└─ Time └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	Time when the account created	"href": "", "value": "", "timestamp": 1365105876
└─ Email └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	The email address used when creating the account	"href": "", "value": "ftoon.XXXX@yahoo.com", "timestamp": 0
└─ Phone Number └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	The Phone number used when creating the account	"href": "", "value": "", "timestamp": 0
└─ Device └─ "href" └─ "value" └─ "timestamp"	Object └─ String - Text └─ String - Text └─ Number	The device used when creating the account	"href": "", "value": "GT-I9100", "timestamp": 0

File 53: Avatar items

Field Name	Data Type	Description	Example
ig_avatar_marketplace_avatar_items	Array - List	Data about avatars you created or used within Instagram	
item	String - Text	URL Link to avatar	"https://scontent.fcbr1-1.fna.fbcdn.net/m1/v/t6/An_1s8TFCoXiddvIWrmHt_VlrBY_9W7LEhT_bQ4Oy41B4jFGlvrNaJonj3-zO1_p76XFaIJ_kWO64qoqN1Ox_i18KoovnF_nOYxC4M1.png?_nc_gid=5RAI-2qgYFGMVZ8rozGBnQ&_nc_oc=AdmIC8d47Zh5oMmQACYwUrFZdz-RO-2MPNTsnp498VI_Xi74YxCXzJqx4WQa0G-Swul&stext=1&ccb=10-5&oh=00_AfHMBllUYvnTWfllAQLx4okDerV-O1QYcpmDryHHyATddw&oe=6800B862&_nc_sid=fdc050"
type	String - Text	Type of the avatar	FREE
acquisition_time	Number	Time when the user got the avatar	1738123323

File 54: Post comments

Field Name	Type	Description	Example
media_list_data	Array - List	A list of related media, if applicable	-
└─ uri	String - Text	The path for the media files related, if applicable	-
└─ string_map_data	Object	Contains key metrics and their values	-
└─ Comment └─ value	Object └─String - Text	The comment text	"Sample comment"
└─ Media Owner └─ value	Object └─String - Text	Profile name	"sampleUser"
└─ Time └─ timestamp	Object └─Number	The time the comments added	1738231781

File 55: Liked posts

Field Name	Type	Description	Example
likes_media_likes	Array - List	A list of objects representing liked media.	-
└─┬─ title	String - Text	Username of the content creator whose media was liked.	"mahmoudabuzaiter"
└─┬─ string_list_data	Array - List	A list of like details.	-
└─┬─┬─ href	String - Text	Link to the specific Instagram post (e.g., reel, photo, etc.).	"https://www.instagram.com/p/D FckXrsfse4oZ/"
└─┬─┬─ value	String - Text	Emoji or symbol used to like (e.g., 🍌).	"\u00f0\u009f\u0091\u008d"
└─┬─┬─ timestamp	Number	The time the like occurred (in seconds since epoch).	1738231781

File 56: Liked comments

Field Name	Type	Description	Example
likes_comment_likes	Array - List	A list of objects representing liked media.	-
└─┬─ title	String - Text	Username of the content creator whose media was liked.	"mahmoudabuzaiter"
└─┬─ string_list_data	Array - List	A list of like details.	-
└─┬─┬─ href	String - Text	Link to the specific Instagram post (e.g., reel, photo, etc.).	"https://www.instagram.com/p/D FckXrsfse4oZ/"
└─┬─┬─ value	String - Text	Emoji or symbol used to like (e.g., 🍌).	"\u00f0\u009f\u0091\u008d"
└─┬─┬─ timestamp	Number)	The time the like occurred (in seconds since epoch).	1738231781

File 57: Archived posts

Field Name	Type	Description	Example
ig_archived_post_media	Array - List	List of post the user has archived	
media	Array - List	A list of media post entries.	
└─┬─ uri	String - Text	Relative path to the media file (e.g., image or video).	"media/posts/202503/484150404_18491594137059056_2354718531193454731_n_17882060313253240.jpg"
└─┬─ creation_timestamp	Number	Time the media was created .	1741967641
└─┬─ media_metadata	Object	Metadata about the media.	-
└─┬─┬─ camera_metadata	Object	Contains camera-related metadata.	-
└─┬─┬─ has_camera_metadata	Boolean	Indicates if camera metadata is present	false
└─┬─ title	String - Text	Text on the post	"Any caption on the post"
└─┬─ Cross_post_source	Object	Cross platform information	-
└─┬─┬─ source_app	String - Text	Name of the source app	"FB"

File 58: Posts

Field Name	Type	Description	Example
media	Array - List	A list of media post entries.	
└─┬─ uri	String - Text	Relative path to the media file (e.g., image or video).	"media/posts/202503/484150404_18491594137059056_2354718531193454731_n_17882060313253240.jpg"
└─┬─ creation_timestamp	Number	Time the media was created .	1741967641

└─└─ media_metadata	Object	Metadata about the media.	-
└─└─└─ camera_metadata	Object	Contains camera-related metadata.	-
└─└─└─ has_camera_metadata	Boolean	Indicates if camera metadata is present	false
└─└─ title	String - Text	Text on the post	"Any caption on the post"
└─└─ Cross_post_source	Object	Cross platform information	-
└─└─└─ source_app	String - Text	Name of the source app	"FB"

File 59: Profile photo

Field Name	Type	Description	Example
ig_profile_picture	Array - List	A list containing entries of profile pictures.	-
└─└─ uri	String - Text	Relative path to the profile picture file in the media folder.	"media/other/333336505_732029525307717_6628571050100040122_n_17981841346947177.jpg"
└─└─ creation_timestamp	Number	Timestamp of when the profile picture was created.	1678011797
└─└─ media_metadata	Object	Contains metadata related to the media.	-
└─└─└─ camera_metadata	Object	Metadata about the camera used.	-
└─└─└─ has_camera_metadata	Boolean	Indicates if camera metadata (like EXIF) is available.	false
└─└─ title	String - Text	Title or caption of the profile picture (typically empty for profile pics).	-
└─└─ cross_post_source	Object	Information on whether the media was cross-posted.	-
└─└─└─ source_app	String - Text	App used to post the image (e.g., "FB" for Facebook).	"FB"

File 60: Recently deleted content

Field Name	Type	Description	Example
ig_recently_deleted_media	Array - List	A list of deleted media containers.	-
└─ └─ media	Array - List	A list of deleted media entries.	-
└─ └─ └─ uri	String - Text	Relative path to the deleted media file (can be image or video).	"media/recently_deleted/202504/AQNBfb4GOOsCMNyfOU6WehW_q6mt6vaGfdGrGRIfowPBg30aGgHhZoSeB49sLVP1e17ItxyyBQKvv_DswFpZrziDfbsM1716rvcA_18346505167152509.mp4"
└─ └─ └─ creation_timestamp	Number	Time when the media was originally created.	1743867981
└─ └─ └─ media_metadata	Object	Metadata about the media.	
└─ └─ └─ video_metadata	Object	Metadata specific to video files.	
└─ └─ exif_data	List of Objects	List of EXIF data entries for the video.	
└─ └─ device_id	String - Text	Device ID from which the media originated.	"012EF3BD-8C9C-534X-B5D7-FESAA28658D"
└─ └─ camera_position	String - Text	Camera used ("front" or "back").	"front"
└─ └─ source_type	String - Text	Source of the video (e.g., "library").	"library"
└─ └─ camera_metadata	Object	Metadata about the camera.	-
└─ └─ └─ has_camera_metadata	Boolean	Indicates whether camera metadata is present.	true
└─ └─ title	String - Text	Title or caption of the media (often empty).	"Caption of the post"
└─ └─ cross_post_source	Object	Information about cross-posting.	-
└─ └─ source_app	String - Text	The app from which the media was posted (e.g., "FB" for Facebook).	"FB"
└─ └─ dubbing_info	Array - List	Dubbing-related information (currently empty).	-

└─└─ media_variants	Array - List	Different versions or resolutions of the media (empty).	-
---------------------	--------------	---	---

File 61: Reels - in Media

Field Name	Type	Description	Example
ig_reels_media	Array - List	A list of containers holding Reel media data.	-
└─└─ media	Array - List	List of individual Reel media entries.	-
└─└─└─ uri	String - Text	Relative file path to the video reel.	"media/other/AQPWp3nz5UsBzetmf7ZhGm63r1rJgoJScCsWII3CTJFYIyNgl7L90LdBH7F8wRsJKx_aKyxGk210lz8FhNOX_giCKVWhHt_tkrrwnU_18058991887961214.mp4"
└─└─└─ creation_timestamp	Number	Timestamp when the reel was created.	1739692644
└─└─└─ media_metadata	Object	Metadata related to the reel.	-
└─└─└─ video_metadata	Object	Metadata specific to the video reel.	-
└─└─└─ exif_data	Array of Objects	List of EXIF data entries with repeated metadata.	-
└─└─└─ device_id	String - Text	Device ID used to create the reel.	"012EF3BD-853-805A-B1A7-EFB77A28788D"
└─└─└─ camera_position	String - Text	"unknown" in this case, possibly "front" or "back" in others.	"unknown"
└─└─└─ source_type	String - Text	Numeric string representing the source type.	"0"
└─└─└─ camera_metadata	Object	General camera metadata.	-
└─└─└─ has_camera_metadata	Boolean	Indicates if camera metadata exists (false).	false

└─ title	String - Text	Title or caption for the reel.	"The journey has come to an end"
└─ cross_post_source	Object	Metadata about the platform used to post.	-
└─ source_app	String - Text	The app used to post (e.g., "FB" for Facebook).	"FB"
└─ dubbing_info	Array - List	Placeholder for dubbing info (currently empty).	-
└─ media_variants	Array - List	Placeholder for variants/resolutions (currently empty).	-

File 62: Stories

Field	Type	Description	Example
ig_stories	Array - List	List of Instagram stories.	-
└─ uri	String - Text	Path to the media file (e.g., image or video).	"media/stories/202504/491468858_18498331945059056_55209696444484826645_n_18361396432134733.jpg"
└─ creation_timestamp	Number	Unix timestamp indicating when the story was created.	1744677177
└─ media_metadata	Object	Metadata about the media content.	-
└─ photo_metadata	Object	Metadata specific to the photo.	-
└─ exif_data	Array - List	List of EXIF metadata entries.	-
└─ iso	Number	ISO sensitivity of the camera.	"640"
└─ focal_length	String - Text	Focal length of the lens in mm.	"2.71"
└─ lens_model	String - Text	Lens model used to capture the photo.	"iPhone 13 Pro front camera 2.71mm f/2.2"
└─ software	String - Text	Software version used (likely the phone OS or camera app).	"17.6.1"
└─ device_id	String - Text	Unique identifier for the capturing device.	"012EF3BD-8C9C-4112A-B5D7-QACW7A28658D"

└─└─└─ scene_type	Number	Scene type value (often used in EXIF to describe capture context).	1
└─└─└─ camera_position	String - Text	Camera used ("front" or "rear").	"front"
└─└─└─ lens_make	String - Text	Manufacturer of the lens.	"Apple"
└─└─└─ date_time_digitized	String - Text	When the photo was digitized (format: YYYY:MM:DD HH:MM:SS).	"2025:04:15 10:32:21"
└─└─└─ date_time_original	String - Text	Original date and time the photo was taken.	"2025:04:15 10:32:21"
└─└─└─ source_type	String - Text	Source of capture (e.g., "camera").	"camera"
└─└─└─ aperture	String - Text	Aperture setting used (f-stop value).	"2.2750070474998703"
└─└─└─ shutter_speed	String - Text	Shutter speed used during the capture.	"5.059230357175918"
└─└─└─ metering_mode	String - Text	Metering mode used by the camera.	"5"
└─└─ camera_metadata	Object	General camera metadata info.	-
└─└─└─ has_camera_metadata	Boolean	Indicates if camera metadata is present (true or false).	true

File 63: Secret conversations

Field	Type	Description	Example
ig_secret_conversations	Object	The main object containing secret conversation details.	
└─ armadillo_devices	Array - List	List of devices that have been used to access the secret conversation.	
└─└─ device_type	String - Text	Type of the device (e.g., browser, mobile app, etc.).	"Igd:Web-302.0.1021228479"
└─└─ device_manufacturer	String - Text	Manufacturer of the device (e.g., Apple, Windows).	"Windows"
└─└─ device_model	String - Text	Model name of the device (e.g., "iPhone14,2", "Edge PWA (Chromium Based)").	"Edge PWA (Chromium Based)"

└─ device_os_version	String - Text	Operating system version of the device (e.g., "17.6.1", "10").	"10"
└─ last_connected_ip	String - Text	IP address of the device when it was last connected.	"103.989.125.0"
└─ last_active_time	Number	Unix timestamp of the last activity time of the device.	1743028403
└─ calls	Array - List	List of calls made during the secret conversation (empty in this example).	-

File 64: Inbox

Include Private message organised in folder of the name of the profile and json files of the messages content.

File 65: Eligibility

Field	Type	Description	Example
monetization_eligibility	Array - List	List containing the monetization eligibility details for the account.	-
└─ title	String - Text	Title or label related to the monetization eligibility (empty in this example).	-
└─ media_map_data	Object	Placeholder for media-related data (empty in this example).	-
└─ string_map_data	Object	Object containing string-based key-value pairs for monetization information.	-
└─ └─ Product Name	Object	Key-value pair for the product name related to monetization eligibility.	-
└─ └─ └─ href	String - Text	URL for the product (empty in this example).	""
└─ └─ └─ value	String - Text	The product name value (e.g., "BRANDED CONTENT").	"BRANDED CONTENT"
└─ └─ └─ timestamp	Number	Timestamp of when this data was recorded.	0

└─└─ Decision	Object	Key-value pair for the monetization decision status.	-
└─└─└─ href	String - Text	URL for the decision (empty in this example).	""
└─└─└─ value	String - Text	The decision value (e.g., "Not Eligible").	"Not Eligible"
└─└─└─ timestamp	Number	Timestamp of when the decision was made.	0
└─└─ Reason	Object	Key-value pair for the reason behind the monetization decision.	-
└─└─└─ href	String - Text	URL for the reason (empty in this example).	""
└─└─└─ value	String - Text	The reason for the decision (empty in this example).	""
└─└─└─ timestamp	Number	Timestamp of when the reason was recorded.	0

File 66: Time spent on instagram

Field	Type	Description	Example
timestamp	Number	The timestamp representing the time when this record was created.	1744677284
media	Array - List	A list of media objects related to this timestamp. Currently, it's empty.	-
label_values	Array - List	A list of label-value pairs that provide metadata or additional information.	-
└─ label	String - Text	The label or name for the specific metadata	"Intervals"
└─ vec	Array - List	A vector or list of data related to the label, often containing nested structures.	-
└─└─ dict	Array - List	A dictionary that stores key-value pairs related to the label.	-

└─└─└─ label	String - Text	The label for the timestamp value (e.g., "Start time" or "End time").	"Start time" OR "End time"
└─└─└─ timestamp_value	Number	The timestamp value associated with the label (e.g., start or end time).	1744677113
└─ label	String - Text	Label for the last update	"Update time"
└─ timestamp_value	Number	Time of last update	1744755591
fbid	String - Text	The Facebook ID associated with this data entry.	17951344591

File 67: Your information download requests

Field	Type	Description	Example
timestamp	Number	The timestamp representing when this record was created or updated.	1744247809
media	Array - List	A list of media objects related to this record. Currently, it's empty.	-
label_values	Array - List	A list of label-value pairs that provide additional metadata or information.	-
└─└─ label	String - Text	The label or name for the specific piece of metadata (e.g., "Request completion time").	"Request completion time"
└─└─ timestamp_value	Number	A Unix timestamp representing a specific time associated with the label.	1744397745
└─└─ value	String - Text	The value associated with the label, often used for non-timestamp labels (e.g., "0", "Medium").	0
└─└─ vec	Array - List	A list of objects related to the label. Typically used for more complex data structures (e.g., lists of information types).	
fbid	String - Text	The Facebook ID associated with this data entry.	17951344591

Available options (Labels)	Type of value	Example
Request completion time	timestamp_value	"1744397745"
"How many times did you try to download the file?"	value	0
Start date	timestamp_value	1744247746
End date	timestamp_value	1744247746
Information types	vec	
Media quality	value	Medium
Output format	value	HTML
Have you seen this archive?	value	False
Have we notified you that your request is taking a long time to process?",	value	False
Where you requested your data from	value	-

File 68: Saved collections

Field	Type	Description	Example
saved_saved_collections	Array - List	A list of saved collection objects. Each object represents a collection saved by the user.	
└ title	String - Text	The title of the data provided "Collection".	"Collection"
└ string_map_data	Object	An object containing metadata related to the collection.	-
└ └ Name └ └ value	Object └String - Text	An object containing information about the collection's name that the user created.	"Travel"
└ Creation Time └ └ └ timestamp	Object └Number	The time when the user created the collection	1744626879

- Update Time - timestamp	- Object - Number	The time when the user created the collection	1744626879
string_map_data	Object	An object containing metadata of the item saved in that collection.	-
- Name - href - value	- Object - String - Text - String - Text	Information about the post saved in the collection the url link and the title	"href": "https://www.instagram.com/reel/DGaC3GBzZPk/", "value": "chelslovesit"
- Added Time - timestamp	- Object - Number	A timestamp indicating when the the item added to the collection	"timestamp": 1744626879

File 69: Saved music

Field Name	Data Type	Description	Example
saved_saved_music	Array - List	Music tracks or audio content user have saved within Instagram.	
title	String - Text	The titles of the record, if applicable	"Empty"
media_list_data	Object	A list of related media, if applicable	Empty
string_map_data	Object	Contains key metrics and their values (Object)	-
- Song Name - href - value - timestamp	- Object - String - Text - String - Text - Number	Information about the song name	"href": "", "value": "Thts so true", "timestamp": 0
- Artist Name - href - value - timestamp	- Object - String - Text - String - Text - Number	Information about the singer name	"href": "", "value": "Gracie Abrams", "timestamp": 0

- Created At "href" "value" "timestamp"	Object - String - Text - String - Text - Number	Information about the song creation data	"href": "", "value": "", "timestamp": 1738426156
--	---	--	---

File 70: Saved posts

Field	Type	Description	Example
saved_saved_media	Array - List	A list of media items that have been saved by the user.	
└ title	String - Text	A user-defined or system-generated title for the saved media.	"chelslovesit"
└ string_map_data	Object	A dictionary containing metadata about the saved media.	-
└ └ Saved on	Object	Contains the timestamp and link to the original Instagram media (e.g., a Reel).	
└ └ └ href	String - Text	The direct URL to the saved media on Instagram.	"https://www.instagram.com/reel/DGaC3GBzZPk/"
└ └ └ timestamp	Number	The Unix timestamp represents when the media was saved.	1744626878

File 71: Story likes

Field	Type	Description	Example
story_activities_story_likes	Array - List	A list of story-like activity entries (users who liked the user's stories).	
└ title	String - Text	The Instagram username of the person who liked the story.	"bashar_talafha"
└ string_list_data	Array - List	Contains metadata related to the like action.	-
└ └ timestamp	Number	The time the story was liked, in Unix timestamp format.	1744598031

File 72: Countdowns

Field	Type	Description	Example
story_activities_countdowns	Array - List	A list of story-like activity entries (users who liked the user's stories).	
└─ title	String - Text	The Instagram username of the person who liked the story.	"UserSampel"
└─ media_list_data	Array - List	A list of related media, if applicable	-
└─ string_list_data	Array - List	Contains key metrics and their values	-
└─ └─ "href": "", └─ └─ "value": "", └─ └─ "timestamp": 1734699600	└─String - Text └─String - Text └─Number	The time the story was liked, in Unix timestamp format.	href": "", "value": "", "timestamp": 1734699600

File 73: Emoji_sliders

Field	Type	Description	Example
story_activities_emoji_sliders	Array - List	A list of story-like activity entries (users who liked the user's stories).	
└─ title	String - Text	The Instagram username of the person who liked the story.	"UserSampel"
└─ string_list_data	Array - List	Contains metadata related to the like action.	-
└─ └─ "value": "", └─ └─ "timestamp": 1734699600	└─String - Text └─String - Text └─Number	The time the story was liked, in Unix timestamp format.	"value": "100", "timestamp": 1763676653

File 74: Emoji_story reactions

Field	Type	Description	Example
story_activities_emoji_quick_reactions	Array - List	A list of story-like activity entries (users who liked	

		the user's stories).	
└ title	String - Text	The Instagram username of the person who liked the story.	"UserSampel"
└ media_list_dat	Array - List	A list of related media, if applicable	
└ string_list_data	Array - List	Contains metadata related to the like action.	-
└ └ "href": "", └ └ "value": "", └ └ "timestamp": 1734699600	└ String - Text └ String - Text └ Number	The time the story was liked, in Unix timestamp format.	href": "", "value": "", "timestamp": 1734699600

File 75: Story_reaction_sticker_reactions

Field	Type	Description	Example
story_activities_reaction_sticker_reactions	Array - List	A list of story-like activity entries (users who liked the user's stories).	
└ title	String - Text	The Instagram username of the person who liked the story.	"UserSampel"
└ media_list_dat	Array - List	A list of related media, if applicable	
└ string_list_data	Array - List	Contains metadata related to the like action.	-
└ └ "href": "", └ └ "value": "", └ └ "timestamp": 1734699600	└ String - Text └ String - Text └ Number	The time the story was liked, in Unix timestamp format.	href": "", "value": "", "timestamp": 1734699600

File 76: Show exclusive story promo setting

Field	Type	Description	Example
subscriptions_show_story_teaser_setting	Array - List	A list containing settings related to teaser visibility for exclusive stories.	
└─ title	String - Text	The titles of the record, if applicable	“Empty”
└─ media_map_data	Object	A list of related media, if applicable	Empty
└─ string_map_data	Object	Contains key metrics and their values	
└─ └─ Exclusive Story Promo Setting	Object	Metadata for the setting.	
└─ └─ └─ href	String - Text	Link to related setting/resource (empty here).	“”
└─ └─ └─ value	String - Text	“False” means teaser stories are not shown to non-subscribers.	“False”
└─ └─ └─ timestamp	Number	Timestamp of when the setting was saved or updated (0 = not specified).	0

File 77: Your muted story teaser creators

Field	Type	Description	
subscriptions_muted_story_teaser_creators	Array - List	A list of muted creators whose exclusive story teasers have been muted.	-
└─ title	String - Text	The titles of the record, if applicable	“Empty”

└─ media_map_data	Object	A list of related media, if applicable	Empty
└─ string_map_data	Object	Key-value pairs related to muted creators.	-
└─ └─ Muted Creators	Object	Metadata for a muted creator's teaser setting.	-
└─ └─ └─ href	String - Text	Link to the creator's profile (empty here).	""
└─ └─ └─ value	String - Text	The creator's username or ID (not provided here).	""
└─ └─ └─ timestamp	Number	When the user muted the creator (0 = not recorded).	0