Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

INDICATOR SOLUTION

Revision Date: 2025-12-08

SECTION 1: Identification

1.1 Product Identifier

Trade Name	**INDICATOR SOLUTION**
Product Number	12-00003

1.2 Relevant Identified Uses

Relevant Identified Uses	Titration Reagent

1.3 Details of the Supplier of the Safety Data Sheet

ChemQuest Inc.
21365 Hamburg Avenue
Lakeville, MN 55044
United States

Telephone: +1 (952) 985-9993
e-mail: regulatory@carwashsoap.com
Website: https://carwashsoap.com/

1.4 Emergency Telephone Number

Emergency Information Service	ChemTrec 1-800-424-9300

SECTION 2: Hazard(s) Identification

2.1 Classification of the Substance

Classification Acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Hazard Statement	Hazard Class	Category
H302	acute toxicity (oral)	4
H319	serious eye damage/eye irritation	2
H350	carcinogenicity	1
H361	reproductive toxicity	2
H371	specific target organ toxicity - single exposure	2
H336	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3
H225	flammable liquid	2

Employ good industrial hygiene practice

2.2 Label Elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal Word **DANGER**

- Hazard Statements

H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.

- Precautionary Statements

P201	Obtain special instructions before use.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311	If exposed or concerned: Call a poison center/doctor.
P312	Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to industrial combustion plant.

2.3 Other Hazards

Hazards Not Otherwise Classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).
May be harmful if inhaled (GHS category 5: acutely toxic - inhalation).

SECTION 3: Composition/Information on Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Description of the Mixture

Name of Substance	CAS No	Wt%
Water	7732-18-5	25 – < 50
Isopropanol	67-63-0	25 – < 50
Ethanol	64-17-5	10 – < 25
Methanol	67-56-1	5 – < 10
Phenolphthalein	77-09-8	< 1

SECTION 4: First-Aid Measures

4.1 Description of First-Aid Measures

General Notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following Inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following Skin Contact

Wash with plenty of soap and water.

Following Eye Contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart.

Following Ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and effects are not known to date.

SECTION 5: Fire-Fighting Measures

5.1 Extinguishing Media

Suitable Extinguishing Media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

5.2 Special Hazards Arising from the Substance or Mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

5.3 Fire-Fighting Measures

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel

Remove persons to safety.

For Emergency Responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental Precautions

Do not empty into drains, surface water or soil. If the product has entered a water course, sewer or soil, inform the responsible authority.

6.3 Methods and Material for Containment and Cleaning Up

Advice on How to Contain a Spill

Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Advice on How to Clean Up a Spill

Collect spillage. Ensure good ventilation and exhaustion. Place in appropriate containers for disposal.

6.4 Reference to Other Sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see

section 13.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

Measures to Prevent Fire as well as Aerosol and Dust Generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on General Occupational Hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Ventilation Requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Occupational Exposure Limit Values (Workplace Exposure Limits)

Country	Name of Agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
US	ethanol	64-17-5	TLV®			1,000					ACGIH® 2024
US	ethyl alcohol	64-17-5	REL	1,000 (10 h)	1,900 (10 h)						NIOSH REL
US	ethyl alcohol (ethanol)	64-17-5	PEL (CA)	1,000	1,900						Cal/OSHA PEL
US	ethyl alcohol (ethanol)	64-17-5	PEL	1,000	1,900						29 CFR 1910.1000
US	methanol	67-56-1	TLV®	200		250				H	ACGIH® 2024
US	methyl alcohol	67-56-1	PEL	200	260						29 CFR 1910.1000
US	methyl alcohol	67-56-1	REL	200 (10 h)	260 (10 h)	250	325			H	NIOSH REL
US	methyl alcohol	67-56-1	PEL	200	260	250	325	1,000		H	Cal/OSH

Occupational Exposure Limit Values (Workplace Exposure Limits)

Country	Name of Agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
	(methanol)		(CA)								A PEL
US	2-propanol	67-63-0	TLV®	200		400					ACGIH® 2024
US	isopropyl alcohol	67-63-0	PEL (CA)	400	980	500	1,225				Cal/OSHA PEL
US	isopropyl alcohol	67-63-0	REL	400 (10 h)	980 (10 h)	500	1,225				NIOSH REL
US	isopropyl alcohol	67-63-0	PEL	400	980						29 CFR 1910.1000

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
H	absorbed through the skin
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Biological limit values

Country	Name of Agent	Parameter	Notation	Identifier	Value	Source
US	methanol	methanol		BEI®	15 mg/l	ACGIH® 2024
US	2-propanol	acetone		BEI®	40 mg/l	ACGIH® 2024

8.2 Exposure Controls

Appropriate Engineering Controls

General ventilation.

Individual Protection Measures (Personal Protective Equipment)

Eye/Face Protection

Wear eye/face protection.

Skin Protection

- Hand Protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Body Protection

Wear suitable protective clothing.

- Other Protection Measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Environmental Exposure Controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance

Physical State	Liquid
Color	Colorless
Foam Color	None

Fragrance	Chemical

Other safety parameters

pH (value)	No Data Available
Melting Point/Freezing Point	No Data Available
Initial boiling point and boiling range	No Data Available
Flash Point	>49.46 °F
Evaporation rate	No Data Available
Flammability (solid, gas)	Flammable liquid in accordance with GHS criteria
Vapor pressure	No Data Available
Density	0.79 $^{g}/_{ml}$

Solubility(ies)

- Water solubility	Miscible in Any Proportion

Viscosity

- Kinematic viscosity	No Data Available
Oxidizing Properties	None
9.2 Other Information	There Is No Additional Information

SECTION 10: Stability and Reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical Stability

See below "Conditions to avoid".

10.3 Possibility of Hazardous Reactions

No known hazardous reactions.

10.4 Conditions to Avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible Materials

Strong Oxidizers, Reducing Agents

10.6 Hazardous Decomposition Products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects

Test data are not available for the complete mixture.

Classification Procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification Acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute Toxicity

Harmful if swallowed.
GHS of the United Nations, annex 4: May be harmful in contact with skin or if inhaled.

- Acute Toxicity Estimate (ATE)
Oral 1,053 $^{mg}/_{kg}$

Skin Corrosion/Irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or Skin Sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ Cell Mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of Substance	CAS No	Classification	Number
Isopropanol	67-63-0	3	
Phenolphthalein	77-09-8	2B	
Ethanol	64-17-5	1	

Legend

1	Carcinogenic to humans
2B	Possibly carcinogenic to humans
3	Not classifiable as to carcinogenicity in humans

National Toxicology Program (United States): Report on Carcinogens

Name of Substance	CAS No	Classification	Number
Phenolphthalein	77-09-8	Reasonably anticipated to be a human carcino-gen	9th Report on Carcinogens

Reproductive Toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific Target Organ Toxicity - Single Exposure

May cause damage to organs. May cause drowsiness or dizziness.

Specific Target Organ Toxicity - Repeated Exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration Hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological Information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and Degradability

No Data Available.

12.3 Bioaccumulative Potential

No Data Available.

12.4 Mobility in Soil

No Data Available.

12.5 Other Adverse Effects

No Data Available.

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage Disposal-Relevant Information

Do not empty into drains. Avoid release to the environment.

Waste Treatment of Containers/Packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport Information

14.1 UN Number, Proper Shipping Name, Class and Packing Group

LIMITED QUANTITY - Shipping papers NOT required for ground transportation.

14.2 Special precautions for user

There Is No Additional Information.

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

SECTION 15: Regulatory Information

15.1 Safety, Health and Environmental Regulations Specific for the Product in Question

National Regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA

Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings			
Name of Substance	**CAS No**	**Remarks**	**Effective date**
Isopropanol	67-63-0	only persons who manufacture by the strong acid process are subject, supplier notification not required	1986-12-31
Phenolphthalein	77-09-8		2010-12-31
Methanol	67-56-1		1986-12-31

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of Substance	CAS No	Final RQ pounds (Kg)
Methanol	67-56-1	5000 (2270)

Clean Air Act

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals				
Name of Substance	**Name acc. to inventory**	**CAS No**	**Type of the toxicity**	**Date listed**
Phenolphthalein	phenolphthalein	77-09-8	cancer	1998-05-14
Methanol	methanol	67-56-1	developmental	2012-03-15
Ethanol	ethanol (ethyl alcohol)	64-17-5	developmental	1987-09-30

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of Substance	CAS No	Functionality	Authoritative Lists
Isopropanol	67-63-0		OEHHA RELs
Methanol	67-56-1		CA TACs IRIS Neurotoxicants NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
Phenolphthalein	77-09-8		EC Annex VI CMRs - Cat. 1B IARC Carcinogens - 2B NTP 13th RoC - reasonable Prop 65

- Toxic or Hazardous Substance List (MA-TURA)

Name of Substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Isopropanol	67-63-0				1.0 %
Phenolphthalein	77-09-8				0.1 %
Methanol	67-56-1				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of Substance	CAS No	References	Remarks
Isopropanol	67-63-0	A, N, O	
Methanol	67-56-1	A, N, O	skin
Ethanol	64-17-5	A, O	

Legend

A	American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
N	National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer
O	Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division
skin	If a potential for absorption from skin contact merits special consideration, the word "skin" follows the substance name.

- Hazardous Substance List (NJ-RTK)

Name of Substance	CAS No	Remarks	Classifications
Isopropanol	67-63-0		F3
Phenolphthalein	77-09-8		CA
Methanol	67-56-1		TE F3
Ethanol	64-17-5		CA MU TE F3

Legend

CA	Carcinogenic
F3	Flammable - Third Degree
MU	Mutagenic
TE	Teratogenic

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
2-PROPANOL	67-63-0	E
METHANOL	67-56-1	E
ETHANOL	64-17-5	

Legend

E	Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of Substance	CAS No	References
Isopropanol	67-63-0	T, F
Methanol	67-56-1	T, F
Ethanol	64-17-5	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
phenolphthalein	77-09-8		cancer
methanol	67-56-1		developmental
ethanol (ethyl alcohol)	64-17-5	in alcoholic beverages	developmental

Industry or Sector Specific Available Guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating
Chronic	*
Health	2
Flammability	3
Physical hazard	0
Personal protection	-

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard
Flammability	3
Health	2
Instability	0
Special hazard	

National inventories

Country	Inventory	Status
US	TSCA	all ingredients are listed (ACTIVE)

Legend

TSCA Toxic Substance Control Act

SECTION 16: Other Information, Including Date of Preparation or Last Revision

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Classification Procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based on the present state of our knowledge and does not constitute an assurance of product properties nor establishes contract legal rights. All data about health and safety are only for information. They should therefore not be construed as specifications. This SDS has been compiled and is solely intended for this product.