

Contents

1	Introduction	2
1.1	Arithmetic in $[0, \infty]$	2
1.2	Metric Space	2
1.3	Limits of Set Sequences	3
1.4	Ordinal and Transfinite Induction	6
2	Abstract Integration	8
2.1	The Concept of Measurability	8
2.2	Simple Functions	11
2.3	Measure	13
2.4	Integration of Positive Functions	15
2.5	Integration of Complex Functions	22
2.6	The Sets of Measure Zero	26
2.7	Exercises	32
3	Measure Theory	42
3.1	Outer Measure	42
3.2	Carathéodory Outer Measure	51
3.3	Lebesgue Measure	58
3.4	The Cantor Set	72
3.5	Existence of Nonmeasurable Sets	79
3.6	Lebesgue-Stieljes Measure	83
3.7	Hausdorff Measure	90
3.8	Hausdorff Dimension of Cantor Sets	98
	Index	98

命题转化

1.1 条件腾挪

Theorem 1.1.1

Suppose φ is an **Borel outer measure** on a metric space X . Then for each Borel set $B \subseteq X$ with $\varphi(B) < \infty$ and each $\varepsilon > 0$, there exists a closed set $F \subseteq B$ such that

$$\varphi(B \setminus F) < \varepsilon$$

Furthermore, suppose

$$B \subseteq \bigcup_{i=1}^{\infty} V_i$$

where each V_i is an open set with $\varphi(V_i) < \infty$. Then for each $\varepsilon > 0$, there is an open set $W \supseteq B$ such that

$$\varphi(W \setminus B) < \varepsilon$$

Note.

题目对于 B 的条件给予了“额外”(脱离 σ -代数体系) 的增强条件 $\varphi(B) < \infty$. 通过定义新的测度 $\mu(A) := \varphi(A \cap B)$. 将增强条件“腾挪”到变成测度的增强条件 $\mu(X) < \infty$. 以增加命题的整体性, 使得证明不拘泥于某个特定集合的 $\varphi(B) < \infty$.

Proof. Select a Borel set B with $\varphi(B) < \infty$, and define

$$\mu(A) := \varphi(A \cap B)$$

It is easy to verify that μ is an outer measure on X , and also all Borel set is μ -measurable. Furthermore, $\mu(X) < \infty$. Once we show that the first part is true for μ , then for each $\varepsilon > 0$

$$\varphi(B \setminus F) = \mu(B \setminus F) < \varepsilon$$

is true for some closed set F and the specific Borel set B we have just selected.

Since B is arbitray, we may assume that $\varphi(X) < \infty$ in the following proccess. Let

$$\mathcal{D} := \{A : \forall \varepsilon > 0, \exists \text{ closed set } F \subseteq A \text{ s.t. } \varphi(A \setminus F) < \varepsilon\}$$

Only need to show that $\mathcal{D}$ is a σ -algebra containing all closed sets. That is to say from Theorem 3.2.3 that $\mathcal{D}$ contains all closed and open sets and is closed under countable union and countable intersection. Take any open set $U \subseteq X$. Let

$$F_i := \left\{x : d(x, U^c) \geq \frac{1}{i}\right\}$$

be a closed set for each i . Then

$$F_1 \subseteq F_2 \subseteq \dots, \quad U = \bigcup_{i=1}^{\infty} F_i$$

Thus

$$\lim_{k \rightarrow \infty} \varphi\left(U \setminus \bigcup_{i=1}^k F_i\right) = \varphi\left(U \setminus \bigcup_{i=1}^{\infty} F_i\right) = \varphi(\emptyset) = 0$$

For each $\varepsilon > 0$, there exists k such that

$$\varphi\left(U \setminus \bigcup_{i=1}^k F_i\right) < \varepsilon$$

, where $\bigcup_{i=1}^k F_i$ is a closed set.

Now, we take a sequence of membser $A_1, A_2, \dots$ in $\mathcal{D}$. For each i , there is a closed set $C_i \subseteq A_i$, such that

$$\varphi(A_i \setminus C_i) < \frac{\varepsilon}{2^{i+1}}$$

Note that

$$\bigcup_{i=1}^{\infty} A_i \setminus \bigcup_{i=1}^{\infty} C_i \subseteq \bigcup_{i=1}^{\infty} (A_i \setminus C_i), \quad \bigcap_{i=1}^{\infty} A_i \setminus \bigcap_{i=1}^{\infty} C_i \subseteq \bigcup_{i=1}^{\infty} (A_i \setminus C_i)$$

We have

$$\varphi\left(\bigcap_{i=1}^{\infty} A_i \setminus \bigcap_{i=1}^{\infty} C_i\right) \leq \sum_{i=1}^{\infty} \varphi(A_i \setminus C_i) < \varepsilon$$

$$\lim_{k \rightarrow \infty} \varphi \left(\bigcup_{i=1}^{\infty} A_i \setminus \bigcup_{i=1}^k C_i \right) = \varphi \left(\bigcup_{i=1}^{\infty} A_i \setminus \bigcup_{i=1}^{\infty} C_i \right) \leq \sum_{i=1}^{\infty} \varphi(A_i \setminus C_i) < \frac{\varepsilon}{2}$$

Then there exists k such that

$$\varphi \left(\bigcup_{i=1}^{\infty} A_i \setminus \bigcup_{i=1}^k C_i \right) < \varepsilon$$

Thus $\bigcap_{i=1}^{\infty} A_i, \bigcup_{i=1}^{\infty} A_i \in \mathcal{D}$.

□

Index

Theorems

1.4.5	Transfinite Induction	7	2.6.7	...	30
2.1.4	...	10	2.6.8	...	31
2.1.6	...	10	2.6.9	...	32
2.1.7	...	10	3.1.5	...	43
2.2.2	...	12	3.1.7	...	47
2.3.2	...	13	3.2.2	...	51
2.4.4	Lebesgue's Monotone Convergence Theorem	17	3.2.3	...	53
2.4.9	...	21	3.2.4	...	53
2.5.4	...	23	3.3.1	...	58
2.5.5	...	24	3.3.2	...	58
2.5.6	Lebesgue's Dominated Convergence Theorem	24	3.3.4	...	59
2.6.4	...	27	3.3.5	...	60
2.6.6	...	28	3.3.9	...	62
			3.6.3	...	84
			3.6.4	...	85
			3.6.5	...	87
			3.7.2	...	91
			3.7.3	...	92
			3.7.4	...	93