



auto**rabit**

UPGRADE DOCUMENT



On-Premises Upgrade

Version 22.3 to 23.1

LAST UPDATED: FEBRUARY 01, 2024

© 2023 AutoRABIT Holding Inc. All rights reserved. AutoRABIT and the AutoRABIT logos are registered trademarks of AutoRABIT, Inc.

Other product and service names might be trademarks of AutoRABIT Holding Inc. or its affiliates.

TABLE OF CONTENT

1 INTRODUCTION.....2

2 PREREQUISITES.....2

2.1 Java Upgrade.....2

2.2 SF Upgrade2

2.3 Vlocity Upgrade2

2.4 Tomcat Upgrade.....3

3 STEPS TO UPGRADE3

3.1. Backup of AutoRABIT 23.1 Artifacts.....3

3.2. Download AutoRABIT 23.1 Version Artifacts.....3

3.3. AutoRABIT 23.1 Artifacts Installation.....4

4 FEEDBACK.....4

1 Introduction

This document provides an overview of the migration procedures and methods for upgrading from **ARM 22.3** version to our current **23.1** release.

2 Prerequisites

Before you upgrade to **ARM 23.1** version, make sure you have an OS compatible with latest Node 20
Version Recommendation: **Ubuntu22**

2.1 Java Upgrade

- a. Download the java version 17.0.2 by typing in the following command in /opt/newhd (Or any desired location):
`wget https://download.oracle.com/java/17/archive/jdk-17.0.9_linux-x64_bin.tar.gz`
(here “/opt/newhd” is the path location where the java is downloaded, you can set your desired location)
- b. Extract the Java package by typing in the below command:
`tar -xf jdk-17.0.9_linux-x64_bin.tar.gz`
- c. Enter the command to edit the /etc/profile file: `sudo vi /etc/profile`
- d. Update the JAVA_Home environment variable with new Java version.

2.2 SF Upgrade

Upgrade the SF(SFDX) to 2.19.8 version.

- a. Download the SFDX components into the /home/ubuntu location using the command:
`wget https://arinstallers.s3.us-west-2.amazonaws.com/sfdx-sf/sf.zip`
- b. Unzip the sfdx-179.zip file using the command: `unzip -q sf.zip`
- c. Update the below export attribute to the /etc/profile path:
Update the path from /home/user/sfdx to /home/user/sf

2.3 Vlocity Upgrade

- a. Go to the /usr/local/lib/node_modules path by using the following command:
`cd /usr/local/lib/node_modules`
- b. move the existing Vlocity folder to backup:
`mv vlocity vlocity-bkp`

- c. Download Vlocity using the following command:
`wget https://arinstallers.s3.us-west-2.amazonaws.com/Release231/vlocity.zip`
- d. Unzip Vlocity using:
`Unzip -q vlocity.zip`
- e. Check the Vlocity version by using following command:
`vlocity -v`

2.4 Tomcat Upgrade

- a. Take the backup of existing server-tomcat and agent-tomcat folders
- b. Download the latest server-tomcat10 from the below link
<https://arinstallers.s3.us-west-2.amazonaws.com/Release231/server-10.zip>
- c. Unzip server-10.zip by using the below command
`unzip -q server-10.zip`
- d. Replace the setclasspath.sh file from the backup server-tomcat-bkp/bin folder to server-tomcat/bin.
- e. Download the latest agent-tomcat10 from the following link:
<https://arinstallers.s3.us-west-2.amazonaws.com/Release231/agent10.zip>
- f. Replace the setclasspath.sh file from the backup agent-tomcat-bkp/bin folder to agent-tomcat/bin.

3 Steps to Upgrade

3.1. Backup of AutoRABIT 23.1 Artifacts

- a. Take the backup of DB file from the `.rabit/org/` directory and save it to another location. For example,

DB Filename: AKIAIJKYAGFJ237VIHQQ_us-west-2.db

- b. Take backup of `rabit.war` and `rabit` file from the location: `server-tomcat/webapps/`
- c. Take backup of `aragent.war` and `aragent` file from the location:
`agent-tomcat/webapps/`
- d. Upgrade the instance.

3.2. Download AutoRABIT 23.1 Version Artifacts

- a. Create a new folder in your preferred location (**example:** `<desired_location>/downloads`) and name it with the current date.

- b. Download the **23.1 versions binaries** to the above-mentioned location (binaries to be provided by the Release Team).

3.3. AutoRABIT 23.1 Artifacts Installation

- a. Copy the `rabit.war` file to the below mentioned **Apache tomcat webapps** location:
`server-tomcat/webapps/`
- b. Copy the downloaded `aragent.war` file to the **agent tomcat webapps** location:
`agent-tomcat/webapps/`
- c. Start the **tomcat** and **agent** services using the command:
`server-tomcat/bin/startup.sh`
`agent-tomcat/ bin/startup.sh`

4 Feedback

Please direct any comments or suggestions about this document to:
`support@autorabit.com.`