

BIM 360 Project Setup Tool Usage Guide

Last Updated: 5/11/20 11:13:00 AM



### Contents

1	Ove	erview	3
	1.1	Pre-requisites	3
2	Wo	orkflow	3
3	Setu	rup	4
	3.1	Installation and configuration	4
4	Con	mmand Line Options	5
	4.1	Examples	5
	4.1.	.1 Create projects	6
	4.1.	2 Create projects and copy folders(including Role permission)	6
	4.1.	.3 Activate Services	6
	4.1.	.4 Add Users	6
	4.2	CSV Preparation	6
5	Fori	mat of input files	8
	5.1	Project Creation CSV	8
	5.2	Service Activation CSV	9
	5.3	Project Users CSV	9
6	Con	nstraints and restrictions	10
	6.1.	.1 Value and Currency	10
	6.1.	.2 Language support	10
	6.1.	3 Contract type	10
	6.1.	.4 Unique Business Units	10
	6.1.	5 No Custom Roles	10
	6.1.	.6 Copy Folder	11



# 1 Overview

The command line tool supports the following functionality:

- ➤ Create Projects in Batch
- > Copy Projects with Folders (including copy role permissions)
- > Activate Services by Adding User as Admin
- > Import Users to Project as Admin or User

## 1.1 Pre-requisites

PR#	Title	Description	Note
1	Input CSV file	The sample input files defined in the spreadsheet structure must be maintained. All required fields must be filled in order to let the tool work properly.	Refer section 4.2 for details.

# 2 Workflow

Nr.	Step	Tool	Result
0	Prepare BIM360 account for custom integration	Manual	Custom Integration activated
Prepare CSV files with project and user information		Manual	Valid Input file
2.	Create the project in BIM 360(either from scratch or a template project)	BimProjectSetup.exe	Projects are created and set to inactive
3.	Assign Services	BimProjectSetup.exe	Services are assigned to the project. Admins related to the services are assigned.
4.	Import users to BIM 360 projects and assign industry roles	BimProjectSetup.exe	Users are added to the projects



# 3 Setup

Before running the command line tools you need to get a Forge App Client ID and Secret. The client ID then needs to be provisioned with the BIM 360 account, so you can call the BIM 360 API. Please refer to the following doc for details:

- 1. Create Forge App
- 2. Get Access to a BIM 360 Account
- 3. Manage API Access to BIM 360 Services

## 3.1 Installation and configuration

The tool is provided as source code, download the code and open `BimProjectSetupTool.sln` solution on Visual Studio. The build process should download the required packages (\*\*Autodesk.Forge\*\* and dependencies). Compile and build the project, you should see the following files in the output folder:

0,	Autodesk.BimProjectSetup.Common.dll
	Autodesk.BimProjectSetup.Common.pdb
	Autodesk.BimProjectSetup.exe
	Autodesk.BimProjectSetup.pdb
q,	Autodesk.Forge.BIM360.dll
	Autodesk.Forge.BIM360.pdb
M	Autodesk. Bim Project Setup. Common. dll. config
×	Autodesk.BimProjectSetup.exe.config
×	Autodesk.Forge.BIM360.dll.config
×	NLog.config
q,	Autodesk.Forge.dll
0,	NLog.dll
	NLog.xml
Q,	Newtonsoft.Json.dll
	Newtonsoft.Json.xml
Q,	RestSharp.dll
	RestSharp.xml
ı	sample

The sample directory contains batch files and samples of csv files which you use as a base for setting up your own batch files.

- BIM360\_Projects\_CF\_Template.csv
- BIM360\_Projects\_Template.csv
- BIM360\_ProjectUser\_Template.csv
- BIM360\_Service\_Template.csv
- ImportProjects.bat
- ImportProjectsCF.bat
- ImportServices.bat
- ImportUsers.bat



# 4 Command Line Options

Most parameters are optional, however the once without brackets are always required.

Autodesk.BimProjectSetup.exe -c -s -a [-p] [-x] [-u] [-b] [-t] [-z] [-e] [-d] [-r] [-h] [--CF] [--AR] [-EU]

- -c Forge client ID
- -s Forge client secret
- -a BIM 360 Account ID
- -p Path to CSV input file for project creation
- -x Path to CSV input file for service activation
- -u Path to CSV input file with project user information
- -b Base Url (default= "https://developer.api.autodesk.com")
- -t Separator character (default = ';')
- -z Second Separator character (default = ',')-e Encoding (default = UTF-8)
- -d Date time format pattern (default = yyyy-MM-dd)
- -r Trial run [true/false] (default = false)
- -h BIM 360 Account admin Email address, required when Copy folders
- --CF Copy folders (use only when you want to copy the folder structure from another project)
- --AR Admin Industry Role
- --EU Use the EU region account

Most arguments require a value after the argument. E.g.

-p "C:\myFolder\projects.csv"

Arguments and their values must be separated by a space and values must be enclosed in parenthesis like shown above.

The exception is the -r argument which value can be true or false without any parenthesis.

The arguments --CF and --EU don't require any value. They are used as indicators for copy folders (--CF) and whether the account is hosted on EU servers. (--EU). If not present the default is applied which is US servers and no folders copied.

Please note that at least one path to an input file must be provided with the -p, -x, or -u options. You can provide multiple file paths within the same call, but we recommend to run step by step and create projects first, then activate required services and in a third step add users.

After successfully processing the CSV input file, a result file of the requested action will be written to the path where the input files reside with '\_processed' as a suffix for the file name.

The results for each row of the input file are written to columns that are added at the end of the input file.

Please note that the '<inputfile\_name>\_processed.csv' file will not be created for the following tasks:

- 1. Copy folder
- 2. Add project users

Logging can be configured in the Nlog.config file. Further information can be found here: <a href="https://github.com/nlog/NLog/wiki/Configuration-file">https://github.com/nlog/NLog/wiki/Configuration-file</a>

## 4.1 Examples



When copying one of the command lines below make sure you remove all line end characters, so everything is in one line.

### 4.1.1 Create projects

This example command line creates projects from the file .\sample\BIM360\_Projects\_Template.csv in the BIM 360 Account.

```
Autodesk.BimProjectSetup.exe -c "your-client-id" -s "your-client-secret" -a "your-account-id" -p ".\sample\BIM360_Projects_Template.csv" -t ";" -z "," -e "UTF-8" -d "yyyy-MM-dd" -r false
```

### 4.1.2 Create projects and copy folders(including Role permission)

Same as above, but add the --CF argument at the end and make sure in the CSV file contains a template project name.

```
Autodesk.BimProjectSetup.exe -c "your-client-id" -s "your-client-secret" -a "your-account-id" -p ".\sample\BIM360_Projects_Template.csv" -t ";" -z "," -e "UTF-8" -d "yyyy-MM-dd" -r false -h "admin@company.com" -CF
```

### 4.1.3 Activate Services

```
Autodesk.BimProjectSetup.exe -c "your-client-id" -s "your-client-secret" -a "your-account-id" -x ".\sample\BIM360_Service_Template.csv" -t ";" -z "," -e "UTF-8" -d "yyyy-MM-dd" -r false
```

### 4.1.4 Add Users

```
Autodesk.BimProjectSetup.exe -c "your-client-id" -s "your-client-secret" -a "your-account-id" -u ".\sample\BIM360_ProjectUser_Template.csv" -t ";" -z "," -e "UTF-8" -d "yyyy-MM-dd" -r false -h "admin@compny.com"
```

## 4.2 CSV Preparation

All input data must be provided as CSV files and must follow the pre-defined structure.

- All **required fields** must have values. Options fields can be empty.
- Semicolon should be used as separator between fields.
  If another separator character is used the -t command line option can be used to specify the separator char (e.g. "|")
- > Fields that allow multiple values should use **comma** as a **separator between values** in the same column.
  - If another character is used to separate multiple values of the same field the **-z** command line argument must be used to specify the character used.
- ➤ All date fields must use the same date format, e.g. dd-MM-yyyy and the format string provided in the command line argument -d of the project setup tool must match the format. Please note that the project setup utility doesn't recognize the windows regional settings. It only uses the provided format string to parse the values provided in the CSV files into date values.



See this link for more information about date format strings: https://msdn.microsoft.com/de-de/library/8kb3ddd4(v=vs.110).aspx


- The input files must use a suitable **encoding** that contains all characters used in the file. We recommend using **UTF-8** character set.
- Certain input fields only allow values from a parameter list see the following link for further information: <a href="https://developer.autodesk.com/en/docs/bim360/v1/overview/parameters/">https://developer.autodesk.com/en/docs/bim360/v1/overview/parameters/</a>
  - o service type
  - construction\_type
  - o contract type
  - o project\_type
  - o currency
  - o timezone
  - o trade
  - o country
  - o state\_or\_province

#### Special care must be taken when editing the file in Microsoft Excel:

1: Make sure that Excel does not alter the date formatting to the System format on the machine which the file is edited. By default the dd/MM/yyyy is used in the CSV to format the date. When the Windows system uses a different time/date format, this sometimes causes Excel to save the date to the default Windows system format. This format can be changed in Configuration Panel | Regional Settings

- 2: Make sure the .CSV file is formatted in UTF-8 code.
- 3. Open the file in a text editor such as Notepad++ after it was saved to check
  - Correct file encoding
  - Proper and consistent date format is used
  - Delimiters

### Windows regional settings



Save file from Excel as UTF-8 encoded and semicolon delimited file.



File name:	Book1.xlsx	
Save as type:	Excel Workbook (*.xlsx)	
Authors:	Excel Workbook (*.xlsx)	
Addiois.	Excel Macro-Enabled Workbook (*.xlsm)	
	Excel Binary Workbook (*.xlsb)	
	Excel 97-2003 Workbook (*.xls)	
	CSV UTF-8 (Comma delimited) (*.csv)	
	VALUE DI 1/4 IN	

# 5 Format of input files5.1 Project Creation CSV

Fields in bold are required. See notes below.

- name\* (invalid characters: \, /, ?, [, ], >, \*, :, <, ", |, ,.)
- start\_date\*
- end\_date\*
- project\_type\*
- value\*
- currency\*
- **folders\_created\_from\*\*** (project name of the project from which folder structure is copied from only when you want to copy a projects folder structure)
- job number
- address\_line\_1
- address\_line\_2
- city
- state\_or\_province
- postal\_code
- country
- business unit id
- timezone
- language
- construction\_type
- contract type

### \*: required

\*\*: required for '--CF' command. To create project by copying existing project with their folder structure(including Role permission), --CF command is used. To make this command work properly, the field 'folders\_created\_from' must filled with valid project name from existing projects in the account.

Details about the fields are specified in the API documentation of the PUT projects call: <a href="https://forge.autodesk.com/en/docs/bim360/v1/reference/http/projects-POST/">https://forge.autodesk.com/en/docs/bim360/v1/reference/http/projects-POST/</a> Scroll down to the chapter "Body Structure" to read the specifics about the fields.

If no value is provided in the resulting CSV file you will see two semicolon (;;) characters after each other.



### 5.2 Service Activation CSV

All fields shown in the table below are required. The company must match the users default company in BIM 360.

project_name	service_type	Email	Company	
Project1	admin	admin@company.com	Autodesk	
Project1	doc_manager	admin@company.com	Autodesk	

Note: Each row should contain only one service type

The service\_type parameter supports the following string values:

Value	Description		
admin	BIM 360 Project Administration Service		
doc_manager	BIM 360 Document Management Service		
pm	BIM 360 Project Management Service		
Fng	BIM 360 Field Management Service		
collab	BIM 360 Design Collaboration Service		
cost	BIM 360 Cost Management Service		
gng	BIM 360 Model Coordination Service		
plan	BIM 360 Plan Classic Service		
field	BIM 360 Field Classic Service		
glue	BIM 360 Glue Classic Service		

## **5.3 Project Users CSV**

Sample of an input file structure for importing users.

project_name	email	pm_access	docs_access	company_name	industry_roles
Project1	admin@company.com	admin	admin	Company	architect, project- coordinator

Company name should match the users default company in the BIM 360 members directory. Make sure to provide a company name for each user. An empty field will delete the user's company according to the API documentation.

 $\frac{\text{https://forge.autodesk.com/en/docs/bim360/v1/reference/http/projects-project\_id-users-import-POST/}{}$ 



## 6 Constraints and restrictions

### 6.1.1 Value and Currency

Not mandated anymore in the BIM360 product but mandated in the Forge API and thus this Setup Tool

### 6.1.2 Language support

### 1. BIM 360 product supports

- o English,
- o German,
- o Dutch,
- o Chinese,
- o French
- o Swiss German
- o English and
- o German (en/de)

### 2. **API** supports only

- o English and
- German (en/de)

### 6.1.3 Contract type

- BIM360 product has **Design-Build**
- API has **Design-Bid** instead Design-Build is rejected by the API

### 6.1.4 Unique Business Units

Currently only unique business units are supported. The BIM 360 product allows to have the same business unit name multiple times. In this case the project setup tool finds one of them and uses it.

### 6.1.5 No Custom Roles

In BIM 360 custom roles can be added.

Currently the Forge API for adding users and thus this tool doesn't support custom roles.



### 6.1.6 Copy Folder

Only **Plan** and **Project File** folders are supported, will fail if you rename the 2 folders' name.