

Cucumber Report

Feb 14, 2025, 4:59:56 PM

Start : Feb 14, 4:59:23.718 PM

End : Feb 14, 4:59:56.033 PM

Duration : 32.315 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 41
FAILED - 21
SKIPPED - 0

PASSED - 161
FAILED - 21
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Testing POST request in UserAPI</u>	12.116 s	23	11	12	0	69	57	12	0
<u>Get request in UserApi</u>	7.256 s	5	0	5	0	14	7	5	2
<u>Testing PUT request in UserAPI</u>	11.129 s	29	26	3	0	87	83	3	1
<u>Testing Delete request in User API</u>	1.766 s	5	4	1	0	15	14	1	0


#	Feature Name	Scenario Name
1	<u>Testing POST request in UserAPI</u>	<u>Testing POST request with valid and invalid data</u>
2		<u>Testing POST request with valid and invalid data</u>
3		<u>Testing POST request with valid and invalid data</u>
4		<u>Testing POST request with valid and invalid data</u>
5		<u>Testing POST request with valid and invalid data</u>
6		<u>Testing POST request with valid and invalid data</u>
7		<u>Testing POST request with valid and invalid data</u>
8		<u>Testing POST request with valid and invalid data</u>
9		<u>Testing POST request with valid and invalid data</u>
10		<u>Testing POST request with valid and invalid data</u>
11		<u>Testing POST request with only mandatory fields</u>
12		<u>Testing POST request without mandatory fields</u>
13	<u>Get request in UserApi</u>	<u>GET all users successfully</u>

#	Feature Name	Scenario Name
14	<u>Get request in UserApi</u>	<u>GET request user by user firstname</u>
15		<u>Get request by user id</u>
16		<u>Retrieve all users with invalid url</u>
17		<u>Retrieve all users without authorization</u>
18	<u>Testing PUT request in UserAPI</u>	<u>Testing PUT request with valid and invalid data</u>
19		<u>Testing PUT request with valid and invalid data</u>
20		<u>Testing PUT request with invalid create user endpoint</u>
21	<u>Testing Delete request in User API</u>	<u>Successfully delete an existing user with user firstName</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test	62	41	21	0	4	0	4	0




#	Feature Name	T	P	F	S	Duration
1	<u>Testing POST request in UserAPI</u>	23	11	12	0	12.116 s
2	<u>Get request in UserApi</u>	5	0	5	0	7.256 s
3	<u>Testing PUT request in UserAPI</u>	29	26	3	0	11.129 s
4	<u>Testing Delete request in User API</u>	5	4	1	0	1.766 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Testing POST request in UserAPI</u>	<u>Testing POST request with valid and invalid data</u>	3	3	0	0	2.624 s
2		<u>Testing POST request with valid and invalid data</u>	3	3	0	0	0.418 s
3		<u>Testing POST request with valid and invalid data</u>	3	3	0	0	0.410 s
4		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.920 s
5		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.410 s
6		<u>Testing POST request with valid and invalid data</u>	3	3	0	0	0.405 s
7		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.416 s
8		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.416 s
9		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.413 s
10		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.404 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Testing POST request in UserAPI</u>	<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.395 s
12		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.401 s
13		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.403 s
14		<u>Testing POST request with valid and invalid data</u>	3	3	0	0	0.408 s
15		<u>Testing POST request with valid and invalid data</u>	3	3	0	0	0.398 s
16		<u>Testing POST request with valid and invalid data</u>	3	2	1	0	0.433 s
17		<u>Testing POST request with valid and invalid data</u>	3	3	0	0	0.402 s
18		<u>Testing POST request with invalid url</u>	3	3	0	0	0.336 s
19		<u>Testing POST request with invalid create user endpoint</u>	3	3	0	0	0.436 s
20		<u>Testing POST request without authorization</u>	3	3	0	0	0.260 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Testing POST request in UserAPI</u>	<u>Testing POST request with only mandatory fields</u>	3	2	1	0	0.395 s
22		<u>Testing POST request without mandatory fields</u>	3	2	1	0	0.395 s
23		<u>Testing POST request with existing emailid and contactnumber</u>	3	3	0	0	0.384 s
24	<u>Get request in UserApi</u>	<u>GET all users successfully</u>	3	2	1	0	3.207 s
25		<u>GET request user by user firstname</u>	3	2	1	0	0.452 s
26		<u>Get request by user id</u>	3	2	1	0	0.396 s
27		<u>Retrieve all users with invalid url</u>	2	1	1	0	3.181 s
28		<u>Retrieve all users without authorization</u>	3	0	1	2	0.002 s
29	<u>Testing PUT request in UserAPI</u>	<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.405 s
30		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.389 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Testing PUT request in UserAPI</u>	<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.398 s
32		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.407 s
33		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.401 s
34		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.397 s
35		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.403 s
36		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.431 s
37		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.410 s
38		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.415 s
39		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.405 s
40		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.399 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Testing PUT request in UserAPI</u>	<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.400 s
42		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.399 s
43		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.402 s
44		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.417 s
45		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.397 s
46		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.411 s
47		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.409 s
48		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.407 s
49		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.385 s
50		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.395 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>Testing PUT request in UserAPI</u>	<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.356 s
52		<u>Testing PUT request with valid and invalid data</u>	3	3	0	0	0.404 s
53		<u>Testing PUT request with valid and invalid data</u>	3	2	1	0	0.426 s
54		<u>Testing PUT request with valid and invalid data</u>	3	2	1	0	0.400 s
55		<u>Testing PUT request with invalid url</u>	3	3	0	0	0.251 s
56		<u>Testing PUT request with invalid create user endpoint</u>	3	1	1	1	0.014 s
57		<u>Testing PUT request without authorization</u>	3	3	0	0	0.247 s
58	<u>Testing Delete request in User API</u>	<u>Successfully delete an existing user with userid</u>	3	3	0	0	0.387 s
59		<u>Successfully delete an existing user with user firstName</u>	3	2	1	0	0.387 s
60		<u>Try to delete a non-existent user</u>	3	3	0	0	0.382 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
61	<u>Testing Delete request in User API</u>	<u>Testing Delete request with invalid url</u>	3	3	0	0	0.269 s
62		<u>Testing delete request without authorization</u>	3	3	0	0	0.323 s

Testing POST request in UserAPI



FAILED	DURATION - 12.116 s	Scenarios		Steps	
/ 4:59:23.718 PM // 4:59:35.834 PM /		Total - 23		Total - 69	
		Pass - 11		Pass - 57	
		Fail - 12		Fail - 12	
		Skip - 0		Skip - 0	

Testing POST request with valid and invalid data

<div>PASSED</div> <div>DURATION - 2.624 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:23.732 PM // 4:59:26.356 PM /</div>			
<div>Testing POST request in UserAPI</div>			
<div>@Test</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 1	PASSED	0.639 s
2	When Admin sends a POST request to the endpoint	PASSED	1.909 s
3	Then The API should return corresponding status code and status line	PASSED	0.004 s

Testing POST request with valid and invalid data

<div>PASSED</div>	<div>DURATION - 0.418 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:26.422 PM // 4:59:26.840 PM /</div>				
<div>Testing POST request in UserAPI</div>				
<div>@Test</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 2	PASSED	0.033 s
2	When Admin sends a POST request to the endpoint	PASSED	0.382 s
3	Then The API should return corresponding status code and status line	PASSED	0.000 s

Testing POST request with valid and invalid data

<div>PASSED</div>	<div>DURATION - 0.410 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:26.848 PM // 4:59:27.258 PM /</div>				
<div>Testing POST request in UserAPI</div>				
<div>@Test</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 3	PASSED	0.031 s
2	When Admin sends a POST request to the endpoint	PASSED	0.376 s
3	Then The API should return corresponding status code and status line	PASSED	0.000 s



Testing POST request with valid and invalid data

FAILED	DURATION - 0.920 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:59:27.268 PM // 4:59:28.188 PM /				
Testing POST request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 4	PASSED	0.043 s
2	When Admin sends a POST request to the endpoint	PASSED	0.862 s
3	Then The API should return corresponding status code and status line	FAILED	0.014 s
	java.lang.AssertionError: Status code doesn't match expected [400] but found [201]		



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) * Not displayable characters are replaced by '?'. </pre>		

Testing POST request with valid and invalid data

FAILED	DURATION - 0.410 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:59:28.198 PM // 4:59:28.608 PM /				
Testing POST request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 5	PASSED	0.025 s
2	When Admin sends a POST request to the endpoint	PASSED	0.381 s
3	Then The API should return corresponding status code and status line <pre> java.lang.AssertionError: Status code doesn't match expected [400] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Testing POST request with valid and invalid data

<div>PASSED</div>	<div>DURATION - 0.405 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:28.616 PM // 4:59:29.021 PM /</div>				
<div>Testing POST request in UserAPI</div>				
<div>@Test</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 6	PASSED	0.026 s
2	When Admin sends a POST request to the endpoint	PASSED	0.376 s
3	Then The API should return corresponding status code and status line	PASSED	0.001 s



Testing POST request with valid and invalid data

<div>FAILED</div> <div>DURATION - 0.416 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:29.028 PM // 4:59:29.444 PM /</div>				
<div>Testing POST request in UserAPI</div>				
<div>@Test</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 7	PASSED	0.018 s
2	When Admin sends a POST request to the endpoint	PASSED	0.388 s
3	Then The API should return corresponding status code and status line <pre>java.lang.AssertionError: Status code doesn't match expected [400] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7)</pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. 		

Testing POST request with valid and invalid data

<div>FAILED</div> <div>DURATION - 0.416 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:29.459 PM // 4:59:29.875 PM /</div>				
<div>Testing POST request in UserAPI</div>				
<div>@Test</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 8	PASSED	0.019 s
2	When Admin sends a POST request to the endpoint	PASSED	0.392 s
3	Then The API should return corresponding status code and status line java.lang.AssertionError: Status code doesn't match expected [400] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Testing POST request with valid and invalid data

FAILED	DURATION - 0.413 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:59:29.884 PM // 4:59:30.297 PM /				
Testing POST request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 9	PASSED	0.017 s
2	When Admin sends a POST request to the endpoint	PASSED	0.391 s
3	Then The API should return corresponding status code and status line <pre>java.lang.AssertionError: Status code doesn't match expected [400] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s



Testing POST request with valid and invalid data

FAILED DURATION - 0.404 s / 4:59:30.304 PM // 4:59:30.708 PM / Testing POST request in UserAPI @Test		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 10	PASSED	0.016 s
2	When Admin sends a POST request to the endpoint	PASSED	0.384 s
3	Then The API should return corresponding status code and status line <pre>java.lang.AssertionError: Status code doesn't match expected [400] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) </pre>	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. 		

Testing POST request with valid and invalid data

<div>FAILED</div> <div>DURATION - 0.395 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:59:30.715 PM // 4:59:31.110 PM /				
Testing POST request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 11	PASSED	0.016 s
2	When Admin sends a POST request to the endpoint	PASSED	0.374 s
3	Then The API should return corresponding status code and status line java.lang.AssertionError: Status code doesn't match expected [400] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Testing POST request with valid and invalid data



FAILED	DURATION - 0.401 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:59:31.116 PM // 4:59:31.517 PM /				
Testing POST request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 12	PASSED	0.017 s
2	When Admin sends a POST request to the endpoint	PASSED	0.380 s
3	Then The API should return corresponding status code and status line <pre>java.lang.AssertionError: Status code doesn't match expected [400] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Testing POST request with valid and invalid data



FAILED DURATION - 0.403 s / 4:59:31.524 PM // 4:59:31.927 PM / Testing POST request in UserAPI @Test		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 13	PASSED	0.017 s
2	When Admin sends a POST request to the endpoint	PASSED	0.383 s
3	Then The API should return corresponding status code and status line <pre>java.lang.AssertionError: Status code doesn't match expected [400] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:107) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) </pre>	FAILED	0.001 s

FAILED	DURATION - 0.433 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:59:32.752 PM // 4:59:33.185 PM /				
Testing POST request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 16	PASSED	0.029 s
2	When Admin sends a POST request to the endpoint	PASSED	0.398 s
3	Then The API should return corresponding status code and status line java.lang.AssertionError: Status code doesn't match expected [201] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_corresponding_status_code_and_status_line(postUser.java:98) at ?.The API should return corresponding status code and status line(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.002 s



Testing POST request with valid and invalid data

<div>PASSED</div>	<div>DURATION - 0.402 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:33.191 PM // 4:59:33.593 PM /</div>				
<div>Testing POST request in UserAPI</div>				
<div>@Test</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body from sheet name "UserData" at row number 17	PASSED	0.013 s
2	When Admin sends a POST request to the endpoint	PASSED	0.385 s



#	Step / Hook Details	Status	Duration
3	Then The API should return corresponding status code and status line	PASSED	0.001 s

Testing POST request with invalid url

PASSED	DURATION - 0.336 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:33.598 PM // 4:59:33.934 PM /				
Testing POST request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid request body	PASSED	0.001 s
2	When Admin sends a POST request to the invalid url	PASSED	0.332 s
3	Then The Api should return the status code 404	PASSED	0.000 s

Testing POST request with invalid create user endpoint

PASSED	DURATION - 0.436 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:33.941 PM // 4:59:34.377 PM /				
Testing POST request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid request body	PASSED	0.001 s
2	When Admin sends a POST request to the invalid endpoint	PASSED	0.433 s
3	Then The Api should return the status code 404	PASSED	0.001 s

Testing POST request without authorization

<div>PASSED</div>	<div>DURATION - 0.260 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:34.384 PM // 4:59:34.644 PM /</div>				
<div>Testing POST request in UserAPI</div>				
<div>@Test</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid request body	PASSED	0.002 s
2	When Admin sends a POST request without authorization	PASSED	0.256 s
3	Then The Api should return the status code 401 unauthorized	PASSED	0.000 s



Testing POST request with only mandatory fields

<div>FAILED</div> <div>DURATION - 0.395 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:59:34.651 PM // 4:59:35.046 PM /				
Testing POST request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid request body with only mandatory fields	PASSED	0.001 s
2	When Admin sends a POST request to the valid endpoint	PASSED	0.390 s
3	Then The Api should return the status code 201 Created <pre>java.lang.AssertionError: Status code doesn't match expected [201] but found [409] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_the_status_code_created(postUser.java:190) at ?.The Api should return the status code 201 Created(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:48)</pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. 		

Testing POST request without mandatory fields

<div>FAILED</div> <div>DURATION - 0.395 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:59:35.051 PM // 4:59:35.446 PM /				
Testing POST request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid request body without mandatory fields	PASSED	0.001 s
2	When Admin sends a POST request to the valid endpoint	PASSED	0.390 s
3	Then The Api should return the status code 400 Bad Request java.lang.AssertionError: Status code doesn't match expected [400] but found [500] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.postUser.the_api_should_return_the_status_code_bad_request(postUser.java:201) at ?.The Api should return the status code 400 Bad Request(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/APost.feature:53) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Testing POST request with existing emailid and contactnumber


PASSED	DURATION - 0.384 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:35.450 PM // 4:59:35.834 PM /				
Testing POST request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a request body with existing emailid and contact number	PASSED	0.001 s
2	When Admin sends a POST request to the valid endpoint	PASSED	0.381 s
3	Then The Api should return the status code 409 Conflict	PASSED	0.000 s

Get request in UserApi



FAILED	DURATION - 7.256 s	Scenarios		Steps	
/ 4:59:35.871 PM // 4:59:43.127 PM /		Total - 5		Total - 14	
		Pass - 0		Pass - 7	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 2	

GET all users successfully

FAILED	DURATION - 3.207 s			Steps	
/ 4:59:35.871 PM // 4:59:39.078 PM /				Total - 3	
Get request in UserApi				Pass - 2	
@Test				Fail - 1	
				Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin create Get request with valid credential	PASSED	0.000 s
2	When Admin sends a GET request to the valid endpoint	PASSED	3.203 s
3	Then The API should return a status code 200 and all the users with expected json response body	FAILED	0.001 s
	Step undefined		

GET request user by user firstname

FAILED	DURATION - 0.452 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:59:39.083 PM // 4:59:39.535 PM /				
Get request in UserApi				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin create Get request with valid credential	PASSED	0.000 s
2	When Admin sends a GET request to the valid endpoint with firstname	PASSED	0.449 s
3	Then The API should return a status code 200 OK	FAILED	0.000 s
	Step undefined		

Get request by user id

FAILED	DURATION - 0.396 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:59:39.539 PM // 4:59:39.935 PM /				
Get request in UserApi				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin create Get request with valid credential	PASSED	0.000 s
2	When Admin sends a GET request to the valid endpoint with userid	PASSED	0.393 s
3	Then The API should return a status code 200 OK	FAILED	0.000 s
	Step undefined		

Retrieve all users with invalid url

<div>FAILED</div> <div>DURATION - 3.181 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:39.940 PM // 4:59:43.121 PM /</div>				
<div>Get request in UserApi</div>				
<div>@Test</div>				

#	Step / Hook Details	Status	Duration
1	When Admin sends a GET request to the invalid url	PASSED	3.179 s
2	Then The API should return a status code 404 Not Found java.lang.AssertionError: Status code doesn't match expected [404] but found [200] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.getUser.the_api_should_return_a_status_code_not_found(getUser.java:84) at ?.The API should return a status code 404 Not Found(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/BGet.feature:22) * Not displayable characters are replaced by '?'.	FAILED	0.002 s



Retrieve all users without authorization

FAILED		DURATION - 0.002 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 4:59:43.125 PM // 4:59:43.127 PM /						
Get request in UserApi						
@Test						



#	Step / Hook Details	Status	Duration
1	Given Admin create Get request with invalid credential Step undefined	FAILED	0.000 s
2	When Admin sends a GET request without authorization	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then The API should return a status code 401 Unauthorized	SKIPPED	0.001 s

Testing PUT request in UserAPI



FAILED	DURATION - 11.129 s	Scenarios		Steps	
/ 4:59:43.133 PM // 4:59:54.262 PM /		Total - 29		Total - 87	
		Pass - 26		Pass - 83	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 1	

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.405 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:43.134 PM // 4:59:43.539 PM /				
Testing PUT request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 1	PASSED	0.014 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.388 s
3	Then The API should return corresponding status code	PASSED	0.001 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.389 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:43.545 PM // 4:59:43.934 PM /				
Testing PUT request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 2	PASSED	0.016 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.369 s
3	Then The API should return corresponding status code	PASSED	0.001 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.398 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:43.939 PM // 4:59:44.337 PM /				
Testing PUT request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 3	PASSED	0.013 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.382 s
3	Then The API should return corresponding status code	PASSED	0.001 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.407 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:44.342 PM // 4:59:44.749 PM /				
Testing PUT request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 4	PASSED	0.032 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.371 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

<div>PASSED</div>	<div>DURATION - 0.401 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:44.756 PM // 4:59:45.157 PM /</div>				
<div>Testing PUT request in UserAPI</div>				
<div>@Test</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 5	PASSED	0.023 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.375 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

<div>PASSED</div>	<div>DURATION - 0.397 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:59:45.166 PM // 4:59:45.563 PM /</div>				
<div>Testing PUT request in UserAPI</div>				
<div>@Test</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 6	PASSED	0.015 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.380 s
3	Then The API should return corresponding status code	PASSED	0.001 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.403 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:45.567 PM // 4:59:45.970 PM /				
Testing PUT request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 7	PASSED	0.011 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.389 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.431 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:45.975 PM // 4:59:46.406 PM /				
Testing PUT request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 8	PASSED	0.014 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.415 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.410 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:46.412 PM // 4:59:46.822 PM /				
Testing PUT request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 9	PASSED	0.012 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.396 s
3	Then The API should return corresponding status code	PASSED	0.001 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.415 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:46.827 PM // 4:59:47.242 PM /				
Testing PUT request in UserAPI				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 10	PASSED	0.010 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.402 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.405 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:47.247 PM // 4:59:47.652 PM /				
Testing PUT request in UserAPI				
@Test				


#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 11	PASSED	0.011 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.393 s
3	Then The API should return corresponding status code	PASSED	0.001 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.399 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:47.655 PM // 4:59:48.054 PM /				
Testing PUT request in UserAPI				
@Test				


#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 12	PASSED	0.012 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.385 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 13	PASSED	0.016 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.382 s
3	Then The API should return corresponding status code	PASSED	0.001 s

Testing PUT request with valid and invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 14	PASSED	0.011 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.386 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 15	PASSED	0.015 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.384 s
3	Then The API should return corresponding status code	PASSED	0.002 s

Testing PUT request with valid and invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 16	PASSED	0.013 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.403 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 17	PASSED	0.010 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.385 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data




#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 18	PASSED	0.011 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.397 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data





#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 19	PASSED	0.015 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.392 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data





#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 20	PASSED	0.010 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.394 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.385 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:51.347 PM // 4:59:51.732 PM /				
Testing PUT request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 21	PASSED	0.009 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.374 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.395 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:51.735 PM // 4:59:52.130 PM /				
Testing PUT request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 22	PASSED	0.010 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.382 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.356 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:52.134 PM // 4:59:52.490 PM /				
Testing PUT request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 23	PASSED	0.017 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.337 s
3	Then The API should return corresponding status code	PASSED	0.001 s

Testing PUT request with valid and invalid data

PASSED	DURATION - 0.404 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:52.495 PM // 4:59:52.899 PM /				
Testing PUT request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 24	PASSED	0.010 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.393 s
3	Then The API should return corresponding status code	PASSED	0.000 s

Testing PUT request with valid and invalid data

FAILED	DURATION - 0.426 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:59:52.904 PM // 4:59:53.330 PM /				
Testing PUT request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 25	PASSED	0.010 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.412 s
3	Then The API should return corresponding status code java.lang.AssertionError: Status code doesn't match expected [409] but found [500] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.putUser.the_api_should_return_corresponding_status_code(putUser.java:80) at ?.The API should return corresponding status code(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/CPut.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.002 s



Testing PUT request with valid and invalid data

FAILED	DURATION - 0.400 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:59:53.335 PM // 4:59:53.735 PM /				
Testing PUT request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid/invalid request body for put operation from sheet name "PutData" at row number 26	PASSED	0.012 s
2	When Admin sends a PUT request to the valid endpoint	PASSED	0.384 s



#	Step / Hook Details	Status	Duration
3	Then The API should return corresponding status code <pre>java.lang.AssertionError: Status code doesn't match expected [409] but found [400] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.putUser.the_api_should_return_corresponding_status_code(putUser.java:80) at ?.The API should return corresponding status code(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/CPut.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Testing PUT request with invalid url

PASSED	DURATION - 0.251 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:53.740 PM // 4:59:53.991 PM /				
Testing PUT request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid request body for Put request	PASSED	0.001 s
2	When Admin sends a Put request to the invalid url	PASSED	0.248 s
3	Then The Api should return the status code 404 Not Found.	PASSED	0.000 s

Testing PUT request with invalid create user endpoint



FAILED	DURATION - 0.014 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 4:59:53.996 PM // 4:59:54.010 PM /				
Testing PUT request in UserAPI				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid request body for Put request	PASSED	0.001 s
2	<p>When Admin sends a PUT request to the invalid endpoint</p> <pre> java.lang.IllegalArgumentException: Invalid number of path parameters. Expected 1, was 0. Undefined path parameters are: userId. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:58) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1263) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:176) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1147) at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) </pre>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:46) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:46) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1686) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:184) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580)		



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:50) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy:268) at io.restassured.internal.RequestSpecificationImpl.put(RequestSpecificationImpl.groovy) at stepdefinition.putUser.admin_sends_a_put_request_to_the_invalid_endpoint(putUser.java:120) at ?.Admin sends a PUT request to the invalid endpoint(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/CPut.feature:45) * Not displayable characters are replaced by '?'. </pre>		
3	Then The Api should return the status code 404 Not Found.	SKIPPED	0.000 s

Testing PUT request without authorization



<div>PASSED</div>	<div>DURATION - 0.247 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:59:54.015 PM // 4:59:54.262 PM /</div>				
<div>Testing PUT request in UserAPI</div>				
<div>@Test</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid request body for Put request	PASSED	0.001 s
2	When Admin sends a PUT request without authorization	PASSED	0.243 s
3	Then The Api should return the status code 401 unauthorized.	PASSED	0.001 s

Testing Delete request in User API



FAILED	DURATION - 1.766 s	Scenarios		Steps	
/ 4:59:54.267 PM // 4:59:56.033 PM /		Total - 5		Total - 15	
		Pass - 4		Pass - 14	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Successfully delete an existing user with userid

PASSED	DURATION - 0.387 s		Steps	
/ 4:59:54.267 PM // 4:59:54.654 PM /			Total - 3	
Testing Delete request in User API			Pass - 3	
@Test			Fail - 0	
		Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid user to delete with user ID	PASSED	0.001 s
2	When Admin sends a DELETE request with userid to valid endpoint	PASSED	0.384 s
3	Then The API should return a status code 200 and the user record should be deleted	PASSED	0.001 s



Successfully delete an existing user with user firstName

FAILED	DURATION - 0.387 s		Steps	
/ 4:59:54.658 PM // 4:59:55.045 PM /			Total - 3	
Testing Delete request in User API			Pass - 2	
@Test			Fail - 1	
		Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid user to delete with user first name	PASSED	0.000 s
2	When Admin sends a DELETE request with user first name to valid endpoint	PASSED	0.384 s



#	Step / Hook Details	Status	Duration
3	Then The API should return a status code 200 and the user record should be deleted <pre>java.lang.AssertionError: Status code doesn't match expected [200] but found [404] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:839) at Utilities.Assertion.validateStatusCode(Assertion.java:27) at stepdefinition.deleteUser.the_api_should_return_a_status_code_and_the_user_record_should_be_deleted(deleteUser.java:39) at ?.The API should return a status code 200 and the user record should be deleted(file:///C:/Users/karth/eclipse-workspace/UserAPI/src/test/resources/Features/Delete.feature:12) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Try to delete a non-existent user

PASSED	DURATION - 0.382 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:55.050 PM // 4:59:55.432 PM /				
Testing Delete request in User API				
@Test				



#	Step / Hook Details	Status	Duration
1	Given Admin has a non-existent user ID	PASSED	0.000 s
2	When Admin sends a DELETE request to delete the non-existent user	PASSED	0.380 s
3	Then The API should return a status code 404 Not Found.	PASSED	0.000 s

Testing Delete request with invalid url

PASSED	DURATION - 0.269 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:59:55.437 PM // 4:59:55.706 PM /				
Testing Delete request in User API				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has invalid credentials for delete request	PASSED	0.000 s
2	When Admin sends a delete request to the invalid url	PASSED	0.267 s
3	Then The API should return a status code 404 Not Found.	PASSED	0.000 s

Testing delete request without authorization

PASSED	DURATION - 0.323 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:59:55.710 PM // 4:59:56.033 PM /				
Testing Delete request in User API				
@Test				

#	Step / Hook Details	Status	Duration
1	Given Admin has a valid credentials	PASSED	0.000 s
2	When Admin sends a Delete request without authorization	PASSED	0.321 s
3	Then The Api should return status code 401 unauthorized.	PASSED	0.000 s