Integration

 $\bullet \ \ Instructions: \ https://apps.sematext.com/ui/howto/Tomcat/overview$

Metrics

Metric Name Key Agg Type Description bytes tomcatSurquestbortganStreex.by sent sent by all the request processors running on the Apache Tomcat (without head- ers)					
sent by all the re- quest pro- ces- sors run- ning on the Apache Tom- cat (with- out head-			Agg	Type	Description
by all the re- quest pro- ces- sors run- ning on the Apache Tom- cat (with- out head-	bytes	tomca	at Sneoq u	e stong a	 n Bjetret x.byte
all the re- quest pro- ces- sors run- ning on the Apache Tom- cat (with- out head-	sent				sent
the re- quest pro- ces- sors run- ning on the Apache Tom- cat (with- out head-					by
request processors running on the Apache Tomcat (without head-					all
quest pro- ces- sors run- ning on the Apache Tom- cat (with- out head-					the
processors running on the Apache Tomcat (without head-					re-
cessors running on the Apache Tom- cat (with- out head-					quest
sors run- ning on the Apache Tom- cat (with- out head-					pro-
running on the Apache Tom- cat (with- out head-					ces-
ning on the Apache Tom- cat (with- out head-					sors
on the Apache Tom- cat (with- out head-					
the Apache Tom- cat (with- out head-					ning
Apache Tom- cat (with- out head-					
Tom- cat (with- out head-					
cat (with- out head-					-
(with- out head-					Tom-
out head-					
head-					(with-
ers)					
					ers)

Name Key Agg Type Description

 $error \quad tomcat \textbf{Summon uest one groF} \\ rror$ count requests on all the request processors running on the Apache Tom- cat container

processiong cat Surque Atopgo @ssinglationle

 ${\rm time}$ pro-

cessing ${\rm time}$

 $request to mcat {\bf Suppose} to mg \quad Cumulative$

 count

request count of the Apache Tom- cat con-

tainer

Name Key Agg Type Description

 $bytes \ tomcat \textbf{Suraque Strong} an \textbf{B fetter} x. bytes$ rereceived ceived by all the request processors run- ning on the Apache Tom- cat container(without headers)

Name Key Agg Type Description

 $tomcat Avegune \cite{Ltoings}.ff \cite{Ltoings}$ max conmaxnecitions mum number of connections that the server will accept and process atany given ${\rm time}$

$poller\ tomcat \textbf{Athg} ead \textbf{3-qubile} \textbf{T} she$

thread numcount ber
of
threads
used
to
poll
kept
alive
con-

nections

Name Key Agg Type Description

 $max \quad tomcat A \hspace{-0.1cm} \textit{And} \\ gead somme \\ a \hspace{-0.1cm} A \hspace{-0.1cm} \textit{d} \\ ditional$ threadsthreadswill be created up tothe configured maximum

$current to mcat {A three} ad {\tt Pollulade} Thread$

threads pool busy usage.
Current
worker
threads
busy

current tomcat A th gead 3 ouble Thread

count

thread pool count us-age.
Current worker threads count

Name Key Agg Type Description

connect ion cat Avg nne D ion M e The count cur- rent count of connectionshandled by this $\quad \text{end-} \quad$

$accept \verb|dom| cat A thgead \verb|dom| accept \verb|dom| cat A thgead \verb|d$

threadnumber count of

> threadstobe used toaccept con-

point

nections

$queue\ tomcat Awge cut Dosuble Nuesbær$

size of

taskswaiting tobe pro- cessed

Name Key Agg Type Description

 $\max \quad tomcat A \textit{eve} cu \textit{toragu} \textit$

queue numsize ber of tasks

> for the pending task queue

 $complete cheat {\bf Sene} cut {\bf Lorage a SN s. monepleted}$

task of count tasks

completed by the executor

 $max \quad tomcat Awecu \hbox{\it Loragna} Maximum$

threads num-

ber of allocated threads

min tomcatAvvecullornspaldeninium

spare numthreads ber
of
allocated
threads

Name Key Agg Type Description

tomcatAxxecutDosupheNumber pool size of threadsinthe pool $tomcat A \hspace{-0.1cm} \textbf{A} \hspace{-0.1cm} \textbf{a} \hspace{-0.1cm} \textbf{c} \hspace{-0.1cm} \textbf{u} \hspace{-0.1cm} \textbf{b} \hspace{-0.1cm} \textbf{d} \hspace{-0.1cm} \textbf{G} \hspace{-0.1cm} \text{or} \hspace{-0.1cm} \textbf{e}$ corepool sizeof size the threadpool active tomcatAvecutDosibleNumber threads threadscurrently processinga task tomcat Sjspun Longe dThejspunnumload $_{\rm ber}$ count of ${\rm JSPs}$ that have been un-

loaded

Name Key Agg Type Description

jsp tomcatSjsprelbedgd The
reload numcount ber
of
JSPs
that
have
been
reloaded

jsp tomcatSjspnloaddodg The

jsp tomcatSjapnloddadg The loaded numcount ber
of
JSPs
that
have
been
loaded
into
a
webapp

$procession great Sweeth. e {\tt XeorogioGutinus} at {\tt total}$

 $\begin{array}{c} \text{time} & \text{exe-} \\ \text{cu-} \\ \text{tion} \\ \text{times} \\ \text{of} \\ \text{all} \\ \text{servlets} \\ \text{in} \\ \text{this} \\ \text{con-} \\ \text{text} \end{array}$

Metric Name Key Agg Type Description tomcatAvgb.exemgioMaixine.umax max ${\rm time}$ execution $_{\rm time}$ of allservletsinthis con- text tomcatAveb.exemetioMtinimeumin \min ${\rm time}$ execution time of allservlets in this con- text error tomcatSweb.ellrong Cumulative count error count ofall

> servlets in this context

Metric Name Key Type Description Aggrequest tomcat Sweed. respects Cumulative count quest count of all ${\it servlets}$ ${\rm in}$ this con- text tomcatAvagche.kizzegmakhe max size maxi- mum size of the static resource cachesizetomcatAvagche.kizzng Current size lookup t om cat Sunche. Loodg up N umberof ${\rm times}$ the cache

was accessed Metric Name Key Agg Type Description

 ${\rm hits}$ tomcatScarche.hiotsg Number of ${\rm times}$ the cachewas hit tomcatAdagtasdDoodelaCtiveent num ac-Active tive tomcat Adag tas during.a a three.maxmax maxactive imum number of active connections that can be allocated ${\rm from}$ this pool atthe same time

Name Key Agg Type Description

```
init
          tomcat \pmb{A} \pmb{t} as \pmb{d} \textbf{uncg}. in \pmb{\Pi} \pmb{t} he
size
                                        ini-
                                        tial
                                        num-
                                        \quad \text{ber} \quad
                                        of
                                        con-
                                        nec-
                                        tions
                                        that
                                        are
                                        cre-
                                        {\rm ated}
                                        when
                                        the
                                        pool
                                        is
                                        started
         tomcatAdagtasdung.idThemax
max
idle
                                        max-
                                        i-
                                        \operatorname{mum}
                                        num-
                                        \quad \text{ber} \quad
                                        of
                                        con-
                                        nec-
                                        tions
                                        that
                                        should
                                        be
                                        kept
                                        in
                                        the
                                        \operatorname{pool}
                                        at
                                        all
                                        {\rm times}
```

Name Key Agg Type Description

```
tomcatAdagtasdDoordelleThe
num
idle
                                        num-
                                        _{\rm ber}
                                        of
                                        es-
                                        \operatorname{tab}-
                                        lished
                                        con-
                                        nec-
                                        tions
                                        in
                                        the
                                        pool
                                        that
                                        are
                                        idle
          tomcat \pmb{A} dagtas \pmb{dung}. id \pmb{\Pi} \textbf{e} \textbf{.} \textbf{e} n in
\min
idle
                                        min-
                                        i-
                                        mum
                                        num-
                                        ber
                                        of
                                        es-
                                        \operatorname{tab}-
                                        lished
                                        con-
                                        nec-
                                        {\rm tions}
                                        that
                                        should
                                        be
                                        kept
                                        in
                                        the
                                        pool
                                        at
                                        \operatorname{all}
                                        {\rm times}
```

Name Key Agg Type Description

 $rejected om cat {\color{red}Sumsion Lorrejed Headv}$ ofsessions ${
m ten}$ was a configured max-Ac- ${\bf tive Ses-}$ sionslimitreached

$procession \verb|gcatSams| io \verb|lopgoc| \textit{Testial} | g.time$

time pro-

cessing time since startup, cumu-

lated elapsed milliseconds needed for ses-

sion expiration handling.

Name Key Agg Type Description

 $created om cat {\bf Surssion Isong} \quad Total$ numsessions $_{\rm ber}$ of ses- sions cre- ${\rm ated}$ $\quad \text{since} \quad$ $\operatorname{startup}$

$expired om cat {\bf Seess} io {\bf Mong} pi {\bf Ned} mber$

sesof sions sessions that expired (doesn't include explicit invalida-

tions)

Name Key Agg Type Description

session to mcat Ascession Londive Minascumentfrommax alive ses- $_{\rm time}$ sion creation $\quad \text{to} \quad$ expira- ${\rm tion}$ (be itlogout or sessionidletimeout) tomcat Asegsio Doubtle Marxax max acnum- ${\rm tive}$ ${\rm ber}$ of

> concurrent active sessions

Name Key Agg Type Description

active tomcat Assession Doublie Number sessions of sions active sessions at this moment

$session tomcat \pmb{A\!s\!e\!g\!s} io \pmb{I\!s\!balli} ve \pmb{A\!v\!e\!r\!a} ge$

av- time
er- an
age exalive pired
time session
had
been
alive