

Cucumber Report

Jul 30, 2023, 9:46:19 AM

Start : Jul 30, 9:45:51.165 AM

End : Jul 30, 9:46:18.604 AM

Duration : 27.439 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 11
SKIPPED - 0

PASSED - 6
FAILED - 71
SKIPPED - 0

PASSED - 80
FAILED - 71
SKIPPED - 27



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Program Module Positive Scenarios</u>	6.528 s	5	0	5	0	10	4	5	1
<u>Batch Module</u>	2.111 s	6	0	6	0	18	6	6	6
<u>User Module</u>	2.221 s	7	4	3	0	19	14	3	2
<u>Assignment Module</u>	1.608 s	5	0	5	0	10	4	5	1
<u>Assignment Submit Module</u>	2.294 s	9	0	9	0	18	6	9	3
<u>Program module Negative Scenarios</u>	2.590 s	7	0	7	0	14	6	7	1
<u>Check Negative Scenario for Batch Module</u>	2.435 s	8	0	8	0	24	10	8	6
<u>User Negative Scenarios</u>	1.142 s	8	2	6	0	21	10	6	5
<u>Assignment Negative Scenarios</u>	2.291 s	7	0	7	0	14	7	7	0
<u>Assignment Submit Negative Scenarios</u>	2.830 s	9	0	9	0	18	9	9	0
<u>Deletion All Module</u>	1.156 s	6	0	6	0	12	4	6	2

#	Feature Name	Scenario Name
1	<u>Program Module Positive Scenarios</u>	<u>create a program with valid endpoints and request body</u>
2		<u>Check user is able to retrieve all programs</u>
3		<u>check user is able to get request by programId</u>
4		<u>update a program with valid id and request body</u>
5		<u>update a program with valid programName</u>
6	<u>Batch Module</u>	<u>Create a batch with valid endpoints and request body</u>
7		<u>Check user is able to retrieve all batches</u>
8		<u>Check user is able to retrieve batch with valid batchid</u>
9		<u>Check user is able to retrieve batch with valid batchname</u>
10		<u>Check user is able to retrieve batch with valid programid</u>
11		<u>Update a batch with valid batchid and mandatory request body</u>
12	<u>User Module</u>	<u>Check if user is able to create a new user with valid endpoints and request body</u>

#	Feature Name	Scenario Name
13	<u>User Module</u>	<u>Get request to extract all the users</u>
14		<u>Check if user able to assign user to program and batch with valid User Id and request body</u>
15	<u>Assignment Module</u>	<u>Check if user is able to create a new assignment with valid endpoints and request body</u>
16		<u>Check if user able to retrieve a record with valid Assignment ID</u>
17		<u>Check if user is able to retrieve all assignments with valid LMS API endpoints</u>
18		<u>Check if user able to retrieve a record with valid Batch ID</u>
19		<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>
20	<u>Assignment Submit Module</u>	<u>Check if user is able to create a new assignment submission id with valid endpoints and request body</u>
21		<u>Check if user is able to retrieve all submission with valid LMS API endpoints</u>

#	Feature Name	Scenario Name
22	<u>Assignment Submit Module</u>	<u>Check if user is able to retrieve assignment submissions by grades with valid batchid LMS API endpoints</u>
23		<u>Check if user able to grade assignment with valid submission Id and mandatory request body</u>
24		<u>Check if user is able to retrieve assignment submissions by grades with valid studid LMS API endpoints</u>
25		<u>Check if user is able to retrieve assignment submissions with valid userid LMS API endpoints</u>
26		<u>Check if user is able to retrieve assignment submissions with valid batchid LMS API endpoints</u>
27		<u>Check if user is able to retrieve assignment submissions by grades with valid assignment id LMS API endpoints</u>
28	<u>Program module Negative Scenarios</u>	<u>Check if user able to update a submission with valid submission ID and mandatory request body</u>
29		<u>create a program with valid end points and request body with existing data</u>

#	Feature Name	Scenario Name
30	<u>Program module Negative Scenarios</u>	<u>create a program with missing mandatory field in request body</u>
31		<u>check user is able to get request by invalid programId</u>
32		<u>update a program with invalid id</u>
33		<u>update a program with missed mandatory feilds</u>
34		<u>update a program with invalid programName</u>
35		<u>update a program with missed mandatoryfileds</u>
36	<u>Check Negative Scenario for Batch Module</u>	<u>Create a batch with valid endpoints and request body with exsisting batch name</u>
37		<u>Create a batch missing mandatory fields in request body</u>
38		<u>Check user is able to retrieve batch with invalid batchid</u>
39		<u>Check user is able to retrieve batch with invalid batchname</u>
40		<u>Check user is able to retrieve batch with invalid programid</u>
41		<u>Update a batch with invalid batchid and mandatory request body</u>


#	Feature Name	Scenario Name
42	<u>Check Negative Scenario for Batch Module</u>	<u>Update a batch with valid batchid and missing mandatory feilds from request body</u>
43		<u>Check user is able to delete batch with invalid programname</u>
44	<u>User Negative Scenarios</u>	<u>Check if user able to create a User with valid endpoint and request body (existing values in phone no)</u>
45		<u>Check if user able to create a User with valid endpoint and request body (existing values in phone no)</u>
46		<u>Check if user able to update a user with valid User Id and request body (missing field)</u>
47		<u>Check if user able to delete a user with valid LMS API,invalid user Id</u>
48		<u>Check if user able to create a User missing mandatory fields in request body</u>
49		<u>Check if user able to assign user to program / batch with invalid User Id and request body</u>

#	Feature Name	Scenario Name
50	<u>Assignment Negative Scenarios</u>	<u>Check if user able to add a record with valid endpoint and request body with existing value</u>
51		<u>Check if user able to add a record with valid endpoint and request body with missing value</u>
52		<u>Check if user able to retrieve a record with invalid Assignment ID</u>
53		<u>Check if user able to retrieve a record with invalid Batch ID</u>
54		<u>Check if user able to update a assignment with invalid assignment ID and mandatory request body</u>
55		<u>Check if user able to update a assignment with valid assignment ID and missing mandatory fields request body</u>
56	<u>Assignment Submit Negative Scenarios</u>	<u>Check if user able to delete a record with invalid Assignment ID</u>
57		<u>Check if user is able to create assignment submission id with valid endpoints and request body for existing values</u>
58		<u>Check if user is able to create assignment submission id with valid endpoints and request body missing mandatory fields</u>


#	Feature Name	Scenario Name
59	<u>Assignment Submit Negative Scenarios</u>	<u>Check if user able to retrieve a grades with invalid Assignment ID</u>
60		<u>Check if user able to retrieve a grades with invalid Student ID</u>
61		<u>Check if user able to retrieve a grades with invalid batch ID</u>
62		<u>Check if user able to retrieve a submission with invalid user ID</u>
63		<u>Check if user able to update a submission with invalid submission ID and mandatory request body</u>
64		<u>Check if user able to update a submission with valid submission ID and missing mandatory fields request body</u>
65	<u>Deletion All Module</u>	<u>Check if user able to delete a record with invalid Submission ID</u>
66		<u>Check if user able to delete a submission with valid submission Id</u>
67		<u>Check if user able to delete a record with valid Assignment ID</u>
68		<u>Check if user able to delete a record with valid User ID</u>
69		<u>Check if user able to delete a record with valid Batch ID</u>
70		<u>Check if user able to delete a record with valid Program ID</u>

#	Feature Name	Scenario Name
71	<u>Deletion All Module</u>	<u>Check if user able to delete a program with valid programName</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Api_create_User	1	0	1	0	1	0	1	0
@Api_get_UserId	1	1	0	0	1	0	1	0
@Api_getAllUsers	1	0	1	0	1	0	1	0
@Api_AllStaff	1	1	0	0	1	0	1	0
@Api_get_roles	1	1	0	0	1	0	1	0
@Api_put_PBU_update	1	0	1	0	1	0	1	0
@Api_update_roleStatus	1	1	0	0	1	0	1	0
@negative1_post	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Program Module Positive Scenarios</u>	5	0	5	0	6.528 s
2	<u>Batch Module</u>	6	0	6	0	2.111 s
3	<u>User Module</u>	7	4	3	0	2.221 s
4	<u>Assignment Module</u>	5	0	5	0	1.608 s
5	<u>Assignment Submit Module</u>	9	0	9	0	2.294 s
6	<u>Program module Negative Scenarios</u>	7	0	7	0	2.590 s
7	<u>Check Negative Scenario for Batch Module</u>	8	0	8	0	2.435 s
8	<u>User Negative Scenarios</u>	8	2	6	0	1.142 s
9	<u>Assignment Negative Scenarios</u>	7	0	7	0	2.291 s
10	<u>Assignment Submit Negative Scenarios</u>	9	0	9	0	2.830 s



#	Feature Name	T	P	F	S	Duration
11	<u>Deletion All Module</u>	6	0	6	0	1.156 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Program Module Positive Scenarios</u>	<u>create a program with valid endpoints and request body</u>	2	1	1	0	4.834 s
2		<u>Check user is able to retrieve all programs</u>	2	1	1	0	0.326 s
3		<u>check user is able to get request by programId</u>	2	1	1	0	0.382 s
4		<u>update a program with valid id and request body</u>	2	1	1	0	0.508 s
5		<u>update a program with valid programName</u>	2	0	1	1	0.235 s
6	<u>Batch Module</u>	<u>Create a batch with valid endpoints and request body</u>	3	1	1	1	0.680 s
7		<u>Check user is able to retrieve all batches</u>	3	1	1	1	0.341 s
8		<u>Check user is able to retrieve batch with valid batchid</u>	3	1	1	1	0.285 s
9		<u>Check user is able to retrieve batch with valid batchname</u>	3	1	1	1	0.010 s
10		<u>Check user is able to retrieve batch with valid programid</u>	3	1	1	1	0.268 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Batch Module</u>	<u>Update a batch with valid batchid and mandatory request body</u>	3	1	1	1	0.413 s
12	<u>User Module</u>	<u>Check if user is able to create a new user with valid endpoints and request body</u>	2	0	1	1	0.634 s
13		<u>Check if user able to retrieve a user with valid User ID</u>	3	3	0	0	0.284 s
14		<u>Get request to extract all the users</u>	3	2	1	0	0.267 s
15		<u>Check if user able to retrieve a users of all staff with valid LMS API</u>	3	3	0	0	0.264 s
16		<u>Check if user able to retrieve a users by roles with valid LMS API</u>	3	3	0	0	0.267 s
17		<u>Check if user able to assign user to program and batch with valid User Id and request body</u>	2	0	1	1	0.099 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
18		<u>Check if user able to update a user with valid User Id and request body</u>	3	3	0	0	0.317 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Assignment Module</u>	<u>Check if user is able to create a new assignment with valid endpoints and request body</u>	2	0	1	1	0.399 s
20		<u>Check if user able to retrieve a record with valid Assignment ID</u>	2	1	1	0	0.260 s
21		<u>Check if user is able to retrieve all assignments with valid LMS API endpoints</u>	2	1	1	0	0.263 s
22		<u>Check if user able to retrieve a record with valid Batch ID</u>	2	1	1	0	0.263 s
23		<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	2	1	1	0	0.366 s
24	<u>Assignment Submit Module</u>	<u>Check if user is able to create a new assignment submission id with valid endpoints and request body</u>	2	0	1	1	0.398 s
25		<u>Check if user is able to retrieve all submission with valid LMS API endpoints</u>	2	1	1	0	0.258 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
26		<u>Check if user is able to retrieve assignment submissions by grades with valid batchid LMS API endpoints</u>	2	1	1	0	0.265 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Assignment Submit Module</u>	<u>Check if user able to grade assignment with valid submission Id and mandatory request body</u>	2	1	1	0	0.370 s
28		<u>Check if user is able to retrieve assignment submissions by grades with valid studid LMS API endpoints</u>	2	0	1	1	0.003 s
29		<u>Check if user is able to retrieve assignment submissions with valid userid LMS API endpoints</u>	2	0	1	1	0.006 s
30		<u>Check if user is able to retrieve assignment submissions with valid batchid LMS API endpoints</u>	2	1	1	0	0.265 s
31		<u>Check if user is able to retrieve assignment submissions by grades with valid assignment id LMS API endpoints</u>	2	1	1	0	0.259 s
32		<u>Check if user able to update a submission with valid submission ID and mandatory request body</u>	2	1	1	0	0.359 s
33	<u>Program module Negative Scenarios</u>	<u>create a program with valid end points and request body with existing data</u>	2	1	1	0	0.426 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
34	<u>Program module Negative Scenarios</u>	<u>create a program with missing mandatory field in request body</u>	2	1	1	0	0.381 s
35		<u>check user is able to get request by invalid programId</u>	2	1	1	0	0.414 s
36		<u>update a program with invalid id</u>	2	1	1	0	0.397 s
37		<u>update a program with missed mandatory feilds</u>	2	1	1	0	0.378 s
38		<u>update a program with invalid programName</u>	2	1	1	0	0.373 s
39		<u>update a program with missed mandatoryfileds</u>	2	0	1	1	0.132 s
40	<u>Check Negative Scenario for Batch Module</u>	<u>Create a batch with valid endpoints and request body with exsisting batch name</u>	3	2	1	0	0.356 s
41		<u>Create a batch missing mandatory fields in request body</u>	3	2	1	0	0.323 s
42		<u>Check user is able to retrive batch with invalid batchid</u>	3	1	1	1	0.263 s
43		<u>Check user is able to retrive batch with invalid batchname</u>	3	1	1	1	0.260 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
44	<u>Check Negative Scenario for Batch Module</u>	<u>Check user is able to retrieve batch with invalid programid</u>	3	1	1	1	0.265 s
45		<u>Update a batch with invalid batchid and mandatory request body</u>	3	1	1	1	0.335 s
46		<u>Update a batch with valid batchid and missing mandatory fields from request body</u>	3	1	1	1	0.269 s
47		<u>Check user is able to delete batch with invalid programname</u>	3	1	1	1	0.262 s
48	<u>User Negative Scenarios</u>	<u>Check if user able to create a User with valid endpoint and request body (existing values in phone no)</u>	2	0	1	1	0.074 s
49		<u>Check if user able to create a User with valid endpoint and request body (existing values in phone no)</u>	2	0	1	1	0.056 s
50		<u>Check if user able to retrieve a user with Invalid User ID</u>	3	3	0	0	0.261 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
51		<u>Check if user able to update a user with invalid User Id and request body</u>	3	3	0	0	0.268 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
52	<u>User Negative Scenarios</u>	<u>Check if user able to update a user with valid User Id and request body (missing field)</u>	3	1	1	1	0.009 s
53		<u>Check if user able to delete a user with valid LMS API, invalid user Id</u>	3	2	1	0	0.267 s
54		<u>Check if user able to create a User missing mandatory fields in request body</u>	3	1	1	1	0.052 s
55		<u>Check if user able to assign user to program / batch with invalid User Id and request body</u>	2	0	1	1	0.071 s
56	<u>Assignment Negative Scenarios</u>	<u>Check if user able to add a record with valid endpoint and request body with existing value</u>	2	1	1	0	0.358 s
57		<u>Check if user able to add a record with valid endpoint and request body with missing value</u>	2	1	1	0	0.352 s
58		<u>Check if user able to retrieve a record with invalid Assignment ID</u>	2	1	1	0	0.254 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
59		<u>Check if user able to retrieve a record with invalid Batch ID</u>	2	1	1	0	0.269 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>Assignment Negative Scenarios</u>	<u>Check if user able to update a assignment with invalid assignment ID and mandatory request body</u>	2	1	1	0	0.354 s
61		<u>Check if user able to update a assignment with valid assignment ID and missing mandatory fields request body</u>	2	1	1	0	0.360 s
62		<u>Check if user able to delete a record with invalid Assignment ID</u>	2	1	1	0	0.260 s
63	<u>Assignment Submit Negative Scenarios</u>	<u>Check if user is able to create assignment submission id with valid endpoints and request body for existing values</u>	2	1	1	0	0.354 s
64		<u>Check if user is able to create assignment submission id with valid endpoints and request body missing mandatory *</u>	2	1	1	0	0.363 s
65		<u>Check if user able to retrieve a grades with invalid Assignment ID</u>	2	1	1	0	0.256 s
66		<u>Check if user able to retrieve a grades with invalid Student ID</u>	2	1	1	0	0.252 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
67		<u>Check if user able to retrieve a grades with invalid batch ID</u>	2	1	1	0	0.262 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
68	<u>Assignment Submit Negative Scenarios</u>	<u>Check if user able to retrieve a submission with invalid user ID</u>	2	1	1	0	0.261 s
69		<u>Check if user able to update a submission with invalid submission ID and mandatory request body</u>	2	1	1	0	0.365 s
70		<u>Check if user able to update a submission with valid submission ID and missing mandatory fields request body</u>	2	1	1	0	0.352 s
71		<u>Check if user able to delete a record with invalid Submission ID</u>	2	1	1	0	0.258 s
72	<u>Deletion All Module</u>	<u>Check if user able to delete a submission with valid submission Id</u>	2	1	1	0	0.257 s
73		<u>Check if user able to delete a record with valid Assignment ID</u>	2	1	1	0	0.252 s
74		<u>Check if user able to delete a record with valid User ID</u>	2	0	1	1	0.003 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
75		<u>Check if user able to delete a record with valid Batch ID</u>	2	1	1	0	0.252 s
76		<u>Check if user able to delete a record with valid Program ID</u>	2	1	1	0	0.261 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
77	<u>Deletion All Module</u>	<u>Check if user able to delete a program with valid programName</u>	2	0	1	1	0.078 s

Program Module Positive Scenarios



FAILED	DURATION - 6.528 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 10 Pass - 4 Fail - 5 Skip - 1	
/ 9:45:51.165 AM // 9:45:57.693 AM /					

create a program with valid endpoints and request body

<div><div>FAILED</div><div>DURATION - 4.834 s</div></div>		<div><div><div></div><div></div></div><div><div>5</div><div>4</div><div>3</div><div>2</div><div>1</div><div>0</div></div><div><div>1</div><div>2</div></div></div>	<div><div>Steps</div><div>Total - 2</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div><div><div></div><div></div></div><div>2</div></div>
<div>/ 9:45:51.174 AM // 9:45:56.008 AM /</div>				
<div>Program Module Positive Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request,request body to create program from the excel sheet "ProgramData" and 0	PASSED	4.795 s
2	Then The user submits the post request and verifies the status 201 java.lang.AssertionError: expected [201] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_post_status(Program_TestCases.java:54) at api.Step_Definitions.Program_Steps.the_user_submits_the_post_request_and_verifies_the_status_code(Program_Steps.java:36) at ?.The user submits the post request and verifies the status 201(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/01Program.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.020 s

Check user is able to retrieve all programs

FAILED	DURATION - 0.326 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:45:56.165 AM // 9:45:56.491 AM /				
Program Module Positive Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request to get all programs	PASSED	0.321 s
2	Then The user submits the get request and verifies the status 200 java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_get_status(Program_TestCases.java:90) at api.Step_Definitions.Program_Steps.the_user_submits_the_get_request_and_verifies_the_status_code(Program_Steps.java:46) at ?.The user submits the get request and verifies the status 200(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/01Program.feature:15) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

check user is able to get request by programId

FAILED	DURATION - 0.382 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:45:56.522 AM // 9:45:56.904 AM /				
Program Module Positive Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request to get request by valid programid	PASSED	0.378 s
2	Then The user submits the get request and verifies the status 200 <pre>java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_get_status(Program_TestCases.java:90) at api.Step_Definitions.Program_Steps.the_user_submits_the_get_request_and_verifies_the_status_code(Program_Steps.java:46) at ?.The user submits the get request and verifies the status 200(file:///C:/Users/harii/api-crawlers/API_CodeCrawlers/.src/test/resources/Features/01Program.feature:20) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s



update a program with valid id and request body

FAILED	DURATION - 0.508 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:45:56.927 AM // 9:45:57.435 AM /				
Program Module Positive Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with mandatory fields to update a request by program id from the excel sheet "ProgramData" and 1	PASSED	0.503 s
2	Then The user submits the update request and verifies the status 200 <pre>java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_update_request_by_program_name_status(Program_TestCases.java:162) at api.Step_Definitions.Program_Steps.the_user_submits_the_update_request_and_verifies_the_status_code(Program_Steps.java:68) at ?.The user submits the update request and verifies the status 200(file:///C:/Users/harii/api-crawlers/API_CodeCrawlers/.src/test/ resources/Features/01Program.feature:26) * Not displayable characters are replaced by '?'. </pre>		



update a program with valid programName

<div>FAILED</div> <div>DURATION - 0.235 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:45:57.458 AM // 9:45:57.693 AM /</div>				
<div>Program Module Positive Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	<p>When User sends HTTPS request with mandatory fields to update program by program name from the excel sheet "ProgramData" and 2</p> <pre> java.lang.IllegalArgumentException: firstParameterValue cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParams(RequestSpecificationImpl.groovy:522) at api.CRUDOperations.Program_CRUD.updateRequestByProgramName(Program_CRUD.java:85) at api.Actions.Program_TestCases.testUpdateProgramByProgramName(Program_TestCases.java:155) at api.Step_Definitions.Program_Steps. </pre>	FAILED	0.227 s

#	Step / Hook Details	Status	Duration
	user_sends_HTTPS_request_with_mandatory_fields_to_update_a_request_by_program_name_from_the_excel_sheet_and(Program_Steps.java:79) at ?.User sends HTTPS request with mandatory fields to update program by program name from the excel sheet "ProgramData" and 2(file:///C:/Users/harii/api-creepers/API_CodeCreepers/./src/test/resources/Features/01Program.feature:34) * Not displayable characters are replaced by '?'.		
2	Then The user submits the update request and verifies the status 200	SKIPPED	0.003 s

Batch Module

FAILED	DURATION - 2.111 s	Scenarios		Steps	
/ 9:45:57.734 AM // 9:45:59.845 AM /		Total - 6		Total - 18	
		Pass - 0		Pass - 6	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 6	

Create a batch with valid endpoints and request body

FAILED	DURATION - 0.680 s		Steps	
/ 9:45:57.735 AM // 9:45:58.415 AM /			Total - 3	
Batch Module			Pass - 1	
		Fail - 1	Skip - 1	



#	Step / Hook Details	Status	Duration
1	Given User create post request	PASSED	0.003 s
2	When User sends HTTPS request, request body from excel sheet "ProgramBatch" and 0 io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.Actions.Program_Batch_TestCases.TestPostBatch(Program_Batch_TestCases.java:42) at api.Step_Definitions.Program_Batch_Steps.user_sends_https_request_request_body_from_excel_sheet_and(Program_Batch_Steps.java:42)	FAILED	0.667 s

#	Step / Hook Details	Status	Duration
	<p>java:48)</p> <p>at ?.User sends HTTPS request, request body from excel sheet "ProgramBatch" and 0(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/02ProgramBatch.feature:6)</p> <p>Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized.</p> <p>at groovy.json.JsonLexer.nextToken(JsonLexer.java:86)</p> <p>at groovy.json.JsonLexer\$nextToken.call(Unknown Source)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:130)</p> <p>at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97)</p> <p>at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)</p> <p>at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83)</p> <p>at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965)</p> <p>at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000)</p> <p>at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967)</p> <p>at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047)</p> <p>at io.restassured.path.json.JsonPath.get(JsonPath.java:202)</p> <p>at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237)</p> <p>at api.Actions.Program_Batch_TestCases.TestPostBatch(Program_Batch_TestCases.java:42)</p> <p>at api.Step_Definitions.Program_Batch_Steps.user_sends_https_request_request_body_from_excel_sheet_and(Program_Batch_Steps.java:48)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:58) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94) at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70)		

#	Step / Hook Details	Status	Duration
	<pre>at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The user receives 201 status code	SKIPPED	0.003 s

Check user is able to retrieve all batches

<div>FAILED</div> <div>DURATION - 0.341 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:45:58.438 AM // 9:45:58.779 AM /				
Batch Module				

#	Step / Hook Details	Status	Duration
1	Given User create get all request	PASSED	0.001 s
2	When User sends HTTPS request <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <503>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)</pre>	FAILED	0.336 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_TestCases.TestGetallBatch(Program_Batch_TestCases.java:63) at api.Step_Definitions.Program_Batch_Steps.user_sends_https_request(Program_Batch_Steps.java:64) at ?.User sends HTTPS request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/02ProgramBatch.feature:15) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receives 200 OK status with response body	SKIPPED	0.001 s



Check user is able to retrieve batch with valid batchid

FAILED DURATION - 0.285 s / 9:45:58.803 AM // 9:45:59.088 AM / Batch Module		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User create get request with valid batchid	PASSED	0.002 s
2	When User sends HTTPS Request with a valid 11356	FAILED	0.278 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <503>.		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_TestCases.TestGetBatchbyID(Program_Batch_TestCases.java:76) at api.Step_Definitions.Program_Batch_Steps.user_sends_https_request_with_a_valid(Program_Batch_Steps.java:80) at ?.User sends HTTPS Request with a valid 11356(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/02ProgramBatch.feature:20) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receives 200 OK status with response body by batchid	SKIPPED	0.001 s

Check user is able to retrieve batch with valid batchname

<div>FAILED</div> <div>DURATION - 0.010 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:45:59.114 AM // 9:45:59.124 AM /</div>				
<div>Batch Module</div>				

#	Step / Hook Details	Status	Duration
1	Given User create get request with valid batchname	PASSED	0.003 s
2	When User sends HTTPS request by valid "Jul23-Coders_Creepers-SDET-SDET01-08" <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.CRUDOperations.Program_Batch_CRUD.getBatchbyBatchName(Program_Batch_CRUD.java:76) at api.Actions.Program_Batch_TestCases.TestGetBatchbyname(Program_Batch_TestCases.java:88) at api.Step_Definitions.Program_Batch_Steps.user_sends_https_request_by_valid_(Program_Batch_Steps.java:96) at ?.User sends HTTPS request by valid "Jul23-Coders_Creepers-SDET-SDET01-08"(file:///C:/Users/harii/api-creepers/API_CodeCreepers/ ./src/test/resources/Features/02ProgramBatch.feature:29) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s
3	Then User receives 200 OK status with response body by valid batchname	SKIPPED	0.001 s

Check user is able to retrieve batch with valid programid

FAILED		DURATION - 0.268 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:45:59.144 AM // 9:45:59.412 AM /						
Batch Module						

#	Step / Hook Details	Status	Duration
1	Given User create get request with valid programid	PASSED	0.001 s
2	When User sends HTTPS request by valid programid with 14521 <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <503>.</pre>	FAILED	0.265 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_TestCases.TestGetBatchbyprogramid(Program_Batch_TestCases.java:102) at api.Step_Definitions.Program_Batch_Steps.user_sends_https_request_by_valid_programid_with_(Program_Batch_Steps.java:112) at ?.User sends HTTPS request by valid programid with 14521(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/02ProgramBatch.feature:38) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receives 200 OK status with response body	SKIPPED	0.000 s

Update a batch with valid batchid and mandatory request body



FAILED DURATION - 0.413 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:45:59.432 AM // 9:45:59.845 AM /			
Batch Module			

#	Step / Hook Details	Status	Duration
1	Given User create put request and valid batchid	PASSED	0.001 s
2	<p>When User sends HTTPS put request for 11356 request body from excel sheet "ProgramBatch" and 1</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <503>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_TestCases.TestPutBatch(Program_Batch_TestCases.java:128) at api.Step_Definitions.Program_Batch_Steps.user_sends_https_put_request_for_request_body_from_excel_sheet_and(Program_Batch_Steps.java:140) at ?.User sends HTTPS put request for 11356 request body from excel sheet "ProgramBatch" and 1(file:///C:/Users/harii/api-creepers/API_CodeCreepers/./src/test/resources/Features/02ProgramBatch.feature:47) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.408 s
3	Then The user receives 200 status and updated response body	SKIPPED	0.001 s

User Module

FAILED	DURATION - 2.221 s	Scenarios Total - 7 Pass - 4 Fail - 3 Skip - 0		Steps Total - 19 Pass - 14 Fail - 3 Skip - 2	
/ 9:45:59.884 AM // 9:46:02.105 AM /					

Check if user is able to create a new user with valid endpoints and request body



<div><div>FAILED</div><div>DURATION - 0.634 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 2</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 1</div></div>	<div></div>
<div>/ 9:45:59.884 AM // 9:46:00.518 AM /</div>				
<div>User Module</div>				
<div>@Api_create_User</div>				

#	Step / Hook Details	Status	Duration
1	<p>When User sends HTTPS request and request body with mandatory and additional fields from the user excel sheet "User" and 0</p> <pre> io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getString(JsonPath.java:352) at api.Actions.User_TestCases.TestPostUser(User_TestCases.java:68) at api.Step_Definitions.User_Steps. user_sends_https_request_and_request_body_with_mandatory_and_additional_fields_from_the_user_excel_sheet_and(User_Steps.java:36) at ?.User sends HTTPS request and request body with mandatory and additional fields from the user excel sheet "User" and 0(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/03User.feature:7) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1000) </pre>	FAILED	0.628 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getString(JsonPath.java:352) at api.Actions.User_TestCases.TestPostUser(User_TestCases.java:68) at api.Step_Definitions.User_Steps. user_sends_https_request_and_request_body_with_mandatory_and_additional_fields_from_the_user_excel_sheet_and(User_Steps.java:36) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:58) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94) at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User receives 201 created status with response body for the user module post request	SKIPPED	0.001 s

Check if user able to retrieve a user with valid User ID

<div>PASSED</div> <div>DURATION - 0.284 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:00.533 AM // 9:46:00.817 AM /</div>			
<div>User Module</div>			
<div>@Api_get_UserId</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid "U8267"	PASSED	0.275 s
2	When User sends HTTPS Request	PASSED	0.000 s
3	Then User receives 200 OK Status with response body for get user	PASSED	0.002 s

Get request to extract all the users

<div>FAILED</div> <div>DURATION - 0.267 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:00.830 AM // 9:46:01.097 AM /				
User Module				
@Api_getAllUsers				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API All User endpoint	PASSED	0.002 s
2	When User sends HTTPS Request	PASSED	0.001 s
3	Then User fetches all the user and do validations <pre> java.lang.ClassCastException: class io.restassured.path.xml.XmlPath cannot be cast to class java.util.List (io.restassured.path.xml.XmlPath is in unnamed module of loader 'app'; java.util.List is in module java.base of loader 'bootstrap') at api.CRUDOperations.User_CRUD.getAllUsers(User_CRUD.java:92) at api.Step_Definitions.User_Steps.User_fetches_all_the_user_and_do_validations(User_Steps.java:78) at ?.User fetches all the user and do validations(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/03User.feature:30) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.264 s

Check if user able to retrieve a users of all staff with valid LMS API

PASSED	DURATION - 0.264 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:46:01.111 AM // 9:46:01.375 AM /				
User Module				
@Api_AllStaff				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API All Staff endpoint	PASSED	0.001 s
2	When User sends HTTPS Request	PASSED	0.001 s
3	Then User fetches all staff and do validations	PASSED	0.261 s

Check if user able to retrieve a users by roles with valid LMS API

PASSED	DURATION - 0.267 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:46:01.389 AM // 9:46:01.656 AM /				
User Module				
@Api_get_roles				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API for users with the roles	PASSED	0.000 s
2	When User sends HTTPS Request	PASSED	0.000 s
3	Then User receives the list of users with their roles	PASSED	0.265 s

Check if user able to assign user to program and batch with valid User Id and request body

<div>FAILED</div> <div>DURATION - 0.099 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:46:01.676 AM // 9:46:01.775 AM /</div>				
<div>User Module</div>				
<div>@Api_put_PBU_update</div>				

#	Step / Hook Details	Status	Duration
1	<p>When User sends HTTPS PUT Request and request Body with mandatory fields from the user excel sheet "UserBatchProg" and 0</p> <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.CRUDOperations.User_CRUD.updateUser(User_CRUD.java:127) at api.Actions.User_TestCases.TestUpdateUser(User_TestCases.java:124) at api.Step_Definitions.User_Steps.user_sends_https_put_request_and_request_body_with_mandatory_fields_from_the_user_excel_sheet_and(User_Steps.java:126) at ?.User sends HTTPS PUT Request and request Body with mandatory fields from the user excel sheet "UserBatchProg" and 0(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/03User.feature:51) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.098 s
2	Then User receives 200 Ok Status with response message for the user module put request	SKIPPED	0.000 s

Check if user able to update a user with valid User Id and request body

PASSED	DURATION - 0.317 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:46:01.788 AM // 9:46:02.105 AM /				
User Module				
@Api_update_roleStatus				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for updating user details in the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with mandatory fields "U8267"	PASSED	0.312 s
3	Then User receives 200 Ok Status with response message for the user module put request	PASSED	0.001 s

Assignment Module

FAILED	DURATION - 1.608 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 10 Pass - 4 Fail - 5 Skip - 1	
/ 9:46:02.127 AM // 9:46:03.735 AM /					

Check if user is able to create a new assignment with valid endpoints and request body

FAILED	DURATION - 0.399 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 9:46:02.127 AM // 9:46:02.526 AM /				
Assignment Module				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request and request body with mandatory and additional fields from the assignment excel sheet "Assignment" and 0	FAILED	0.396 s

#	Step / Hook Details	Status	Duration
	<p>io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.Actions.Assignment_TestCases.TestPostAssignment(Assignment_TestCases.java:69) at api.Step_Definitions.Assignment_Steps. user_sends_https_request_and_request_body_with_mandatory_and_additional_fields_from_the_assignment_excel_sheet_and(Assignment_Steps.java:47) at ?.User sends HTTPS request and request body with mandatory and additional fields from the assignment excel sheet "Assignment" and 0(file:///C:/Users/harii/api-creepers/API_CodeCreeper/.src/test/resources/Features/04Assignment.feature:6) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.Actions.Assignment_TestCases.TestPostAssignment(Assignment_TestCases.java:69) at api.Step_Definitions.Assignment_Steps. user_sends_https_request_and_request_body_with_mandatory_and_additional_fields_from_the_assignment_excel_sheet_and(Assignment_Steps.java:47) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:58) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94) at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User receives 201 created status with response body for the assignment module post request	SKIPPED	0.000 s



Check if user able to retrieve a record with valid Assignment ID

<div>FAILED</div> <div>DURATION - 0.260 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:02.538 AM // 9:46:02.798 AM /</div>				
<div>Assignment Module</div>				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with a valid Assignment 3515	PASSED	0.259 s
2	Then User receives 200 OK Status with response body for GET assignment	FAILED	0.001 s
	<pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_get_Assign_status(Assignment_TestCases.java:198) at api.Step_Definitions.Assignment_Steps.user_receives_ok_status_with_response_body_for_get_assignment(Assignment_Steps.java:66) at ?.User receives 200 OK Status with response body for GET assignment(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/ </pre>		



#	Step / Hook Details	Status	Duration
	resources/Features/04Assignment.feature:17) * Not displayable characters are replaced by '?'. 		

Check if user is able to retrieve all assignments with valid LMS API endpoints

FAILED	DURATION - 0.263 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:02.813 AM // 9:46:03.076 AM /				
Assignment Module				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS GET Request to retrieve all assignments	PASSED	0.261 s
2	Then User receives 200 OK Status with response body for Get All java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_get_Assign_status(Assignment_TestCases.java:198) at api.Step_Definitions.Assignment_Steps.user_receives_ok_status_with_response_body_for_get_all(Assignment_Steps.java:75) at ?.User receives 200 OK Status with response body for Get All(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/04Assignment.feature:26) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check if user able to retrieve a record with valid Batch ID

<div>FAILED</div> <div>DURATION - 0.263 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:03.092 AM // 9:46:03.355 AM /</div>				
<div>Assignment Module</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request with a valid Batch 6481	PASSED	0.260 s
2	Then User receives 200 OK Status with response body for GET assignment using batchid <pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_get_Assign_status(Assignment_TestCases.java:198) at api.Step_Definitions.Assignment_Steps. user_receives_ok_status_with_response_body_for_get_assignment_using_batchid(Assignment_Steps.java:85) at ?.User receives 200 OK Status with response body for GET assignment using batchid(file:///C:/Users/harii/api-creepers/ API_CodeCreepers/.src/test/resources/Features/04Assignment.feature:31) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if user able to update a record with valid AssignmentID and mandatory request body



FAILED	DURATION - 0.366 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:03.369 AM // 9:46:03.735 AM /				
Assignment Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS PUT Request and request Body with mandatory and additional fields from the assignment excel sheet "Assignment" and 1	PASSED	0.362 s
2	Then User receives 200 OK Status with updated value in response body for the PUT request <pre>java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_put_Assign_status(Assignment_TestCases.java:265) at api.Step_Definitions.Assignment_Steps. user_receives_ok_status_with_updated_value_in_response_body_for_the_put_request(Assignment_Steps.java:109) at ?.User receives 200 OK Status with updated value in response body for the PUT request(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/04Assignment.feature:40) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

Assignment Submit Module

FAILED	DURATION - 2.294 s	Scenarios		Steps	
/ 9:46:03.758 AM // 9:46:06.052 AM /		Total - 9		Total - 18	
		Pass - 0		Pass - 6	
		Fail - 9		Fail - 9	
		Skip - 0		Skip - 3	

Check if user is able to create a new assignment submission id with valid endpoints and request body



FAILED	DURATION - 0.398 s		Steps	
/ 9:46:03.758 AM // 9:46:04.156 AM /			Total - 2	
Assignment Submit Module			Pass - 0	
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	<p>When User sends HTTPS request and request body with mandatory and additional fields from the assignment submit excel sheet "AssignmentSubmit" and 2</p> <pre> io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.Actions.Assignment_Submit_TestCases.TestPostSubmission(Assignment_Submit_TestCases.java:66) at api.Step_Definitions.Assignment_Submit_Steps. user_sends_https_request_and_request_body_with_mandatory_and_additional_fields_from_the_assignment_submit_excel_sheet_and(Assign ment_Submit_Steps.java:56) at ?.User sends HTTPS request and request body with mandatory and additional fields from the assignment submit excel sheet "AssignmentSubmit" and 2(file:///C:/Users/harii/api-creepers/API_CodeCrawlers/.src/test/resources/Features/05AssignmentSubmit.feature:6) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.Actions.Assignment_Submit_TestCases.TestPostSubmission(Assignment_Submit_TestCases.java:66) at api.Step_Definitions.Assignment_Submit_Steps. user_sends_https_request_and_request_body_with_mandatory_and_additional_fields_from_the_assignment_submit_excel_sheet_and(Assign ment_Submit_Steps.java:56) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) </pre>	FAILED	0.395 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:58)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94) at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User receives 201 created status with response body for the assignment submit module post request	SKIPPED	0.000 s

Check if user is able to retrieve all submission with valid LMS API endpoints

<div>FAILED</div> <div>DURATION - 0.258 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:04.170 AM // 9:46:04.428 AM /				
Assignment Submit Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS GET Request	PASSED	0.256 s
2	Then User receives 200 OK Status with response body	FAILED	0.001 s
	<pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_status(Assignment_Submit_TestCases.java:179) </pre>		



#	Step / Hook Details	Status	Duration
	at api.Step_Definitions.Assignment_Submit_Steps.user_receives_ok_status_with_response_body(Assignment_Submit_Steps.java:86) at ?.User receives 200 OK Status with response body(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/05AssignmentSubmit.feature:20) * Not displayable characters are replaced by '?'.		

Check if user is able to retrieve assignment submissions by grades with valid batchid LMS API endpoints

<div><div>FAILED</div><div>DURATION - 0.265 s</div></div>		<div><div><div></div><div></div></div><div><div>1</div><div>2</div></div></div>	<div><div>Steps</div><div>Total - 2</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div><div></div><div>2</div><div></div></div>
/ 9:46:04.445 AM // 9:46:04.710 AM /				
Assignment Submit Module				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid Batch 6481	PASSED	0.263 s
2	Then User receives 200 OK Status with response body for GET Grades using batchid java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_status(Assignment_Submit_TestCases.java:179) at api.Step_Definitions.Assignment_Submit_Steps. user_receives_ok_status_with_response_body_for_get_grades_using_batchid(Assignment_Submit_Steps.java:98) at ?.User receives 200 OK Status with response body for GET Grades using batchid(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/05AssignmentSubmit.feature:27) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check if user able to grade assignment with valid submission Id and mandatory request body

FAILED	DURATION - 0.370 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:04.722 AM // 9:46:05.092 AM /				
Assignment Submit Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Put Request and request Body with mandatory fields from the assignment submit excel sheet "AssignmentSubmit" and 0	PASSED	0.367 s
2	Then User receives 200 OK Status with updated value in response body <pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_Gradeput_status(Assignment_Submit_TestCases.java:253) at api.Step_Definitions.Assignment_Submit_Steps.user_receives_ok_status_with_updated_value_in_response_body(Assignment_Submit_Steps.java:124) at ?.User receives 200 OK Status with updated value in response body(file:///C:/Users/harii/api-creepers/API_CodeCreepers/./src/test/resources/Features/05AssignmentSubmit.feature:37) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

Check if user is able to retrieve assinment submissions by grades with valid studid LMS API endpoints

FAILED	DURATION - 0.003 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 9:46:05.103 AM // 9:46:05.106 AM /				
Assignment Submit Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid Stud "U9357" <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.CRUDOperations.Assignment_Submit_CRUD.getGradesbyStudId(Assignment_Submit_CRUD.java:78) at api.Actions.Assignment_Submit_TestCases.Get_Grades_StudId(Assignment_Submit_TestCases.java:219) at api.Step_Definitions.Assignment_Submit_Steps.user_sends_https_get_request_with_a_valid_stud(Assignment_Submit_Steps.java:130) at ?.User sends HTTPS Get Request with a valid Stud "U9357"(file:///C:/Users/harii/api-creepers/API_CodeCreepers/src/test/resources/Features/05AssignmentSubmit.feature:45) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.001 s
2	Then User receives 200 OK Status with response body for GET Grades using studid	SKIPPED	0.000 s

Check if user is able to retrieve assignment submissions with valid userid LMS API endpoints

FAILED DURATION - 0.006 s / 9:46:05.126 AM // 9:46:05.132 AM / Assignment Submit Module		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid User "U9357" <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.CRUDOperations.Assignment_Submit_CRUD.getSubmissionbyUserId(Assignment_Submit_CRUD.java:125) at api.Actions.Assignment_Submit_TestCases.Get_Submission_UserId(Assignment_Submit_TestCases.java:331) at api.Step_Definitions.Assignment_Submit_Steps.user_sends_https_get_request_with_a_valid_user(Assignment_Submit_Steps.java:141) at ?.User sends HTTPS Get Request with a valid User "U9357"(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/05AssignmentSubmit.feature:54) * Not displayable characters are replaced by '?'. </pre>		
2	Then User receives 200 OK Status with response body for GET submissions using userid	SKIPPED	0.002 s



Check if user is able to retrieve assignment submissions with valid batchid LMS API endpoints

FAILED DURATION - 0.265 s / 9:46:05.145 AM // 9:46:05.410 AM / Assignment Submit Module		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid batchid 6481	PASSED	0.262 s
2	Then User receives 200 OK Status with response body for GET submissions using batchid <pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at api.Actions.Assignment_Submit_TestCases.verify_get_All_status(Assignment_Submit_TestCases.java:179) at api.Step_Definitions.Assignment_Submit_Steps. user_receives_ok_status_with_response_body_for_get_submissions_using_batchid(Assignment_Submit_Steps.java:156) at ?.User receives 200 OK Status with response body for GET submissions using batchid(file:///C:/Users/harii/api-creepers/ API_CodeCreepers/./src/test/resources/Features/05AssignmentSubmit.feature:64) * Not displayable characters are replaced by '?'.		

Check if user is able to retrieve assignment submissions by grades with valid assignment id LMS API endpoints

<div>FAILED</div> <div>DURATION - 0.259 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:05.422 AM // 9:46:05.681 AM /				
Assignment Submit Module				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with a valid assignment 3935	PASSED	0.256 s
2	Then User receives 200 OK Status with response body for GET submissions using assignmentid java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_status(Assignment_Submit_TestCases.java:179) at api.Step_Definitions.Assignment_Submit_Steps. user_receives_ok_status_with_response_body_for_get_submissions_using_assignmentid(Assignment_Submit_Steps.java:166) at ?.User receives 200 OK Status with response body for GET submissions using assignmentid(file:///C:/Users/harii/api-creepers/ API_CodeCreepers/./src/test/resources/Features/05AssignmentSubmit.feature:73) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check if user able to update a submission with valid submission ID and mandatory request body



FAILED	DURATION - 0.359 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:05.693 AM // 9:46:06.052 AM /				
Assignment Submit Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Put Request to update submission and request Body with mandatory fields from the assignment submit excel sheet "AssignmentSubmit" and 1	PASSED	0.356 s
2	Then User receives 200 OK Status with updated submission value in response body java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_Resubmitput_status(Assignment_Submit_TestCases.java:382) at api.Step_Definitions.Assignment_Submit_Steps. user_receives_ok_status_with_updated_submission_value_in_response_body(Assignment_Submit_Steps.java:190) at ?.User receives 200 OK Status with updated submission value in response body(file:///C:/Users/harii/api-creepers/API_CodeCreepers/ ./src/test/resources/Features/05AssignmentSubmit.feature:82) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Program module Negative Scenarios



FAILED	DURATION - 2.590 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 14 Pass - 6 Fail - 7 Skip - 1	
/ 9:46:06.072 AM // 9:46:08.662 AM /					

create a program with valid end points and request body with existing data

FAILED	DURATION - 0.426 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:06.072 AM // 9:46:06.498 AM /				
Program module Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request,request body with existing program name from the excel sheet "ProgNeg" and 2	PASSED	0.424 s
2	Then The user submits the post request and verifies the status 400 java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_post_status(Program_TestCases.java:54) at api.Step_Definitions.Program_Negative_Steps. the_user_submits_the_post_request_and_verifies_the_status_code(Program_Negative_Steps.java:38) at ?.The user submits the post request and verifies the status 400(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/ Features/06Program_Negative.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

create a program with missing mandatory field in request body

FAILED	DURATION - 0.381 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:06.515 AM // 9:46:06.896 AM /				
Program module Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request,request body with missing mandatory fields from the excel sheet "ProgNeg" and 3	PASSED	0.380 s
2	Then The user submits the post request and verifies the status 400 <pre>java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_post_status(Program_TestCases.java:54) at api.Step_Definitions.Program_Negative_Steps.the_user_submits_the_post_request_and_verifies_the_status_code(Program_Negative_Steps.java:38) at ?.The user submits the post request and verifies the status 400(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/06Program_Negative.feature:16) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s



check user is able to get request by invalid programId

FAILED	DURATION - 0.414 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:06.911 AM // 9:46:07.325 AM /				
Program module Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request to get request by invalid program id from the excel sheet "ProgNeg" and 4	PASSED	0.410 s
2	Then The user submits the get request and verifies the status 404 <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) </pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_get_status(Program_TestCases.java:90) at api.Step_Definitions.Program_Negative_Steps. the_user_submits_the_get_request_and_verifies_the_status_code(Program_Negative_Steps.java:63) at ?.The user submits the get request and verifies the status 404(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/06Program_Negative.feature:24) * Not displayable characters are replaced by '?'. </pre>		

update a program with invalid id

<div>FAILED</div> <div>DURATION - 0.397 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:07.338 AM // 9:46:07.735 AM /</div>				
<div>Program module Negative Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with invalid program id to update program from the excel sheet "ProgNeg" and 6	PASSED	0.395 s
2	Then The user submits the update request and verifies the status 404	FAILED	0.001 s
	<pre> java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_update_request_by_program_name_status(Program_TestCases.java:162) at api.Step_Definitions.Program_Negative_Steps. the_user_submits_the_update_request_and_verifies_the_status_code_404(Program_Negative_Steps.java:98) at ?.The user submits the update request and verifies the status 404(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/06Program_Negative.feature:31) * Not displayable characters are replaced by '?'. </pre>		

update a program with missed mandatory feilds

<div>FAILED</div> <div>DURATION - 0.378 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:07.749 AM // 9:46:08.127 AM /				
Program module Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with missing mandatory fields to update program by program id from the excel sheet "ProgNeg" and 7	PASSED	0.375 s
2	<p>Then The user submits the update request and verifies the status 500</p> <p>java.lang.AssertionError: expected [500] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_update_request_by_program_name_status(Program_TestCases.java:162) at api.Step_Definitions.Program_Negative_Steps. the_user_submits_the_update_request_and_verifies_the_status_code(Program_Negative_Steps.java:79) at ?.The user submits the update request and verifies the status 500(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/06Program_Negative.feature:39) * Not displayable characters are replaced by '?'. </p>	FAILED	0.001 s

update a program with invalid programName

FAILED		<i>DURATION - 0.373 s</i>			Steps Total - 2 Pass - 1 Fail - 1 Skip - 0		
/ 9:46:08.143 AM // 9:46:08.516 AM /							
Program module Negative Scenarios							

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with invalid program name to update program from the excel sheet "ProgNeg" and 9	PASSED	0.372 s
2	Then The user submits the update request and verifies the status 404 <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_update_request_by_program_name_status(Program_TestCases.java:162) at api.Step_Definitions.Program_Negative_Steps.the_user_submits_the_update_request_and_verifies_the_status_code_404(Program_Negative_Steps.java:98) at ?.The user submits the update request and verifies the status 404(file:///C:/Users/harii/api-crawlers/API_CodeCrawlers/src/test/resources/Features/06Program_Negative.feature:47) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s



update a program with missed mandatoryfiles

FAILED	DURATION - 0.132 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 9:46:08.530 AM // 9:46:08.662 AM /				
Program module Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS request with missing mandatory fields to update program by program name from the excel sheet "ProgNeg" and 10 <pre>java.lang.IllegalArgumentException: firstParameterValue cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) </pre>	FAILED	0.130 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParams(RequestSpecificationImpl.groovy:522) at api.CRUDOperations.Program_CRUD.updaterequestbyProgramName(Program_CRUD.java:85) at api.Actions.Program_TestCases.testUpdateProgramByProgramName(Program_TestCases.java:155) at api.Step_Definitions.Program_Negative_Steps. user_sends_HTTPS_request_with_mandatory_fields_to_update_request_by_program_name_from_the_excel_sheet_and(Program_Negative_Steps.java:74) at ?.User sends HTTPS request with missing mandatory fields to update program by program name from the excel sheet "ProgNeg" and 10(file:///C:/Users/harii/api-crawlers/API_CodeCrawlers/.src/test/resources/Features/06Program_Negative.feature:54) * Not displayable characters are replaced by '?'. </pre>		
2	Then The user submits the update request and verifies the status 500	SKIPPED	0.000 s

Check Negative Scenario for Batch Module

FAILED	DURATION - 2.435 s	Scenarios		Steps	
/ 9:46:08.679 AM // 9:46:11.114 AM /		Total - 8		Total - 24	
		Pass - 0		Pass - 10	
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 6	



Create a batch with valid endpoints and request body with exsisting batch name

FAILED	DURATION - 0.356 s		Steps	
/ 9:46:08.679 AM // 9:46:09.035 AM /			Total - 3	
Check Negative Scenario for Batch Module			Pass - 2	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User create post request with exsisting batch name	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	When User sends HTTPS request, request body from excel sheet again "ProgramBatch" and 2	PASSED	0.351 s
3	Then User receives 400 Bad Request status <pre>java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_Batch_Negative_TestCases.verify_post_status_Existing_Batchname(Program_Batch_Negative_TestCases.java:38) at api.Step_Definitions.Program_Batch_Negative_Steps.user_receives_bad_request_status(Program_Batch_Negative_Steps.java:45) at ?.User receives 400 Bad Request status(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/07ProgramBatch_Negative.feature:8) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s



Create a batch missing mandatory fields in request body

FAILED		DURATION - 0.323 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:09.047 AM // 9:46:09.370 AM /						
Check Negative Scenario for Batch Module						

#	Step / Hook Details	Status	Duration
1	Given User create post request missing mandatory fields	PASSED	0.001 s
2	When User sends HTTPS request, request body from excel sheet "ProgramBatch" and 1 with missing mandatory field	PASSED	0.319 s
3	Then User receives 400 Bad Requests status <pre>java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_Batch_Negative_TestCases.verify_post_status_Missing_Fields(Program_Batch_Negative_TestCases.java:59) at api.Step_Definitions.Program_Batch_Negative_Steps.user_receives_bad_requests_status(Program_Batch_Negative_Steps.java:69) at ?.User receives 400 Bad Requests status(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/07ProgramBatch_Negative.feature:17) * Not displayable characters are replaced by '?'. </pre>		



Check user is able to retrieve batch with invalid batchid

<div>FAILED</div> <div>DURATION - 0.263 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:46:09.391 AM // 9:46:09.654 AM /				
Check Negative Scenario for Batch Module				

#	Step / Hook Details	Status	Duration
1	Given User create get request with invalid batchid	PASSED	0.001 s
2	When User sends HTTPS request by invalid 11 <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <503>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) </pre>	FAILED	0.259 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_Negative_TestCases.TestgetbyInvalidBatchid(Program_Batch_Negative_TestCases.java:69) at api.Step_Definitions.Program_Batch_Negative_Steps.user_sends_https_request_by_invalid(Program_Batch_Negative_Steps.java:80) at ?.User sends HTTPS request by invalid 11(file:///C:/Users/harii/api-crawlers/API_CodeCrawlers/src/test/resources/Features/07ProgramBatch_Negative.feature:25) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receives 404 NOT FOUND status	SKIPPED	0.001 s

Check user is able to retrieve batch with invalid batchname

FAILED DURATION - 0.260 s / 9:46:09.668 AM // 9:46:09.928 AM / Check Negative Scenario for Batch Module		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User create get request with invalid batchname	PASSED	0.000 s
2	When User sends HTTPS request with invalid "Jul23-Coders_Creepers-SDET" <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <503>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) </pre>	FAILED	0.257 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_Negative_TestCases.TestgetbyInvalidBatchname(Program_Batch_Negative_TestCases.java:84) at api.Step_Definitions.Program_Batch_Negative_Steps.user_sends_https_request_with_invalid_(Program_Batch_Negative_Steps.java:97) at ?.User sends HTTPS request with invalid "Jul23-Coders_Creepers-SDET"(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/07ProgramBatch_Negative.feature:34) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receives 404 NOT FOUND status by invalid batchname	SKIPPED	0.000 s

Check user is able to retrieve batch with invalid programid

FAILED DURATION - 0.265 s / 9:46:09.942 AM // 9:46:10.207 AM / Check Negative Scenario for Batch Module		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User create get request with invalid programid	PASSED	0.000 s
2	When User sends HTTPS request 14 <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <503>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) </pre>	FAILED	0.263 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl.validateResponseSelfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseSelfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_Negative_TestCases.TestgetbyInvalidProgramId(Program_Batch_Negative_TestCases.java:99) at api.Step_Definitions.Program_Batch_Negative_Steps.user_sends_https_request(Program_Batch_Negative_Steps.java:113) at ?.User sends HTTPS request 14(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/07ProgramBatch_Negative.feature:43) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receives 404 NOT FOUND status for programid	SKIPPED	0.000 s

Update a batch with invalid batchid and mandatory request body

FAILED DURATION - 0.335 s / 9:46:10.222 AM // 9:46:10.557 AM / Check Negative Scenario for Batch Module		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User create put request and invalid batchid	PASSED	0.001 s
2	When User sends HTTPS request for 11 request body from excel sheet "ProgramBatch" and 0 <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <503>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) </pre>	FAILED	0.333 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_Negative_TestCases.TestPutBatchInvalidBatchID(Program_Batch_Negative_TestCases.java:122) at api.Step_Definitions.Program_Batch_Negative_Steps. user_sends_https_request_for_request_body_from_excel_sheet(Program_Batch_Negative_Steps.java:144) at ?.User sends HTTPS request for 11 request body from excel sheet "ProgramBatch" and 0(file:///C:/Users/harii/api-creepers/ API_CodeCreepers/.src/test/resources/Features/07ProgramBatch_Negative.feature:52) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user receives 404 NOT FOUND status for invalid batchid	SKIPPED	0.001 s



Update a batch with valid batchid and missing mandatory feilds from request body

FAILED DURATION - 0.269 s / 9:46:10.570 AM // 9:46:10.839 AM / Check Negative Scenario for Batch Module		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates put request and valid batchid and missing mandatory feilds	PASSED	0.000 s
2	When User sends HTTPS request for 11356 request body from excel sheet "ProgramBatch" and 1 with missing mandatory feilds	FAILED	0.267 s

#	Step / Hook Details	Status	Duration
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <503>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_Negative_TestCases.TestPutBatchInvalidBatchbody(Program_Batch_Negative_TestCases.java:141) at api.Step_Definitions.Program_Batch_Negative_Steps. user_sends_https_request_for_request_body_from_excel_sheet_and_with_missing_mandatory_feilds(Program_Batch_Negative_Steps. java:163) at ?.User sends HTTPS request for 11356 request body from excel sheet "ProgramBatch" and 1 with missing mandatory feilds(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/07ProgramBatch_Negative.feature:61) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user receives 400 Bad Request status for missing mandatory feilds	SKIPPED	0.000 s



Check user is able to delete batch with invalid programname

<div>FAILED</div> <div>DURATION - 0.262 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:46:10.852 AM // 9:46:11.114 AM /				
Check Negative Scenario for Batch Module				



#	Step / Hook Details	Status	Duration
1	Given User create delete request with invalid batchid	PASSED	0.001 s
2	When User sends HTTPS request with Invalid 11 <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <503>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.Actions.Program_Batch_Negative_TestCases.TestdeletebyInvalidBatchid(Program_Batch_Negative_TestCases.java:156) at api.Step_Definitions.Program_Batch_Negative_Steps.User_sends_HTTPS_request_with_Invalid_(Program_Batch_Negative_Steps.java:179) at ?.User sends HTTPS request with Invalid 11(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/07ProgramBatch_Negative.feature:70) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.261 s

#	Step / Hook Details	Status	Duration
3	Then The user receives 404 Bad Request status for Invalid batchid	SKIPPED	0.000 s

User Negative Scenarios



FAILED	DURATION - 1.142 s	Scenarios		Steps	
/ 9:46:11.139 AM // 9:46:12.281 AM /		Total - 8		Total - 21	
		Pass - 2		Pass - 10	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 5	

Check if user able to create a User with valid endpoint and request body (existing values in phone no)

FAILED	DURATION - 0.074 s		Steps	
/ 9:46:11.140 AM // 9:46:11.214 AM /				
User Negative Scenarios				
@negative1_post				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPSrequest from the user excel sheet "UserNeg" and 0 for negative Post <pre> java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at api.Utilities.ExcelReader.readSheet(ExcelReader.java:54) at api.Utilities.ExcelReader.getData(ExcelReader.java:29) at api.Step_Definitions.User_Negative_Steps. user_sends_http_srequest_from_the_user_excel_sheet_and_for_negative_post(User_Negative_Steps.java:30) at ?.User sends HTTPSrequest from the user excel sheet "UserNeg" and 0 for negative Post(file:///C:/Users/harii/api-creepers/ API_CodeCreepers/./src/test/resources/Features/08User_Negative.feature:9) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.073 s
2	Then User receives 400 Bad Request Status with message and boolean success details for invalid user req	SKIPPED	0.000 s

Check if user able to create a User with valid endpoint and request body (existing values in phone no)

<div>FAILED</div> <div>DURATION - 0.056 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:46:11.222 AM // 9:46:11.278 AM /</div>				
<div>User Negative Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body (missing mandatory fields) "UserNeg" and 0 for negative Post <pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at api.Utilities.ExcelReader.readSheet(ExcelReader.java:54) at api.Utilities.ExcelReader.getData(ExcelReader.java:29) at api.Step_Definitions.User_Negative_Steps.user_sends_https_request_and_request_body_missing_mandatory_fields_and_for_negative_post(User_Negative_Steps.java:55) at ?.User sends HTTPS Request and request Body (missing mandatory fields) "UserNeg" and 0 for negative Post(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/08User_Negative.feature:19) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.054 s
2	Then User receives 400 Bad Request Status with message and boolean success details for invalid user req	SKIPPED	0.000 s

Check if user able to retrieve a user with Invalid User ID

<div>PASSED</div>	<div>DURATION - 0.261 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:46:11.288 AM // 9:46:11.549 AM /</div>				
<div>User Negative Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with Invalid "U826"	PASSED	0.260 s
2	When User sends HTTPS Request	PASSED	0.001 s
3	Then User receives 404 Not Found Status with response body for user update	PASSED	0.000 s

Check if user able to update a user with invalid User Id and request body

<div>PASSED</div>	<div>DURATION - 0.268 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:11.560 AM // 9:46:11.828 AM /</div>				
<div>User Negative Scenarios</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with mandatory fields "U826"	PASSED	0.266 s
3	Then User receives 404 Not Found Status with response body for user update	PASSED	0.000 s

Check if user able to update a user with valid User Id and request body (missing field)



FAILED	DURATION - 0.009 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:46:11.841 AM // 9:46:11.850 AM /				
User Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with missing mandatory fields "U8267" from the user excel "UserNeg" and 0	FAILED	0.004 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [User sends HTTPS Request and request Body with missing mandatory fields {string} from the user excel {string} and {int}] defined at 'api.Step_Definitions.User_Negative_Steps.user_sends_https_request_and_request_body_with_missing_mandatory_fields_from_the_user_excel_and(java.lang.String,int,java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String, java.lang.String, java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:198) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:169) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:93) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:58)		



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:141) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:57) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:103) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:94) at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:52) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:70) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void api.Step_Definitions.User_Negative_Steps. user_sends_https_request_and_request_body_with_missing_mandatory_fields_from_the_user_excel_and(java.lang.String,int,java.lang.String) throws org.apache.poi.openxml4j.exceptions.InvalidFormatException,java.io.IOException at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 55 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:108) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
3	Then User receives 400 Not Found Status with response body for user update	SKIPPED	0.001 s

Check if user able to delete a user with valid LMS API,invalid user Id

FAILED DURATION - 0.267 s / 9:46:11.868 AM // 9:46:12.135 AM / User Negative Scenarios	 <p>A bar chart with a y-axis from 0 to 0.6 and an x-axis with steps 1, 2, and 3. A single black bar is present at step 1, reaching a height of approximately 0.25.</p>	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	 <p>A donut chart with a total of 3 segments. 2 segments are green (Pass) and 1 segment is red (Fail). The number 3 is displayed in the center.</p>
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and invalid "U10"	PASSED	0.259 s
2	When User sends HTTPS Request	PASSED	0.001 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid user req java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.User_TestCases.verify_delete_User_status(User_TestCases.java:351) at api.Step_Definitions.User_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details(User_Negative_Steps.java:120) at ?.User receives 404 Not Found Status with message and boolean success details for invalid user req(file:///C:/Users/harii/api-creepers/ API_CodeCrawpers/./src/test/resources/Features/08User_Negative.feature:60) * Not displayable characters are replaced by '?'.	FAILED	0.002 s



Check if user able to create a User missing mandatory fields in request body

FAILED	DURATION - 0.052 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:46:12.147 AM // 9:46:12.199 AM /				
User Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API endpoint missing	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with mandatory ,additional fields "UserNeg" and 0 java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at api.Utilities.ExcelReader.readSheet(ExcelReader.java:54) at api.Utilities.ExcelReader.getData(ExcelReader.java:29) at api.Step_Definitions.User_Negative_Steps. user_sends_https_request_and_request_body_with_mandatory_additional_fields_and(User_Negative_Steps.java:132) at ?.User sends HTTPS Request and request Body with mandatory ,additional fields "UserNeg" and 0(file:///C:/Users/harii/api-creepers/	FAILED	0.050 s



#	Step / Hook Details	Status	Duration
	API_CodeCreepers/./src/test/resources/Features/08User_Negative.feature:67) * Not displayable characters are replaced by '?'. Then User receives 400 Bad Request Status with message and boolean success details invalid missing field		
3		SKIPPED	0.000 s

Check if user able to assign user to program / batch with invalid User Id and request body



FAILED		DURATION - 0.071 s			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:46:12.210 AM // 9:46:12.281 AM /						
User Negative Scenarios						

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS PUT Request and request Body with mandatory fields from the user excel "UserNeg" and 0 java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getPhysicalNumberOfRows()" because "sheet" is null at api.Utilities.ExcelReader.readSheet(ExcelReader.java:54) at api.Utilities.ExcelReader.getData(ExcelReader.java:29) at api.Step_Definitions.User_Negative_Steps. user_sends_https_put_request_and_request_body_with_mandatory_fields_from_the_user_excel_and(User_Negative_Steps.java:155) at ?.User sends HTTPS PUT Request and request Body with mandatory fields from the user excel "UserNeg" and 0(file:///C:/Users/harii/api-creepers/API_CodeCreepers/./src/test/resources/Features/08User_Negative.feature:76) * Not displayable characters are replaced by '?'. Then User receives 404 Not Found Status with message and boolean success detailst	FAILED	0.069 s
2		SKIPPED	0.000 s

Assignment Negative Scenarios



FAILED	DURATION - 2.291 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 14 Pass - 7 Fail - 7 Skip - 0	
/ 9:46:12.296 AM // 9:46:14.587 AM /					

Check if user able to add a record with valid endpoint and request body with existing value

<div>FAILED</div> <div>DURATION - 0.358 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:12.296 AM // 9:46:12.654 AM /</div>				
<div>Assignment Negative Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with mandatory and additional fields for an existing id from the excel sheet "Assignment" and 0	PASSED	0.355 s
2	Then User receives 400 Bad Request Status with message and boolean success details with invalid Assignment Request <pre> java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_post_Negative_Assign_status(Assignment_TestCases.java:137) at api.Step_Definitions.Assignment_Negative_Steps.user_receives_bad_request_status_with_message_and_boolean_success_details(Assignment_Negative_Steps.java:50) at ?.User receives 400 Bad Request Status with message and boolean success details with invalid Assignment Request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/09Assignment_Negative.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if user able to add a record with valid endpoint and request body with missing value

<div>FAILED</div> <div>DURATION - 0.352 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:12.670 AM // 9:46:13.022 AM /</div>				
<div>Assignment Negative Scenarios</div>				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with missing mandatory and additional fields for an id from the excel sheet "Assignment" and 0	PASSED	0.350 s
2	Then User receives 400 Bad Request Status with message and boolean success details with invalid Assignment Request <pre>java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_post_Negative_Assign_status(Assignment_TestCases.java:137) at api.Step_Definitions.Assignment_Negative_Steps. user_receives_bad_request_status_with_message_and_boolean_success_details(Assignment_Negative_Steps.java:50) at ?.User receives 400 Bad Request Status with message and boolean success details with invalid Assignment Request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/09Assignment_Negative.feature:17) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s



Check if user able to retrieve a record with invalid Assignment ID

FAILED		DURATION - 0.254 s			Steps Total - 2 Pass - 1 Fail - 1 Skip - 0		
/ 9:46:13.034 AM // 9:46:13.288 AM /							
Assignment Negative Scenarios							

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid Assignment 3635 in the request	PASSED	0.252 s
2	Then User receives 404 Not Found Status with message and boolean success details for Get Request with invalid Assignmentid <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_get_All_invalid_status(Assignment_TestCases.java:207) at api.Step_Definitions.Assignment_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details_for_get_request_with_invalid_assignmentId(Assignment_Negative_Steps.java:78) at ?.User receives 404 Not Found Status with message and boolean success details for Get Request with invalid AssignmentId(file:///C:/Users/harii/api-creeper/API_CodeCreeper/src/test/resources/Features/09Assignment_Negative.feature:26) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to retrieve a record with invalid Batch ID

FAILED	DURATION - 0.269 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:13.300 AM // 9:46:13.569 AM /				
Assignment Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid Batch 6023 in the request	PASSED	0.267 s
2	Then User receives 404 Not Found Status with message and boolean success details for Get Request with invalid BatchId <pre> java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_get_All_invalid_status(Assignment_TestCases.java:207) at api.Step_Definitions.Assignment_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details_for_get_request_with_invalid_batch_id(Assignment_Negative_Steps.java:87) at ?.User receives 404 Not Found Status with message and boolean success details for Get Request with invalid BatchId(file:///C:/Users/harii/api-creeper/API_CodeCreeper/src/test/resources/Features/09Assignment_Negative.feature:35) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if user able to update a assignment with invalid assignment ID and mandatory request body

<div>FAILED</div> <div>DURATION - 0.354 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:13.584 AM // 9:46:13.938 AM /				
Assignment Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS PUT Request and request Body with invalid assignment Id 3635 mandatory and additional fields from excel sheet "Assignment" and 1	PASSED	0.352 s
2	Then User receives 404 Not Found Status with message and boolean success details for put Request with invalid Assignmentid <pre> java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_get_All_invalid_status(Assignment_TestCases.java:207) at api.Step_Definitions.Assignment_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details_for_put_request_with_invalid_assignmentid(Assignment_Negative_Steps.java:109) at ?.User receives 404 Not Found Status with message and boolean success details for put Request with invalid Assignmentid(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/09Assignment_Negative.feature:44) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if user able to update a assignment with valid assignment ID and missing mandatory fields request body

FAILED	DURATION - 0.360 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:13.953 AM // 9:46:14.313 AM /				
Assignment Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with missing mandatory fields with valid assignment Id 3935 mandatory and additional fields from excel sheet "Assignment" and 1	PASSED	0.358 s
2	<div>Then User receives 400 Bad request with message and boolean success details for put Request with valid Assignmentid</div> <div>java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_Missingput_status(Assignment_TestCases.java:341) at api.Step_Definitions.Assignment_Negative_Steps. user_receives_bad_request_with_message_and_boolean_success_details_for_put_request_with_valid_assignmentid(Assignment_Negative_S teps.java:134) at ?.User receives 400 Bad request with message and boolean success details for put Request with valid Assignmentid(file:///C:/Users/harii/ api-creepers/API_CodeCreepers/.src/test/resources/Features/09Assignment_Negative.feature:53) * Not displayable characters are replaced by '?'. </div>	FAILED	0.002 s

Check if user able to delete a record with invalid Assignment ID



<div>FAILED</div> <div>DURATION - 0.260 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:14.327 AM // 9:46:14.587 AM /				
Assignment Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for invalid assignment 3654	PASSED	0.257 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Assignment ID <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_invalid_del_status(Assignment_TestCases.java:378) at api.Step_Definitions.Assignment_Negative_Steps.user_receives_not_found_status_with_message_and_boolean_success_details_for_invalid_assignment_id(Assignment_Negative_Steps.java:144) at ?.User receives 404 Not Found Status with message and boolean success details for invalid Assignment ID(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/09Assignment_Negative.feature:63) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Assignment Submit Negative Scenarios



FAILED	DURATION - 2.830 s	Scenarios		Steps	
/ 9:46:14.603 AM // 9:46:17.433 AM /		Total - 9		Total - 18	
		Pass - 0		Pass - 9	
		Fail - 9		Fail - 9	
		Skip - 0		Skip - 0	

Check if user is able to create assignment submission id with valid endpoints and request body for existing values

FAILED	DURATION - 0.354 s		Steps	
/ 9:46:14.603 AM // 9:46:14.957 AM /			Total - 2	
Assignment Submit Negative Scenarios			Pass - 1	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS POST request and request body with mandatory and additional fields from the assignment submit excel sheet "AssignmentSubmit" and 0	PASSED	0.352 s
2	Then User receives 400 Bad Request with response body for the assignment submit module invalid post request <pre>java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_existing_post_Sub_status(Assignment_Submit_TestCases.java:124) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_bad_request_with_response_body_for_the_assignment_submit_module_invalid_post_request(Assignment_Submit_Negative_Steps.java:72) at ?.User receives 400 Bad Request with response body for the assignment submit module invalid post request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/10AssignmentSubmit_Negative.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s



Check if user is able to create assignment submission id with valid endpoints and request body missing mandatory fields

FAILED		DURATION - 0.363 s			Steps Total - 2 Pass - 1 Fail - 1 Skip - 0			
/ 9:46:14.970 AM // 9:46:15.333 AM /								
Assignment Submit Negative Scenarios								

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS POST request and request body with missing mandatory fields from the assignment submit excel sheet "AssignmentSubmit" and 1	PASSED	0.362 s
2	Then User receives 400 Bad Request with response body for the assignment submit module invalid post request <pre>java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_existing_post_Sub_status(Assignment_Submit_TestCases.java:124) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_bad_request_with_response_body_for_the_assignment_submit_module_invalid_post_request(Assignment_Submit_Negative_Steps.java:72) at ?.User receives 400 Bad Request with response body for the assignment submit module invalid post request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/10AssignmentSubmit_Negative.feature:17) * Not displayable characters are replaced by '?'. </pre>		



Check if user able to retrieve a grades with invalid Assignment ID

FAILED	DURATION - 0.256 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:15.352 AM // 9:46:15.608 AM /				
Assignment Submit Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid Assignment ID 3635	PASSED	0.255 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request <pre> java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_invalid_status(Assignment_Submit_TestCases.java:189) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details(Assignment_Submit_Negative_Steps.java:82) at ?.User receives 404 Not Found Status with message and boolean success details for invalid Submission request(file:///C:/Users/harii/api- </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	creepers/API_CodeCreepers/./src/test/resources/Features/10AssignmentSubmit_Negative.feature:27 * Not displayable characters are replaced by '?'.		

Check if user able to retrieve a grades with invalid Student ID

FAILED DURATION - 0.252 s / 9:46:15.621 AM // 9:46:15.873 AM / Assignment Submit Negative Scenarios		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid Student ID "U9343"	PASSED	0.250 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request <pre> java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_invalid_status(Assignment_Submit_TestCases.java:189) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details(Assignment_Submit_Negative_Steps.java:82) at ?.User receives 404 Not Found Status with message and boolean success details for invalid Submission request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/./src/test/resources/Features/10AssignmentSubmit_Negative.feature:36) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if user able to retrieve a grades with invalid batch ID

<div>FAILED</div> <div>DURATION - 0.262 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:15.884 AM // 9:46:16.146 AM /</div>				
<div>Assignment Submit Negative Scenarios</div>				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request with invalid batch ID 6023	PASSED	0.261 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_invalid_status(Assignment_Submit_TestCases.java:189) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details(Assignment_Submit_Negative_Steps.java:82) at ?.User receives 404 Not Found Status with message and boolean success details for invalid Submission request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/10AssignmentSubmit_Negative.feature:46) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check if user able to retrieve a submission with invalid user ID

<div><div>FAILED</div><div>DURATION - 0.261 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 2</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
/ 9:46:16.156 AM // 9:46:16.417 AM /				
Assignment Submit Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Get Request to retrieve submission with invalid user ID "U4512"	PASSED	0.260 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_invalid_status(Assignment_Submit_TestCases.java:189) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details(Assignment_Submit_Negative_Steps.java:82) at ?.User receives 404 Not Found Status with message and boolean success details for invalid Submission request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/10AssignmentSubmit_Negative.feature:56) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s



Check if user able to update a submission with invalid submission ID and mandatory request body

FAILED	DURATION - 0.365 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:16.431 AM // 9:46:16.796 AM /				
Assignment Submit Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS PUT Request and request Body with invalid submission Id 1234 mandatory and additional fields from excel sheet "AssignmentSubmit" and 1	PASSED	0.363 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission request <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) </pre>	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_get_All_invalid_status(Assignment_Submit_TestCases.java:189) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details(Assignment_Submit_Negative_Steps.java:82) at ?.User receives 404 Not Found Status with message and boolean success details for invalid Submission request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/10AssignmentSubmit_Negative.feature:65) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to update a submission with valid submission ID and missing mandatory fields request body

FAILED	DURATION - 0.352 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:16.810 AM // 9:46:17.162 AM /				
Assignment Submit Negative Scenarios				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Request and request Body with missing mandatory fields with valid submission Id 1562 mandatory and additional fields from excel sheet "AssignmentSubmit" and 1	PASSED	0.350 s
2	Then User receives 400 Bad request with message and boolean success details for invalid Submission request <pre> java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_Missingput_status(Assignment_Submit_TestCases.java:320) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_bad_request_with_message_and_boolean_success_details(Assignment_Submit_Negative_Steps.java:143) at ?.User receives 400 Bad request with message and boolean success details for invalid Submission request(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/10AssignmentSubmit_Negative.feature:74) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if user able to delete a record with invalid Submission ID



FAILED	DURATION - 0.258 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:17.175 AM // 9:46:17.433 AM /				
Assignment Submit Negative Scenarios				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for invalid Submission 1023	PASSED	0.257 s
2	Then User receives 404 Not Found Status with message and boolean success details for invalid Submission ID java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_invalid_del_status(Assignment_Submit_TestCases.java:419) at api.Step_Definitions.Assignment_Submit_Negative_Steps. user_receives_not_found_status_with_message_and_boolean_success_details_for_invalid_submission_id(Assignment_Submit_Negative_Steps.java:153) at ?.User receives 404 Not Found Status with message and boolean success details for invalid Submission ID(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/10AssignmentSubmit_Negative.feature:83) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Deletion All Module



FAILED	DURATION - 1.156 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 12 Pass - 4 Fail - 6 Skip - 2	
/ 9:46:17.448 AM // 9:46:18.604 AM /					

Check if user able to delete a submission with valid submission Id

<div>FAILED</div> <div>DURATION - 0.257 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 9:46:17.448 AM // 9:46:17.705 AM /				
Deletion All Module				



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid submission 3515	PASSED	0.255 s
2	Then User receives 200 Ok status with message <pre>java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_Submit_TestCases.verify_del_status(Assignment_Submit_TestCases.java:411) at api.Step_Definitions.Delete_Steps.user_receives_ok_status_with_message(Delete_Steps.java:44) at ?.User receives 200 Ok status with message(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/11Delete.feature:8) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if user able to delete a record with valid Assignment ID

<div>FAILED</div> <div>DURATION - 0.252 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:46:17.714 AM // 9:46:17.966 AM /</div>				
<div>Deletion All Module</div>				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid assignment 3935	PASSED	0.251 s
2	Then User receives 200 Ok status with message with valid assignmentid <pre>java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Assignment_TestCases.verify_del_status(Assignment_TestCases.java:369) at api.Step_Definitions.Delete_Steps.user_receives_ok_status_with_message_with_valid_assignmentid(Delete_Steps.java:56) at ?.User receives 200 Ok status with message with valid assignmentid(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/11Delete.feature:17) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s



Check if user able to delete a record with valid User ID

FAILED	DURATION - 0.003 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 9:46:17.975 AM // 9:46:17.978 AM /				
Deletion All Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid User "U9357" <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)</pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at io.restassured.internal.common.assertion.AssertParameter\$NotNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$NotNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.CRUDOperations.User_CRUD.DeletebyUserID(User_CRUD.java:276) at api.Actions.User_TestCases.TestDeleteUser(User_TestCases.java:431) at api.Step_Definitions.Delete_Steps.user_sends_https_delete_request_for_valid_user(Delete_Steps.java:61) at ?.User sends HTTPS Delete Request for valid User "U9357"(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/11Delete.feature:25) * Not displayable characters are replaced by '?'.		
2	Then User receives 200 Ok status with message with valid userid	SKIPPED	0.000 s

Check if user able to delete a record with valid Batch ID

FAILED DURATION - 0.252 s / 9:46:17.988 AM // 9:46:18.240 AM / Deletion All Module		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
--	--	--	---



#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid Batch 6481	PASSED	0.251 s
2	Then User receives 200 Ok status with message with valid batchid java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_Batch_TestCases.verify_del_status(Program_Batch_TestCases.java:152) at api.Step_Definitions.Delete_Steps.user_receives_ok_status_with_message_with_valid_batchid(Delete_Steps.java:74) at ?.User receives 200 Ok status with message with valid batchid(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/11Delete.feature:35) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check if user able to delete a record with valid Program ID

FAILED	DURATION - 0.261 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 9:46:18.249 AM // 9:46:18.510 AM /				
Deletion All Module				

#	Step / Hook Details	Status	Duration
1	When User sends HTTPS Delete Request for valid Program 10942	PASSED	0.257 s
2	Then User receives 200 Ok status with message with valid programid java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at api.Actions.Program_TestCases.verify_delete_request_by_program_Id_status(Program_TestCases.java:197) at api.Step_Definitions.Delete_Steps.user_receives_ok_status_with_message_with_valid_programid(Delete_Steps.java:88) at ?.User receives 200 Ok status with message with valid programid(file:///C:/Users/harii/api-creeper/API_CodeCreeper/.src/test/resources/Features/11Delete.feature:44) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check if user able to delete a program with valid programName

FAILED	DURATION - 0.078 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 9:46:18.526 AM // 9:46:18.604 AM /				
Deletion All Module				

#	Step / Hook Details	Status	Duration
1	<p>When User sends HTTPS Request to delete program by program name from the excel sheet "ProgramData" and 3</p> <pre> java.lang.IllegalArgumentException: firstParameterValue cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParams(RequestSpecificationImpl.groovy:522) at api.CRUDOperations.Program_CRUD.deleteRequestbyprogramName(Program_CRUD.java:101) at api.Actions.Program_TestCases.TestdeleterequestbyprogramName(Program_TestCases.java:172) at api.Step_Definitions.Delete_Steps. user_sends_https_request_to_delete_program_by_program_name_from_the_excel_sheet_and(Delete_Steps.java:97) at ?.User sends HTTPS Request to delete program by program name from the excel sheet "ProgramData" and 3(file:///C:/Users/harii/api-creepers/API_CodeCreepers/.src/test/resources/Features/11Delete.feature:52) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.077 s
2	Then The user submits the update request and verifies the status 200 for successful deletion	SKIPPED	0.001 s