



Práctica 03 Manejo de repositorios remotos

- Crear un repositorio en tu cuenta personal de GitHub
 - Nombrarlo como **prac03-web integral**
 - Agregar una breve descripción
 - Definir accesibilidad pública



Create a new repository


A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)


Owner *  Araiza07 / Repository name *

⚠ Your new repository will be created as prac03-web-integral.

Great repository names are short and memorable. Need inspiration? How about [congenial-telegram?](#)

Description (optional)

☒  **Public**
Anyone on the internet can see this repository. You choose who can commit.

☐  **Private**
You choose who can see and commit to this repository.

Initialize this repository with:

☒ **Add a README file**
This is where you can write a long description for your project. [Learn more about READMEs.](#)

[Add .gitignore](#)

- Ubicar la carpeta de la aplicación login creada en la unidad 1
 - Inicializa la carpeta en dado caso que no lo esté con **git** o **git Flow**

```
Microsoft Windows [Versión 10.0.19045.2965]
(c) Microsoft Corporation. Todos los derechos reservados.

D:\Jessy Araiza\Ingenieria\Cuatri 3\Desarrollo Web\tUTORIAL\classroom>git init
Reinitialized existing Git repository in D:/Jessy Araiza/Ingenieria/Cuatri 3/Desarrollo Web/tUTORIAL/classroom/.git/


D:\Jessy Araiza\Ingenieria\Cuatri 3\Desarrollo Web\tUTORIAL\classroom>git branch develop

D:\Jessy Araiza\Ingenieria\Cuatri 3\Desarrollo Web\tUTORIAL\classroom>git branch -m main

D:\Jessy Araiza\Ingenieria\Cuatri 3\Desarrollo Web\tUTORIAL\classroom>git branch
  develop
* main

D:\Jessy Araiza\Ingenieria\Cuatri 3\Desarrollo Web\tUTORIAL\classroom>_
```

- Crear o modificar el archivo .gitignore de tal manera que no se suba la carpeta node-modules y todos los archivos *.exe



- Agregar todos los archivos de la aplicación al Stanging Area

```
D:\Jessy Araiza\Ingenieria\Cuatrì 3\Desarrollo Web\tUTORIAL\classroom>git branch  
* develop  
* main  
  
D:\Jessy Araiza\Ingenieria\Cuatrì 3\Desarrollo Web\tUTORIAL\classroom>git add .  
warning: in the working copy of 'angular.json', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/app-routing.module.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/app.component.html', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/app.module.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/index.html', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/styles.scss', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/material.module.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/auth/login/login-routing.module.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/auth/login/login.component.html', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/auth/login/login.component.spec.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/auth/login/login.component.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/auth/login/login-routing.module.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/home/home-routing.module.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/home/home.component.html', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/home/home.component.spec.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/pages/home/home.component.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/shared/components/footer/footer.component.html', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/shared/components/footer/footer.component.spec.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/shared/components/footer/footer.component.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/shared/components/header/header.component.html', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/shared/components/header/header.component.spec.ts', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'src/app/shared/components/header/header.component.ts', LF will be replaced by CRLF the next time Git touches it  
D:\Jessy Araiza\Ingenieria\Cuatrì 3\Desarrollo Web\tUTORIAL\classroom>
```

- Compromete los cambios.

```
D:\Jessy Araiza\Ingenieria\Cuatriculo 3\Desarrollo Web\tUTORIAL\classroom>git commit -m "Version 1"
[main f17aad1] Version 1
30 files changed, 1209 insertions(+), 488 deletions(-)
create mode 100644 src/app/material.module.ts
create mode 100644 src/app/pages/auth/login/login-routing.module.ts
create mode 100644 src/app/pages/auth/login/login.component.html
create mode 100644 src/app/pages/auth/login/login.component.scss
create mode 100644 src/app/pages/auth/login/login.component.spec.ts
create mode 100644 src/app/pages/auth/login/login.component.ts
create mode 100644 src/app/pages/auth/login/login.module.ts
create mode 100644 src/app/pages/home/home-routing.module.ts
create mode 100644 src/app/pages/home/home.component.html
create mode 100644 src/app/pages/home/home.component.scss
create mode 100644 src/app/pages/home/home.component.spec.ts
create mode 100644 src/app/pages/home/home.component.ts
create mode 100644 src/app/pages/home/home.module.ts
create mode 100644 src/app/shared/components/footer/footer.component.html
create mode 100644 src/app/shared/components/footer/footer.component.scss
create mode 100644 src/app/shared/components/footer/footer.component.spec.ts
create mode 100644 src/app/shared/components/footer/footer.component.ts
create mode 100644 src/app/shared/components/header/header.component.html
create mode 100644 src/app/shared/components/header/header.component.scss
create mode 100644 src/app/shared/components/header/header.component.spec.ts
create mode 100644 src/app/shared/components/header/header.component.ts
create mode 100644 src/app/shared/Utils/base-form.ts
```

```
D:\Jessy Araiza\Ingenieria\Cuatriculo 3\Desarrollo Web\tUTORIAL\classroom>
```

- Realiza el merge o fusión de la rama develop a la rama main

```
D:\Jessy Araiza\Ingenieria\Cuatriculo 3\Desarrollo Web\tUTORIAL\classroom>git checkout
main
Already on 'main'
```

```
D:\Jessy Araiza\Ingenieria\Cuatriculo 3\Desarrollo Web\tUTORIAL\classroom>
```

- Crear un enlace o URL hacia el repositorio remoto GitHub recién creado.

```
D:\Jessy Araiza\Ingenieria\Cuatriculo 3\Desarrollo Web\tUTORIAL\classroom>git remote ad
d origin https://github.com/Araiza07/prac03-web-integral.git
```

```
D:\Jessy Araiza\Ingenieria\Cuatriculo 3\Desarrollo Web\tUTORIAL\classroom>_
```

- Enviar los cambios a rama main del repositorio remoto

```
D:\Jessy Araiza\Ingenieria\Cuatriculo 3\Desarrollo Web\tUTORIAL\classroom>git push -u o
rigin main
Enumerating objects: 67, done.
Counting objects: 100% (67/67), done.
Delta compression using up to 4 threads
Compressing objects: 100% (60/60), done.
Writing objects: 100% (67/67), 521.63 KiB | 43.47 MiB/s, done.
Total 67 (delta 18), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (18/18), done.
To https://github.com/Araiza07/prac03-web-integral.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

```
D:\Jessy Araiza\Ingenieria\Cuatriculo 3\Desarrollo Web\tUTORIAL\classroom>
```


- Verificar qué se hayan dado

```
D:\Jessy Araiza\Ingenieria\Cuatri 3\Desarrollo Web\tUTORIAL\classroom>git status
On branch main
Your branch is up to date with 'origin/main'.


nothing to commit, working tree clean

D:\Jessy Araiza\Ingenieria\Cuatri 3\Desarrollo Web\tUTORIAL\classroom>_
```


- Ingresar a la página StackBlitz
 - Registrar con cuenta personal de GitHub
 - Crear un nuevo proyecto Angular




- Conectar con el repositorio de github



- Conectarlo con repositorio existente de la aplicación login



- Modificar el archivo main.ts



<https://stackblitz.com/edit/stackblitz-starters-u3ypvx?file=src%2Fmain.ts>