


- Crear un repositorio en tu cuenta personal de GitHub
 - Nombrarlo como **prac03-web integral**
 - Agregar una breve descripción
 - Definir accesibilidad pública



Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner * **tona1920** / Repository name * **prac03-web integral**

⚠ Your new repository will be created as **prac03-web-integral**.

Great repository names are short and memorable. Need inspiration? How about **redesigned-octo-engine**?

Description (optional)
Login con Angular material

☒ **Public**
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**
You choose who can see and commit to this repository.

Initialize this repository with:

☒ **Add a README file**
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore
.gitignore template: **None**

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license
License: **None**

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

① You are creating a public repository in your personal account.

- Ubicar la carpeta de la aplicación login creada en la unidad 1
 - Inicializa la carpeta en dado caso que no lo esté con **git** o **git Flow**

```
C:\Windows\System32\cmd.e X + v
Microsoft Windows [Versión 10.0.22621.1702]
(c) Microsoft Corporation. Todos los derechos reservados.

D:\Proyectos\Unidad\classroom>git init
Reinitialized existing Git repository in D:/Proyectos/Unidad/classroom/.git/

D:\Proyectos\Unidad\classroom>git branch development

D:\Proyectos\Unidad\classroom>git branch -M main

D:\Proyectos\Unidad\classroom>git branch
  development
* main
```

- Crear o modificar el archivo .gitignore de tal manera que no se suba la carpeta node-modules y todos los archivos *.exe

```

❖ .gitignore X
D: > Proyectos > Unidad > classroom > ❖ .gitignore
11  npm-debug.log
12  yarn-error.log
13
14  # IDEs and editors
15  .idea/
16  .project
17  .classpath
18  .c9/
19  *.launch
20  .settings/
21  *.sublime-workspace
22
23  # Visual Studio Code
24  .vscode/*
25  !.vscode/settings.json
26  !.vscode/tasks.json
27  !.vscode/launch.json
28  !.vscode/extensions.json
29  .history/*
30
31  # Miscellaneous
32  /.angular/cache
33  .sass-cache/
34  /connect.lock
35  /coverage
36  /libpeerconnection.log
37  testem.log
38  /typings
39
40  # System files
41  .DS_Store
42  Thumbs.db
43  *.exe

```

- Agregar todos los archivos de la aplicación al Staging Area

```

D:\Proyectos\Unidad\classroom>git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'angular.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/app-routing.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/app.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/app.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/styles.scss', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/material.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login-routing.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login.component.spec.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login.component.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home-routing.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home.component.spec.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home.component.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/shared/components/footer/footer.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/shared/components/footer/footer.component.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/shared/components/header/header.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/shared/components/header/header.component.ts', LF will be replaced by CRLF the next time Git touches it
D:\Proyectos\Unidad\classroom>

```

- Compromete los cambios.

```
D:\Proyectos\Unidad\classroom>git commit -m "login version 1"
[master 142f9c3] login version 1
30 files changed, 1289 insertions(+), 488 deletions(-)
create mode 100644 src/app/material.module.ts
create mode 100644 src/app/pages/auth/login/login-routing.module.ts
create mode 100644 src/app/pages/auth/login/login.component.html
create mode 100644 src/app/pages/auth/login/login.component.scss
create mode 100644 src/app/pages/auth/login/login.component.spec.ts
create mode 100644 src/app/pages/auth/login/login.component.ts
create mode 100644 src/app/pages/auth/login/login.module.ts
create mode 100644 src/app/pages/home/home-routing.module.ts
create mode 100644 src/app/pages/home/home.component.html
create mode 100644 src/app/pages/home/home.component.scss
create mode 100644 src/app/pages/home/home.component.spec.ts
create mode 100644 src/app/pages/home/home.component.ts
create mode 100644 src/app/pages/home/home.module.ts
create mode 100644 src/app/shared/components/footer/footer.component.html
create mode 100644 src/app/shared/components/footer/footer.component.scss
create mode 100644 src/app/shared/components/footer/footer.component.ts
create mode 100644 src/app/shared/components/header/header.component.html
create mode 100644 src/app/shared/components/header/header.component.scss
create mode 100644 src/app/shared/components/header/header.component.ts
create mode 100644 src/app/shared/utils/base-form.ts

D:\Proyectos\Unidad\classroom>
```

- Realiza el merge o fusión de la rama develop a la rama main

```
D:\Proyectos\Unidad\classroom>git checkout master
Already on 'master'
Your branch is up to date with 'origin/master'.
```

```
D:\Proyectos\Unidad\classroom>git merge development
Already up to date.
```

- Crear un enlace o URL hacia el repositorio remoto GitHub recién creado.

```
D:\Proyectos\Unidad\classroom>git remote add origin https://github.com/tona1920/prac03-web-integral.git
D:\Proyectos\Unidad\classroom>
```

- Enviar los cambios a rama main del repositorio remoto

```
D:\Proyectos\Unidad\classroom>git push -u origin master
Enumerating objects: 446, done.
Counting objects: 100% (446/446), done.
Delta compression using up to 12 threads
Compressing objects: 100% (439/439), done.
Writing objects: 100% (446/446), 37.33 MiB | 119.00 KiB/s, done.
Total 446 (delta 51), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (51/51), done.
remote: warning: See https://gh.io/lfs for more information.
remote: warning: File .angular/cache/15.2.8/angular-webpack/1642777d54aedff0bed4ba0bd42b2a4fffa091fc/11.pack is 89.16 MB; this is larger than GitHub's recommended maximum file size of 50.00 MB
remote: warning: File .angular/cache/15.2.8/angular-webpack/0e23ce1937d810alc43f932aff4705d81ef734d8/11.pack is 86.25 MB; this is larger than GitHub's recommended maximum file size of 50.00 MB
remote: warning: GH001: Large files detected. You may want to try Git Large File Storage - https://git-lfs.github.com.
To https://github.com/tona1920/prac03-web-integral.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```


- Verificar qué se hayan dado

```
D:\Proyectos\Unidad\classrom>git status
On branch master
Your branch is up to date with 'origin/master'.


nothing to commit, working tree clean

D:\Proyectos\Unidad\classrom>|
```


- Ingresar a la página StackBlitz
 - Registrar con cuenta personal de GitHub
 - Crear un nuevo proyecto Angular



- Conectar con el repositorio de github



- Conectarlo con repositorio existente de la aplicación login



- Modificar el archivo main.ts

```
import 'zone.js'
import { platformBrowserDynamic } from '@angular/platform-browser-dynamic';

import { AppModule } from './app/app.module';

platformBrowserDynamic().bootstrapModule(AppModule)
  .catch(err => console.error(err));
```

Link de la pagina web

<https://stackblitz.com/edit/stackblitz-starters-c59ets?file=index.js>