


## PRACTICA 3

### MANEJO DE REPOSITORIO

- Crear un repositorio en tu cuenta personal de GitHub
  - Nombrarlo como **prac03-web integral**
  - Agregar una breve descripción
  - Definir accesibilidad pública



- Ubicar la carpeta de la aplicación login creada en la unidad 1
  - Inicializa la carpeta en dado caso que no lo esté con **git** o **git Flow**

```
C:\Users\Administrador>cd C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom
C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>git init
Reinitialized existing Git repository in C:/Users/Administrador/Downloads/Proyecto Login Angular/classroom/.git/
C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>
```

- Crear o modificar el archivo .gitignore de tal manera que no se suba la carpeta node-modules y todos los archivos \*.exe

```
.gitignore
C: > Users > Administrador > Downloads > Proyecto Login Angular > classroom > .gitignore
1  # See http://help.github.com/ignore-files/ for more about ignoring files.
2
3  # Compiled output
4  /dist
5  /tmp
6  /out-tsc
7  /bazel-out
8
9  # Node
10 /node_modules
11 npm-debug.log
12 yarn-error.log
13
14 # IDEs and editors
15 *.exe
16 .idea/
```

- Agregar todos los archivos de la aplicación al Staging Area

```
C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>git add .
warning: in the working copy of '.editorconfig', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.vscode/extensions.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.vscode/launch.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.vscode/tasks.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'angular.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/main.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/styles.scss', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'tsconfig.app.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'tsconfig.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'tsconfig.spec.json', LF will be replaced by CRLF the next time Git touches it

C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>
```

- Compromete los cambios.

```
C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>git commit -m "Primer Commit"
[master (root-commit) 09cc1e2] Primer Commit
16 files changed, 22783 insertions(+)
create mode 100644 .editorconfig
create mode 100644 .gitignore
create mode 100644 .vscode/extensions.json
create mode 100644 .vscode/launch.json
create mode 100644 .vscode/tasks.json
create mode 100644 README.md
create mode 100644 angular.json
create mode 100644 package-lock.json
create mode 100644 package.json
create mode 100644 src/favicon.ico
create mode 100644 src/index.html
create mode 100644 src/main.ts
create mode 100644 src/styles.scss
create mode 100644 tsconfig.app.json
create mode 100644 tsconfig.json
create mode 100644 tsconfig.spec.json

C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>
```

- Realiza el merge o fusión de la rama develop a la rama main

```
C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>git checkout -b develop
Switched to a new branch 'develop'

C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>
```


- Crear un enlace o URL hacia el repositorio remoto GitHub recién creado.

```
C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>git remote add origin https://github.com/PaolaPatlan/prac83-web-integral.git
C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>
```

- Enviar los cambios a rama main del repositorio remoto

```
C:\Users\Administrador\Downloads\Proyecto Login Angular\classroom>git push -u origin master
info: please complete authentication in your browser...
Enumerating objects: 20, done.
Counting objects: 100% (20/20), done.
Delta compression using up to 2 threads
Compressing objects: 100% (20/20), done.
Writing objects: 100% (20/20), 214.83 KiB | 3.16 MiB/s, done.
Total 20 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/PaolaPatlan/prac03-web-integral.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

- Verificar qué se hayan dado



- Ingresar a la página StackBlitz
  - Registrar con cuenta personal de GitHub
  - Crear un nuevo proyecto Angular

