

Punto 1 y 2



Punto 3



```
D:\gitpracticaflow\controller>cd ..


D:\gitpracticaflow>git flow feature finish fun-login
Switched to branch 'develop'
Already up to date.
Deleted branch feature/fun-login (was 73411ed).

Summary of actions:
- The feature branch 'feature/fun-login' was merged into 'develop'
- Feature branch 'feature/fun-login' has been locally deleted
- You are now on branch 'develop'

D:\gitpracticaflow>
```

Punto 4

```
C:\WINDOWS\system32\cmd. × + v
D:\gitpracticaflow>git diff develop..main
D:\gitpracticaflow>
```



```
C:\WINDOWS\system32\cmd. × + ∨
  D:\gitpracticaflow>git add .
   D:\gitpracticaflow>git status
   On branch feature/fun-login
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
                        new file: controller/ControllerLogin.java
new file: model/ModelLoginDTO.java
new file: views/viewLogin.html
   D:\gitpracticaflow>
    Símbolo del sistema
  D:\gitpracticaflow>git reflog
   D:\gitpracticatlow>git reflog
c181156 (HEAD -> feature/fun-login) HEAD@{0}: commit: MVC
73411ed (main, develop) HEAD@{1}: checkout: moving from develop to feature/fun-login
73411ed (main, develop) HEAD@{2}: checkout: moving from feature/fun-login to develop
73411ed (main, develop) HEAD@{3}: checkout: moving from develop to feature/fun-login
73411ed (main, develop) HEAD@{4}: checkout: moving from main to develop
73411ed (main, develop) HEAD@{5}: commit (initial): Initial commit
          Símbolo del sistema - git diff 	imes + 	imes
D:\gitpracticaflow>git diff main..develop diff -git a/controller/ControllerLogin.java b/controller/ControllerLogin.java new file mode 106644 index 0000000..3d98d47 --- /dev/nutl +++ b/controller/ControllerLogin.java 00 -0.0 +1 00 to b/controllerLogin.java
 +public class controllerLogin.java {}
diff --git a/model/ModelLoginDTO.java b/model/ModelLoginDTO.java
new file mode 100644
index 00000000.33e3cdf
---/dev/null
+++ b/model/ModelLoginDTO.java
typublic class ModelLoginDTO {}

diff --git a/views/viewLogin.html b/views/viewLogin.html

new file mode 10064U

index 0000000.28497d4

...skipping..

diff --git a/controller/ControllerLogin.java b/controller/ControllerLogin.java

new file mode 100664U

index 00000000.3498d47

--- /dev/null

+++ b/controller/ControllerLogin.java

80 -0.0 +1 80
+public class controllerLogin.java {}
diff --git a/model/ModelLoginDTO.java b/model/ModelLoginDTO.java
new file mode 100644
index 0000000.83e3cdf
--- /dev/null
+++ b/model/ModelLoginDTO.java
@ -0,0 +1 @@
 Addiff —git A/viewS/viewLogin.html b/views/viewLogin.html new file mode 100644 index 0000000..28497d4 —— /dev/null
  ...skipping...
diff --git a/controller/ControllerLogin.java b/controller/ControllerLogin.java
```

Punto 6

```
D:\gitpracticaflow>git flow release start "1.1"
Switched to a new branch 'release/1.1'

Summary of actions:

- A new branch 'release/1.1' was created, based on 'develop'
- You are now on branch 'release/1.1'

Follow-up actions:

- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

git flow release finish '1.1'

D:\gitpracticaflow>
```

