




- Crear un repositorio en tu cuenta personal de GitHub
- Nombrarlo como **prac03-web integral**
- Agregar una breve descripción
- Definir accesibilidad pública



- Ubicar la carpeta de la aplicación login creada en la unidad 1
- Inicializa la carpeta en dado caso que no lo esté con **git** o **git Flow**



- Crear o modificar el archivo .gitignore de tal manera que no se suba la carpeta node-modules y todos los archivos *.exe

A screenshot of a code editor showing a .gitignore file. The file is titled ".gitignore U" with a close button. The content of the file is as follows:

```
.gitignore
1  # See http://help.github.com/ignore-files/ for
2
3  # Compiled output
4  /dist
5  /tmp
6  /out-tsc
7  /bazel-out
8
9  # Node
10 /node_modules
11 npm-debug.log
12 yarn-error.log
13
14 # IDEs and editors
15 .idea/
16 .project
17 .classpath
18 .c9/
19 *.launch
20 .settings/
21 *.sublime-workspace
22
23 # Visual Studio Code
24 .vscode/*
25 !.vscode/settings.json
26 !.vscode/tasks.json
27 !.vscode/launch.json
28 !.vscode/extensions.json
29 .history/*
30
31 # Miscellaneous
32 /.angular/cache
33 .sass-cache/
34 /connect.lock
35 /coverage
36 /libpeerconnection.log
37 testem.log
38 /typings
39
40 # System files
41 .DS_Store
42 Thumbs.db
43 *.exe
```

- Agregar todos los archivos de la aplicación al Stanging Area

```
C:\Users\lapto\Downloads\unidad 1\classroom>git add .
warning: in the working copy of '.editorconfig', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.vscode/extensions.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.vscode/launch.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.vscode/tasks.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'angular.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/app-routing.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/app.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/app.component.spec.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/app.component.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/app.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/material.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login-routing.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login.component.spec.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login.component.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/auth/login/login.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home-routing.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home.component.spec.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home.component.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/pages/home/home.module.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/shared/components/footer/footer.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/shared/components/footer/footer.component.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/shared/components/header/header.component.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/shared/components/header/header.component.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/main.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/styles.scss', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'tsconfig.app.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'tsconfig.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'tsconfig.spec.json', LF will be replaced by CRLF the next time Git touches it
```

- Compromete los cambios.

```
C:\Users\lapto\Downloads\unidad 1\classrom>git commit -m "Login v1"
[develop 701c538] Login v1
43 files changed, 13567 insertions(+)
create mode 100644 .editorconfig
create mode 100644 .gitignore
create mode 100644 .vscode/extensions.json
create mode 100644 .vscode/launch.json
create mode 100644 .vscode/tasks.json
create mode 100644 README.md
create mode 100644 angular.json
create mode 100644 package-lock.json
create mode 100644 package.json
create mode 100644 src/app/app-routing.module.ts
create mode 100644 src/app/app.component.html
create mode 100644 src/app/app.component.scss
create mode 100644 src/app/app.component.spec.ts
create mode 100644 src/app/app.component.ts
create mode 100644 src/app/app.module.ts
create mode 100644 src/app/material.module.ts
create mode 100644 src/app/pages/auth/login/login-routing.module.ts
create mode 100644 src/app/pages/auth/login/login.component.html
create mode 100644 src/app/pages/auth/login/login.component.scss
create mode 100644 src/app/pages/auth/login/login.component.spec.ts
create mode 100644 src/app/pages/auth/login/login.component.ts
create mode 100644 src/app/pages/auth/login/login.module.ts
create mode 100644 src/app/pages/home/home-routing.module.ts
create mode 100644 src/app/pages/home/home.component.html
create mode 100644 src/app/pages/home/home.component.scss
create mode 100644 src/app/pages/home/home.component.spec.ts
create mode 100644 src/app/pages/home/home.component.ts
create mode 100644 src/app/pages/home/home.module.ts
create mode 100644 src/app/shared/components/footer/footer.component.html
create mode 100644 src/app/shared/components/footer/footer.component.scss
create mode 100644 src/app/shared/components/footer/footer.component.ts
create mode 100644 src/app/shared/components/header/header.component.html
create mode 100644 src/app/shared/components/header/header.component.scss
create mode 100644 src/app/shared/components/header/header.component.ts
create mode 100644 src/app/shared/utils/base-form.ts
create mode 100644 src/assets/.gitkeep
```

- Realiza el merge o fusión de la rama develop a la rama main

```
C:\Users\lapto\Downloads\unidad 1\classrom>git checkout main
Already on 'main'

C:\Users\lapto\Downloads\unidad 1\classrom>git branch
  develop
* main

C:\Users\lapto\Downloads\unidad 1\classrom>git merge develop
Updating fd4859f..701c538
```

- Crear un enlace o URL hacia el repositorio remoto GitHub recién creado.

```
C:\Users\lapto\Downloads\unidad 1\classrom>git remote add origin https://github.com/JorgeRico08/Login-classroom.git
C:\Users\lapto\Downloads\unidad 1\classrom>
```

- Enviar los cambios a rama main del repositorio remoto

```
C:\Users\lapto\Downloads\unidad 1\classrom>git push -u origin main
Enumerating objects: 58, done.
Counting objects: 100% (58/58), done.
Delta compression using up to 8 threads
Compressing objects: 100% (52/52), done.
Writing objects: 100% (58/58), 119.11 KiB | 5.41 MiB/s, done.
Total 58 (delta 8), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (8/8), done.
To https://github.com/JorgeRico08/Login-classroom.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\lapto\Downloads\unidad 1\classrom>
```

- Verificar qué se hayan dado


```
C:\Users\lapto\Downloads\unidad 1\classrom>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean


C:\Users\lapto\Downloads\unidad 1\classrom>
```

- Ingresar a la página StackBlitz

- Registrar con cuenta personal de GitHub
- Crear un nuevo proyecto Angular



- Conectar con el repositorio de github



- Conectarlo con repositorio existente de la aplicación login

- Modificar el archivo main.ts



Link de la pagina web

<https://stackblitz.com/edit/stackblitz-starters-s17qex?file=src%2Fmain.ts>