


Automated ARA Client Creation

Basic Logic -



Objects:

- Standard Workflow
- Windows Job
- SQL Job

Update customer.config

customer_config_v2.jar

Modifies customer.config to add or remove Client entries.

Add Entry:

```
java -cp customer_config_v2.jar customer_config -clientUser &ae_user# -  
clientDepartment &ae_dept# -clientNumber &client# -clientPassword &ae_pass# -  
mainDatabaseSource "&main_source#" -mainDatabaseCatalog &main_catalog# -  
mainDatabaseUserid &main_user# -mainDatabasePassword &main_pass# -  
reportDatabaseSource "&rep_source#" -reportDatabaseCatalog &rep_catalog# -  
reportDatabaseUserid &rep_user# -reportDatabasePassword &rep_pass# -  
connectionName &conn# -configFile &config# -operation add
```

Delete Entry:

```
java -cp customer_config_v2.jar customer_config -clientNumber &client# -  
connectionName &conn# -configFile &config# -operation del
```

| Argument | Desc | Required? |
|-------------------------|--|---------------|
| -clientNumber | | Add Remove |
| -connectionName | Name of connection for your environment in customer.config <connection name=" Preview " system="AUTOMIC"> | Add Remove |
| -configFile | Full path to customer.config Ex. C:\automic\ara\WebUI\customer.config | Add Remove |
| -operation | Values: add or del | Add Remove |
| | | |
| -clientUser | Uppercase | Add |
| -clientDepartment | Uppercase | Add |
| -clientPassword | | Add |
| -mainDatabaseSource | Database server info in the format tcp:<server>,<port> Ex. tcp:localhost,1433 | Add |
| -mainDatabaseCatalog | Database Name | Add |
| -mainDatabaseUserid | | Add |
| -mainDatabasePassword | | Add |
| | | Add |
| -reportDatabaseSource | Database server info in the format tcp:<server>,<port> Ex. tcp:localhost,1433 | Add |
| -reportDatabaseCatalog | Database Name | Add |
| -reportDatabaseUserid | | Add |
| -reportDatabasePassword | | Add |

Example of configuration added to file:

```
<SYSTEM USER="535/ARASERVICE/AUTOMIC" PASSWORD="PASSWORD " CLIENT="535">
  <QUEUETRIGGER AGENT="AGENTNAME" LOGIN="UC4_RL.LOGIN.ALL" />
  <CONNECTIONSTRINGS>
    <ADD NAME="MAINDATABASE" CONNECTIONSTRING="DATA
SOURCE=TCP:LOCALHOST,1433;INITIAL CATALOG=535_RM;USER
ID=AUTOMIC;PASSWORD=AUTOMIC" />
    <ADD NAME="REPORTDATABASE" CONNECTIONSTRING="DATA
SOURCE=TCP:LOCALHOST,1433;INITIAL CATALOG=535_REP;USER
ID=AUTOMIC;PASSWORD=AUTOMIC" />
  </CONNECTIONSTRINGS>
</SYSTEM>
```

Sample Automation Engine Workflow –

