

# Riemannian Geometry

for Dummies

Colin Roberts

Colorado  
State  
University

# Section 1

## **Introduction**

Riemannian geometry is the study of a *smooth manifold*  $M$  along with a *metric tensor field*  $g$ .

The point of Riemannian geometry is to generalize the differentiable and metric structure of  $\mathbb{R}^n$ .

We generalize to spaces that have interesting topology and geometry.

This will require us to rethink some notions we found “easy” in  $\mathbb{R}^n$ .

But we will gain a very general framework for working with differentiable objects.

## Section 2

### **Motivation**



Why study this in the first place?

Example: Partial differential equations (PDEs) on spaces that are not flat.

Example: Partial differential equations (PDEs) on spaces that are not flat.

- Fluid flow on Earth;

Example: Partial differential equations (PDEs) on spaces that are not flat.

- Fluid flow on Earth;
- Electrical Impedence Tomography (EIT);

Example: Partial differential equations (PDEs) on spaces that are not flat.

- Fluid flow on Earth;
- Electrical Impedence Tomography (EIT);
- General relativity.

Example: Optimization in interesting spaces.

Example: Optimization in interesting spaces.

- Grassmannians;

Example: Optimization in interesting spaces.

- Grassmannians;
- Flags.



## Section 3

# Preliminaries

add more math text before/after pics so that people see some notation. More examples.

## Subsection 1

### **Smooth Manifolds**

## Our To-Do List:

- Start with a topological space  $M$ ;

## Our To-Do List:

- Start with a topological space  $M$ ;
- Look at open sets  $U$  that cover  $M$ ;

## Our To-Do List:


- Start with a topological space  $M$ ;
- Look at open sets  $U$  that cover  $M$ ;
- Construct local coordinates  $\varphi$ ;

## Our To-Do List:


- Start with a topological space  $M$ ;
- Look at open sets  $U$  that cover  $M$ ;
- Construct local coordinates  $\varphi$ ;
- Show coordinate transition functions are smooth.


Define the sphere as the set of points in  $\mathbb{R}^3$ ... then say we'll mostly use this as an example so keep it in mind






$M$








## Subsection 2

### **Vector Fields**




















## Subsection 3

### **Example**

Example of charts and maps for sphere as well as a vector field. Do spherical coordinates





## Section 4

# Riemannian Geometry

## Our To-Do List:

- Build an inner product on the tangent space  $T_pM$ ;



## Our To-Do List:

- Build an inner product on the tangent space  $T_pM$ ;
- Have the inner product vary smoothly as we vary the point  $p$ ;

## Our To-Do List:

- Build an inner product on the tangent space  $T_pM$ ;
- Have the inner product vary smoothly as we vary the point  $p$ ;
- Define this as our Riemannian metric tensor field  $g$ ;

## Our To-Do List:

- Build an inner product on the tangent space  $T_pM$ ;
- Have the inner product vary smoothly as we vary the point  $p$ ;
- Define this as our Riemannian metric tensor field  $g$ ;
- Extract geometrical and analytical qualities of the underlying manifold  $M$ .

## Subsection 1

### **Riemannian Metric**

$$g_{ij}(x) = \varphi^*(x) e_i \cdot \varphi^*(x) e_j = (\partial_i \varphi) \cdot (\partial_j \varphi) = \sum_{k=1}^m \frac{\partial \varphi_k}{\partial x_i} \frac{\partial \varphi_k}{\partial x_j}$$



## Section 5

# **Applications**

## Section 6

# Conclusions