Link Github : https://github.com/Autrons13/ReactJS-Course/tree/main

Tampilan Home:







Tampilan setelah tambah data :



Tampilan Books :



Fire Punch

Tatsuki Fujimoto (2016)

Detail

RuriDragon

Masaoki Shindo (2022)

Detail

© 2026 MangaStore | Powered by MangaStore

Tampilan Contact :



Tampilan team:



Source code apps.jsx:

t3-vitereact > src > App.jsx > App > handleAdd

```jsx
import { BrowserRouter, Routes, Route } from "react-router";
import Home from "./page/Home";
import booksData from "./utils/books";
import Header from "./components/Header";
import Footer from "./components/Footer";
import BookPage from "./page/BookPage";
import Contact from "./page/Contact";
import Team from "./page/Team";

import { useState } from "react";
function App() {
  const [books, setBooks] = useState(booksData);

  const handleAdd = () => {
    const newBook = {
      id: Date.now(),
      title: "Manga Baru " + (books.length + 1),
      author: "Unknown",
      year: 2026,
      description: "Deskripsi buku baru.",
      image: books[0].image,
    };
    setBooks([newBook, ...books]);
  };
  return (
    <>
      <BrowserRouter>
        <Header />
        <main>
          <Routes>
            <Route path="/" element={<Home books={books} onAdd={handleAdd} />} />
            <Route path="/Books" element={<BookPage books={books} />} />
```

Ln 14, Col 28 Spaces: 2 UTF-8 LF JavaScript JSX Sign In Go Live

```
t3-vitereact > src > App.jsx > App > handleAdd
function App() {
    <>
      <BrowserRouter>
        <Header />
        <main>
          <Routes>
            <Route path="/" element={<Home books={books} onAdd={handleAdd} />} />
            <Route path="/Books" element={<BookPage books={books} />} />
            <Route path="Contact" element={<Contact />} />
            <Route path="Team" element={<Team />} />
          </Routes>
        </main>
        <Footer />
      </BrowserRouter>
    </>
  );
}

export default App;
```

Ln 14, Col 28 Spaces: 2 UTF-8 LF JavaScript JSX Sign In Go Liv

Source code home :

```
t3-vitereact > src > page > Home.jsx > ...
import Footer from "../components/Footer";
import Header from "../components/Header";
import Hero from "../components/Hero";
import ProductList from "../components/ProductList";

export default function Home({ books, onAdd }) {
  return (
    <>
      <Hero />

      <ProductList books={books} onAdd={onAdd} />
    </>
  );
}
```

Source code contact :

```
Footer.jsx   index.css   App.jsx   Bio.jsx
t3-vitereact > src > page > Contact.jsx > Contact
import Footer from "../components/Footer";
import Form from "../components/Form";
import Header from "../components/Header";

export default function Contact() {
  return (
    <>
      <Form />
    </>
  );
}

```

Source code team :

```
index.css   App.jsx   Bio.jsx   Home.jsx   BookPage.jsx
t3-vitereact > src > page > Team.jsx > default
import Bio from "../components/Bio";
import Footer from "../components/Footer";
import Header from "../components/Header";

export default function () {
  return (
    <>
      <Bio />
    </>
  );
}

```

Source code Bookpage:

```
index.css   App.jsx   Bio.jsx   Home.jsx   BookPage.jsx ×   Co
t3-vitereact > src > page > BookPage.jsx > BookPage
import Footer from "../components/Footer";
import Header from "../components/Header";
import ProductList from "../components/ProductList";

export default function BookPage({ books }) {
  return (
    <div className="py-5">
      <h1 className="text-center fw-bold">Halaman Daftar Buku</h1>
      <ProductList books={books} />
    </div>
  );
}

```

Source code books.js

```
3-vitereact > src > utils > JS books.js > books > image
import Cover from "../assets/Roshidere_light_novel_volume_1_cover.jpg";
import Cover2 from "../assets/Overlord.jpg";
import Cover3 from "../assets/gachiakuta.jpg";
import Cover4 from "../assets/Mushoku Tensei.jpg";
import Cover5 from "../assets/Monster.jpg";
import Cover6 from "../assets/Billy Bat.jpg";
import Cover7 from "../assets/Sayonari Eri.jpeg";
import Cover8 from "../assets/Chainsaw Man.jpg";
import Cover9 from "../assets/Fire Punch.jpg";
import Cover10 from "../assets/RuriDragon.jpg";

const books = [
  { id: 1, title: "Mushoku Tensei", author: "Rifujin na Magonote", year: "2012", image: Cover4 },
  { id: 2, title: "Overlord", author: "Kugane Maruyama", year: "2012", image: Cover2 },
  { id: 3, title: "Gachiakuta", author: "Kei Urana", year: "2022", image: Cover3 },
  { id: 4, title: "Alya-san", author: "SunSunSun", year: "2021", image: Cover },
  { id: 5, title: "Monster", author: "Naoki Urasawa", year: "1994", image: Cover5 },
  { id: 6, title: "Billy Bat", author: "Naoki Urasawa", year: "2008", image: Cover6 },
  { id: 7, title: "Sayonara Eri", author: "Tatsuki Fujimoto", year: "2022", image: Cover7 },
  { id: 8, title: "Chainsaw Man", author: "Tatsuki Fujimoto", year: "2018", image: Cover8 },
  { id: 9, title: "Fire Punch", author: "Tatsuki Fujimoto", year: "2016", image: Cover9 },
  { id: 10, title: "RuriDragon", author: "Masaoki Shindo", year: "2022", image: Cover10 },
];

export default books;
```

Source code bio :

t3-vitereact > src > components > Bio.jsx > default

```jsx
export default function () {
  return (
    <>
      <div>
        <h1 className="mb-4 fw-bold">Tim Kami</h1>
        <div className="d-flex gap-4 flex-wrap">
          <div className="col-md-4">
            <div className="card text-center p-3 " style={{ width: "200px" }}>
              <div className="card-body">
                <h2>Tono</h2>
              </div>
            </div>
          </div>
        </div>

        <div className="col-md-4">
          <div className="card text-center p-3" style={{ width: "200px" }} v>
            <div className="card-body">
              <h2>Mukushi</h2>
            </div>
          </div>
        </div>

        <div className="col-md-4">
          <div className="card text-center p-3" style={{ width: "200px" }}>
            <div className="card-body">
              <h2>Hendra</h2>
            </div>
          </div>
        </div>

        <div class="col-md-4">
```

```jsx
        <div class="col-md-4">
          <div class="card text-center p-3" style={{ width: "200px" }}>
            <div class="card-body">
              <h2>Jeremy</h2>
            </div>
          </div>
        </div>
      </div>
    </>
  );
}
```

Source code footer:

```
t3-vitereact > src > components > Footer.jsx > ...
1   export default function Footer() {
2     return (
3       <>
4         <footer className="bg-dark text-white text-center py-5 mt-5">
5           <div className="container text-center py-3">© 2026 MangaStore | Powered by MangaStore</
6         </footer>
7       </>
8     );
9   }
10
```

Source code form:

```
3-vitereact > src > components > Form.jsx > Form
1   export default function Form() {
2     return (
3       <>
4         <div>
5           <div className=" mt-5">
6             <h1 className="text-center mb-4 fw-bold">Contact</h1>
7           </div>
8           <div className="card p-4 shadow">
9             <form>
10              <input className="form-control mb-3" placeholder="Nama" />
11              <input className="form-control mb-3" placeholder="Email" />
12              <textarea className="form-control mb-3" placeholder="Pesan"></textarea>
13
14              <button className="btn btn-primary w-100">Kirim</button>
15            </form>
16          </div>
17        </div>
18      </>
19    );
20  }
21
```

Source code header:

```jsx
import { Link } from "react-router";
export default function Header() {
  return (
    <>
      <nav className="navBar">
        <div className="container">
          <header className="d-flex flex-wrap align-items-center justify-content-center justify-conte
            {" "}
            <div className="col-md-3 mb-2 mb-md-0">
              {" "}
              <a href="/" className="d-inline-flex align-items-center link-body-emphasis text-decorati
                {" "}
                <i className="fa-solid fa-book fa-2xl" style={{ color: "rgb(116, 192, 252)" }}></i>
                <span className="ms-2 fs-3">MangaStore</span>
              </a>{" "}
            </div>{" "}
            <ul className="nav col-12 col-md-auto mb-3 justify-content-center mb-md-0 me-auto">
              {" "}
              <li>
                <Link to="/" className="nav-link px-2 link-secondary">
                  Home
                </Link>
              </li>{" "}
              <li>
                <Link to="/Books" className="nav-link px-2 link-secondary">
                  Books
                </Link>
              </li>{" "}
              <li>
                <Link to="/Contact" className="nav-link px-2 link-secondary">
                  Contact
                </Link>
```

```
26                Books
27              </Link>
28            </li>{" "}
29            <li>
30              <Link to="/Contact" className="nav-link px-2 link-secondary">
31                Contact
32              </Link>
33            </li>{" "}
34            <li>
35              <Link to="/Team" className="nav-link px-2 link-secondary">
36                Tim
37              </Link>
38            </li>{" "}
39          </ul>{" "}
40          <div className="col-md-5 text-end d-flex align-items-center justify-content-
41            {/* Search Input */}
42            <form className="me-3" role="search">
43              <input type="search" className="form-control form-control-dark" placehol
44            </form>
45            <div className="file-shrink-0 d-flex align-items-center">
46              {" "}
47              <button type="button" className="btn btn-outline-primary me-2">
48                Login
49              </button>{" "}
50              <button type="button" className="btn btn-primary text-nowrap">
51                Sign-up
52              </button>{" "}
53            </div>{" "}
54          </div>
55        </header>{" "}
56
```

```
56            </div>
57          </nav>
58          {/*navbar*/}
59        </>
60      );
61    }
62
```

Source code hero :

```
t3-vitereact > src > components > Hero.jsx > ...
import Cover from "../assets/Roshidere_light_novel_volume_1_cover.jpg";

export default function Hero() {
  return (
    <>
      <div className="container my-5">
        {" "}
        <div className="row p-4 pb-0 pe-lg-0 pt-lg-5 align-items-center rounded-3 border shadow-lg">
          {" "}
          <div className="col-lg-7 p-3 p-lg-5 pt-lg-3">
            {" "}
            <h1 className="display-4 fw-bold lh-1 text-body-emphasis mb-3">Alya Sometimes Hides Her F
            <p className="lead mb-3">
              Cerita ini mengikuti seorang gadis muda Rusia-Jepang yang cantik dan berbakat bernama A
              cerdas namun malas bernama Masachika Kuze.
            </p>{" "}
            <div className="d-grid gap-2 d-md-flex justify-content-md-start mb-4 mb-lg-3">
              {" "}
              <button type="button" className="btn btn-primary btn-lg px-4 me-md-2 fw-bold">
                Beli
              </button>{" "}
              <button type="button" className="btn btn-outline-secondary btn-lg px-4">
                Sampel
              </button>{" "}
            </div>{" "}
          </div>{" "}
          <div className="col-lg-4 offset-lg-1 p-0 overflow-hidden shadow-lg">
            {" "}
            <img className="rounded-lg-3" src={Cover} alt="" width="265" height="376" />{" "}
          </div>{" "}
        </div>{" "}
      </div>
```

```
          </div>{" "}
        </div>{" "}
      </div>
    </>
  );
}
```

Source Code product list :

```
                ))
              ) : (
                <p className="text-center mt-4">Data tidak tersedia</p>
              )}
            </div>
          </div>
        </>
      );
    }
```

```
import styles from "../styles/books.module.css";
export default function ProductList({ books = [], onAdd }) {
  return (
    <>
      <div className="container">
        <div className="d-flex justify-content-between align-items-center mt-5">
          <h2 className="fw-bold">Koleksi Manga </h2>
          {/* Tombol untuk Nilai Tambah menggunakan Hooks */}
          {onAdd && (
            <button className="btn btn-success" onClick={onAdd}>
              + Tambah Data
            </button>
          )}
        </div>

        <div className={styles.bookGrid}>
          {Array.isArray(books) && books.length > 0 ? (
            books.map((book) => (
              <div className={styles.bookCard} key={book.id}>
                <img src={book.image} className={styles.bookImage} alt={book.title} />

                <div className={styles.cardBody}>
                  <h5 className="fw-bold">{book.title || "Judul hilang"}</h5>

                  <p className="text-muted small">
                    {book.author} ({book.year})
                  </p>

                  <button className="btn btn-primary btn-sm w-100">Detail</button>
                </div>
              </div>
            ))
```

Source code books.module.css:

3-vitereact > src > styles > books.module.css > ...

```css
.bookGrid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(250px, 1fr));
  gap: 25px;
  padding: 20px 0;
}

.bookCard {
  border: 1px solid #ddd;
  border-radius: 10px;
  overflow: hidden;
  transition: 0.3s;
  background: white;
}

.bookCard:hover {
  transform: translateY(-5px);
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.2);
}

.bookImage {
  width: 100%;
  height: 350px;
  object-fit: cover;
}

.cardBody {
  padding: 15px;
  display: flex;
  flex-direction: column;
  gap: 10px;
}
```

```css
}

.cardBody button {
  margin-top: auto;
}
```

Source code index.csss

```
/* http://meyerweb.com/eric/tools/css/reset/
   v2.0 | 20110126
   License: none (public domain)
*/

html,
body,
#root {
  height: 100%;
  margin: 0;
}

#root {
  display: flex;
  flex-direction: column;
}

main {
  flex: 1;
}

.navbar {
  border-bottom: 1px;
}

.navbar-brand {
  font-size: 22px;
  font-weight: bold;
}
```

```
ts-vitereact > src > index.css > h1

.navbar-nav .nav-link {
  margin-left: 15px;
  transition: 0.3s;
}

.navbar-nav .nav-link:hover {
  color: #0d6efd !important;
}

footer {
  background-color: #1e1e1e;
  color: #fff;
  text-align: center;
}

footer p {
  margin: 0;
  font-size: 14px;
}

h1 {
  display: block;
  font-size: 2em;
  text-align: center;
  font-weight: bold;
}
div,
span,
applet,
object,
iframe,
```