



HOME TOP CONTESTS GYM PROBLEMSET GROUPS RATING API HELP KOTLIN HEROES Z DASHA Z CALENDAR

PROBLEMS SUBMIT CODE MY SUBMISSIONS STATUS HACKS ROOM STANDINGS CUSTOM INVOCATION

E2. Rotate Columns (hard version)

time limit per test: 3 seconds memory limit per test: 256 megabytes input: standard input output: standard output

This is a harder version of the problem. The difference is only in constraints.

You are given a rectangular $n \times m$ matrix a. In one move you can choose any column and cyclically shift elements in this column. You can perform this operation as many times as you want (possibly zero). You can perform this operation to a column multiple times.

After you are done with cyclical shifts, you compute for every row the maximal value in it. Suppose that for i-th row it is equal r_i . What is the maximal possible value of $r_1+r_2+\ldots+r_n$?

Input

The first line contains an integer t ($1 \leq t \leq 40$), the number of test cases in the input.

The first line of each test case contains integers n and m ($1 \le n \le 12$, $1 \le m \le 2000$) — the number of rows and the number of columns in the given matrix a.

Each of the following n lines contains m integers, the elements of a ($1 \le a_{i,j} \le 10^5$).

Output

Print t integers: answers for all test cases in the order they are given in the input.

Example

| input | Сору |
|--------------|------|
| 3 | |
| 2 3 | |
| 2 5 7 | |
| 4 2 4 | |
| 3 6 | |
| 4 1 5 2 10 4 | |
| 8 6 6 4 9 10 | |
| 5 4 9 5 8 7 | |
| 3 3 | |
| 9 9 9 | |
| 1 1 1 | |
| 1 1 1 | |
| output | Сору |
| 12 | |
| 29 | |
| 27 | |

Note

In the first test case you can shift the third column down by one, this way there will be $r_1=5$ and $r_2=7$.

In the second case you can don't rotate anything at all, this way there will be $r_1=r_2=10$ and $r_3=9$.

Codeforces Round #584 - Dasha Code Championship - Elimination Round (rated, open for everyone, Div. 1 + Div. 2)

Finished

Practice



→ Virtual participation

Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ICPC mode for virtual contests. If you've seen these problems, a virtual contest is not for you - solve these problems in the archive. If you just want to solve some problem from a contest, a virtual contest is not for you - solve this problem in the archive. Never use someone else's code, read the tutorials or communicate with other person during a virtual contest.

Start virtual contest

→ Practice

You are registered for practice. You can solve problems unofficially. Results can be found in the contest status and in the bottom of standings.

→ Clone Contest to Mashup

You can clone this contest to a mashup.

Clone Contest

→ Submit?

Language: GNU G++11 5.1.0

Choose file:

选择文件 未选择任何文件

Be careful: there is 50 points penalty for submission which fails the pretests or resubmission (except failure on the first test, denial of judgement or similar verdicts). "Passed pretests" submission verdict doesn't guarantee that the solution is absolutely correct and it will pass system tests.

Submit

→ Problem tags

bitmasks brute force dp greedy sortings *2400

No tag edit access

→ Contest materials

Announcement (en)
 Tutorial (en)

×

Codeforces (c) Copyright 2010-2019 Mike Mirzayanov The only programming contests Web 2.0 platform Server time: Sep/16/2019 08:27:29^{UTC+8} (f1).

Desktop version, switch to mobile version.

Privacy Policy

Supported by



