

Cucumber Report

Sep 12, 2023, 10:52:52 PM

Start : Sep 12, 10:52:03.781 PM

End : Sep 12, 10:52:50.468 PM

Duration : 46.687 s

Features






PASSED - 1
FAILED - 9
SKIPPED - 0

Scenarios

PASSED - 1
FAILED - 86
SKIPPED - 0

Steps

PASSED - 11
FAILED - 86
SKIPPED - 192



Feature		Duration	Scenario				Step			
			T	P	F	S	T	P	F	S
Name										
<u>Home Page Verification</u>		6.462 s	8	0	8	0	25	8	8	9
<u>Login Page Verification</u>		10.066 s	16	0	16	0	49	0	16	33
<u>Login Page Valid and Invalid Credential Validations</u>		5.469 s	9	0	9	0	30	0	9	21
<u>Forgot Username and Password Validations</u>		4.624 s	8	0	8	0	25	0	8	17
<u>Send Link Validations in Forgot Username and Password Page</u>		1.317 s	2	0	2	0	8	0	2	6
<u>Reset Password Validations</u>		4.612 s	8	0	8	0	24	0	8	16
<u>Reset Password Details Validations</u>		3.517 s	6	0	6	0	21	0	6	15
<u>Dashboard Page</u>		10.092 s	16	0	16	0	65	0	16	49
<u>Logout Funtion</u>		0.002 s	1	1	0	0	3	3	0	0
<u>User Validates the register page in DS Algo</u>		0.258 s	13	0	13	0	39	0	13	26

#	Feature Name	Scenario Name
1	<u>Home Page Verification</u>	<u>Verify admin is able to land on home page</u>
2		<u>Verify admin is able to land on home page with invalid URL</u>
3		<u>Admin verifies for broken link on the LMS portal</u>
4		<u>Admin verifies correct spellings in all fields on the LMS portal</u>
5		<u>Admin verifies the presence of the LMS logo</u>
6		<u>Admin verifies that the LMS logo is properly aligned</u>
7		<u>Admin verifies the presence of the Login button</u>
8		<u>Admin verifies that the Login button is clickable on LMS Portal</u>
9	<u>Login Page Verification</u>	<u>Verify Admin is able to land on the Login page</u>
10		<u>Admin verifies for broken link on the login page</u>
11		<u>Admin Verify the header of the login page</u>
12		<u>Admin verifies correct spellings in all fields on the Login page</u>
13		<u>Admin Verify the text fields are present on the login page</u>

#	Feature Name	Scenario Name
14	<u>Login Page Verification</u>	<u>Admin Verify the text on the first text field on the login page</u>
15		<u>Admin Verify asterik next to the user text on the login page</u>
16		<u>Admin Verify the text on the second text field in the login page</u>
17		<u>Admin Verify asterik next to the password text on the login page</u>
18		<u>Admin Verify the alignment of the input fields on the login page</u>
19		<u>Admin verifies the presence of the Login button on the login page</u>
20		<u>Admin Verify the alignment of the Login button on the login page</u>
21		<u>Admin verifies the presence of the Forgot Username or Password on the login page</u>
22		<u>Admin verifies the presence of the Reset Password on the login page</u>
23		<u>Admin Verify the input text color in User field</u>
24		<u>Admin Verify the input text color in Password field</u>
25	<u>Login Page Valid and Invalid Credential Validations</u>	<u>Validate login with valid credentials</u>

#	Feature Name	Scenario Name
26	<u>Login Page Valid and Invalid Credential Validations</u>	<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
27		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
28		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
29		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
30		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
31		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
32		<u>Verify login button action through keyboard</u>
33		<u>Verify login button action through mouse action</u>
34	<u>Forgot Username and Password Validations</u>	<u>Admin Verify Forgot Username or Password link</u>

#	Feature Name	Scenario Name
35	<u>Forgot Username and Password Validations</u>	<u>Admin verify broken link for Forgot Username or Password link</u>
36		<u>Admin Verify the Email text color</u>
37		<u>Admin Verify Email text in text field</u>
38		<u>Admin Verify Send Link button is present</u>
39		<u>Admin Verify asterik near to the Email text</u>
40		<u>Admin Verify the text spelling</u>
41		<u>Admin Verify the alignment of the Send Link button</u>
42	<u>Send Link Validations in Forgot Username and Password Page</u>	<u>Validate Email sent for Forgot Username or Password with valid email id</u>
43		<u>Validate Email sent for Forgot Username or Password with invalid email id</u>
44	<u>Reset Password Validations</u>	<u>Verify Reset Password link</u>
45		<u>Verify text in the Reset Password page</u>
46		<u>Verify the presence of Submit button in Reset Password page</u>
47		<u>Verify the alignment of the Submit button in Reset Password page</u>

#	Feature Name	Scenario Name
48	<u>Reset Password Validations</u>	<u>Verify text box is present in the Reset Password page</u>
49		<u>Verify First label text on the Reset Password page</u>
50		<u>Verify Second label text on the Reset Password page</u>
51		<u>Verify both the text box is in disabled state on the Reset Password page</u>
52	<u>Reset Password Details Validations</u>	<u>Verify text box is enabled in Type in new Password field</u>
53		<u>Verify text box is enabled in Retype Password field</u>
54		<u>Validate Reset Password with valid details</u>
55		<u>Validate Reset Password with invalid details</u>
56		<u>Validate Reset Password with empty fields</u>
57		<u>Validate Reset Password with mismatch values</u>
58	<u>Dashboard Page</u>	<u>Verify Admin lands on Manage Program as Dashboard page after login</u>
59		<u>Verify the response time for Dashboard page</u>
60		<u>Verify broken link on the Dashboard page</u>

#	Feature Name	Scenario Name
61	<u>Dashboard Page</u>	<u>Verify LMS title on Dashboard page</u>
62		<u>Verify LMS title alignment on Dashboard page</u>
63		<u>Validate navigation bar text on Dashboard page</u>
64		<u>Validate LMS title has correct spelling and space</u>
65		<u>Validate alignment for navigation bar on Dashboard page</u>
66		<u>Validate navigation bar order 1st Student</u>
67		<u>Validate navigation bar order 2nd Program</u>
68		<u>Validate navigation bar order 3rd Batch</u>
69		<u>Validate navigation bar order 4th Class</u>
70		<u>Validate navigation bar order 5th User</u>
71		<u>Validate navigation bar order 6th Assignment</u>
72		<u>Validate navigation bar order 7th Attendance</u>
73		<u>Validate navigation bar order 8th Logout</u>

#	Feature Name	Scenario Name
74	<u>User Validates the register page in DS Algo</u>	<u>User launch home page of an dsalgo project</u>
75		<u>The user is presented with error message for empty fields below Username textbox</u>
76		<u>The user is presented with error message for empty fields below Password textbox</u>
77		<u>The user is presented with error message for empty fields below Password Confirmation textbox</u>
78		<u>The user is presented with error message for invalid username</u>
79		<u>The user is presented with error message for username already exists</u>
80		<u>The user is presented with error message for password mismatch</u>
81		<u>The user is presented with error message for password with characters less than 8</u>
82		<u>The user is presented with error message for password with only numbers</u>

#	Feature Name	Scenario Name
83	<u>User Validates the register page in DS Algo</u>	<i>The user is presented with error message for password too similar to your other personal information</i>
84		<i>The user is presented with error message for commonly used password</i>
85		<i>The user is successfully able to register</i>
86		<i>The user is able to signout from the registered page</i>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@HomePage		8	0	8	0	1	0	1	0
@TC_HomePage_01		1	0	1	0	1	0	1	0
@TC_HomePage_02		1	0	1	0	1	0	1	0
@TC_HomePage_03		1	0	1	0	1	0	1	0
@TC_HomePage_04		1	0	1	0	1	0	1	0
@TC_HomePage_05		1	0	1	0	1	0	1	0
@TC_HomePage_06		1	0	1	0	1	0	1	0
@TC_HomePage_07		1	0	1	0	1	0	1	0
@TC_HomePage_08		1	0	1	0	1	0	1	0
@LoginPage		16	0	16	0	1	0	1	0
@TC_LoginPage_01		1	0	1	0	1	0	1	0
@TC_LoginPage_02		1	0	1	0	1	0	1	0
@TC_LoginPage_03		1	0	1	0	1	0	1	0
@TC_LoginPage_04		1	0	1	0	1	0	1	0
@TC_LoginPage_05		1	0	1	0	1	0	1	0
@TC_LoginPage_06		1	0	1	0	1	0	1	0
@TC_LoginPage_07		1	0	1	0	1	0	1	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TC_LoginPage_08		1	0	1	0	1	0	1	0
@TC_LoginPage_09		1	0	1	0	1	0	1	0
@TC_LoginPage_10		1	0	1	0	1	0	1	0
@TC_LoginPage_11		1	0	1	0	1	0	1	0
@TC_LoginPage_12		1	0	1	0	1	0	1	0
@TC_LoginPage_13		1	0	1	0	1	0	1	0
@TC_LoginPage_14		1	0	1	0	1	0	1	0
@TC_LoginPage_15		1	0	1	0	1	0	1	0
@TC_LoginPage_16		1	0	1	0	1	0	1	0
@LoginCredentials		9	0	9	0	1	0	1	0
@TC_LoginCredentials_01		1	0	1	0	1	0	1	0
@TC_LoginCredentials_02		6	0	6	0	1	0	1	0
@TC_LoginCredentials_03		1	0	1	0	1	0	1	0
@TC_LoginCredentials_04		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_01		1	0	1	0	1	0	1	0
@ForgotUsernamePassword		8	0	8	0	1	0	1	0
@TC_ForgotUsernamePassword_02		1	0	1	0	1	0	1	0

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@TC_ForgotUsernamePassword_03		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_04		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_05		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_06		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_07		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_08		1	0	1	0	1	0	1	0
@SendLink		2	0	2	0	1	0	1	0
@TC_SendLink_01		1	0	1	0	1	0	1	0
@TC_SendLink_02		1	0	1	0	1	0	1	0
@TC_ResetPassword_01		1	0	1	0	1	0	1	0
@ResetPassword		8	0	8	0	1	0	1	0
@TC_ResetPassword_02		1	0	1	0	1	0	1	0
@TC_ResetPassword_03		1	0	1	0	1	0	1	0
@TC_ResetPassword_04		1	0	1	0	1	0	1	0
@TC_ResetPassword_05		1	0	1	0	1	0	1	0
@TC_ResetPassword_06		1	0	1	0	1	0	1	0
@TC_ResetPassword_07		1	0	1	0	1	0	1	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TC_ResetPassword_08		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_01		1	0	1	0	1	0	1	0
@ResetPasswordDetails		6	0	6	0	1	0	1	0
@TC_ResetPasswordDetails_02		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_03		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_04		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_05		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_06		1	0	1	0	1	0	1	0
@TC_Dashboard_01		1	0	1	0	1	0	1	0
@Dashboard		16	0	16	0	1	0	1	0
@TC_Dashboard_02		1	0	1	0	1	0	1	0
@TC_Dashboard_03		1	0	1	0	1	0	1	0
@TC_Dashboard_04		1	0	1	0	1	0	1	0
@TC_Dashboard_05		1	0	1	0	1	0	1	0
@TC_Dashboard_06		1	0	1	0	1	0	1	0
@TC_Dashboard_07		1	0	1	0	1	0	1	0
@TC_Dashboard_08		1	0	1	0	1	0	1	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TC_Dashboard_09		1	0	1	0	1	0	1	0
@TC_Dashboard_10		1	0	1	0	1	0	1	0
@TC_Dashboard_11		1	0	1	0	1	0	1	0
@TC_Dashboard_12		1	0	1	0	1	0	1	0
@TC_Dashboard_13		1	0	1	0	1	0	1	0
@TC_Dashboard_14		1	0	1	0	1	0	1	0
@TC_Dashboard_15		1	0	1	0	1	0	1	0
@TC_Dashboard_16		1	0	1	0	1	0	1	0
@TC_Logout_01		1	1	0	0	1	1	0	0
@Logout		1	1	0	0	1	1	0	0
@TC_Register_01		1	0	1	0	1	0	1	0
@Register		13	0	13	0	1	0	1	0
@TC_Register_02		1	0	1	0	1	0	1	0
@TC_Register_03		1	0	1	0	1	0	1	0
@TC_Register_04		1	0	1	0	1	0	1	0
@TC_Register_05		1	0	1	0	1	0	1	0
@TC_Register_06		1	0	1	0	1	0	1	0


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@TC_Register_07	1	0	1	0	1	0	1	0
	@TC_Register_08	1	0	1	0	1	0	1	0
	@TC_Register_09	1	0	1	0	1	0	1	0
	@TC_Register_10	1	0	1	0	1	0	1	0
	@TC_Register_11	1	0	1	0	1	0	1	0
	@TC_Register_12	1	0	1	0	1	0	1	0
	@TC_Register_13	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Home Page Verification</u>	8	0	8	0	6.462 s
2	<u>Login Page Verification</u>	16	0	16	0	10.066 s
3	<u>Login Page Valid and Invalid Credential Validations</u>	9	0	9	0	5.469 s
4	<u>Forgot Username and Password Validations</u>	8	0	8	0	4.624 s
5	<u>Send Link Validations in Forgot Username and Password Page</u>	2	0	2	0	1.317 s
6	<u>Reset Password Validations</u>	8	0	8	0	4.612 s
7	<u>Reset Password Details Validations</u>	6	0	6	0	3.517 s
8	<u>Dashboard Page</u>	16	0	16	0	10.092 s
9	<u>Logout Function</u>	1	1	0	0	0.002 s
10	<u>User Validates the register page in DS Algo</u>	13	0	13	0	0.258 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Home Page Verification</u>	<u>Verify admin is able to land on home page</u>	3	1	1	1	1.613 s
2		<u>Verify admin is able to land on home page with invalid URL</u>	3	1	1	1	0.713 s
3		<u>Admin verifies for broken link on the LMS portal</u>	4	1	1	2	0.645 s
4		<u>Admin verifies correct spellings in all fields on the LMS portal</u>	3	1	1	1	0.609 s
5		<u>Admin verifies the presence of the LMS logo</u>	3	1	1	1	0.630 s
6		<u>Admin verifies that the LMS logo is properly aligned</u>	3	1	1	1	0.630 s
7		<u>Admin verifies the presence of the Login button</u>	3	1	1	1	0.554 s
8		<u>Admin verifies that the Login button is clickable on LMS Portal</u>	3	1	1	1	0.595 s
9		<u>Verify Admin is able to land on the Login page</u>	3	0	1	2	0.624 s
10		<u>Admin verifies for broken link on the login page</u>	4	0	1	3	0.581 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Login Page Verification</u>	<u>Admin Verify the header of the login page</u>	3	0	1	2	0.581 s
12		<u>Admin verifies correct spellings in all fields on the Login page</u>	3	0	1	2	0.648 s
13		<u>Admin Verify the text fields are present on the login page</u>	3	0	1	2	0.703 s
14		<u>Admin Verify the text on the first text field on the login page</u>	3	0	1	2	0.660 s
15		<u>Admin Verify asterik next to the user text on the login page</u>	3	0	1	2	0.604 s
16		<u>Admin Verify the text on the second text field in the login page</u>	3	0	1	2	0.603 s
17		<u>Admin Verify asterik next to the password text on the login page</u>	3	0	1	2	0.613 s
18		<u>Admin Verify the alignment of the input fields on the login page</u>	3	0	1	2	0.601 s
19		<u>Admin verifies the presence of the Login button on the login page</u>	3	0	1	2	0.588 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Login Page Verification</u>	<u>Admin Verify the alignment of the Login button on the login page</u>	3	0	1	2	0.609 s
21		<u>Admin verifies the presence of the Forgot Username or Password on the login page</u>	3	0	1	2	0.572 s
22		<u>Admin verifies the presence of the Reset Password on the login page</u>	3	0	1	2	0.572 s
23		<u>Admin Verify the input text color in User field</u>	3	0	1	2	0.565 s
24		<u>Admin Verify the input text color in Password field</u>	3	0	1	2	0.572 s
25	<u>Login Page Valid and Invalid Credential Validations</u>	<u>Validate login with valid credentials</u>	4	0	1	3	0.649 s
26		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.614 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27		<u>Validate login with invalid credentials from Excel</u> <u>"Sheetname" and "RowNumber"</u>	3	0	1	2	0.553 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Login Page Valid and Invalid Credential Validations</u>	<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.646 s
29		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.567 s
30		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.594 s
31		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.582 s
32		<u>Verify login button action through keyboard</u>	4	0	1	3	0.593 s
33		<u>Verify login button action through mouse action</u>	4	0	1	3	0.557 s
34	<u>Forgot Username and Password Validations</u>	<u>Admin Verify Forgot Username or Password link</u>	3	0	1	2	0.580 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
35		<i><u>Admin verify broken link for Forgot Username or Password link</u></i>	4	0	1	3	0.539 s
36		<i><u>Admin Verify the Email text color</u></i>	3	0	1	2	0.571 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
37	<u>Forgot Username and Password Validations</u>	<u>Admin Verify Email text in text field</u>	3	0	1	2	0.583 s
38		<u>Admin Verify Send Link button is present</u>	3	0	1	2	0.553 s
39		<u>Admin Verify asterik near to the Email text</u>	3	0	1	2	0.562 s
40		<u>Admin Verify the text spelling</u>	3	0	1	2	0.570 s
41		<u>Admin Verify the alignment of the Send Link button</u>	3	0	1	2	0.595 s
42	<u>Send Link Validations in Forgot Username and Password Page</u>	<u>Validate Email sent for Forgot Username or Password with valid email id</u>	4	0	1	3	0.632 s
43		<u>Validate Email sent for Forgot Username or Password with invalid email id</u>	4	0	1	3	0.665 s
44	<u>Reset Password Validations</u>	<u>Verify Reset Password link</u>	3	0	1	2	0.573 s
45		<u>Verify text in the Reset Password page</u>	3	0	1	2	0.528 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
46		<u>Verify the presence of Submit button in Reset Password page</u>	3	0	1	2	0.589 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
47	<u>Reset Password Validations</u>	<u>Verify the alignment of the Submit button in Reset Password page</u>	3	0	1	2	0.545 s
48		<u>Verify text box is present in the Reset Password page</u>	3	0	1	2	0.584 s
49		<u>Verify First label text on the Reset Password page</u>	3	0	1	2	0.553 s
50		<u>Verify Second label text on the Reset Password page</u>	3	0	1	2	0.597 s
51		<u>Verify both the text box is in disabled state on the Reset Password page</u>	3	0	1	2	0.585 s
52	<u>Reset Password Details Validations</u>	<u>Verify text box is enabled in Type in new Password field</u>	3	0	1	2	0.578 s
53		<u>Verify text box is enabled in Retype Password field</u>	3	0	1	2	0.544 s
54		<u>Validate Reset Password with valid details</u>	4	0	1	3	0.581 s
55		<u>Validate Reset Password with invalid details</u>	4	0	1	3	0.596 s
56		<u>Validate Reset Password with empty fields</u>	3	0	1	2	0.574 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
57	<u>Reset Password Details Validations</u>	<u>Validate Reset Password with mismatch values</u>	4	0	1	3	0.587 s
58	<u>Dashboard Page</u>	<u>Verify Admin lands on Manage Program as Dashboard page after login</u>	4	0	1	3	0.665 s
59		<u>Verify the response time for Dashboard page</u>	4	0	1	3	0.566 s
60		<u>Verify broken link on the Dashboard page</u>	5	0	1	4	0.603 s
61		<u>Verify LMS title on Dashboard page</u>	4	0	1	3	0.612 s
62		<u>Verify LMS title alignment on Dashboard page</u>	4	0	1	3	0.779 s
63		<u>Validate navigation bar text on Dashboard page</u>	4	0	1	3	0.684 s
64		<u>Validate LMS title has correct spelling and space</u>	4	0	1	3	0.585 s
65		<u>Validate alignment for navigation bar on Dashboard page</u>	4	0	1	3	0.567 s
66		<u>Validate navigation bar order 1st Student</u>	4	0	1	3	0.597 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
67	<u>Dashboard Page</u>	<u>Validate navigation bar order 2nd Program</u>	4	0	1	3	0.588 s
68		<u>Validate navigation bar order 3rd Batch</u>	4	0	1	3	0.602 s
69		<u>Validate navigation bar order 4th Class</u>	4	0	1	3	0.566 s
70		<u>Validate navigation bar order 5th User</u>	4	0	1	3	0.586 s
71		<u>Validate navigation bar order 6th Assignment</u>	4	0	1	3	0.645 s
72		<u>Validate navigation bar order 7th Attendance</u>	4	0	1	3	0.563 s
73		<u>Validate navigation bar order 8th Logout</u>	4	0	1	3	0.608 s
74	<u>Logout Function</u>	<u>Verify Logout button function</u>	3	3	0	0	0.001 s
75	<u>User Validates the register page in DS Algo</u>	<u>User launch home page of an dsalgo project</u>	3	0	1	2	0.008 s
76		<u>The user is presented with error message for empty fields below Username textbox</u>	3	0	1	2	0.003 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
77	User Validates the register page in DS Algo	The user is presented with error message for empty fields below Password textbox	3	0	1	2	0.012 s
78		The user is presented with error message for empty fields below Password Confirmation textbox	3	0	1	2	0.002 s
79		The user is presented with error message for invalid username	3	0	1	2	0.002 s
80		The user is presented with error message for username already exists	3	0	1	2	0.002 s
81		The user is presented with error message for password mismatch	3	0	1	2	0.008 s
82		The user is presented with error message for password with characters less than 8	3	0	1	2	0.002 s
83		The user is presented with error message for password with only numbers	3	0	1	2	0.002 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
84	<u>User Validates the register page in DS Algo</u>	<u>The user is presented with error message for password too similar to your other personal information</u>	3	0	1	2	0.002 s
85		<u>The user is presented with error message for commonly used password</u>	3	0	1	2	0.008 s
86		<u>The user is successfully able to register</u>	3	0	1	2	0.006 s
87		<u>The user is able to signout from the registered page</u>	3	0	1	2	0.004 s


Home Page Verification




Verify admin is able to land on home page




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.048 s
2	When Admin gives the correct LMS portal URL <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	1.025 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.HomePageSD.admin_gives_the_correct_lms_portal_url(HomePageSD.java:44) at ?.Admin gives the correct LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_1HomePage.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.514 s
3	Then Admin should land on the Home page	SKIPPED	0.000 s


Verify admin is able to land on home page with invalid URL




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.005 s
2	<p>When Admin gives the invalid LMS portal URL</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://invalidurl.com}] </pre>	FAILED	0.223 s

#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getInvalidUrl(MainPage.java:103) at stepDefinitionsMainPage.HomePageSD.admin_gives_the_invalid_lms_portal_url(HomePageSD.java:65) at ?.Admin gives the invalid LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.472 s
3	Then Admin should receive "404 page not found" error for the invalid URL	SKIPPED	0.001 s


Admin verifies for broken link on the LMS portal




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.002 s
2	When Admin gives the correct LMS portal URL org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.HomePageSD.admin_gives_the_correct_lms_portal_url(HomePageSD.java:44) at ?.Admin gives the correct LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.157 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.474 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
3	Then Admin should receive "Https response >= 400" error for the LMS link	SKIPPED	0.000 s
4	And The link is broken	SKIPPED	0.002 s


Admin verifies correct spellings in all fields on the LMS portal



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.001 s
2	<p>When Admin gives the correct LMS portal URL</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</pre>	FAILED	0.122 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.HomePageSD.admin_gives_the_correct_lms_portal_url(HomePageSD.java:44) at ?.Admin gives the correct LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_1HomePage.feature:25) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.477 s
3	Then Admin should see correct spellings in all fields on the LMS portal	SKIPPED	0.000 s


Admin verifies the presence of the LMS logo




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.003 s
2	When Admin gives the correct LMS portal URL org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build	FAILED	0.147 s

#	Step / Hook Details	Status	Duration
	<pre>info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.HomePageSD.admin_gives_the_correct_lms_portal_url(HomePageSD.java:44) at ?.Admin gives the correct LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:30) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.470 s
3	Then Admin should see correct Logo of the LMS	SKIPPED	0.000 s


Admin verifies that the LMS logo is properly aligned




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.002 s
2	<p>When Admin gives the correct LMS portal URL</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.HomePageSD.admin_gives_the_correct_lms_portal_url(HomePageSD.java:44) at ?.Admin gives the correct LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:35) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.141 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.480 s

#	Step / Hook Details	Status	Duration
	<p>My screenshot</p> 		
3	Then Admin should see that the Logo is properly aligned	SKIPPED	0.001 s


Admin verifies the presence of the Login button



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.002 s
2	<p>When Admin gives the correct LMS portal URL</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	0.048 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.HomePageSD.admin_gives_the_correct_lms_portal_url(HomePageSD.java:44) at ?.Admin gives the correct LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:40) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.479 s
3	Then Admin should see the "Login" button in LMS Portal	SKIPPED	0.000 s


Admin verifies that the Login button is clickable on LMS Portal




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.003 s
2	<p>When Admin gives the correct LMS portal URL</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: </pre>	FAILED	0.125 s

#	Step / Hook Details	Status	Duration
	<p>116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.HomePageSD.admin_gives_the_correct_lms_portal_url(HomePageSD.java:44) at ?.Admin gives the correct LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:45)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.460 s
3	Then Admin should be able to click the "Login" button on LMS Portal	SKIPPED	0.001 s


Login Page Verification




Verify Admin is able to land on the Login page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	0.142 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPageSD(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.477 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should land on the "Login" page from LMS Portal	SKIPPED	0.000 s


Admin verifies for broken link on the login page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,</pre>	FAILED	0.123 s

#	Step / Hook Details	Status	Duration
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.453 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should receive "Https response >= 400" error for the link	SKIPPED	0.001 s
4	And The link is broken	SKIPPED	0.000 s


Admin Verify the header of the login page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPage(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.131 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.447 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see "Please login to LMS application" in the header	SKIPPED	0.000 s


Admin verifies correct spellings in all fields on the Login page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.190 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.455 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.001 s
3	Then Admin should see correct spellings in all fields on the Login page	SKIPPED	0.000 s


Admin Verify the text fields are present on the login page



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:</pre>	FAILED	0.178 s

#	Step / Hook Details	Status	Duration
	<pre>localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.518 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see two text fields on the login page	SKIPPED	0.000 s


Admin Verify the text on the first text field on the login page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPage(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.200 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.451 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see "User" in the first text field on the login page	SKIPPED	0.000 s


Admin Verify asterik next to the user text on the login page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	0.131 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPageSD(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.469 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see "*" symbol next to User text in the first text field on the login page	SKIPPED	0.001 s


Admin Verify the text on the second text field in the login page



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:</pre>	FAILED	0.141 s

#	Step / Hook Details	Status	Duration
	<pre>localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.454 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.001 s
3	Then Admin should see "Password" in the second text field on the login page	SKIPPED	0.000 s


Admin Verify asterik next to the password text on the login page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPage(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.149 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.457 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see "*" symbol next to Password text in the second text field on the login page	SKIPPED	0.000 s


Admin Verify the alignment of the input fields on the login page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.145 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPageSD(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.449 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.001 s
3	Then Admin should see input fields on the centre of the login page	SKIPPED	0.000 s


Admin verifies the presence of the Login button on the login page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</pre>	FAILED	0.124 s

#	Step / Hook Details	Status	Duration
	<pre>ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.460 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.001 s
3	Then Admin should see Login button on the login page	SKIPPED	0.000 s


Admin Verify the alignment of the Login button on the login page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPage(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.161 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.443 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see Login button on the centre of the login page	SKIPPED	0.000 s


Admin verifies the presence of the Forgot Username or Password on the login page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.119 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPageSD(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.449 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see Forgot Username or Password link	SKIPPED	0.000 s


Admin verifies the presence of the Reset Password on the login page



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</pre>	FAILED	0.132 s

#	Step / Hook Details	Status	Duration
	<pre>ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.438 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see Reset Password link	SKIPPED	0.000 s


Admin Verify the input text color in User field




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPage(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.106 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.453 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see User text displayed in gray color	SKIPPED	0.000 s


Admin Verify the input text color in Password field




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Home" page of LMS portal</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.119 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginPageSD.admin_is_on_the_page_of_lms_portal(LoginPageSD.java:38) at ?.Admin is on the "Home" page of LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_2LoginPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.451 s
2	When Admin clicks the "Login" button on LMS portal	SKIPPED	0.000 s
3	Then Admin should see Password text displayed in gray color	SKIPPED	0.000 s

Login Page Valid and Invalid Credential Validations




Validate login with valid credentials



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.173 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.455 s
	My screenshot		

#	Step / Hook Details	Status	Duration				
2	When Admin enters valid "username" and "password" <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.011 s
username	password						
Team9testuser	BddCoders@9						
3	And Clicks on "Login" button	SKIPPED	0.000 s				
4	Then Admin should land on "Dashboard" page from login page	SKIPPED	0.001 s				


Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhfx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.130 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.479 s
2	When Admin enters sheet "LoginCredentials" and 0	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build	FAILED	0.072 s

#	Step / Hook Details	Status	Duration
	<pre>info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.479 s
2	When Admin enters sheet "LoginCredentials" and 1	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.203 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.440 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin enters sheet "LoginCredentials" and 2	SKIPPED	0.001 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.116 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.449 s
2	When Admin enters sheet "LoginCredentials" and 3	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</pre>	FAILED	0.129 s

#	Step / Hook Details	Status	Duration
	<pre>ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getMSPortal(MainPage.java:87) at stepDefinitions MainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.463 s
2	When Admin enters sheet "LoginCredentials" and 4	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.109 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.472 s
	My screenshot		


#	Step / Hook Details	Status	Duration
2	When Admin enters sheet "LoginCredentials" and 5	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s

Verify login button action through keyboard



#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.460 s				
2	When Admin enters valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Clicks on "Login" button through keyboard	SKIPPED	0.000 s				
4	Then Admin should land on "Dashboard" page from login page	SKIPPED	0.000 s				

Verify login button action through mouse action




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver</pre>	FAILED	0.104 s

#	Step / Hook Details	Status	Duration				
	<pre>info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:38) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.450 s				
2	When Admin enters valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Clicks on "Login" button through mouse action	SKIPPED	0.000 s				
4	Then Admin should land on "Dashboard" page from login page	SKIPPED	0.000 s				


Forgot Username and Password Validations




Admin Verify Forgot Username or Password link



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.112 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:36) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.465 s
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.001 s
3	Then Admin should land on "Forgot Username or Password" page from Login page	SKIPPED	0.000 s


Admin verify broken link for Forgot Username or Password link



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page for Forgot Username and Password <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:</pre>	FAILED	0.105 s

#	Step / Hook Details	Status	Duration
	<pre>localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:36) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.430 s
	My screenshot		
			
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should receive "Https response >= 400" error for the Forgot Username/Password link	SKIPPED	0.000 s
4	And The link is broken for Forgot Username/Password	SKIPPED	0.000 s


Admin Verify the Email text color




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:36) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.117 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.447 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see "Email" text in gray color	SKIPPED	0.000 s


Admin Verify Email text in text field



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.117 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:36) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.463 s
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see "Email" in text field	SKIPPED	0.000 s


Admin Verify Send Link button is present



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page for Forgot Username and Password <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:</pre>	FAILED	0.115 s

#	Step / Hook Details	Status	Duration
	<pre>localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:36) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.434 s
	My screenshot		
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see "Send Link" button	SKIPPED	0.000 s


Admin Verify asterik near to the Email text



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:36) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.111 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.448 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see * symbol next to the text Email	SKIPPED	0.000 s


Admin Verify the text spelling



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.108 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:36) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.459 s
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see correct spellings in all fields	SKIPPED	0.000 s


Admin Verify the alignment of the Send Link button




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page for Forgot Username and Password <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:</pre>	FAILED	0.114 s

#	Step / Hook Details	Status	Duration
	<pre>localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:36) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.476 s
	My screenshot		
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.001 s
3	Then Admin should see "Send Link" button in center of the page	SKIPPED	0.001 s

Send Link Validations in Forgot Username and Password Page




Validate Email sent for Forgot Username or Password with valid email id



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in "Forgot Username and Password" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	0.159 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPage(MainPage.java:92) at stepDefinitionsMainPage.SendLinkSD.admin_is_in_page(SendLinkSD.java:28) at ?.Admin is in "Forgot Username and Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_5SendLink.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.468 s
2	When Admin enters valid "<emailid>" emailid bddcoders@gmail.com	SKIPPED	0.002 s
3	And Admin clicks "Send Link" button on Forgot Username and Password page	SKIPPED	0.000 s
4	Then Admin should receive link in mail to Reset Username/Password	SKIPPED	0.000 s


Validate Email sent for Forgot Username or Password with invalid email id




#	Step / Hook Details	Status	Duration
1	Given Admin is in "Forgot Username and Password" page org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion:	FAILED	0.229 s

#	Step / Hook Details	Status	Duration
	<p>116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLoginPage(MainPage.java:92) at stepDefinitionsMainPage.SendLinkSD.admin_is_in_page(SendLinkSD.java:28)</p> <p>at ?.Admin is in "Forgot Username and Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_5SendLink.feature:5)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.434 s
2	When Admin enters invalid "<emailid>"	SKIPPED	0.000 s
	<p>emailid</p> <p>bddcoders@gggmail.com</p>		
3	And Admin clicks "Send Link" button on Forgot Username and Password page	SKIPPED	0.000 s
4	Then Admin should not receive link in mail to Reset Username/Password	SKIPPED	0.000 s

Reset Password Validations




Verify Reset Password link




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	0.117 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.452 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should land on "Reset Password" page from Login page	SKIPPED	0.000 s


Verify text in the Reset Password page



#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</pre>	FAILED	0.105 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.422 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see correct spellings for all fields in "Reset Password" page	SKIPPED	0.000 s


Verify the presence of Submit button in Reset Password page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.120 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.465 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.001 s
3	Then Admin should see "Submit" button in Reset Password page	SKIPPED	0.000 s


Verify the alignment of the Submit button in Reset Password page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.100 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.441 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see "Submit" button in the center of the Reset Password page	SKIPPED	0.000 s


Verify text box is present in the Reset Password page



#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</pre>	FAILED	0.107 s

#	Step / Hook Details	Status	Duration
	<pre>ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.473 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see two text box in the Reset Password page	SKIPPED	0.000 s


Verify First label text on the Reset Password page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.108 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.442 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see "Type in new Password" in the first label text on the Reset Password page	SKIPPED	0.000 s


Verify Second label text on the Reset Password page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.118 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.476 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.001 s
3	Then Admin should see "Retype Password" in the second label text on the Reset Password page	SKIPPED	0.000 s

Verify both the text box is in disabled state on the Reset Password page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</pre>	FAILED	0.105 s

#	Step / Hook Details	Status	Duration
	<pre>ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.477 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see both the text box in disabled state on the Reset Password page	SKIPPED	0.000 s


Reset Password Details Validations




Verify text box is enabled in Type in new Password field




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	0.139 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.435 s
2	When Admin clicks on "Type in new Password" field	SKIPPED	0.000 s
3	Then Admin should see Type in new Password text box is in enabled state	SKIPPED	0.001 s


Verify text box is enabled in Retype Password field




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Reset Password" page <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</pre>	FAILED	0.100 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.442 s
2	When Admin clicks on "ReType Password" field	SKIPPED	0.000 s
3	Then Admin should see ReType Password text box is in enabled state	SKIPPED	0.000 s


Validate Reset Password with valid details




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.119 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.454 s

#	Step / Hook Details	Status	Duration				
							
2	When Admin enters same valid password on "newpassword" and "retypassword" <table border="1"><tr><td>newpassword</td><td>retypassword</td></tr><tr><td>Validpwd@9</td><td>Validpwd@9</td></tr></table>	newpassword	retypassword	Validpwd@9	Validpwd@9	SKIPPED	0.000 s
newpassword	retypassword						
Validpwd@9	Validpwd@9						
3	And Admin clicks "Submit" button	SKIPPED	0.000 s				
4	Then Admin should receive "Your password has been reset. Please click here to login"	SKIPPED	0.000 s				


Validate Reset Password with invalid details



#	Step / Hook Details	Status	Duration
1	Given Admin is on "Reset Password" page org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.136 s


#	Step / Hook Details	Status	Duration				
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'. </pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.455 s				
2	When Admin enters invalid same password on "newpassword" and "retypepassword"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>newpassword</td> <td>retypepassword</td> </tr> <tr> <td>invalid%&</td> <td>invalid%&</td> </tr> </table>	newpassword	retypepassword	invalid%&	invalid%&		
newpassword	retypepassword						
invalid%&	invalid%&						
3	And Admin clicks "Submit" button	SKIPPED	0.000 s				
4	Then Admin should see error message "Please try again"	SKIPPED	0.000 s				

Validate Reset Password with empty fields



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.102 s
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.468 s
2	When Admin clicks on "Submit" button with empty fields	SKIPPED	0.000 s
3	Then Admin should see error message "Please try again"	SKIPPED	0.000 s


Validate Reset Password with mismatch values




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getLMSPortal(MainPage.java:87) at stepDefinitions MainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:27) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.131 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.454 s
	My screenshot		

#	Step / Hook Details	Status	Duration
2	When Admin enters mismatch values on "newpassword" and "retypassword" newpassword retypassword Validpwd@9 Validpwd	SKIPPED	0.000 s
3	And Admin clicks "Submit" button	SKIPPED	0.000 s
4	Then Admin should see error message "Please try again"	SKIPPED	0.000 s


Dashboard Page




Verify Admin lands on Manage Program as Dashboard page after login




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}]	FAILED	0.205 s

#	Step / Hook Details	Status	Duration				
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5)</p> <p>* Not displayable characters are replaced by '?'.</p>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.448 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.001 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Manage Program" as header for Dashboard page	SKIPPED	0.000 s				


Verify the response time for Dashboard page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.098 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.467 s
	My screenshot		

#	Step / Hook Details	Status	Duration				
							
2	When Admin enter valid "username" and "password" <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.000 s
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin see Maximum navigation time in milliseconds, defaults to 30 seconds for Dashboard page	SKIPPED	0.000 s				


Verify broken link on the Dashboard page



#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.129 s

#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.467 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.002 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should receive "Https response code greater than or equal to 400" error for the Dashboard page link	SKIPPED	0.000 s				
5	And The link is broken for Dashboard page	SKIPPED	0.001 s				


Verify LMS title on Dashboard page



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.104 s				
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.490 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.002 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
4	Then Admin should see "LMS - Learning Management System" as title on Dashboard page	SKIPPED	0.000 s


Verify LMS title alignment on Dashboard page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/)</pre>	FAILED	0.194 s

#	Step / Hook Details	Status	Duration				
	02_Dashboard_page/01_DashboardPage.feature:5 * Not displayable characters are replaced by '?'.						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.567 s				
2	When Admin enter valid "username" and "password" <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.000 s
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see LMS title on the top left corner of the Manage Program page for Dashboard page	SKIPPED	0.000 s				


Validate navigation bar text on Dashboard page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhfx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:}	FAILED	0.151 s

#	Step / Hook Details	Status	Duration				
	<pre>true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.521 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.002 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see correct spelling on navigation bar text for Dashboard page	SKIPPED	0.000 s				


Validate LMS title has correct spelling and space



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.126 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.455 s
	My screenshot		

#	Step / Hook Details	Status	Duration				
							
2	When Admin enter valid "username" and "password" <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.001 s
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see correct spelling and space in LMS title	SKIPPED	0.000 s				


Validate alignment for navigation bar on Dashboard page



#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhfx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</pre>	FAILED	0.103 s

#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.462 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see the navigation bar text on the top right side on Dashboard page	SKIPPED	0.000 s				


Validate navigation bar order 1st Student



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.116 s				
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.477 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
4	Then Admin should see "Student" in the 1st place	SKIPPED	0.000 s


Validate navigation bar order 2nd Program



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/)</pre>	FAILED	0.107 s

#	Step / Hook Details	Status	Duration				
	02_Dashboard_page/01_DashboardPage.feature:5 * Not displayable characters are replaced by '?'.						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.478 s				
2	When Admin enter valid "username" and "password" <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.000 s
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Program" in the 2nd place	SKIPPED	0.000 s				


Validate navigation bar order 3rd Batch




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhfx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}	FAILED	0.123 s

#	Step / Hook Details	Status	Duration				
	<pre>true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.465 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.007 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.001 s				
4	Then Admin should see "Batch" in the 3rd place	SKIPPED	0.000 s				


Validate navigation bar order 4th Class




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.113 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.451 s
	My screenshot		

#	Step / Hook Details	Status	Duration				
							
2	When Admin enter valid "username" and "password" <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.001 s
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Class" in the 4th place	SKIPPED	0.000 s				


Validate navigation bar order 5th User



#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.114 s

#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.470 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.001 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "User" in the 5th place	SKIPPED	0.000 s				


Validate navigation bar order 6th Assignment



#	Step / Hook Details	Status	Duration				
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.196 s				
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.447 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.001 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
4	Then Admin should see "Assignment" in the 6th place	SKIPPED	0.000 s


Validate navigation bar order 7th Attendance



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/)</pre>	FAILED	0.110 s

#	Step / Hook Details	Status	Duration				
	02_Dashboard_page/01_DashboardPage.feature:5 * Not displayable characters are replaced by '?'.						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.452 s				
2	When Admin enter valid "username" and "password" <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.000 s
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Attendance" in the 7th place	SKIPPED	0.000 s				

Validate navigation bar order 8th Logout




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23a8490872a0a321214c207e7c7658dd, get {url=https://lmsportal.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhfx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51524}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51524/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:}	FAILED	0.134 s

#	Step / Hook Details	Status	Duration				
	<pre>true} Session ID: 23a8490872a0a321214c207e7c7658dd at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.DashboardPage.getLMSPortal(DashboardPage.java:35) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:28) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.452 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Logout" in the 8th place	SKIPPED	0.000 s				

Logout Function




Verify Logout button function




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Dashboard" page for logout	PASSED	0.001 s
2	When Admin clicks "Logout" button on navigation bar	PASSED	0.000 s
3	Then Admin should land on "Login" page after clicking logout	PASSED	0.000 s

User Validates the register page in DS Algo




User launch home page of an dsalgo project




#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	FAILED	0.004 s
	Step undefined		
2	When The user clicks the "Get Started" button	SKIPPED	0.001 s
3	Then The user should be redirected to the home page	SKIPPED	0.000 s

The user is presented with error message for empty fields below Username textbox




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	FAILED	0.001 s
	Step undefined		
2	When The user clicks "Register" button with all fields empty	SKIPPED	0.000 s
3	Then It should display an error "Please fill out this field." below Username textbox	SKIPPED	0.000 s

The user is presented with error message for empty fields below Password textbox





#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.001 s
2	When The user clicks "Register" button after entering username with other fields empty username Numpy@sdet117_1	SKIPPED	0.000 s
3	Then It should display an error "Please fill out this field." below Password textbox	SKIPPED	0.000 s

The user is presented with error message for empty fields below Password Confirmation textbox





#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.001 s
2	When The user clicks "Register" button after entering "username" and "password" with Password Confirmation field empty username Numpy@sdet117_1	SKIPPED	0.000 s
3	Then It should display an error "Please fill out this field." below Password Confirmation textbox	SKIPPED	0.000 s

The user is presented with error message for invalid username

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 10:52:50.306 PM // 10:52:50.308 PM /				
User Validates the register page in DS Algo				
@TC_Register_05 @Register				

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.000 s
2	When The user enters a "username" with characters other than Letters, digits and "@/.+/-/_" username password password confirmation &**&**& testpassword testpassword	SKIPPED	0.000 s
3	Then It should display an error message "Please enter a valid username"	SKIPPED	0.000 s


The user is presented with error message for username already exists

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 10:52:50.318 PM // 10:52:50.320 PM /				
User Validates the register page in DS Algo				
@TC_Register_06 @Register				

#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.001 s
2	When The user enters a valid existing "username" with "password" and "password confirmation" username password password confirmation NumPy@sdet117_1 RT56YUabc RT56YUabc	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
3	Then It should display an error message "Username already exists"	SKIPPED	0.000 s

The user is presented with error message for password mismatch



#	Step / Hook Details	Status	Duration						
1	Given The user opens Register Page Step undefined	FAILED	0.001 s						
2	When The user clicks "Register" button after entering valid "username" and different passwords in "password" and "password confirmation" fields <table border="1" style="margin-left: auto; margin-right: auto;"><tr><td>username</td><td>password</td><td>password confirmation</td></tr><tr><td>Numpy@sdet117_1</td><td>testpassword</td><td>testpassword1</td></tr></table>	username	password	password confirmation	Numpy@sdet117_1	testpassword	testpassword1	SKIPPED	0.000 s
username	password	password confirmation							
Numpy@sdet117_1	testpassword	testpassword1							
3	Then It should display an error message "password_mismatch:The two password fields didn't match."	SKIPPED	0.003 s						


The user is presented with error message for password with characters less than 8



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
2	When he user enters a valid "username" and "password" with characters less than 8 username password password confirmation NumPy@sdet117_1 a1b2c3d a1b2c3d	SKIPPED	0.000 s
3	Then It should display an error message "Password should contain at least 8 characters"	SKIPPED	0.000 s

The user is presented with error message for password with only numbers




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.000 s
2	When The user enters a valid "username" and "password" with only numbers username password password confirmation NumPy@sdet117_1 12345678 12345678	SKIPPED	0.001 s
3	Then It should display an error message "Password can't be entirely numeric."	SKIPPED	0.000 s

The user is presented with error message for password too similar to your other personal information




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.001 s
2	When The user enters a valid "username" and "password" similar to username username password password confirmation NumPy@sdet117_1 testsdet117 testsdet117	SKIPPED	0.000 s
3	Then It should display an error message "password can't be too similar to your other personal information."	SKIPPED	0.000 s

The user is presented with error message for commonly used password




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.001 s
2	When The user enters a valid "username" and commonly used password "password" username password password confirmation NumPy@sdet117_1 Welcome1 Welcome1	SKIPPED	0.000 s
3	Then It should display an error message "Password can't be commonly used password"	SKIPPED	0.000 s

The user is successfully able to register



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page Step undefined	FAILED	0.001 s
2	When The user enters a valid "username" and "password" and "password confirmation" username password password confirmation NumpyTesters_3 RT56YU@78 RT56YU@78	SKIPPED	0.000 s
3	Then The user should be redirected to Homepage with the message "New Account Created. You are logged in as NumpyTesters_3"	SKIPPED	0.000 s

The user is able to signout from the registered page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Sign in page Step undefined	FAILED	0.001 s
2	When The user clicks the "Sign Out" link	SKIPPED	0.000 s
3	Then The user should be redirected to the homepage with the message "Logged out successfully"	SKIPPED	0.000 s