

# Cucumber Report

Sep 13, 2023, 3:15:54 PM

**Start : Sep 13, 3:15:13.764 PM**

**End : Sep 13, 3:15:53.045 PM**

**Duration : 39.281 s**

Features







PASSED - 0  
FAILED - 9  
SKIPPED - 0

Scenarios

PASSED - 2  
FAILED - 72  
SKIPPED - 0

Steps

PASSED - 34  
FAILED - 72  
SKIPPED - 144



<b>Feature</b>		<b>Scenario</b>					<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	
<u>Home Page Verification</u>	10.715 s	8	2	6	0	25	17	6	2	
<u>Login Page Verification</u>	9.466 s	16	0	16	0	49	16	16	17	
<u>Login Page Valid and Invalid Credential Validations</u>	3.281 s	9	0	9	0	30	0	9	21	
<u>Forgot Username and Password Validations</u>	2.830 s	8	0	8	0	25	0	8	17	
<u>Send Link Validations in Forgot Username and Password Page</u>	0.934 s	2	0	2	0	8	0	2	6	
<u>Reset Password Validations</u>	3.491 s	8	0	8	0	24	0	8	16	
<u>Reset Password Details Validations</u>	2.204 s	6	0	6	0	21	0	6	15	
<u>Dashboard Page</u>	5.893 s	16	0	16	0	65	0	16	49	
<u>Logout Function</u>	0.247 s	1	0	1	0	3	1	1	1	

#	Feature Name	Scenario Name
1	<u>Home Page Verification</u>	<u>Verify admin is able to land on home page with invalid URL</u>
2		<u>Admin verifies for broken link on the LMS portal</u>
3		<u>Admin verifies correct spellings in all fields on the LMS portal</u>
4		<u>Admin verifies the presence of the LMS logo</u>
5		<u>Admin verifies that the LMS logo is properly aligned</u>
6		<u>Admin verifies that the Login button is clickable on LMS Portal</u>
7	<u>Login Page Verification</u>	<u>Verify Admin is able to land on the Login page</u>
8		<u>Admin verifies for broken link on the login page</u>
9		<u>Admin Verify the header of the login page</u>
10		<u>Admin verifies correct spellings in all fields on the Login page</u>
11		<u>Admin Verify the text fields are present on the login page</u>
12		<u>Admin Verify the text on the first text field on the login page</u>
13		<u>Admin Verify asterik next to the user text on the login page</u>

#	Feature Name	Scenario Name
14	<u>Login Page Verification</u>	<u>Admin Verify the text on the second text field in the login page</u>
15		<u>Admin Verify asterik next to the password text on the login page</u>
16		<u>Admin Verify the alignment of the input fields on the login page</u>
17		<u>Admin verifies the presence of the Login button on the login page</u>
18		<u>Admin Verify the alignment of the Login button on the login page</u>
19		<u>Admin verifies the presence of the Forgot Username or Password on the login page</u>
20		<u>Admin verifies the presence of the Reset Password on the login page</u>
21		<u>Admin Verify the input text color in User field</u>
22		<u>Admin Verify the input text color in Password field</u>
23	<u>Login Page Valid and Invalid Credential Validations</u>	<u>Validate login with valid credentials</u>
24		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>

#	Feature Name	Scenario Name
25	<u>Login Page Valid and Invalid Credential Validations</u>	<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
26		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
27		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
28		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
29		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>
30		<u>Verify login button action through keyboard</u>
31		<u>Verify login button action through mouse action</u>
32	<u>Forgot Username and Password Validations</u>	<u>Admin Verify Forgot Username or Password link</u>
33		<u>Admin verify broken link for Forgot Username or Password link</u>

#	Feature Name	Scenario Name
34	<u>Forgot Username and Password Validations</u>	<u>Admin Verify the Email text color</u>
35		<u>Admin Verify Email text in text field</u>
36		<u>Admin Verify Send Link button is present</u>
37		<u>Admin Verify asterik near to the Email text</u>
38		<u>Admin Verify the text spelling</u>
39		<u>Admin Verify the alignment of the Send Link button</u>
40	<u>Send Link Validations in Forgot Username and Password Page</u>	<u>Validate Email sent for Forgot Username or Password with valid email id</u>
41		<u>Validate Email sent for Forgot Username or Password with invalid email id</u>
42	<u>Reset Password Validations</u>	<u>Verify Reset Password link</u>
43		<u>Verify text in the Reset Password page</u>
44		<u>Verify the presence of Submit button in Reset Password page</u>
45		<u>Verify the alignment of the Submit button in Reset Password page</u>
46		<u>Verify text box is present in the Reset Password page</u>

#	Feature Name	Scenario Name
47	<u>Reset Password Validations</u>	<u>Verify First label text on the Reset Password page</u>
48		<u>Verify Second label text on the Reset Password page</u>
49		<u>Verify both the text box is in disabled state on the Reset Password page</u>
50	<u>Reset Password Details Validations</u>	<u>Verify text box is enabled in Type in new Password field</u>
51		<u>Verify text box is enabled in Retype Password field</u>
52		<u>Validate Reset Password with valid details</u>
53		<u>Validate Reset Password with invalid details</u>
54		<u>Validate Reset Password with empty fields</u>
55		<u>Validate Reset Password with mismatch values</u>
56	<u>Dashboard Page</u>	<u>Verify Admin lands on Manage Program as Dashboard page after login</u>
57		<u>Verify the response time for Dashboard page</u>
58		<u>Verify broken link on the Dashboard page</u>
59		<u>Verify LMS title on Dashboard page</u>

#	Feature Name	Scenario Name
60	<u>Dashboard Page</u>	<u>Verify LMS title alignment on Dashboard page</u>
61		<u>Validate navigation bar text on Dashboard page</u>
62		<u>Validate LMS title has correct spelling and space</u>
63		<u>Validate alignment for navigation bar on Dashboard page</u>
64		<u>Validate navigation bar order 1st Student</u>
65		<u>Validate navigation bar order 2nd Program</u>
66		<u>Validate navigation bar order 3rd Batch</u>
67		<u>Validate navigation bar order 4th Class</u>
68		<u>Validate navigation bar order 5th User</u>
69		<u>Validate navigation bar order 6th Assignment</u>
70		<u>Validate navigation bar order 7th Attendance</u>
71		<u>Validate navigation bar order 8th Logout</u>
72	<u>Logout Funtion</u>	<u>Verify Logout button function</u>


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@HomePage		8	2	6	0	1	0	1	0
@TC_HomePage_01		1	1	0	0	1	0	1	0
@TC_HomePage_02		1	0	1	0	1	0	1	0
@TC_HomePage_03		1	0	1	0	1	0	1	0
@TC_HomePage_04		1	0	1	0	1	0	1	0
@TC_HomePage_05		1	0	1	0	1	0	1	0
@TC_HomePage_06		1	0	1	0	1	0	1	0
@TC_HomePage_07		1	1	0	0	1	0	1	0
@TC_HomePage_08		1	0	1	0	1	0	1	0
@LoginPage		16	0	16	0	1	0	1	0
@TC_LoginPage_01		1	0	1	0	1	0	1	0
@TC_LoginPage_02		1	0	1	0	1	0	1	0
@TC_LoginPage_03		1	0	1	0	1	0	1	0
@TC_LoginPage_04		1	0	1	0	1	0	1	0
@TC_LoginPage_05		1	0	1	0	1	0	1	0
@TC_LoginPage_06		1	0	1	0	1	0	1	0
@TC_LoginPage_07		1	0	1	0	1	0	1	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TC_LoginPage_08		1	0	1	0	1	0	1	0
@TC_LoginPage_09		1	0	1	0	1	0	1	0
@TC_LoginPage_10		1	0	1	0	1	0	1	0
@TC_LoginPage_11		1	0	1	0	1	0	1	0
@TC_LoginPage_12		1	0	1	0	1	0	1	0
@TC_LoginPage_13		1	0	1	0	1	0	1	0
@TC_LoginPage_14		1	0	1	0	1	0	1	0
@TC_LoginPage_15		1	0	1	0	1	0	1	0
@TC_LoginPage_16		1	0	1	0	1	0	1	0
@LoginCredentials		9	0	9	0	1	0	1	0
@TC_LoginCredentials_01		1	0	1	0	1	0	1	0
@TC_LoginCredentials_02		6	0	6	0	1	0	1	0
@TC_LoginCredentials_03		1	0	1	0	1	0	1	0
@TC_LoginCredentials_04		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_01		1	0	1	0	1	0	1	0
@ForgotUsernamePassword		8	0	8	0	1	0	1	0
@TC_ForgotUsernamePassword_02		1	0	1	0	1	0	1	0


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TC_ForgotUsernamePassword_03		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_04		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_05		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_06		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_07		1	0	1	0	1	0	1	0
@TC_ForgotUsernamePassword_08		1	0	1	0	1	0	1	0
@SendLink		2	0	2	0	1	0	1	0
@TC_SendLink_01		1	0	1	0	1	0	1	0
@TC_SendLink_02		1	0	1	0	1	0	1	0
@TC_ResetPassword_01		1	0	1	0	1	0	1	0
@ResetPassword		8	0	8	0	1	0	1	0
@TC_ResetPassword_02		1	0	1	0	1	0	1	0
@TC_ResetPassword_03		1	0	1	0	1	0	1	0
@TC_ResetPassword_04		1	0	1	0	1	0	1	0
@TC_ResetPassword_05		1	0	1	0	1	0	1	0
@TC_ResetPassword_06		1	0	1	0	1	0	1	0
@TC_ResetPassword_07		1	0	1	0	1	0	1	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TC_ResetPassword_08		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_01		1	0	1	0	1	0	1	0
@ResetPasswordDetails		6	0	6	0	1	0	1	0
@TC_ResetPasswordDetails_02		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_03		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_04		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_05		1	0	1	0	1	0	1	0
@TC_ResetPasswordDetails_06		1	0	1	0	1	0	1	0
@TC_Dashboard_01		1	0	1	0	1	0	1	0
@Dashboard		16	0	16	0	1	0	1	0
@TC_Dashboard_02		1	0	1	0	1	0	1	0
@TC_Dashboard_03		1	0	1	0	1	0	1	0
@TC_Dashboard_04		1	0	1	0	1	0	1	0
@TC_Dashboard_05		1	0	1	0	1	0	1	0
@TC_Dashboard_06		1	0	1	0	1	0	1	0
@TC_Dashboard_07		1	0	1	0	1	0	1	0
@TC_Dashboard_08		1	0	1	0	1	0	1	0


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TC_Dashboard_09		1	0	1	0	1	0	1	0
@TC_Dashboard_10		1	0	1	0	1	0	1	0
@TC_Dashboard_11		1	0	1	0	1	0	1	0
@TC_Dashboard_12		1	0	1	0	1	0	1	0
@TC_Dashboard_13		1	0	1	0	1	0	1	0
@TC_Dashboard_14		1	0	1	0	1	0	1	0
@TC_Dashboard_15		1	0	1	0	1	0	1	0
@TC_Dashboard_16		1	0	1	0	1	0	1	0
@TC_Logout_01		1	0	1	0	1	0	1	0
@Logout		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Home Page Verification</u>	8	2	6	0	10.715 s
2	<u>Login Page Verification</u>	16	0	16	0	9.466 s
3	<u>Login Page Valid and Invalid Credential Validations</u>	9	0	9	0	3.281 s
4	<u>Forgot Username and Password Validations</u>	8	0	8	0	2.830 s
5	<u>Send Link Validations in Forgot Username and Password Page</u>	2	0	2	0	0.934 s
6	<u>Reset Password Validations</u>	8	0	8	0	3.491 s
7	<u>Reset Password Details Validations</u>	6	0	6	0	2.204 s
8	<u>Dashboard Page</u>	16	0	16	0	5.893 s
9	<u>Logout Function</u>	1	0	1	0	0.247 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Home Page Verification</u>	<u>Verify admin is able to land on home page</u>	3	3	0	0	1.183 s
2		<u>Verify admin is able to land on home page with invalid URL</u>	3	1	1	1	3.996 s
3		<u>Admin verifies for broken link on the LMS portal</u>	4	2	1	1	1.926 s
4		<u>Admin verifies correct spellings in all fields on the LMS portal</u>	3	2	1	0	0.830 s
5		<u>Admin verifies the presence of the LMS logo</u>	3	2	1	0	0.686 s
6		<u>Admin verifies that the LMS logo is properly aligned</u>	3	2	1	0	0.729 s
7		<u>Admin verifies the presence of the Login button</u>	3	3	0	0	0.152 s
8		<u>Admin verifies that the Login button is clickable on LMS Portal</u>	3	2	1	0	0.689 s
9		<u>Verify Admin is able to land on the Login page</u>	3	1	1	1	0.739 s
10		<u>Admin verifies for broken link on the login page</u>	4	1	1	2	0.668 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Login Page Verification</u>	<u>Admin Verify the header of the login page</u>	3	1	1	1	0.692 s
12		<u>Admin verifies correct spellings in all fields on the Login page</u>	3	1	1	1	0.774 s
13		<u>Admin Verify the text fields are present on the login page</u>	3	1	1	1	0.708 s
14		<u>Admin Verify the text on the first text field on the login page</u>	3	1	1	1	0.702 s
15		<u>Admin Verify asterik next to the user text on the login page</u>	3	1	1	1	0.676 s
16		<u>Admin Verify the text on the second text field in the login page</u>	3	1	1	1	0.600 s
17		<u>Admin Verify asterik next to the password text on the login page</u>	3	1	1	1	0.411 s
18		<u>Admin Verify the alignment of the input fields on the login page</u>	3	1	1	1	0.629 s
19		<u>Admin verifies the presence of the Login button on the login page</u>	3	1	1	1	0.463 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Login Page Verification</u>	<u>Admin Verify the alignment of the Login button on the login page</u>	3	1	1	1	0.604 s
21		<u>Admin verifies the presence of the Forgot Username or Password on the login page</u>	3	1	1	1	0.427 s
22		<u>Admin verifies the presence of the Reset Password on the login page</u>	3	1	1	1	0.332 s
23		<u>Admin Verify the input text color in User field</u>	3	1	1	1	0.345 s
24		<u>Admin Verify the input text color in Password field</u>	3	1	1	1	0.361 s
25	<u>Login Page Valid and Invalid Credential Validations</u>	<u>Validate login with valid credentials</u>	4	0	1	3	0.360 s
26		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.349 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27		<u>Validate login with invalid credentials from Excel</u> <u>"Sheetname" and "RowNumber"</u>	3	0	1	2	0.341 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Login Page Valid and Invalid Credential Validations</u>	<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.330 s
29		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.326 s
30		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.360 s
31		<u>Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"</u>	3	0	1	2	0.334 s
32		<u>Verify login button action through keyboard</u>	4	0	1	3	0.409 s
33		<u>Verify login button action through mouse action</u>	4	0	1	3	0.353 s
34	<u>Forgot Username and Password Validations</u>	<u>Admin Verify Forgot Username or Password link</u>	3	0	1	2	0.340 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
35		<u><i>Admin verify broken link for Forgot Username or Password link</i></u>	4	0	1	3	0.346 s
36		<u><i>Admin Verify the Email text color</i></u>	3	0	1	2	0.372 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
37	<u>Forgot Username and Password Validations</u>	<u>Admin Verify Email text in text field</u>	3	0	1	2	0.345 s
38		<u>Admin Verify Send Link button is present</u>	3	0	1	2	0.345 s
39		<u>Admin Verify asterik near to the Email text</u>	3	0	1	2	0.318 s
40		<u>Admin Verify the text spelling</u>	3	0	1	2	0.343 s
41		<u>Admin Verify the alignment of the Send Link button</u>	3	0	1	2	0.360 s
42	<u>Send Link Validations in Forgot Username and Password Page</u>	<u>Validate Email sent for Forgot Username or Password with valid email id</u>	4	0	1	3	0.549 s
43		<u>Validate Email sent for Forgot Username or Password with invalid email id</u>	4	0	1	3	0.374 s
44	<u>Reset Password Validations</u>	<u>Verify Reset Password link</u>	3	0	1	2	0.489 s
45		<u>Verify text in the Reset Password page</u>	3	0	1	2	0.360 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
46		<u>Verify the presence of Submit button in Reset Password page</u>	3	0	1	2	0.340 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
47	<u>Reset Password Validations</u>	<u>Verify the alignment of the Submit button in Reset Password page</u>	3	0	1	2	0.426 s
48		<u>Verify text box is present in the Reset Password page</u>	3	0	1	2	0.392 s
49		<u>Verify First label text on the Reset Password page</u>	3	0	1	2	0.383 s
50		<u>Verify Second label text on the Reset Password page</u>	3	0	1	2	0.364 s
51		<u>Verify both the text box is in disabled state on the Reset Password page</u>	3	0	1	2	0.457 s
52	<u>Reset Password Details Validations</u>	<u>Verify text box is enabled in Type in new Password field</u>	3	0	1	2	0.372 s
53		<u>Verify text box is enabled in Retype Password field</u>	3	0	1	2	0.356 s
54		<u>Validate Reset Password with valid details</u>	4	0	1	3	0.354 s
55		<u>Validate Reset Password with invalid details</u>	4	0	1	3	0.349 s
56		<u>Validate Reset Password with empty fields</u>	3	0	1	2	0.339 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
57	<u>Reset Password Details Validations</u>	<u>Validate Reset Password with mismatch values</u>	4	0	1	3	0.349 s
58	<u>Dashboard Page</u>	<u>Verify Admin lands on Manage Program as Dashboard page after login</u>	4	0	1	3	0.377 s
59		<u>Verify the response time for Dashboard page</u>	4	0	1	3	0.347 s
60		<u>Verify broken link on the Dashboard page</u>	5	0	1	4	0.348 s
61		<u>Verify LMS title on Dashboard page</u>	4	0	1	3	0.411 s
62		<u>Verify LMS title alignment on Dashboard page</u>	4	0	1	3	0.366 s
63		<u>Validate navigation bar text on Dashboard page</u>	4	0	1	3	0.349 s
64		<u>Validate LMS title has correct spelling and space</u>	4	0	1	3	0.356 s
65		<u>Validate alignment for navigation bar on Dashboard page</u>	4	0	1	3	0.355 s
66		<u>Validate navigation bar order 1st Student</u>	4	0	1	3	0.364 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
67	<u>Dashboard Page</u>	<u>Validate navigation bar order 2nd Program</u>	4	0	1	3	0.345 s
68		<u>Validate navigation bar order 3rd Batch</u>	4	0	1	3	0.328 s
69		<u>Validate navigation bar order 4th Class</u>	4	0	1	3	0.345 s
70		<u>Validate navigation bar order 5th User</u>	4	0	1	3	0.346 s
71		<u>Validate navigation bar order 6th Assignment</u>	4	0	1	3	0.369 s
72		<u>Validate navigation bar order 7th Attendance</u>	4	0	1	3	0.370 s
73		<u>Validate navigation bar order 8th Logout</u>	4	0	1	3	0.359 s
74	<u>Logout Funtion</u>	<u>Verify Logout button function</u>	3	1	1	1	0.247 s

## Home Page Verification




### Verify admin is able to land on home page




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.051 s
2	When Admin gives the correct LMS portal URL	PASSED	1.015 s
3	Then Admin should land on the Home page	PASSED	0.077 s


### Verify admin is able to land on home page with invalid URL




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.003 s
2	When Admin gives the invalid LMS portal URL  org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=116.0.5845.187) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, get {url=https://invalidurl.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pageObjects.MainPage.getInvalidUrl(MainPage.java:103) at stepDefinitionsMainPage.HomePageSD.admin_gives_the_invalid_lms_portal_url(HomePageSD.java:61) at ?.Admin gives the invalid LMS portal URL(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:14) * Not displayable characters are replaced by '?'.  AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	FAILED	2.781 s
3	Then Admin should receive "404 page not found" error for the invalid URL	SKIPPED	0.000 s

Admin verifies for broken link on the LMS portal



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.005 s
2	When Admin gives the correct LMS portal URL	PASSED	0.766 s
3	Then Admin should receive "Https response >= 400" error for the LMS link  java.lang.NumberFormatException: For input string: "Https response >= 400" at java.base/java.lang.NumberFormatException.forInputString(NumberFormatException.java:67) at java.base/java.lang.Integer.parseInt(Integer.java:668) at java.base/java.lang.Integer.parseInt(Integer.java:786) at stepDefinitionsMainPage.HomePageSD.admin_should_receive_error_for_the_lms_link(HomePageSD.java:84) at ?.Admin should receive "Https response >= 400" error for the LMS link(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:20) * Not displayable characters are replaced by '?'.	FAILED	0.436 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)  <b>My screenshot</b>  	PASSED	0.701 s
4	And The link is broken	SKIPPED	0.000 s


**Admin verifies correct spellings in all fields on the LMS portal**




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.003 s
2	When Admin gives the correct LMS portal URL	PASSED	0.205 s
3	<p>Then Admin should see correct spellings in all fields on the LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='learning']"}  (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:  [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//*[@id='learning']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre>	FAILED	0.077 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.getText(Unknown Source) at pageObjects.MainPage.getLearningTxt(MainPage.java:108) at stepDefinitionsMainPage.HomePageSD.admin_should_see_correct_spellings_in_all_fields(HomePageSD.java:107) at ?.Admin should see correct spellings in all fields on the LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:26) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.536 s


### Admin verifies the presence of the LMS logo



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.003 s
2	When Admin gives the correct LMS portal URL	PASSED	0.138 s
3	Then Admin should see correct Logo of the LMS <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@class='logo-class']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//img[@class='logo-class']}]           Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false,</pre>	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.getAttribute(Unknown Source) at stepDefinitionsMainPage.HomePageSD.admin_should_see_correct_logo_of_the_lms(HomePageSD.java:127) at ?.Admin should see correct Logo of the LMS(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:31)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.499 s


Admin verifies that the LMS logo is properly aligned



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.003 s
2	When Admin gives the correct LMS portal URL	PASSED	0.129 s
3	<p>Then Admin should see that the Logo is properly aligned</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@class='logo-class']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//img[@class='logo-class']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre>	FAILED	0.023 s


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.getCssValue(Unknown Source) at stepDefinitionsMainPage.HomePageSD.admin_should_see_that_the_logo_is_properly_aligned(HomePageSD.java:139) at ?.Admin should see that the Logo is properly aligned(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:36) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.563 s

### Admin verifies the presence of the Login button



#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.003 s
2	When Admin gives the correct LMS portal URL	PASSED	0.117 s
3	Then Admin should see the "Login" button in LMS Portal	PASSED	0.001 s

### Admin verifies that the Login button is clickable on LMS Portal




#	Step / Hook Details	Status	Duration
1	Given Admin launch the browser	PASSED	0.002 s
2	When Admin gives the correct LMS portal URL	PASSED	0.132 s
3	<p>Then Admin should be able to click the "Login" button on LMS Portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using&gt;xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre>	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.isEnabled(Unknown Source) at stepDefinitionsMainPage.HomePageSD.admin_should_be_able_to_click_the_button_on_Ims_portal(HomePageSD.java:167) at ?.Admin should be able to click the "Login" button on LMS Portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_1HomePage.feature:46) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.524 s


## Login Page Verification




## Verify Admin is able to land on the Login page



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.128 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value="//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginPage(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.030 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.576 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Admin should land on the "Login" page from LMS Portal	SKIPPED	0.000 s


## Admin verifies for broken link on the login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.148 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.498 s
3	Then Admin should receive "Https response >= 400" error for the link	SKIPPED	0.001 s
4	And The link is broken	SKIPPED	0.000 s


## Admin Verify the header of the login page



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.118 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginPage(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.016 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.553 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Admin should see "Please login to LMS application" in the header	SKIPPED	0.000 s


## Admin verifies correct spellings in all fields on the Login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.204 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.058 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.501 s
3	Then Admin should see correct spellings in all fields on the Login page	SKIPPED	0.001 s


### Admin Verify the text fields are present on the login page



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.186 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginPage(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.014 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.501 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Admin should see two text fields on the login page	SKIPPED	0.000 s


### Admin Verify the text on the first text field on the login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.148 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.527 s
3	Then Admin should see "User" in the first text field on the login page	SKIPPED	0.000 s



### Admin Verify asterik next to the user text on the login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.137 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginPage(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.014 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.518 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Admin should see "*" symbol next to User text in the first text field on the login page	SKIPPED	0.000 s


### Admin Verify the text on the second text field in the login page

FAILED	DURATION - 0.600 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1				
<i>/ 3:15:29.628 PM // 3:15:30.228 PM /</i>							
<i>Login Page Verification</i>							
<i>@TC_LoginPage_08 @LoginPage</i>							


#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.352 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.226 s
3	Then Admin should see "Password" in the second text field on the login page	SKIPPED	0.000 s


### Admin Verify asterik next to the password text on the login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.168 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginPage(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.024 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.214 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Admin should see "***" symbol next to Password text in the second text field on the login page	SKIPPED	0.000 s


### Admin Verify the alignment of the input fields on the login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.327 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499)</pre>	FAILED	0.035 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.256 s
3	Then Admin should see input fields on the centre of the login page	SKIPPED	0.002 s


**Admin verifies the presence of the Login button on the login page**




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.209 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.033 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.215 s
3	Then Admin should see Login button on the login page	SKIPPED	0.000 s


### Admin Verify the alignment of the Login button on the login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.326 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96}</pre>	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	<p>(1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)  at pageObjects.MainPage.clickLoginButton(MainPage.java:142)  at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51)</p> <p>at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.237 s
3	Then Admin should see Login button on the centre of the login page	SKIPPED	0.000 s


## Admin verifies the presence of the Forgot Username or Password on the login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.215 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.192 s
3	Then Admin should see Forgot Username or Password link	SKIPPED	0.000 s



### Admin verifies the presence of the Reset Password on the login page




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.130 s
2	When Admin clicks the "Login" button on LMS portal <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities</pre>	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.185 s
3	Then Admin should see Reset Password link	SKIPPED	0.000 s


## Admin Verify the input text color in User field




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.149 s
2	<p>When Admin clicks the "Login" button on LMS portal</p> <pre style="font-family: monospace; font-size: small; margin-left: 20px;"> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18     at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) </pre>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.177 s
3	Then Admin should see User text displayed in gray color	SKIPPED	0.000 s

### Admin Verify the input text color in Password field




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Home" page of LMS portal	PASSED	0.149 s
2	When Admin clicks the "Login" button on LMS portal  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']} Capabilities	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickLoginButton(MainPage.java:142) at stepDefinitionsMainPage.LoginPageSD.admin_clicks_the_button_on_lms_portal(LoginPageSD.java:51) at ?.Admin clicks the "Login" button on LMS portal(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_2LoginPage.feature:6) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.201 s
3	Then Admin should see Password text displayed in gray color	SKIPPED	0.000 s


## Login Page Valid and Invalid Credential Validations




### Validate login with valid credentials




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using&gt;xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	0.150 s

#	Step / Hook Details	Status	Duration				
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'. </pre>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.192 s				
2	When Admin enters valid "username" and "password"	SKIPPED	0.014 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Clicks on "Login" button	SKIPPED	0.000 s				
4	Then Admin should land on "Dashboard" page from login page	SKIPPED	0.000 s				


**Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"**




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)</pre>	FAILED	0.133 s

#	Step / Hook Details	Status	Duration
	<pre>at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.214 s
2	When Admin enters sheet "LoginCredentials" and 0	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


## Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</pre>	FAILED	0.126 s

#	Step / Hook Details	Status	Duration
	<pre> ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18     at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)     at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136)     at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39)     at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.213 s
2	When Admin enters sheet "LoginCredentials" and 1	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


## Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre style="font-family: monospace; font-size: small; margin-top: 10px;"> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.120 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.204 s
2	When Admin enters sheet "LoginCredentials" and 2	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.001 s


### Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96}</pre>	FAILED	0.139 s

#	Step / Hook Details	Status	Duration
	<pre>(1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.182 s
2	When Admin enters sheet "LoginCredentials" and 3	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


## Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.145 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.211 s
2	When Admin enters sheet "LoginCredentials" and 4	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


### Validate login with invalid credentials from Excel "Sheetname" and "RowNumber"




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96}</pre>	FAILED	0.126 s

#	Step / Hook Details	Status	Duration
	<pre>(1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.206 s
2	When Admin enters sheet "LoginCredentials" and 5	SKIPPED	0.000 s
3	Then Clicks on "Login" button	SKIPPED	0.000 s


## Verify login button action through keyboard



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.215 s


#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.189 s				
2	When Admin enters valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Clicks on "Login" button through keyboard	SKIPPED	0.000 s				
4	Then Admin should land on "Dashboard" page from login page	SKIPPED	0.000 s				

## Verify login button action through mouse action



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit:</pre>	FAILED	0.136 s


#	Step / Hook Details	Status	Duration
	<pre>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.LoginValidationsSD.admin_is_on_the_page(LoginValidationsSD.java:39) at ?.Admin is on the "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_3LoginValidInvalidCredentials.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.214 s
	My screenshot		

#	Step / Hook Details	Status	Duration				
							
2	When Admin enters valid "username" and "password"  <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.000 s
username	password						
Team9testuser	BddCoders@9						
3	And Clicks on "Login" button through mouse action	SKIPPED	0.000 s				
4	Then Admin should land on "Dashboard" page from login page	SKIPPED	0.000 s				

## Forgot Username and Password Validations




## Admin Verify Forgot Username or Password link




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page for Forgot Username and Password  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:	FAILED	0.124 s


#	Step / Hook Details	Status	Duration
	<pre>{"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:37) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.213 s

#	Step / Hook Details	Status	Duration
			
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should land on "Forgot Username or Password" page from Login page	SKIPPED	0.000 s


### Admin verify broken link for Forgot Username or Password link




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</pre>	FAILED	0.143 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:37) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.200 s
	<p>My screenshot</p> 		
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should receive "Https response >= 400" error for the Forgot Username/Password link	SKIPPED	0.000 s
4	And The link is broken for Forgot Username/Password	SKIPPED	0.000 s


## Admin Verify the Email text color




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)</pre>	FAILED	0.132 s

#	Step / Hook Details	Status	Duration
	<pre>at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:37) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<b>AFTER_STEP</b> - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) <b>My screenshot</b> 	PASSED	0.234 s
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see "Email" text in gray color	SKIPPED	0.000 s


### Admin Verify Email text in text field




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:</pre>	FAILED	0.133 s

#	Step / Hook Details	Status	Duration
	<pre>localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18     at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)     at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136)     at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:37)     at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.210 s
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see "Email" in text field	SKIPPED	0.000 s


## Admin Verify Send Link button is present




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.129 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:37) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.214 s
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see "Send Link" button	SKIPPED	0.000 s

### Admin Verify asterik near to the Email text




#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page for Forgot Username and Password <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities</pre>	FAILED	0.119 s


#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitions MainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:37) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.197 s

#	Step / Hook Details	Status	Duration
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.000 s
3	Then Admin should see * symbol next to the text Email	SKIPPED	0.000 s


## Admin Verify the text spelling



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on the "Login" page for Forgot Username and Password</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18   at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</pre>	FAILED	0.159 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:37) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.181 s
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.001 s
3	Then Admin should see correct spellings in all fields	SKIPPED	0.000 s

### Admin Verify the alignment of the Send Link button



#	Step / Hook Details	Status	Duration
1	Given Admin is on the "Login" page for Forgot Username and Password <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</pre>	FAILED	0.131 s


#	Step / Hook Details	Status	Duration
	<pre>{"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ForgotUsernamePwdSD.admin_is_on_the_page_for_forgot_username_and_password(ForgotUsernamePwdSD.java:37) at ?.Admin is on the "Login" page for Forgot Username and Password(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_4ForgotUsernamePassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.224 s

#	Step / Hook Details	Status	Duration
			
2	When Admin clicks on "Forgot Username or Password" link	SKIPPED	0.001 s
3	Then Admin should see "Send Link" button in center of the page	SKIPPED	0.001 s

## Send Link Validations in Forgot Username and Password Page



## Validate Email sent for Forgot Username or Password with valid email id




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in "Forgot Username and Password" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='forgot-username-or-password']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//a[@href='forgot-username-or-password']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96}}</pre>	FAILED	0.353 s

#	Step / Hook Details	Status	Duration
	<pre>(1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickForgotUserPwd(MainPage.java:281) at stepDefinitionsMainPage.SendLinkSD.admin_is_in_page(SendLinkSD.java:29) at ?.Admin is in "Forgot Username and Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_5SendLink.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.193 s
2	When Admin enters valid "<emailid>"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	emailid bddcoders@gmail.com		
3	And Admin clicks "Send Link" button on Forgot Username and Password page	SKIPPED	0.000 s
4	Then Admin should receive link in mail to Reset Username/Password	SKIPPED	0.000 s

## Validate Email sent for Forgot Username or Password with invalid email id





#	Step / Hook Details	Status	Duration
1	<p>Given Admin is in "Forgot Username and Password" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='forgot-username-or-password']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=/a[@href='forgot-username-or-password']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	0.182 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickForgotUserPwd(MainPage.java:281) at stepDefinitionsMainPage.SendLinkSD.admin_is_in_page(SendLinkSD.java:29) at ?.Admin is in "Forgot Username and Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_5SendLink.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.186 s
2	When Admin enters invalid "<emailid>"  <div style="border: 1px solid #ccc; padding: 5px; width: fit-content;">emailid bddcoders@gmail.com</div>	SKIPPED	0.000 s
3	And Admin clicks "Send Link" button on Forgot Username and Password page	SKIPPED	0.000 s
4	Then Admin should not receive link in mail to Reset Username/Password	SKIPPED	0.000 s


## Reset Password Validations




## Verify Reset Password link




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.267 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.220 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should land on "Reset Password" page from Login page	SKIPPED	0.000 s


### Verify text in the Reset Password page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96}</pre>	FAILED	0.148 s

#	Step / Hook Details	Status	Duration
	<pre>(1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.209 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see correct spellings for all fields in "Reset Password" page	SKIPPED	0.000 s


## Verify the presence of Submit button in Reset Password page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.141 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.193 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.001 s
3	Then Admin should see "Submit" button in Reset Password page	SKIPPED	0.000 s


### Verify the alignment of the Submit button in Reset Password page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96}</pre>	FAILED	0.222 s

#	Step / Hook Details	Status	Duration
	<pre>(1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.190 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see "Submit" button in the center of the Reset Password page	SKIPPED	0.000 s


## Verify text box is present in the Reset Password page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.200 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.179 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see two text box in the Reset Password page	SKIPPED	0.000 s


### Verify First label text on the Reset Password page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96}</pre>	FAILED	0.202 s

#	Step / Hook Details	Status	Duration
	<pre>(1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.169 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see "Type in new Password" in the first label text on the Reset Password page	SKIPPED	0.000 s


## Verify Second label text on the Reset Password page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page</p> <pre style="font-family: monospace; font-size: small; margin-top: 10px;"> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) </pre>	FAILED	0.165 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.197 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see "Retype Password" in the second label text on the Reset Password page	SKIPPED	0.000 s

### Verify both the text box is in disabled state on the Reset Password page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96}</pre>	FAILED	0.262 s

#	Step / Hook Details	Status	Duration
	<pre>(1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Login" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_6ResetPassword.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.193 s
2	When Admin clicks on "Reset Password" link from Login page	SKIPPED	0.000 s
3	Then Admin should see both the text box in disabled state on the Reset Password page	SKIPPED	0.001 s


## Reset Password Details Validations




### Verify text box is enabled in Type in new Password field




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using&gt;xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	0.168 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.184 s
2	When Admin clicks on "Type in new Password" field	SKIPPED	0.000 s
3	Then Admin should see Type in new Password text box is in enabled state	SKIPPED	0.017 s


Verify text box is enabled in Retype Password field




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)</pre>	FAILED	0.155 s

#	Step / Hook Details	Status	Duration
	<pre>at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.199 s
2	When Admin clicks on "ReType Password" field	SKIPPED	0.000 s
3	Then Admin should see ReType Password text box is in enabled state	SKIPPED	0.000 s

### Validate Reset Password with valid details




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</pre>	FAILED	0.145 s


#	Step / Hook Details	Status	Duration				
	<pre> ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18     at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)     at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136)     at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28)     at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'. </pre>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.204 s				
2	<p>When Admin enters same valid password on "newpassword" and "retypepassword"</p> <table border="1"> <tr> <td>newpassword</td> <td>retypepassword</td> </tr> <tr> <td>Validpwd@9</td> <td>Validpwd@9</td> </tr> </table>	newpassword	retypepassword	Validpwd@9	Validpwd@9	SKIPPED	0.000 s
newpassword	retypepassword						
Validpwd@9	Validpwd@9						

#	Step / Hook Details	Status	Duration
3	And Admin clicks "Submit" button	SKIPPED	0.000 s
4	Then Admin should receive "Your password has been reset. Please click here to login"	SKIPPED	0.000 s


## Validate Reset Password with invalid details




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18     at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</pre>	FAILED	0.155 s

#	Step / Hook Details	Status	Duration				
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'. </pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.192 s				
2	When Admin enters invalid same password on "newpassword" and "retypassword"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>newpassword</td> <td>retypassword</td> </tr> <tr> <td>invalid%&amp;</td> <td>invalid%&amp;</td> </tr> </table>	newpassword	retypassword	invalid%&	invalid%&		
newpassword	retypassword						
invalid%&	invalid%&						
3	And Admin clicks "Submit" button	SKIPPED	0.000 s				
4	Then Admin should see error message "Please try again"	SKIPPED	0.000 s				


### Validate Reset Password with empty fields




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.146 s
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.189 s

#	Step / Hook Details	Status	Duration
			
2	When Admin clicks on "Submit" button with empty fields	SKIPPED	0.000 s
3	Then Admin should see error message "Please try again"	SKIPPED	0.000 s

## Validate Reset Password with mismatch values




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Reset Password" page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</pre>	FAILED	0.164 s

#	Step / Hook Details	Status	Duration				
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.MainPage.clickHomeLoginButton(MainPage.java:136) at stepDefinitionsMainPage.ResetPasswordSD.admin_is_on_page(ResetPasswordSD.java:28) at ?.Admin is on "Reset Password" page(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/01_Main_page_login_page/ 01_7ResetPasswordDetails.feature:5) * Not displayable characters are replaced by '?'. </pre>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.180 s				
2	<p>When Admin enters mismatch values on "newpassword" and "retypassword"</p> <table border="1"> <tr> <td>newpassword</td> <td>retypassword</td> </tr> <tr> <td>Validpwd@9</td> <td>Validpwd</td> </tr> </table>	newpassword	retypassword	Validpwd@9	Validpwd	SKIPPED	0.001 s
newpassword	retypassword						
Validpwd@9	Validpwd						
3	And Admin clicks "Submit" button	SKIPPED	0.000 s				
4	Then Admin should see error message "Please try again"	SKIPPED	0.000 s				


## Dashboard Page




## Verify Admin lands on Manage Program as Dashboard page after login




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18     at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.154 s

#	Step / Hook Details	Status	Duration				
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'. </pre>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.219 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Manage Program" as header for Dashboard page	SKIPPED	0.000 s				


**Verify the response time for Dashboard page**




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)</pre>	FAILED	0.143 s

#	Step / Hook Details	Status	Duration				
	at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.202 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin see Maximum navigation time in milliseconds, defaults to 30 seconds for Dashboard page	SKIPPED	0.000 s				

## Verify broken link on the Dashboard page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {'method':'xpath','selector':'//button[text()='Login']'} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.	FAILED	0.147 s


#	Step / Hook Details	Status	Duration
	<pre>chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using&gt;xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.198 s

#	Step / Hook Details	Status	Duration				
2	When Admin enter valid "username" and "password"  <table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.000 s
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should receive "Https response code greater than or equal to 400" error for the Dashboard page link	SKIPPED	0.000 s				
5	And The link is broken for Dashboard page	SKIPPED	0.000 s				


## Verify LMS title on Dashboard page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)	FAILED	0.178 s

#	Step / Hook Details	Status	Duration				
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'. </pre>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.227 s				
2	<p>When Admin enter valid "username" and "password"</p> <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9	SKIPPED	0.000 s
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.001 s				
4	Then Admin should see "LMS - Learning Management System" as title on Dashboard page	SKIPPED	0.000 s				


## Verify LMS title alignment on Dashboard page




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source)</pre>	FAILED	0.157 s

#	Step / Hook Details	Status	Duration				
	at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.206 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see LMS title on the top left corner of the Manage Program page for Dashboard page	SKIPPED	0.000 s				

### Validate navigation bar text on Dashboard page




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {'method':'xpath','selector':'//button[text()='Login']'} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.	FAILED	0.146 s


#	Step / Hook Details	Status	Duration
	<pre>chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using&gt;xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.198 s

#	Step / Hook Details	Status	Duration
2	When Admin enter valid "username" and "password"  username password Team9testuser BddCoders@9	SKIPPED	0.000 s
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s
4	Then Admin should see correct spelling on navigation bar text for Dashboard page  Student Program Batch Class User Attendance Assignment Logout	SKIPPED	0.000 s


### Validate LMS title has correct spelling and space




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=/button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:}	FAILED	0.139 s

#	Step / Hook Details	Status	Duration				
	<pre>true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.215 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see correct spelling and space in LMS title	SKIPPED	0.000 s				


## Validate alignment for navigation bar on Dashboard page



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre style="font-family: monospace; font-size: small; margin: 0;">org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.142 s


#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.209 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.001 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see the navigation bar text on the top right side on Dashboard page	SKIPPED	0.000 s				

### Validate navigation bar order 1st Student




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit:</pre>	FAILED	0.139 s

#	Step / Hook Details	Status	Duration
	<pre>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.221 s
	My screenshot		

#	Step / Hook Details	Status	Duration				
							
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Student" in the 1st place	SKIPPED	0.000 s				


## Validate navigation bar order 2nd Program




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using>xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18	FAILED	0.152 s

#	Step / Hook Details	Status	Duration				
	at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.191 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Program" in the 2nd place	SKIPPED	0.000 s				


## Validate navigation bar order 3rd Batch



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.143 s


#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.179 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Batch" in the 3rd place	SKIPPED	0.000 s				

### Validate navigation bar order 4th Class




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit:</pre>	FAILED	0.167 s


#	Step / Hook Details	Status	Duration
	<pre>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.175 s
	My screenshot		

#	Step / Hook Details	Status	Duration				
							
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Class" in the 4th place	SKIPPED	0.000 s				


### Validate navigation bar order 5th User




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using>xpath, value="//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18	FAILED	0.145 s

#	Step / Hook Details	Status	Duration				
	at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.197 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "User" in the 5th place	SKIPPED	0.000 s				


## Validate navigation bar order 6th Assignment



#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.139 s


#	Step / Hook Details	Status	Duration				
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.226 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Assignment" in the 6th place	SKIPPED	0.000 s				

### Validate navigation bar order 7th Attendance




#	Step / Hook Details	Status	Duration
1	Given Admin is on "Login" page for Dashboard Validation <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit:</pre>	FAILED	0.156 s


#	Step / Hook Details	Status	Duration
	<pre>https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.212 s
	My screenshot		

#	Step / Hook Details	Status	Duration				
							
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"><tr><td>username</td><td>password</td></tr><tr><td>Team9testuser</td><td>BddCoders@9</td></tr></table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Attendance" in the 7th place	SKIPPED	0.000 s				

### Validate navigation bar order 8th Logout




#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on "Login" page for Dashboard Validation</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Login']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using&gt;xpath, value="//button[text()='Login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18</pre>	FAILED	0.148 s

#	Step / Hook Details	Status	Duration				
	at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickHomeLoginButton(DashboardPage.java:78) at stepDefinitionsDashboardPage.DashboardPageSD.admin_is_on_page_for_dashboard_validation(DashboardPageSD.java:31) at ?.Admin is on "Login" page for Dashboard Validation(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/ 02_Dashboard_page/01_DashboardPage.feature:5) * Not displayable characters are replaced by '?'.						
	AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.209 s				
2	When Admin enter valid "username" and "password"	SKIPPED	0.000 s				
	<table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Team9testuser</td> <td>BddCoders@9</td> </tr> </table>	username	password	Team9testuser	BddCoders@9		
username	password						
Team9testuser	BddCoders@9						
3	And Admin clicks "Login" button from Login page	SKIPPED	0.000 s				
4	Then Admin should see "Logout" in the 8th place	SKIPPED	0.000 s				


## Logout Funtion



## Verify Logout button function



#	Step / Hook Details	Status	Duration
1	Given Admin is on "Dashboard" page for logout	PASSED	0.006 s
2	<p>When Admin clicks "Logout" button on navigation bar</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Logout']"} (Session info: chrome=116.0.5845.187) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.4', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1e981dc8fa9af0e39d58e706f60c9c18, findElement {using=xpath, value=//button[text()='Logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.187, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/hr/z4pdhffx3_5...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 116.0.5845.187, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1e981dc8fa9af0e39d58e706f60c9c18 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy62.click(Unknown Source) at pageObjects.DashboardPage.clickLogoutButton(DashboardPage.java:175) at stepDefinitionsDashboardPage.LogoutSD.admin_clicks_button_on_navigation_bar(LogoutSD.java:31) at ?.Admin clicks "Logout" button on navigation bar(file:///Users/auxilia/git/Team09_BDDCoders/src/test/resources/features/02_Dashboard_page/02_Logout.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - myHooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.207 s
3	Then Admin should land on "Login" page after clicking logout	SKIPPED	0.000 s