Q-1: Find The Gretter Value From 3 Variable.

Program:

```
#include<iostream>
using namespace std;
main()
{
       int a,b,c;
       cout<<"Enter Value Of A,B & C:-";
       cin>>a>>b>>c;
       if(a>b && a>c)
       {
                      cout << "A is Gretter";
       }
       else if(b>a && b>c)
       {
                      cout << "B is Gretter";
       }
       else
       {
              cout<<"C is Gretter";</pre>
```

```
.
```

Output:

```
Enter Value Of A,B & C:-6 7 8
C is Gretter

Process exited after 9.338 seconds with return value 0
Press any key to continue . . .
```

Q-2: Day in Switch Case By Number

Program:

```
#include<iostream>
using namespace std;
main()
{
   char day;
```

 $cout << "M for monday \n T for tuesday \n W for wednsday \n F for thus day \n F for friday \n S for saturday \n S for sunday: ";$

```
cin>>day;
switch(day)
{
case 'M':
       cout<<"Monday";</pre>
        break;
case 'T':
                cout<<"Tuesday";</pre>
        break;
case 'W':
                cout<<"Wednesday";</pre>
        break;
case 't':
                cout<<"Thursday";</pre>
        break;
case 'F':
       cout<<"Friday";</pre>
        break;
case 'S':
```

```
cout<<"Saturday";
break;
case 's':
    cout<<"Sunday";
break;
default:
    cout<<"Invalid Day";
}</pre>
```

Output:

```
■ C\Users\end{align*} C\under\end{align*} C\users\end{align*} C\under\end{align*} C\u
```