

ANDERSEN AFB

AI_ATC VoiceAttack Command Reference

Complete Voice Command Reference

AI_ATC Version 2.9.28
VoiceAttack Profile Version 1.00

00 HOW TO USE THIS REFERENCE

PROFILE INITIALIZATION

When first loading the VoiceAttack profile, say “Set Airbase to Andersen” and then “Set Callsign Dodge Two One” before using any ATC command. Repeat these setup commands whenever you change the active airbase or callsign.

COMMAND NOTATION

NOTATION	MEANING
<Callsign>	Selected callsign, such as Dodge Two One
<Runway>	Valid Andersen runway: 06L, 06R, 24L, or 24R
<Waypoint>	Valid navpoint for the relevant agency
<Altitude>	Spoken altitude or flight level
<ATIS Code>	Information Alpha through Zulu
[Optional]	Word or phrase may be omitted
A / B	Either option may be spoken

Speak the controller name, callsign, and command as one continuous phrase unless the command is listed as callsign-only.

01 CLEARANCE DELIVERY

UHF 256.700 | VHF 126.725

STANDARD SPOKEN FORMAT

Andersen Clearance, <Callsign>, clearance on request, <Clearance>

FIXED-WING VFR CLEARANCES

SPOKEN OPTION	SUPPORTED ROUTING / USE
VFR	Selects the fixed-wing VFR departure profile
NORTH POINT	VFR reporting and vector point
SOUTH POINT	VFR reporting and vector point
POINT ALPHA	Local VFR point
POINT BRAVO	Local VFR point
POINT CHARLIE	Local VFR point
POINT DELTA	Local VFR point
POINT ECHO	Local VFR point
POINT FOXTROT	Local VFR point
POINT GOLF	Local VFR point
POINT HOTEL	Local VFR point

HELICOPTER CLEARANCES

SPOKEN OPTION	SUPPORTED ROUTING / USE
RITIDIAN POINT	Helicopter departure/reporting point
POTTS JUNCTION	Helicopter departure/reporting point
PATI POINT	Helicopter departure/reporting point
TWO LOVERS POINT	Helicopter departure/reporting point
MOUNT SANTA ROSA	Helicopter departure/reporting point

IFR AND SQUAWK

COMMAND	VOICEATTACK WORDING
IFR clearance	IFR
Specific code	Squawk <code>
Sequential code	Squawk 1001 / 2001 / 3001 / 4001 / 5001 / 6001 / 7001 sequential
EXAMPLE	
Andersen Clearance, Dodge Two One, clearance on request, VFR	

02 GROUND CONTROL

UHF 275.800 | VHF 121.700

STANDARD SPOKEN FORMAT
Andersen Ground, <Callsign>, <Command>

GROUND COMMANDS

PURPOSE	RECOGNIZED COMMAND
Engine start	Request engine start
Taxi	Request taxi / request taxi to runway
Taxi with ATIS	Request taxi with [information] <ATIS Code>
Holding short	Holding short [runway] <Runway>
Parking	Request taxi to park / parking
Hover check	Request hover check

VALID RUNWAYS

RUNWAY	SPOKEN FORM
06L	Zero Six Left
06R	Zero Six Right
24L	Two Four Left
24R	Two Four Right
EXAMPLE	
Andersen Ground, Dodge Two One, request taxi with information Alpha	

03 TOWER

UHF 233.700 | VHF 126.200

STANDARD SPOKEN FORMAT

Andersen Tower, <Callsign>, <Command>

DEPARTURE COMMANDS

PURPOSE	RECOGNIZED COMMAND
Ready	Request takeoff / ready for takeoff / ready for departure / number one
Holding short	Holding short [runway] <Runway>
Climb	Request [unrestricted / quick] climb to / through <Altitude>
Helicopter	Request hover check / request takeoff from parking

PATTERN AND LANDING

PURPOSE	RECOGNIZED COMMAND
Initial / overhead	Initial / at initial / request the overhead / request initial / ready overhead
Special pattern	Request high tactical initial / overhead; request SFO; high key; low key
Base call	Left / right base, <gear report>, <landing intention>
Mileage call	Three / five miles, <gear report>, <landing intention>
Straight-in	Request straight in / straight-in landing
Closed traffic	Request closed / closed traffic
Other	Extending downwind / missed approach / runway in sight / traffic in sight / no joy / say winds
EXAMPLE	
Andersen Tower, Dodge Two One, left base, gear down, full stop	

04 DEPARTURE

UHF 239.300 | VHF 120.500

STANDARD SPOKEN FORMAT
Andersen Departure, <Callsign>, <Command>

GENERAL COMMANDS

PURPOSE	RECOGNIZED COMMAND
Initial contact	Checking in
Altitude report	Airborne passing / passing <Altitude> thousand
Report point	Reporting <Waypoint>
Radar identification	Flash
Approach request	Request approach

VECTOR REQUESTS

VECTOR FORMAT	
Andersen Departure, <Callsign>, request vector to <Waypoint>	
NAVPOINT GROUP	VALID DESTINATIONS
Fixed-wing VFR	North Point; South Point; Point Alpha; Point Bravo; Point Charlie; Point Delta; Point Echo; Point Foxtrot; Point Golf; Point Hotel
Helicopter	Ritidian Point; Potts Junction; Pati Point; Two Lovers Point; Mount Santa Rosa
Airfield	Any airfield destination exposed by the Andersen AI_ATC menu
EXAMPLE	
Andersen Departure, Dodge Two One, request vector to North Point	

05 APPROACH AND SFA

APPROACH UHF 239.300 | VHF 120.500 SFA UHF 363.325 | VHF 124.950

STANDARD SPOKEN FORMAT

Andersen Approach, <Callsign>, <Command>

SUPPORTED APPROACH REQUESTS

APPROACH	RECOGNIZED REQUEST
ILS	Request ILS / ILS approach
High ILS Yankee	Request high ILS / high ILS Yankee
TACAN	Request TACAN / TACAN approach
High TACAN X-ray	Request high TACAN / high TACAN X-ray
PAR / GCA	Request PAR approach / request GCA / request a GCA pickup

RADAR AND RECOVERY COMMANDS

PURPOSE	RECOGNIZED COMMAND
Check in	Checking in VFR / IFR
IFR service	Cancel IFR / request IFR pickup
Missed approach	Request missed approach / going missed approach
Visual	Runway in sight
Pattern	Request closed traffic
Breakout	Breaking out / request back to radar

VECTOR REQUESTS AND VALID NAVPOINTS

VECTOR FORMAT

Andersen Approach, <Callsign>, request vector to <Waypoint>

GROUP	VALID DESTINATIONS
Local recovery	North Point; South Point
06L TACAN / ILS	FOVEM; ARKEE; HURUG; FOMOD; ITUME; LOGLE; JORUN; KATNE
06R TACAN / ILS	FOVEM; ARKEE; ADTIN; COLMA; FAXEL; HILRI; ANIKA; SULUE
24L TACAN / ILS	WELKU; OKIBE; BAVAC; PANNS; WESOK; ACUYU
24R TACAN / ILS	WELKU; EVEBE; JIPRO; FABED; HASRA; INIME

EXAMPLE

Andersen Approach, Dodge Two One, request vector to FOVEM

06 HAMMERHEAD RANGE CONTROL

UHF 311.000 | VHF 120.500

STANDARD SPOKEN FORMAT
Hammerhead, <Callsign>, <Command>

RANGE ENTRY AND EXIT

PURPOSE	VALID POINTS / COMMAND
Check in	Checking in at Point Alpha / Charlie / Echo / Golf
Check out	Checking out at Point Bravo / Delta / Foxtrot / Hotel
RTB	RTB from Point Bravo / Delta / Foxtrot / Hotel

VECTOR REQUESTS

VECTOR FORMAT	
Hammerhead, <Callsign>, request vector to <Destination>	
DESTINATION TYPE	VALID DESTINATIONS
Range points	Point Alpha; Bravo; Charlie; Delta; Echo; Foxtrot; Golf; Hotel
Tanker	Tanker, when a compatible tanker is available
Airfield	Any airfield destination exposed by the Andersen AI_ATC menu

HANDOFF

After range checkout, Hammerhead transfers the flight to Andersen Approach. Contact Approach on the assigned channel and continue with the appropriate recovery or approach request.

EXAMPLE
Hammerhead, Dodge Two One, checking in at Point Alpha

07 CALLSIGN-ONLY COMMANDS

STANDARD SPOKEN FORMAT
<Callsign>, <Command>

FOLLOW-UP COMMANDS

PURPOSE	RECOGNIZED COMMAND
Pattern	Initial; ready overhead; high key; low key; extending downwind; request closed traffic
Landing	Left / right base, <gear report>, <landing intention>; three / five miles, <gear report>, <landing intention>
Radar	Missed approach; breaking out; request back to radar
Visual	Runway in sight; traffic in sight; no joy; say winds
Status	IFR / VFR
Report point	Reporting North Point / South Point / Point Alpha / Point Bravo
EXAMPLE	
Dodge Two One, runway in sight	