

UPDATED: VoiceAttack Acceptable Phrase(s) for AI ATC Andersen(PGUA)2.0:

Legend: "{CS}" = Your Callsign; "from/at" = Either/Or words; "[from/at]" = Optional words

What's NEW?

- Traffic calls and responses in Tower's Traffic Pattern,
- Precision Approach Radar (PAR) approach
- F-16 Simulated Flame-Out (SFO) pattern
- Some verbal tweaks
- "Set Callsign" procedure

(You must now **set/reset** your desired **callsign** (from the list of 20 callsigns below) at the very beginning of your flight using the phrase "Set Callsign", (e.g. "Set Callsign, Dragn 41") will cause VoiceAttack (VA) AND AI_ATC to recognize your selected {CS} after the automatic VA Profile RESET.

=====VoiceAttack Background=====

Using VoiceAttack (VA) with AI_ATC automates the normally manually selected Function Key (F-key) sequence used in AI_ATC. Doing this using VA replicates, or "simulates", Military (style) UHF Radio Communications and is a great training tool in learning how to communicate over the radio. Because VA has certain limitations, and because AI_ATC is only a "Pseudo-AI", it is NOT entirely possible to be able to include every possible variation in radio communication phraseology, although we come pretty close! VoiceAttack is listening for the **Agency** you are calling **First**, Your **Callsign 2nd**, then **KEY WORDS** in your message **last**.

===== SET CALLSIGN ROUTINE =====

UHF RADIO PRESET:

(PRESET: Ch-2) *"Set Callsign, {your desired CS here}"*

NOTE: Due to certain limitations, AI_ATC has 20 Acceptable Callsigns {CS} which are...

<u>BlueFOR:</u>	<u>RedFOR:</u>
"Aspen 11"	"Mig-11"
"Chaos 21"	"Stalin-21"
"Cylon 31"	"Flanker-31"
"Dragon 41"	"Flogger-41"
"Gunfighter 51"	"Fulcrum-51"
"Nightmare 61"	"Ivan-61"
"Eagle 71"	"Grape-71"
"Viper 81"	"Strelka-81"
"Hornet 91"	"Skalpel-91"
"Slayer 01"	"Rapier-01"

Also, each time "Set Callsign" is invoked, the VoiceAttack Profile will RESET itself which can take **upwards of 1 minute** (possibly more?) and VA will be unable to respond or be used until the RESET is completed.

===== CLEARANCE DELIVERY (Ch-2): =====

NOTE: You **MUST** Read-Back your SQUAWK Code (at a minimum) to progress past Clearance Delivery.
e.g. **"Dragon 41, Squawk 3001"** (minimum readback)

Clearance [Delivery], {CS}, Clearance On Request, **IFR** Departure.

Clearance [Delivery], {CS}, Clearance On Request, **VFR Departure**.

(Readback Clearance) {CS}, Squawk XXXX

===== **GROUND CONTROL (Ch-3):** =====

[Andersen] **GROUND**, {CS} , Start

, Engine Start

, Request Engine Start

, Taxi

, Request Taxi

, Taxi Takeoff

, Taxi for Takeoff

, Request Taxi for Takeoff

, Taxi with the numbers

(means you have ATIS Information)

(after Landing)

, Holding Short

, Request Taxi to Park

, Taxi to Park

, Taxi Park

[Andersen] GROUND, Say Again?

(Repeat last transmission)

===== **Andersen TOWER (Ch-4): Departing** =====

[Andersen] **TOWER**, {CS} , Holding Short

,[is] Ready

, Takeoff

,[is] Ready for Takeoff

,[is] Number 1

,[is] In sequence

[Andersen] **TOWER**, Say Again?

{Repeat Last Transmission}

===== **DEPARTURE CONTROL (Ch-7):** =====

[Andersen] **DEPARTURE**, {CS}, [is] Passing 1000'/1100'/1200'/1300'...

, [is] Airborne, Passing 1000'/1100'/1200'/1300'...

,[is] With you, Passing 1000'/1100'/1200'/1300'...

,Checking in, Passing 1000'/1100'/1200'/1300'...

(when told to "IDENT") , IDENT / FLASH

{Either / Or}

(Requesting Vector) ,Request Vector, {name of FIX; e.g. FOVEM}

,Request Vector to {name of FIX}

,Vector to {name of FIX}

(When told to , is {name of FIX; e.g. FOVEM }

"Report [FIX]") , at {name of FIX}

, Reporting {name of FIX}

(Early RTB?) ,Request back to Approach

,Request Approach

,Back to Approach

,Request RTB

,RTB

[Andersen] **DEPARTURE**, Say Again? {Repeat Last Transmission}

=====HAMMERHEAD CONTROL (Ch-12):=====

(Checking In:)

Entering the MOAs only from **Point Alpha, Charlie, Echo, Golf**

HAMMERHEAD , {CS}, Flight Level-180 / -200 / -220, Request

, Is up on frequency, Request ALPHA / CHARLIE / ECHO / GOLF

, On frequency, Request ALPHA / CHARLIE / ECHO / GOLF

, With-you, [Request] ALPHA / CHARLIE / ECHO / GOLF

,Checking-in, [Request] ALPHA / CHARLIE / ECHO / GOLF

(when requesting , Request Vectors {FIX or TANKER}

Vectors) , Vector to {FIX or TANKER}

, Request Vector to {FIX or TANKER}

(When checking-out with HAMMERHEAD)

NOTE: When **Exiting** the MOAs only through **Point Bravo, Delta, Foxtrot, Hotel**

, is RTB from BRAVO / DELTA / FOXTROT / HOTEL

, RTB [at] BRAVO / DELTA / FOXTROT / HOTEL

, Checking-out [from/at] BRAVO / DELTA / FOXTROT / HOTEL

, Departing [from/at] BRAVO / DELTA / FOXTROT / HOTEL

, Exiting [from/at] BRAVO / DELTA / FOXTROT / HOTEL

HAMMERHEAD , Say Again?

===== **ANDERSEN ARRIVAL/APPROACH CONTROL (Ch-7)** =====

(Checking In)

[Andersen] **APPROACH**, {CS}, RTB, IFR / VFR [Recovery] ----- (If RTB Early, from Departure)

, is RTB

, With you

, Checking-in

, Flight Level 180 / 200 / 220

, [is] Missed Approach (From Instrument Approach)

, [is] Executing the Missed Approach (From Instrument Approach)

, Heading 300, Climbing to 4000 ----- **(Returning Back To Radar /
Approach from Tower)**

(when asked "Say Intentions")

, Cancel IFR

, Request Cancel

, Request Cancel IFR

, Request Back with Tower

, Request Back **to** Tower

, Back with Tower

, Back **to** Tower

, [Request] VFR with Tower

, Request IFR Pickup (During a VFR Recovery)

(when Reporting the FIX)

, is {FIX name; e.g. JORUN}

, at {FIX name}

, Reporting {FIX name}

INSTRUMENT APPROACHES

, Request PAR / GCA [Approach] (Also Called **"Talk-Down"**)

, Request Vectors PAR / GCA [Approach]

, Request ILS

, Request Vectors ILS

, Request ILS Approach

, Request Vectors ILS [Approach]

, [Request][Vectors] ILS Final

, Request LOCALIZER
 , Request Vectors LOCALIZER
 , Request LOCALIZER Approach
 , Request Vectors LOCALIZER [Approach]
 , [Request][Vectors] LOCALIZER Final
 , Request TACAN
 , Request Vectors TACAN
 , Request TACAN Approach
 , Request Vectors TACAN [Approach]
 , [Request][Vectors] TACAN Final
 , is Missed Approach (From Instrument Approach)
 , Missed Approach (From Instrument Approach)
 , is Missed (From Instrument Approach)

----- **APPROACH CNTL: Ground Controlled Approach (GCA) (Ch-10)** -----

(For **PRECISION APPROACH RADAR (PAR)** Approaches)

(Checking In)

[Andersen] **GCA**, {CS}, [is] on freq
 , [is] on frequency
 , [is] up on freq
 , [is] up on frequency

(Cancelling) , Cancel
 , Cancel IFR

When you have the runway in sight, only say – “**Runway In Sight**”

[Andersen] **GCA**, {CS}, [Request] Stay with TOWER
 , Request Closed [Pattern]
 , [Request] Back to Radar / Approach
 , Request NORTH POINT / SOUTH POINT (VFR Entry Points)
 , [is] Full Stop [Landing]
 , [is] Missed
 , [is] Missed Approach

===== **ANDERSEN TOWER (Ch-4): Arrivals/Pattern Ops** =====

[Andersen] **TOWER**, {CS}, is **X** miles North / North East / East / South East / South / South West /
 West / North West, **Inbound** / Enroute To/For [the]
Overhead / Initial (**X** = 11 -to- 30 NM)

[Andersen] **TOWER, {CS}** , Request Straight-in

, Request the Overhead

, Request Initial

, Request SFO / High-Key

(See F-16 SFO Below)

, Request NORTH POINT / SOUTH POINT

(VFR Entry Points)

, Request Closed [Pattern]

, Request Back to Radar / Approach

, Request Departure

, [is] Breaking Out

-----TOWER: F-16 Simulated Flame-Out (SFO)-----

[Andersen] **TOWER, {CS}** , Request S F O

, Request HIGH-KEY

, Request 10,000 foot HIGH-KEY

, Is out of HIGH-KEY

, Is out of 10,000 foot HIGH-KEY

, Is leaving HIGH-KEY

, Is LOW-KEY

, Is BASE-KEY

-----TOWER: Checking In From PAR Approach-----

[Andersen] **TOWER, {CS}** , [is] on freq

, [is] on frequency

, [is] up on frequency

, [is] Landing Roll

, [is] Rolling Out

-----TOWER: Going MISSED APPROACH-----

[Andersen] **TOWER, {CS}** , Missed

(From Instrument Approach)

, Missed Approach

, [is] Missed [Approach]

, [is] Executing the Missed Approach

, [is] Going Missed Approach

-----TOWER: Reporting Pattern Position-----

(When told to , 5 miles

(VFR Straight-in -or- Instrument Aprch)

“Report 5 miles” , 5 miles, Gear-Down

(VFR Straight-in -or- Instrument Aprch)

OR “Report , 5 miles, Gear-Down, Full Stop / Touch and Go / Low Approach / Option

(VFR Straight-in -or- Instrument Aprch)

, Final-Approach-Fix, Gear-Down, , Full Stop / Touch and Go / Low Approach / Option
 (From an Instrument Aprch)
 5 mi INITIAL") , [is] INITIAL (Overhead / INITIAL Approach)
 , [is] 5 mile INITIAL (Overhead / INITIAL Approach)
 (When told to
 "Report Base") , [Left/Right] Base, Gear [Down] , [Full] Stop
 , , Touch [& Go]
 , , Low Approach
 , , [the] Option

TOWER: When TOWER gives you traffic calls

, In Slight
 , Has Traffic
 , Has Traffic In Slight
 , Tally Ho!
 , Tally Traffic
 , Tally Ho Traffic
 , Contact, Traffic
 , [is / has] Visual Contact
 , [is / has] Visual Contact on Traffic
 , [is / has] Visual
 , [is / has] Visual on Traffic

 , [is] No Joy
 , [is] No Joy traffic
 , [is] No Joy on Traffic
 , [is] Negative Traffic
 , [is] Negative Contact Traffic
 , [is] Negative Contact with / on Traffic

[Andersen] **TOWER**, Say Again?

READ-BACKS / ACKNOWLEDGEMENTS (Optional)

Begin your Acknowledgments/Readbacks with **only your Call-Sign** first, not the Agency you are calling.

{CS} , (Saying only your **Callsign** to Ack)
 {CS}, Roger
 , Wilco
 , Roger Wilco
 , Copy

, [Cleared] [for] Takeoff	
, Switching	(Changing Frequency)
, Flight Level 180 / 200 / 220	(On Departure)
, Heading XXX	
, Heading XXX, 4000' / 3000'	(During IFR Recovery)
, Heading XXX, 4,000' / 9,000'	(From Missed Approach Procedure)
, Heading XXX, 3000'	(Vectors around Radar Pattern)
, Heading 243, 3000'	(From Radar Pattern / Instrmnt Aprch)
, Heading 156, 2200 Until established, Cleared Approach	(From Radar Pattern)
, [Cleared] [to] Land / Touch [& Go] / Low Approach / [the] Option	