

NELLIS AIR FORCE BASE

AI_ATC

VoiceAttack Command Reference

Complete command syntax for Nellis AFB air traffic control operations

AI_ATC Version 2.9.27 | VoiceAttack Profile Version 1.00

Nellis-specific operational reference

00 HOW TO USE THIS REFERENCE

STANDARD SPOKEN FORMAT

<Agency>, <Callsign>, <Command>

PROFILE INITIALIZATION

When first loading the VoiceAttack profile, say “Set Airbase to Nellis” and then “Set Callsign Dodge Two One” before using any ATC command. Repeat these setup commands whenever you change the active airbase or callsign.

Required placeholders	<Callsign>, <Runway>, <Waypoint>, <Altitude>, <ATIS Code>, and <Squawk Code> must be replaced with the appropriate spoken value.
Optional wording	Words shown in [square brackets] may be omitted.
Alternatives	A slash indicates accepted alternatives, e.g. left / right or to / for.
Callsign form	Most commands accept callsign only, callsign plus spoken number, or callsign plus integer form.
Recognition spellings	Internal misspellings used to improve recognition are not shown as correct terminology.
Agency pages	Each agency starts on a new page. Use the page heading and standard format block to build the full transmission.

SUPPORTED NELLIS PROCEDURES

COMMAND	ACCEPTED WORDING / OPTIONS
IFR departures	DREAM Seven; FYTTR Seven; Mormon Mesa Eight
Local departures	FYTTR; DREAM; Mormon Mesa; Gass Peak; Dry Lake; Red Horse; Sunrise
Local recoveries	STRYK; ACTON; ARCOE; Gass Peak; Dry Lake; Red Horse; Sunrise
Instrument approaches	ILS; High ILS; TACAN; High TACAN Yankee; High TACAN Zulu; PAR/GCA
Runways	03 Left; 03 Right; 21 Left; 21 Right
NATCF entries	Gate One; Gate Two; Gate Three; Gate Four; NIXON; SARAH

EXAMPLE

Nellis Tower, Dodge Two One, left base, gear down, full stop

01 CLEARANCE DELIVERY

UHF 289.400 // VHF 120.900

STANDARD SPOKEN FORMAT

Nellis Clearance, <Callsign>, clearance on request, <Departure>

VFR DEPARTURES

VOICEATTACK OPTION	ACCEPTED WORDING / ASSOCIATED DEPARTURE
FLEX NORTH	FLEX North; north-east; north-east departure; VFR
FLEX WEST	FLEX West; north-west; north-west departure
FLEX NORTH M TRANSITION	FLEX North M transition; M transition; south-east; south-east departure

HELICOPTER CLEARANCES

CLEARANCE OPTION	ACCEPTED WORDING / ROUTE
GASS PEAK	Gass Peak - via FLEX
DRY LAKE	Dry Lake - via North Gap
RED HORSE	Red Horse - via I-15 and Sand Dunes
SUNRISE	Sunrise / Sunrise departure - via South Gap

IFR DEPARTURES

IFR DEPARTURE	ACCEPTED WORDING	NELLIS ROUTING
DREAM 7	DREAM Seven; DREAM Seven departure	03L: HEREM - JUNNO 03R: ATALF - JUNNO
FYTTR 7	FYTTR Seven; FYTTR Seven departure	03L/03R: JOGEV - FYTTR
MORMON MESA 8	Mormon Mesa; Mormon Mesa Eight; Mormon Mesa Eight departure	03L: CUVAX - MMM 03R: ZINAX - MMM

SQUAWK COMMANDS

COMMAND	VOICEATTACK FORMAT / OPTIONS
Specific squawk	Squawk <Squawk Code>
Sequential squawk	Squawk 1001 / 2001 / 3001 / 4001 / 5001 / 6001 / 7001 [sequential] [<Callsign>]

EXAMPLE

Nellis Clearance, Dodge Two One, clearance on request, FYTTR Seven

02 GROUND CONTROL

UHF 275.800 // VHF 121.800

STANDARD SPOKEN FORMAT

Nellis Ground, <Callsign>, <Command>

COMMAND	ACCEPTED WORDING / OPTIONS
Engine start	Request engine start
Taxi	Request taxi; request taxi to runway
Taxi with ATIS	Request taxi with [information] <ATIS Code>
Hold short	Holding short [runway] 03 Left / 03 Right / 21 Left / 21 Right
Taxi to parking	Request taxi to park; request taxi to parking

NELLIS TAXIWAY NAMES

COMMAND	ACCEPTED WORDING / OPTIONS
Taxiways	Alpha; Bravo; Charlie; Delta; Echo; Foxtrot; Golf; Hotel
Runway note	Normal departures use runway 03L or 03R. Normal arrivals use runway 21L or 21R.

EXAMPLE

Nellis Ground, Dodge Two One, request taxi with information Alpha

03 TOWER

UHF 327.000 // VHF 132.550

STANDARD SPOKEN FORMAT

Nellis Tower, <Callsign>, <Command>

COMMAND	ACCEPTED WORDING / OPTIONS
Departure readiness	Request take-off; ready for take-off; ready for departure; number one
Holding short	Holding short [runway] 03 Left / 03 Right / 21 Left / 21 Right
Climb request	Request [unrestricted / quick] climb [to / through] [flight level] <Altitude>
Overhead	Request the overhead; request initial; initial; at initial; ready overhead
High tactical	Request high tactical initial; request high tactical overhead
SFO pattern	Request SFO; request simulated flame-out; high key; low key
Base call	Left / right base, with the gear / gear down / three green, stop / full stop / touch and go / low approach / option
Mileage call	Three / five miles, with the gear / gear down / three green, stop / full stop / touch and go / low approach / option
Pattern actions	Request straight in; request closed traffic; extending downwind; rolling out
Reports	Runway in sight; traffic in sight; no joy; say winds; missed approach; breaking out; request back to radar

EXAMPLE

Nellis Tower, Dodge Two One, left base, gear down, full stop

04 DEPARTURE

UHF 385.400 // VHF 135.100

STANDARD SPOKEN FORMAT

Nellis Departure, <Callsign>, <Command>

COMMAND	ACCEPTED WORDING / OPTIONS
Initial contact	Checking in
Altitude report	Airborne passing / passing <Altitude>
Waypoint report	Is / passing / reporting <Waypoint>
Vector request	Request vector / request vectors / request a vector [to / for] <Waypoint>
Approach request	Request approach
Flash	Flash
Vector use	Use only a waypoint listed in the Nellis departure-point table below. Speak the fix name exactly as shown.

RELEVANT NELLIS DEPARTURE POINTS

NAVPOINT GROUP	VALID VECTOR DESTINATIONS / USE
IFR SID fixes	DREAM 7: HEREM, ATALF, JUNNO FYTTR 7: JOGEV, FYTTR MORMON MESA 8: CUVAX, ZINAX, MMM
Local/VFR fixes	FLEX, DREAM, Gass Peak, North Gap, Dry Lake, I-15, Sand Dunes, South Gap
Waypoint report	Is / passing / reporting <Waypoint> - for example, reporting JUNNO.

EXAMPLE

Nellis Departure, Dodge Two One, request vector to JUNNO

05 APPROACH / GCA

APPROACH UHF 273.550 // GCA UHF 343.725 // VHF 124.950

STANDARD SPOKEN FORMAT

Nellis Approach / Nellis GCA, <Callsign>, <Command>

COMMAND	ACCEPTED WORDING / OPTIONS
Initial contact	Checking in [VFR / IFR]; is up on frequency
IFR status	Cancel IFR; request IFR pickup
ILS	Request ILS; request ILS approach; request ILS final; request vectors to the ILS final
High ILS	Request high ILS
TACAN	Request TACAN; request TACAN approach; request TACAN final; request vectors to the TACAN final
High TACAN	Request high TACAN Yankee; request high TACAN Zulu
PAR/GCA	Request PAR approach; request GCA; request a GCA pickup
Vector request	Request vector / request vectors / request a vector [to / for] <Waypoint>
Other	Request closed traffic; missed approach; request DUCK; breaking out; request back to radar; runway in sight
Vector use	Request a vector to an approach fix, local-recovery fix, or final approach fix listed below. Do not use unrelated profile navpoints.
Waypoint report	Is / passing / reporting <Waypoint>

APPROACH FIXES

NAVPOINT GROUP	VALID VECTOR DESTINATIONS / USE
Instrument fixes	ARCOE, CADOS, DUDBE, HOKUM, HULPU, JELIR, JENAR, JOGEV, KITCH, KRYSS, KUTME, OLNIE, RONKY, ROTSE, SECR, SESDE, SHEET, WILIE, WISTO
Local recovery fixes	ACTON, APEX, ARCOE, STRYK, NIXON, SARAH, PHINN, Gass Peak, FLEX, North Gap, Dry Lake, I-15, Sand Dunes, South Gap
Final/intercept	Final Approach Fix; Radar Downwind; Radar Base; Lake; North Point; South Point; Point Alpha; Point Bravo
Waypoint report	Is / passing / reporting <Waypoint> - for example, reporting ARCOE.

EXAMPLE

Nellis Approach, Dodge Two One, request vector to KRYSS

06 NELLIS CONTROL / NATCF

SALLY UHF 317.525 / VHF 126.650 // LEE UHF 254.400 / VHF 119.350

STANDARD SPOKEN FORMAT

Nellis Control / NATCF Sally / NATCF Lee, <Callsign>, <Command>

SILVERBOW AND CREECH / INDIAN SPRINGS OPERATIONS

PURPOSE	VOICEATTACK WORDING / OPTIONS
Departing Silverbow	Departing [at / from] Silverbow [VFR / IFR]
Check in/out Silverbow	Checking in / checking out [at / from] Silverbow
Creech recovery	Request [VFR / IFR] approach / recovery [to / at / for] Creech
Indian Springs recovery	Request [VFR / IFR] approach / recovery [to / at / for] Indian Springs
Silverbow recovery	Request [VFR / IFR] approach / recovery [to / at / for] Silverbow
COMMAND	ACCEPTED WORDING / OPTIONS
Check in/out	Checking in / checking out [at / from] [VFR / IFR] <Entry Point> [VFR / IFR]
Depart/RTB	Departing / RTB [at / from] <Entry Point>
Status	[Request / is] IFR / VFR
Recovery request	Request [VFR / IFR] approach / recovery [to / at / for] Creech / Indian Springs / Silverbow
Vector request	Request vector [to / for] <Entry Point or Route Fix>

SUPPORTED ENTRY POINTS AND ROUTES

COMMAND	ACCEPTED WORDING / OPTIONS
Entry points	Gate One; Gate Two; Gate Three; Gate Four; NIXON; SARAH
Gate One	FLUSH - JAYSN - STRYK
Gate Two	Beatty - JAYSN - STRYK
Gate Three	DREAM - ARCOE
Gate Four	ELKXX - MOOSE - ACTON
NIXON	NIXON - STRYK
SARAH	SARAH - Gass Peak

EXAMPLE

Nellis Control, Dodge Two One, checking in at Gate One IFR

07 RANGE CONTROL

BLACKJACK UHF 377.800 // VHF 125.300

STANDARD SPOKEN FORMAT

Blackjack / Hammerhead, <Callsign>, <Command>

COMMAND	ACCEPTED WORDING / OPTIONS
Check in	Checking in [at] Gate One / Gate Two / Gate Three / Gate Four / NIXON / SARAH / Silverbow
Check out	Checking out [at / from] Gate One / Gate Two / Gate Three / Gate Four / NIXON / SARAH / Silverbow
RTB	RTB [at / from] <Location>; RTB for recovery at Silverbow; RTB for approach to Silverbow
Vector request	Request vector to Gate One / Gate Two / Gate Three / Gate Four / NIXON / SARAH / Tanker

SILVERBOW DEPARTURE AND RECOVERY CALLS

PURPOSE	VOICEATTACK WORDING	EXAMPLE
Leave Silverbow	Checking out [at / from] Silverbow	Blackjack, Dodge Two One, checking out from Silverbow
RTB to Silverbow	RTB for recovery at Silverbow	Blackjack, Dodge Two One, RTB for recovery at Silverbow
Approach Silverbow	RTB for approach to Silverbow	Blackjack, Dodge Two One, RTB for approach to Silverbow
Creech / Indian Springs	Check out with Blackjack, then request the destination recovery from Nellis Control / NATCF	Blackjack, Dodge Two One, checking out; then Nellis Control, Dodge Two One, request IFR recovery to Creech

RANGE REPORTING POINTS

COMMAND	ACCEPTED WORDING / OPTIONS
Named points	Point Alpha; Point Bravo; Point Charlie; Point Delta; Point Echo; Point Foxtrot; Point Golf; Point Hotel
Operational note	Range Control is included because it is part of normal NTTR operations originating from Nellis.

EXAMPLE

Blackjack, Dodge Two One, checking in at Gate One

08 CALLSIGN-ONLY COMMANDS

FOLLOW-UP TRANSMISSIONS - NO AGENCY NAME REQUIRED

STANDARD SPOKEN FORMAT

<Callsign>, <Command>

COMMAND	ACCEPTED WORDING / OPTIONS
Pattern position	Initial; ready overhead; high key; low key; extending downwind
Base call	Left / right base, with the gear / gear down / three green, full stop / touch and go / low approach / option
Mileage call	Three / five miles, with the gear / gear down / three green, full stop / touch and go / low approach / option
Visual reports	Runway in sight; traffic in sight; no joy
Radar actions	Missed approach; breaking out; request back to radar; request closed traffic
Status	IFR; VFR; request IFR; request VFR; is IFR; is VFR
Waypoint report	Is / passing / reporting DUCK / FLEX / Tiger / Eagle / Falcon / North Point / South Point / Point Alpha / Point Bravo / PIUTE
Other	Say winds; squawk <code> [sequential]

EXAMPLE

Dodge Two One, runway in sight