# Dynamic KPI & Product Versioning Guide

## For the Replit Development Agent

Version: 1.0 Date: 2025-09-13

Author: Replit Coach Too

Status: Draft

## 1. Objective

This document provides a detailed technical guide for the Replit Agent to build a **Dynamic, Time-Series KPI Tracking** system. This involves three core components: **1) a module for monthly facility data entry, 2) a product versioning system**, and **3) an enhanced KPI dashboard** to visualize historical performance and the impact of initiatives.

#### 2. Part 1: Backend & Database Enhancements

#### 2.1. Database Schema Modifications

New Table: monthly\_facility\_data

```
o This table will store the user's operational data on a monthly basis.
```

```
| Column Name | Data Type | Constraints | Description |
```

```
|:---|:---|:---|
```

| id | UUID | PRIMARY KEY | Unique ID for the monthly record. |

company id | UUID | FOREIGN KEY (companies.id) | Links to the company. |

| month | DATE | NOT NULL | The first day of the month this data applies to. |

| electricity kwh | NUMERIC | NULLABLE | |

| natural gas m3 | NUMERIC | NULLABLE | |

| water m3 | NUMERIC | NULLABLE | |

| production\_volume | NUMERIC | NULLABLE | In the company's standard unit. | utility\_bill\_url | VARCHAR(255) | NULLABLE | Link to the uploaded verification

document. |

## New Table: product\_versions

• This table will store the different versions of a user's product. The existing products table will now act as a parent container.

```
| Column Name | Data Type | Constraints | Description |
```

```
|:---|:---|:---|
```

| id | UUID | PRIMARY KEY | Unique ID for this specific version. |

| product id | UUID | FOREIGN KEY (products.id) | Links to the parent product. |

| version number | INTEGER | NOT NULL | e.g., 1, 2, 3. |

| effective\_date | DATE | NOT NULL | The date from which this version is considered active. |

| Ica questionnaire id | UUID | FOREIGN KEY (Ica questionnaires.id) | Links to the

specific LCA data for this version.

#### • New Table: kpi\_snapshots

• This table will store the calculated value of each KPI at the end of every month.

| Column Name | Data Type | Constraints | Description |

|:---|:---|

| id | UUID | PRIMARY KEY | Unique ID for the snapshot. |

company\_id | UUID | FOREIGN KEY (companies.id) | Links to the company. |

| kpi\_definition\_id | UUID | FOREIGN KEY (kpi\_definitions.id) | Links to the KPI being measured. |

| snapshot\_date | DATE | NOT NULL | The date of the snapshot (e.g., end of the month). |

| value | NUMERIC | NOT NULL | The calculated value of the KPI at that time. |

## 2.2. New Backend Services & API Endpoints

## • New Service: TimeSeriesEngine

This service will contain the new "date-aware" calculation logic. When asked for a
footprint for a specific month, it will use the monthly\_facility\_data for that month and
query the product\_versions table to find the correct product version based on the
effective date.

#### New Scheduled Task (Cron Job):

 A monthly task that runs on the 1st of every month. It will calculate the value for all active KPIs for all companies for the previous month and save them to the kpi snapshots table.

#### • New API Endpoints:

- POST /api/company/monthly-data: To submit the monthly facility data form.
- o POST /api/products/product id>/new-version: To create a new product version.
- GET /api/kpis/<kpi\_id>/history: To get the time-series data from kpi\_snapshots for a specific KPI.

## 3. Part 2: Frontend Implementation

## 3.1. Monthly Facility Data Entry Module

- Location: A new sub-section in the 'Company Data' module (/app/company) called "Monthly Performance Data."
- **UI:** A simple interface where the user can select a month and year, then fill in a form with the fields from the monthly facility data table. An "Upload Bill" button will be included.

## 3.2. Product Versioning & Change Tracking

- Location: The main 'Products' page.
- **UI Change:** The "Edit" button for each product will be replaced with a **"Create New Version"** button.

#### Workflow:

1. User clicks "Create New Version".

- 2. A modal appears, confirming the action and asking for an **"Effective Date"** for the new version.
- 3. The system duplicates the product's most recent LCA questionnaire, creating a "v2".
- 4. The user is taken to the LCA questionnaire for this new version, where they can edit the specific details that have changed (e.g., update the bottle weight in the packaging tab).

#### 3.3. The Enhanced KPI Dashboard

- Location: The KPI & Goal-Setting Dashboard (/app/kpis).
- **UI Change:** Each KpiProgressCard component must now be a clickable element.
- The Trend Analysis View (Modal or New Page):
  - o **Trigger:** Clicking on a KpiProgressCard.
  - **UI:** A large view displaying a **line graph** (using Recharts).
  - Logic: The graph will be populated with the historical data from the GET /api/kpis/<kpi\_id>/history endpoint, showing the KPI's value over the last 12-24 months.

#### • Initiative Overlay:

- Logic: The component will also fetch the start dates of any initiatives linked to this KPI goal.
- UI: The graph will display a vertical line or an icon annotation at the point on the timeline where each initiative began, with the initiative's name in a tooltip. This will create a powerful visual link between actions and results.