

Functional Overview - Avalue Driver

1. Introduction

Avalue Driver is a system device designed to provide a system interface and implement control logic via the included API.

Applications use the API for standardized calls to ensure safe and controlled operation of motherboard functions.

2. Architecture

- Registered as a system device in Windows Device Manager.
- Type: Kernel-Mode Driver.
- Applications communicate with the driver via the API to perform motherboard function operations.

3. Operation Flow

- Device Initialization: The driver loads at startup or installation, creating the device interface.
- Application Access: Applications call the driver via the API.
- Function Execution: The driver receives commands and executes motherboard functions.
- Result Return: Execution status or data is returned via the API.

4. Scope and Limitations

- Applicable only to designated platforms and motherboards.

5. Conclusion

The driver provides an API that enables applications to safely and consistently operate motherboard functions.

功能概要 – Avalue Driver

1. 簡介

Avalue Driver 為系統裝置，主要用途為提供系統介面並透過附帶 API 實現控制邏輯。應用程式可透過 API 進行標準化呼叫，以確保主機板功能操作安全且受控。

2. 架構

- 以系統裝置形式註冊於 Windows 裝置管理員。
- 類型為核心模式驅動程式 (Kernel-Mode Driver)。
- 應用程式透過 API 與驅動程式溝通，執行主機板功能操作。

3. 操作流程

- 裝置建立：系統於啟動或安裝時載入驅動程式，建立裝置介面。
- 程式存取：應用程式透過 API 呼叫驅動程式。
- 功能操作：驅動程式接收命令並執行主機板功能操作。
- 回傳結果：執行狀態或資料透過 API 回傳給應用程式。

4. 適用範圍與限制

- 僅適用於指定平台及主機板。

5. 結論

驅動程式提供 API，使應用程式能安全且一致地操作主機板功能。