1)Develop a Web application for a Boutique Shop using html& php?

Ans:

boutique shop.php

```
<!DOCTYPE html>
<html>
<head>
<title>Boutique Shop</title>
<link rel="stylesheet" type="text/css" href="b.css">
</head>
<body>
<center><h1>WELCOME TO BOUTIQUEEE....</h1></center>
 <marque><h4>Try it,Wear it,Love it</h4><marque>
 <div class="topnav">
 <div class="topnav-right">
  <a class="active" href="cart\ind.php">MATERIALS</a>
 </div>
</div>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body {
font-family: Arial;
margin: 0;
}
* {
box-sizing: border-box;
}
```

```
img {
vertical-align: middle;
}
.container {
position: relative;
}
.mySlides {
display: none;
}
.cursor {
cursor: pointer;
}
.prev,
.next {
 cursor: pointer;
 position: absolute;
 top: 40%;
 width: auto;
 padding: 16px;
 margin-top: -50px;
color: white;
 font-weight: bold;
 font-size: 20px;
 border-radius: 0 3px 3px 0;
 user-select: none;
```

```
-webkit-user-select: none;
}
.next {
 right: 0;
border-radius: 3px 0 0 3px;
}
.prev:hover,
.next:hover {
background-color: rgba(0, 0, 0, 0.8);
}
.numbertext {
color: #f2f2f2;
 font-size: 12px;
 padding: 8px 12px;
 position: absolute;
 top: 0;
}
.caption-container {
text-align: center;
 background-color: #222;
 padding: 2px 16px;
color: white;
}
.row:after {
```

```
content: "";
display: table;
clear: both;
}
.column {
float: left;
width: 16.66%;
}
.demo {
opacity: 0.6;
}
.active,
.demo:hover {
opacity: 1;
</style>
<body>
<h2 style="text-align:center">New</h2>
<div class="container">
<div class="mySlides">
  <div class="numbertext">1 / 6</div>
  <img src="b5.jpg" style="width:25%",height="50%">
 </div>
<div class="mySlides">
  <div class="numbertext">2 / 6</div>
```

```
<img src="b6.jpg" style="width:25%",height="25%">
 </div>
 <div class="mySlides">
  <div class="numbertext">3 / 6</div>
  <img src="b12.jpg" style="width:50%",height="50%">
 </div>
<div class="mySlides">
  <div class="numbertext">4 / 6</div>
  <img src="b13.jpg" style="width:50%",height="50%">
 </div>
<div class="mySlides">
  <div class="numbertext">5 / 6</div>
  <img src="b8.jpg" style="width:25%",height="25%">
 </div>
 <div class="mySlides">
  <div class="numbertext">6 / 6</div>
  <img src="b10.jpg" style="width:25%",height="25%">
 </div>
<a class="prev" onclick="plusSlides(-1)" > </a>
<a class="next" onclick="plusSlides(1)">>></a>
<br>
<div class="caption-container">
  </div>
```

```
<h5>
<div class="row" >
  <div class="column">
   <img class="demo cursor" src="b5.jpg" style="width:100%" onclick="currentSlide(1)" alt="">
  </div>
  <div class="column">
   <img class="demo cursor" src="b6.jpg" style="width:100%" onclick="currentSlide(2)" alt="">
  </div>
  <div class="column">
   <img class="demo cursor" src="b12.jpg" style="width:100%" onclick="currentSlide(3)" alt="">
  </div>
  <div class="column">
   <img class="demo cursor" src="b13.jpg" style="width:100%" onclick="currentSlide(4)" alt="">
  </div>
  <div class="column">
   <img class="demo cursor" src="b8.jpg" style="width:100%" onclick="currentSlide(5)" alt="">
  </div>
  <div class="column">
   <img class="demo cursor" src="b10.jpg" style="width:100%" onclick="currentSlide(6)" alt="">
  </div>
</div>
</div>
</h5>
<script>
var slideIndex = 1;
showSlides(slideIndex);
function plusSlides(n) {
```

```
showSlides(slideIndex += n);
}
function currentSlide(n) {
showSlides(slideIndex = n);
}
function showSlides(n) {
var i;
var slides = document.getElementsByClassName("mySlides");
var dots = document.getElementsByClassName("demo");
var captionText = document.getElementById("caption");
 if (n > slides.length) {slideIndex = 1}
 if (n < 1) {slideIndex = slides.length}
 for (i = 0; i < slides.length; i++) {
   slides[i].style.display = "none";
}
for (i = 0; i < dots.length; i++) {
   dots[i].className = dots[i].className.replace(" active", "");
}
slides[slideIndex-1].style.display = "block";
 dots[slideIndex-1].className += " active";
captionText.innerHTML = dots[slideIndex-1].alt;
}
</script>
<br>
 <div class="caption-container">
  <b>Our Brand</b>
 </div>
```

<h3>Our Online Boutique offers a wide range of apparel to fit any woman's unique sense of style. Our clothing and accessories are carefully curated to provide our customers the latest fashions. To keep our customers in style we post new arrivals daily, as well as offer stylist picks to help any indecisive shoppers. Impressions Online Boutique is a fashionista's best place to create the perfect wardrobe.

Beyond helping you look your best, Impressions Online Boutique strives to make every purchase a positive experience. Our top priorities are excellent customer service, exceptionally quick order processing, ultra fast shipping times, and a hassle-free return policy. We value your feedback, whether positive or constructive and we are continuously working to improve your experience.

If you are a first-time visitor or long-standing customer, we hope you will be thrilled with every aspect of your Impressions Online Boutique shopping experience.

```
</h3>
<hr>
 <div class="caption-container">
  <b><h4>We offers You the best customer services<h4></b>
 </div>
</body>
</html>
#b1.css
#content{
  width: 50%;
  margin: 20px auto;
  border: 1px solid #cbcbcb;
}
form{
  width: 50%;
  margin: 20px auto;
}
```

```
form div{
  margin-top: 5px;
}
#img_div{
  width: 80%;
  padding: 5px;
  margin: 15px auto;
  border: 1px solid #cbcbcb;
}
#img_div:after{
  content: "";
  display: block;
  clear: both;
}
img{
  float: left;
  margin: 5px;
  width: 300px;
  height: 140px;
}
#style.css
.product_wrapper {
float:left;
padding: 10px;
text-align: center;
}
.product_wrapper:hover {
box-shadow: 0 0 0 2px #e5e5e5;
```

```
cursor:pointer;
}
.product_wrapper .name {
font-weight:bold;
}
.product_wrapper .buy {
text-transform: uppercase;
background: #F68B1E;
border: 1px solid #F68B1E;
cursor: pointer;
color: #fff;
padding: 8px 40px;
margin-top: 10px;
}
.product_wrapper .buy:hover {
background: #f17e0a;
border-color: #f17e0a;
}
.message_box .box{
margin: 10px 0px;
border: 1px solid #2b772e;
text-align: center;
font-weight: bold;
color: #2b772e;
}
.table td {
border-bottom: #F0F0F0 1px solid;
padding: 10px;
}
```

```
.cart_div {
float:right;
font-weight:bold;
position:relative;
}
.cart_div a {
color:#000;
}
.cart_div span {
font-size: 12px;
line-height: 14px;
background: #F68B1E;
padding: 2px;
border: 2px solid #fff;
border-radius: 50%;
position: absolute;
top: -1px;
left: 13px;
color: #fff;
width: 20px;
height: 20px;
text-align: center;
}
.cart .remove {
background: none;
border: none;
color: #0067ab;
cursor: pointer;
padding: 0px;
```

```
}
.cart .remove:hover {
text-decoration:underline;
}
Ind.php
<?php
session_start();
$connect = mysqli_connect("localhost", "root", "", "testing");
if(isset($_POST["add_to_cart"]))
{
       if(isset($_SESSION["shopping_cart"]))
       {
               $item_array_id = array_column($_SESSION["shopping_cart"], "item_id");
               if(!in_array($_GET["id"], $item_array_id))
               {
                       $count = count($_SESSION["shopping_cart"]);
                       $item_array = array(
                              'item_id'
                                                                    $_GET["id"],
                                                             =>
                                                                     $_POST["hidden_name"],
                              'item_name'
                                                             $_POST["hidden_price"],
                              'item_price'
                                                             $_POST["quantity"]
                              'item_quantity'
                                                     =>
                       );
                       $_SESSION["shopping_cart"][$count] = $item_array;
               }
               else
               {
```

```
echo '<script>alert("Item Already Added")</script>';
               }
        }
        else
        {
                $item_array = array(
                                                              $_GET["id"],
                       'item_id'
                                                       =>
                       'item_name'
                                                               $_POST["hidden_name"],
                                                       $_POST["hidden_price"],
                       'item_price'
                                               =>
                                                       $_POST["quantity"]
                       'item_quantity'
                                               =>
               );
               $_SESSION["shopping_cart"][0] = $item_array;
       }
}
if(isset($_GET["action"]))
{
        if($_GET["action"] == "delete")
        {
               foreach($_SESSION["shopping_cart"] as $keys => $values)
               {
                       if($values["item_id"] == $_GET["id"])
                       {
                               unset($_SESSION["shopping_cart"][$keys]);
                               echo '<script>alert("Item Removed")</script>';
                               echo '<script>window.location="index.php"</script>';
                       }
               }
       }
```

```
}
?>
<!DOCTYPE html>
<html>
<head>
<title>Boutique Shopping Cart</title>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
k rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css"
/>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>
</head>
<body >
<br />
<div class="container">
<br />
<br />
<br />
<h3 align="center"><b> Boutique shopping cart</b></h3><br />
<br /><br />
<?php
$query = "SELECT * FROM tbl_product ORDER BY id ASC";
$result = mysqli_query($connect, $query);
if(mysqli_num_rows($result) > 0)
{
while($row = mysqli_fetch_array($result))
                                      {
```

```
?>
<div class="col-md-4">
<form method="post" action="index.php?action=add&id=<?php echo $row["id"]; ?>">
<div style="border:1px solid #333; background-color:#f1f1f1; border-radius:5px; padding:16px;"</pre>
align="center">
<img src="images/<?php echo $row["image"]; ?>" class="img-responsive" /><br />
<h4 class="text-info"><?php echo $row["name"]; ?></h4>
<h4 class="text-danger">$ <?php echo $row["price"]; ?></h4>
<input type="text" name="quantity" value="1" class="form-control" />
<input type="hidden" name="hidden_name" value="<?php echo $row["name"]; ?>" />
<input type="hidden" name="hidden_price" value="<?php echo $row["price"]; ?>" />
<input type="submit" name="add_to_cart" style="margin-top:5px;" class="btn btn-success" value="Add
to Cart" />
</div>
</form>
</div>
<?php
}
}
?>
<div style="clear:both"></div>
<br />
<h3>Order Details</h3>
<div class="table-responsive">
```

```
Item Name
Quantity
Price
Total
Action
<?php
if(!empty($_SESSION["shopping_cart"]))
{
total = 0;
foreach($_SESSION["shopping_cart"] as $keys => $values)
{
?>
<?php echo $values["item_name"]; ?>
<?php echo $values["item_quantity"]; ?>
$ <?php echo $values["item_price"]; ?>
$ <?php echo number_format($values["item_quantity"] * $values["item_price"], 2);?>
<a href="index.php?action=delete&id=<?php echo $values["item_id"]; ?>"><span class="text-
danger">Remove</span></a>
<?php
$total = $total + ($values["item_quantity"] * $values["item_price"]);
                               }
                          ?>
Total
```

```
$ <?php echo number_format($total, 2); ?>
<?php
}
?>
<div class="topnav-right">
<a class="active" href="../boutique shop">Back to Home</a>
</div>
</div>
</div>
</div>
<br />
</body>
</html>
```

<u>OUTPUT</u>







