Program

Aim: Program to implement intent to navigate between multiple activities(Explicit Intent)

```
XML Code:
```

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  android:background="#fba9dc"
  tools:context=".MainActivity">
<Button
    android:id="@+id/btn1"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintBottom_toBottomOf="parent"
    android:text="Button"
    />
</androidx.constraintlayout.widget.ConstraintLayout>
Java Code:
package com.example.explicit;
import androidx.appcompat.app.AppCompatActivity;
```

```
import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
public class MainActivity extends AppCompatActivity {
  Button b1;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    b1=findViewById(R.id.btn1);
    b1.setOnClickListener(new View.OnClickListener() {
       @Override
       public void onClick(View v) {
         Intent b=new Intent(Intent.ACTION_VIEW,
Uri.parse("https://www.google.com"));
         startActivity(b);
    });
  }
Output:
```



