## **Program**

Aim: Program develop an application that works with implicit intents

## **XML Code:**

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:background="@color/teal_200"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
 <TextView
    android:id="@+id/txt1"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Activity 1"
    app:layout_constraintLeft_toLeftOf="parent"
    android:layout_marginTop="50dp"
    android:textSize="30sp"
    app:layout_constraintRight_toRightOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
  <Button
    android:id="@+id/btn1"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
```

```
android:text="Next Activity"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintTop_toBottomOf="@id/txt1"
    app:layout_constraintBottom_toBottomOf="parent"/>
</androidx.constraintlayout.widget.ConstraintLayout>
#activity_main2.xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  android:background="@color/white"
  tools:context=".MainActivity2">
  <TextView
    android:id="@+id/txt2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:textSize="30sp"
    android:text="Activity 2"
    app:layout_constraintLeft_toLeftOf="parent"
    android:layout_marginTop="50dp"
    app:layout_constraintRight_toRightOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
```

```
<Button
    android:id="@+id/btn2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Previous Activity"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintTop_toBottomOf="@id/txt2"
    app:layout_constraintBottom_toBottomOf="parent"/>
</androidx.constraintlayout.widget.ConstraintLayout>
Java Code:
package com.example.intent;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
public class MainActivity extends AppCompatActivity {
  Button b1;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    b1 = findViewById(R.id.btn1);
    b1.setOnClickListener(new View.OnClickListener() {
       @Override
       public void onClick(View v) {
```

```
Intent intent = new Intent(MainActivity.this, MainActivity2.class);
          startActivity(intent);
       }
     });
}
```

```
#Mainactivity2
package com.example.intent;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle; import
android.view.View; import
android.widget.Button;
public class MainActivity2 extends AppCompatActivity {
  Button b1;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main2);
    b1 = findViewById(R.id.btn2);
    b1.setOnClickListener(new View.OnClickListener() {
       @Override
       public void onClick(View v) {
         Intent intent = new Intent(MainActivity2.this, MainActivity.class);
         startActivity(intent);
       }
Output:
```

