Program

Aim: Program to develop an application that implements spinner component and perform event handling.

XML Code:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
 <Spinner
    android:id="@+id/spinner"
    android:layout_width="197dp"
    android:layout_height="70dp"
    tools:layout_editor_absoluteX="92dp"
    tools:layout_editor_absoluteY="297dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.502"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.48"/>
</androidx.constraintlayout.widget.ConstraintLayout>
```

Java Code:

```
package com.example.spinnercomponents;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
```

```
import android.view.View;
import android.widget.AdapterView;
import android.widget.ArrayAdapter;
import android.widget.Spinner;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity implements
    AdapterView.OnItemSelectedListener {
  String[] country ={"india","china","japan","other"};
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    Spinner spin =(Spinner) findViewById(R.id.spinner);
    spin.setOnItemSelectedListener(this);
    ArrayAdapter\ aa = new
ArrayAdapter(this,android.R.layout.simple_spinner_item,country);
         aa.setDropDownViewResource(android.R.layout.simple_spinner_item);
    spin.setAdapter(aa);
  }
  @Override
  public void on Item Selected (Adapter View <?> arg 0, View arg 1, int position, long id) {
    Toast.makeText(getApplicationContext(),country[position],Toast.LENGTH_LONG).sh
ow();
  }
  @Override
  public void onNothingSelected(AdapterView<?>arg0){
}
Output:
```



