Bibliography and References

The following bibliography is in no way complete. However, it is an attempt to list a large number of sources and references for further reading. Following each entry is a list of the sections of this book to which the entry applies. If the letter A appears in this list, then the entry is a general reference to the topic of algorithms and their development and efficiency; if the letter D appears, then the entry is a general reference to the topic of data structures, their implementations and applications. Such entries are relevant to most of the topics discussed in this book and are, therefore, not categorized further. If the letter C appears after an entry, then the entry is a general reference to the C or C++ language. Other entries contain either an integer, in which case they are relevant to an entire chapter, or a section number (of the form X.X), in which case they are relevant to a particular section.

ACKERMAN, A. F.: "Quadratic Search for Hash Tables of Size p"," Comm. ACM, 17(3), Mar. 1974.

Adams, J., S. Leestma, and L. Nyhoff: C++: An Introduction to Computing. Prentice Hall, Englewood Cliffs, N. J., 1995.

ADELSON-VELSKII, G. M., and E. M. LANDIS: "An Algorithm for the Organization of Information,"

Dokl. Akad. Nauk SSSR, Math., 146(2): 263-66, 1962. (7.2)

Aho, A., J. Hoperoft, and J. Ullman: The Design and Analysis of Computer Algorithms.

Addison-Wesley, Reading, Mass., 1974.

(A)

| AHO, A. V., J. E. HOPCROFT, and J. D. Ullman: "On Finding Lowest Common Ancestors in Trees," SIAM J. Comput., 5(1), Mar. 1976. |
|---|
| Aно, A. V., J. E. Hopcroft, and J. D. Ullman: Data Structures and Algorithms, Addison-Wesley, Reading, Mass., 1983. |
| Ai-Suwaiyel, M., and E. Horowitz, "Algorithms for Trie Compaction," ACM Trans. Database Systems, 9(2): 243–263, June 1984. (7.3) |
| ALAGIC, S., and M. A. Arbib: The Design of Well-Structured and Correct Programs, Springer- Verlag, New York, 1978. (A) |
| Alanko, T. O., H. H. Erkio, and I. J. Haikala: "Virtual Memory Behavior of Some Sorting Algorithms," <i>IEEE Trans. Software Eng.</i> , 10(4), July 1984. (6.2) |
| Amble, O., and D. E. Knuth: "Ordered Hash Tables." Comput. J., 18: 135-42, 1975. (7.4) |
| AMSBURY, W.: Data Structures from Arrays to Priority Queues, Wadsworth, Belmont, Calif., 1985. |
| Anderson, M. R. and M. G. Anderson: "Comments on Perfect Hashing Functions: A Single Probe Retrieving Method for Static Sets," Comm. ACM, 22(2), Feb. 1979. (7.4) |
| AT&T Bell Laboratories: The C Programmer's Handbook, Prentice Hall, Englewood Cliffs, N.J., 1985. (C) |
| Augenstein, M., and A. Tenenbaum: "A Lesson in Recursion and Structured Programming," SIGCSE Bull., 8(1): 17-23, Feb. 1976. (3.4) |
| Augenstein, M., and A. Tenenbaum: "Program Efficiency and Data Structures," SIGCSE Bull., 9(3): 21–37, Aug. 1977. (4.5, 5.4) |
| AUGENSTEIN, M. J., and A. M. TENENBAUM: Data Structures and PL/I Programming, Prentice Hall, Englewood Cliffs, N.J., 1979. (D) |
| Auslander, M. A. and H. R. Strong: "Systematic Recursion Removal," Comm. ACM, 21(2), Feb. 1978. |
| BAASE, S.: Computer Algorithms: Introduction to Design and Analysis, Addison-Wesley, Reading, Mass., 1978. (A) |
| BAER, J. L., and B. Schwab: "A Comparison of Tree-Balancing Algorithms," Comm. ACM, 20(5), May 1977. (7.2) |
| Banahan, M.: The C Book, Addison-Wesley, Reading, Mass., 1988. (C) |
| Barron, D. W.: Recursive Techniques in Programming, American Elsevier, New York, 1968. |
| BATAGELJ, V.: "The Quadratic Hash Method When the Table Size is Not a Prime Number," Comm. ACM, 18(4), Apr. 1975. (7.4) |
| BAYER, R.: "Binary B-Trees for Virtual Memory," Proc. 1971 ACM SIGFIDET Workshop, ACM, New York, pp. 219–35. (7.3) |
| BAYER, R.: "Symmetric Binary B-Trees: Data Structure and Maintenance Algorithms." <i>Acta Inform.</i> , 1(4): 290–306, 1972. (7.3) |
| BAYER, R., and C. McCreight: "Organization and Maintenance of Large Ordered Indexes," <i>Acta Inform.</i> , 1(3): 173–89, 1972. (7.3) |
| BAYER, R., and J. METZGER: "On Encipherment of Search Trees and Random Access Files," ACM Trans. Database Systems, 1(1): 37–52, Mar. 1976. (7.2) |
| BAYER, R., and K. Unterauer: "Prefix B-Trees," ACM Trans. Database Systems, 2(1): 11-26, Mar. 1977. |

- Bays, C.: "A Note on When to Chain Overflow Items within a Direct-Access Table," Comm.

 ACM, 16(1), Jan. 1973.

 (7.4)
- Bechtold, U., and K. Kuspert: "On the Use of Extendible Hashing without Hashing," Inform.

 Process. Lett., 19(1), July 1984.

 (7.4)
- BELL, J. R.: "The Quadratic Quotient Method: A Hash Code Eliminating Secondary Clustering,"

 Comm. ACM, 13(2), Feb. 1970.

 (7.4)
- Bell, J. R., and C. H. Kaman: "The Linear Quotient Hash Code," Comm. ACM, 13(11), Nov. 1970.

 (7.4)
- Bell, R. C., and B. Floyd: "A Monte Carlo Study of Cichelli Hash-Function Solvability," Comm. ACM, 26(11), Nov. 1983.
- BELLMAN, R.: Dynamic Programming, Princeton University Press, Princeton, N.J., 1957. (A)
- Bentley, J. L.: "Multidimensional Binary Search Trees Used for Associative Searching." Comm. ACM, 18(9), Sept. 1975.
- Bentley, J. L.: "Decomposable Searching Problems," Inform. Process. Lett., 8(5), June 1979.
- Bentley, J. L.: "Multidimensional Divide and Conquer," Comm. ACM, 23(4), Apr. 1980. (3.7)
 Bentley, J. L., and J. H. Friedman: "Algorithms and Data Structures for Range Searching," ACM
 Comput. Surveys, 11(4), Dec. 1979.
- Bentley, J. L., and C. C. McGeoch: "Amortized Analyses of Self-Organizing Sequential Search Heuristics," *Comm. ACM*, 28(4), Apr. 1985. (7.1)
- Bentley, J. L., and D. F. Stanat: "Analysis of Range Searches in Quad Trees," Inform. Process. Lett., 3(6), July 1975. (5, 7.2)
- Berge, C.: Theory of Graphs and Its Applications, Methuen Press, New York, 1962. (8)
- Berge, C.: Graphs and Hypergraphs, North-Holland, Amsterdam, 1973. (8)
- Bergin, J.: Data Abstraction. The Object-Oriented Approach Using C++, McGraw-Hill, New York, 1994.

 (A, C)
- Berztiss, A. T.: Data Structures: Theory and Practice, 2nd ed., Academic Press, New York, 1977. (D)
- BIRD, R. S.: "Notes on Recursion Elimination," Comm. ACM, 20(6), June 1977. (3.4)
- BIRD, R. S.: "Improving Programs by the Introduction of Recursion," Comm. ACM, 20(11), Nov. 1977. (3.4)
- BITNER, J. R.: "Heuristics That Dynamically Organize Data Structures," SIAM J. Comput., 8(1), Feb. 1979. (7.1, 7.2)
- BITNER, J. R., and E. M. REINGOLD: "Backtrack Programming Techniques," Comm. ACM, 18: 651-56, 1975.
- BLUM, M., R. W. FLOYD, V. PRATT, R. L. RIVEST, and R. E. TARJAN: "Time Bounds for Selection," J. Comput. System Sci., 7: 448-61, 1973, (6.3)
- Booch, G.: Object-Oriented Analysis and Design. 2nd ed., Benjamin-Cummings, Redwood City, Calif., 1994. (A)
- Воотняоур, J.: "Algorithm 201 (Shellsort)," Comm. ACM, 6: 445, 1963. (6.4)
- BOOTHROYD, J.: "Sort of a Section of the Elements of an Array by Determining the Rank of Each Element: Algorithm 25," *Comput. J.*, 10, Nov. 1967. (6.2)
- Brent, R. P.: "Reducing the Retrieval Time of Scatter Storage Techniques," Comm. ACM, 16(2). Feb. 1973. (7.4)

| Brown, M.: "A Storage Scheme for Height-Balanced Trees," <i>Inform. Process. Lett.</i> , 7(5): 231-32, Aug. 1978. (7.2) |
|---|
| Bruno, J., and E. G. Coffman: "Nearly Optimal Binary Search Trees," <i>Proc. IFIP Congr.</i> 71: 99-103, 1972. (7.2) |
| BUDD, T. A.: Classic Data Structures in C++, Addison-Wesley, Reading, Mass., 1994. (C, D) |
| Burge, W. H.: "A Correspondence between Two Sorting Methods," <i>IBM Research Report RC</i> 6395, Thomas J. Watson Research Center, Yorktown Heights, N.Y., 1977. (6.3) |
| Burstall, R. M., and J. Darlington: "A Transformation System for Developing Recursive Programs," J. ACM, 24(1), Jan. 1977. (3.3, 3.4) |
| Burton, F. W., and G. N. Lewis: "A Robust Variation of Interpolation Search," <i>Inform. Process. Lett.</i> , 10(4, 5): 198-201, July 1980. (7.1) |
| CARRANO, F. M.: Data Abstraction and Problem Solving with C++, Walls and Mirrors, Benjamin-Cummings, Redwood City, Calif., 1995. (A, C) |
| CARTER, J. L., and M. N. WEGMAN: "Universal Classes of Hash Functions," J. Comput. System Sci., 18: 143-154, 1979. (7.4) |
| CESARINI, F., and G. Soda: "An Algorithm to Construct a Compact B-Tree in Case of Ordered Keys," <i>Inform. Process. Lett.</i> , 17: 13-16, 1983. (7.3) |
| CHANG, C. C.: "The Study of an Ordered Minimal Perfect Hashing Scheme," Comm. ACM, 27(4), Apr. 1984. (7.4) |
| CHANG, H., and S. S. IYENGAR: "Efficient Algorithms to Globally Balance a Binary Search Tree," Comm. ACM, 27(7), July 1984. (7.2) |
| CHEN, W. C., and J. S. VITTER: "Analysis of Early-Insertion Standard Coalesced Hashing," SIAM J. Comput., 12(4), Nov. 1983. (7.4) |
| CHEN, W. C., and J. S. VITTER: "Analysis of New Variants of Coalesced Hashing," ACM Trans. Database Systems, 9(4), Dec. 1984 [see also 10(1), Mar. 1985]. (7.4) |
| CHERITON, D. and R. E. TARJAN: "Finding Minimum Spanning Trees," SIAM J. Comput., 5: 724-42, 1976. (8.4) |
| CICHELLI, R. J.: "Minimal Perfect Hash Functions Made Simple," Comm. ACM, 23(1), Jan. 1980. (7.4) |
| CLAMPETT, H.: "Randomized Binary Searching with Tree Structures," Comm. ACM, 7(3): 163-65, Mar. 1964. (7.2) |
| CLINE, M. P., and G. A. Lomow: $C++FAQs$, Addison-Wesley, Massachusetts, 1995. (C) |
| COLEMAN, D.: A Structured Programming Approach to Data, Macmillan, London, 1978. (D) |
| COMER, D.: "The Ubiquitous B-Tree," ACM Comput. Surveys, 11(2): 121-137, June 1979 (7.3) |
| COMER, D.: "Heuristics for Trie Index Minimization," ACM Trans. Database Systems, 4(3): 383-95, Sept. 1979. (7.3) |
| COMER, D.: "A Note on Median Split Trees," ACM TOPLAS, 2(1): 129-133, Jan. 1980. (7.2) |
| COMER, D.: "Analysis of a Heuristic for Full Trie Minimization," ACM Trans. Database Systems 6(3): 513–37, Sept. 1981. (7.3) |
| Condict, M.: "The Pascal Dynamic Array Controversy and a Method for Enforcing Global Assertions," SIGPLAN Notices. 12(11), Nov. 1977. (1.2 |
| Cook, C. R., and D. J. Kim: "Best Sorting Algorithm for Nearly Sorted Lists," Comm. ACM 23(11), Nov. 1980. (6.5 |
| Cook, C. R., and R. R. Oldehoeff: "A Letter Oriented Minimal Perfect Hashing Function," ACM |

| DALE, N., and S. C. LILLY: Pascal Plus Data Structures: Algorithms of | SAMPLEAN TO FROM I MERCATA |
|---|----------------------------|
| D.C. Heath, Lexington, Mass., 1985. | |
| DANTZIG, G. B., and D. R. FULKERSON: "On the Max-Flow Min-C | Cut Theorem of Namuel is |

Linear Inequalities and Related Systems," Ann. Math. Study, 38: 215–21, Princeton University Press, Princeton, N.J., 1956.

- Day, A. C.: "Balancing a Binary Tree," Comput. J., 19(4): 360-61, Nov. 1976. (7.2)
- Decker, R.: Data Structures, Prentice Hall, Englewood Cliffs, N.J., 1989. (D)
 Deo, N.: Graph Theory with Applications to Engineering and Computer Science, Prentice Hall,
 Englewood Cliffs, N.J., 1974.
- DIEHR, G., and B. FAALAND: "Optimal Pagination of B-Trees with Variable-Length Items," Comm. ACM, 27(3), Mar. 1984.
- Dobkin, D., and R. J. Lipton: "Multidimensional Search Problems," SIAM J. Comput., 5(2), June 1976.
- Dobosiewicz, W.: "Sorting by Distributive Partitioning," Inform. Process. Lett., 7(1): 1-6, 1978.

 (6.5)
- Dobosiewicz, W.: "The Practical Significance of D.P. Sort Revisited," *Inform. Process. Lett.*, 8: 170-72, 1979.
- Dobosiewicz, W.: "An Efficient Variation of Bubble Sort," *Inform. Process. Lett.*, 11(1): 5-6, 1980. (6.1)
- Driscoll, J. R., and Y. E. Lien: "A Selective Traversal Algorithm for Binary Search Trees,"

 Comm. ACM, 21(6), June 1978.

 (5.1, 5.2, 7.2)
- Du, M. W., T. M. Hsieh, K. F. Jea, and D. W. Shieh: "The Study of a New Perfect Hash Scheme." IEEE Trans. Software Eng., SE-9(3), May 1983. (7.4)
- Earlson, I. M.: "Sherlock Holmes and Charles Babbage," Creative Comput., 3(4): 106-13.

 July-Aug. 1977. (3.3)
- EDMONDS, J., and R. M. KARP: "Theoretical Improvements in Algorithmic Efficiency for Network Flow Problem," J. ACM, 19: 248-64, 1972.

 (8.2)
- ELLIS, M., and B. STROUSTRUP: The Annotated C++ Reference Manual, Addison-Wesley, Reading, Mass., 1990.
- Eppinger, J. L.: "An Empirical Study of Insertion and Deletion in Binary Tree Search," Comm. AMC, 26(9), Sept. 1983. (7.2)
- Esakov, J., and T. Weiss: Data Structures: An Advanced Approach Using C, Prentice Hall, Englewood Cliffs, N.J., 1989. (D)
- Even, S.: Graph Algorithms, Computer Science Press, Potomac, Md., 1978. (8)
- Even, S., and R. E. Tarjan: "Network Flow and Testing Graph Connectivity," SIAM J. Comput., 4(4), Dec. 1975. (8.2)
- FAGIN, R., J. NIEVERGELT, N. PIPPENGER, and H. R. STRONG: "Extendible Hashing: A Fast Access Method for Dynamic Files," ACM Trans. Database Systems, 4(3): 315-44, Sept. 1979. (7.4)
- FILLMORE, J. P., and S. G. WILLIAMSON: "On Backtracking: A Combinatorial Description of the Algorithm," SIAM J. Comput., 3(1), Mar. 1974. (3)
- FINKEL, R. A., and J. L. BENTLEY: "Quad Trees: A Data Structure for Retrieval on Composite Keys," *Acta Inform.*, 4: 1–9, 1975. (5, 7.2)
- FISHMAN, G. S.: Concepts and Methods in Discrete Event Digital Simulation, Wiley, New York, 1973. (4.4)

| ACM, 14(9), Sept. 1971. | |
|---|---------------|
| FLOYD, R. W.: "Algorithm 245 (Treesort3)," Comm. ACM, 7: 701, 1964. | .3) |
| FLOYD, R. W., and R. L. Rivest: "Algorithm 489 (Select)," Comm. ACM, 18(3): 173, Mar. 197 | 75. .3) |
| FLOYD, R. W., and R. L. RIVEST: "Expected Time Bounds for Selection," Comm. ACM, 180 | |
| FORD, L. R., and D. R. FULKERSON: Flows in Networks, Princeton University Press, Princeton | |
| FOSTER, C. C.: "A Generalization of AVL Trees," Comm. ACM, 16(8), Aug. 1973. (7. | .2) |
| Franklin, W. R.: "Padded Lists: Set Operations in Expected O(log log N) Time," Inform. Process. Lett., 9(4): 161-66, Nov. 1979. | ro- .1) |
| Franta, W. R., and K. Maly: "An Efficient Data Structure for the Simulation Event Set." Com ACM, 20(8), Aug. 1977. (4 | m. |
| Franta, W. R., and K. Maly: "A Comparison of Heaps and the TL Structure for the Simulati Event Set," Comm. ACM, 21(10), Oct. 1978. (4.4, 6 | |
| Frazer, W. D., and A. C. McKellar: "Samplesort: A Sampling Approach to Minimal Stora Tree Sorting," J. ACM, 17(3), July 1970. | ige (.3) |
| Fredkin, E.: "Trie Memory," Comm. ACM, 3(9): 490-99, 1960. | .3) |
| FULKERSON, D. R.: "Flow Networks and Combinatorial Operations Research." Amer. Ma. Monthly, 73: 115, 1966. | |
| Galil, Z., and N. Megiddo: "A Fast Selection Algorithm and the Problem of Optimum Distribution of Effort," J. ACM, 26(1), Jan. 1979. | l a- (0.2) |
| GAREY, M. R.: "Optimal Binary Search Trees with Restricted Maximal Depth," SIAM J. Co. put., 2: 101-10, 1974. | m- 7.2) |
| Garsia, A. M., and M. L. Wachs: "A New Algorithm for Minimum Cost Binary Trees." SIA J. Comput., 6(4), Dec. 1977. | AM (7.2) |
| Gehani, N.: Advanced C: Food for the Educated Palate, Computer Science Press. New Yo 1985. | ork, (C) |
| GHOSH, S. P., and V. Y. Lum: "Analysis of Collisions when Hashing by Division," <i>Inform. S tems</i> , 1: 15–22, 1975. | (vs- |
| Gноян, S. P., and M. E. Senko: "File Organization: On the Selection of Random Access Inc. Points for Sequential Files," J. ACM, 16: 569-79, 1969: (7 | dex 7.1) |
| GOLOMB, S. W., and L. D. BAUMERT: "Backtrack Programming," J. ACM, 12: 516, 1965. | (3) |
| GONNET, G. H.: "Heaps Applied to Event Driven Mechanisms," Comm. ACM. 19(7), July 19 (4.4, 6) | |
| GONNET, G. H., and P. Larson: "External Hashing with Limited Internal Storage," Technic Report CS-82-38, University of Waterloo, Waterloo, Ontario, Canada, 1982. | ica 7.4 |
| GONNET, G. H., and J. I. MUNRO: "Efficient Ordering of Hash Tables," SIAM J. Comput., 8 | (3). 7.4 |
| GONNET, G. H., and L. D. ROGERS: "The Interpolation-Sequential Search Algorithm," Info | |
| GONNET, G. H., L. D. ROGERS, and J. A. GEORGE: "An Algorithmic and Complexity Analysis | |
| | |

| Goo | DMAN, S. E., and S. T. Hedetniemi: Introduction to the Design and Analysis of Algorithms, IcGraw-Hill, New York, 1977. |
|------------|--|
| | |
| | LIEB, C. C., and L. R. Gotlieb: Data Types and Structures, Prentice Hall, Englewood Cliffs, J., 1978. |
| GRIE | is, D.: Compiler Construction for Digital Computers, Wiley, New York, 1971. |
| GUIE | (3.2, 3.4, 7.4) As, L. J.: "The Analysis of Hashing Techniques That Exhibit K-ary Clustering," J. ACM, |
| 25 | 7. 344-33. 1978 |
| | (7.4) AS, L., E. McCreight, M. Plass, and J. Roberts: "A New Representation for Linear Lists," |
| | 72) (72) (72) (72) (72) (72) (72) |
| Guin | AS, L. J., and R. SEDGEWICK: "A Dichromatic Framework for Balanced Trees," Proc. 19th Inn. IEEE Symp. Foundations Comput. Sci., 1978. (7.3) |
| GUIB | AS, L. J., and E. SZEMEREDI: "The Analysis of Double Hashing," J. Comput. System Sci., 16: |
| HAL. | ATSIS, C., and G. PHILOKYPROU: "Pseudo-chaining in Hash Tables," Comm. ACM, 21(7), July 178. |
| HAN | (7.4) SEN, W. J.: "A Cost Model for the Internal Organization of B ⁺ -Tree Nodes," ACM Trans. rog. Lang. Systems, 3(4), Oct. 1981. |
| HAR | ARY F: Graph Theory Addison Western Days 1969 |
| HARI | RISIN S. P. and G. I. Serger and G. A. P. (8) |
| 14. | BISIN, S. P., and G. L. STEELE, JR.: C: A Reference Manual, Prentice Hall, Englewood Cliffs, J., 1984. |
| HELD 19 | o. G., and M. Stonebraker: "B-Trees Re-examined." Comm. ACM, 21(2): 139-43, Feb. (7.3) |
| HIRS | CHBERG, D. S.: "An Insertion Technique for One-Sided Height-Balanced Trees." |
| A | CM, 19(8), Aug. 1976. (7.2) |
| HOAL | RE, C. A. R.: "Partition, Algorithm 63: Quicksort, Algorithm 64; Find. Algorithm 65," |
| HOAD | C A R: "Ouiskest" Comment I 5 10 15 100 |
| Ном | RE, C. A. R.: "Quicksort," Comput. J., 5: 10–15, 1962. (6.2) |
| 10 | GOOD, F. R. A., and J. DAVENPORT: "The Quadratic Hash Method Where the Table Size Is a wer of 2," Comput. J., 15(4), 1972. |
| Horo | OWITZ, E., and S. SAHNI: Fundamentals of Data Structures, Computer Science Press. Wood- |
| | |
| toi | owitz, E., and S. Sahni: Algorithms: Design and Analysis, Computer Science Press, Ponac, Md., 1977. |
| Hu, 51 | F. C., and A. C. TUCKER: "Optimum Computer Search Trees," SIAM J. Appl. Math., 21: 4-32, 1971 |
| HUAN | (7.2) G. S.: "Height-Balanced Trees of Order (β, γ, δ) ," ACM Trans. Database Systems, 10(2), no 1985. |
| HUAN | IG S S and C K Wover "Ontimal Big S II To Warrant To (7.3) |
| 111 | omas J. Watson Research Center, Yorktown Heights, N.Y., 1982. (7.2) |
| HUAN | IG, S. S., and C. K. Wong: "Generalized Binary Split Trees," <i>IBM Research Report RC</i> 150, Thomas J. Watson Research Center, Yorktown Heights, N.Y., Mar. 1983. (7.2) |
| HUFF | MAN, D: "A Method for the Construction of Minimum Redundance Codes," <i>Proc. IRE</i> , 40, (5.3) |
| | |

| Huits, M., and V. Kumar: "The Practical Significance of Distributive Partitioning Sort," <i>Inform. Process. Lett.</i> , 8: 168–69, 1975. |
|--|
| HUTCHISON, R. C., and S. B. Just: Programming Using the C Language, McGraw-Hill, New |
| York, 1988. |
| Hwang, F. K., and S. Lin: "A Simple Algorithm for Merging Two Disjoint Linearly Ordered Sets," SIAM J. Comput., 1: 31-39, 1972. (6.5) |
| ITAI, A.: "Optimal Alphabetic Trees," SIAM J. Comput., 5(1), Mar. 1976. (7.2) |
| ITAI, A., and Y. SHILOACH: "Maximum Flow in Planar Networks," SIAM J. Comput., 8(2), May 1979. (8.2) |
| Jackowski, B. L., R. Kubiak, and S. Sokolowski: "Complexity of Sorting by Distributive Partitioning," <i>Inform. Process. Lett.</i> , 9(2): 180, 1979. (6.5) |
| JACOBI, C.: "Dynamic Array Parameters," Pascal User's Group Newsl., 5, Sept. 1976. (1.2) |
| JAESCHKE, G., and G. OSTERBURG: "On Cichelli's Minimal Perfect Hash Function Method," Comm. ACM, 23(12), Dec. 1980. (7.4) |
| JAESCHKE, G.: "Reciprocal Hashing: A Method for Generating Minimal Perfect Hashing Functions," Comm. ACM, 24(12), Dec. 1981. |
| JOHNSONBAUGH, R., and M. KALIN: Object-Oriented Programming in C++, Prentice Hall, Englewood Cliffs, N.J., 1995. (A, C) |
| Jonassen, A., and O. Dahl: "Analysis of an Algorithm for Priority Queue Administration," <i>BIT</i> 15: 409–22, 1975. (4.1, 6.3 |
| KARLTON, P. L., S. H. FULLER, R. E. SCROGGS, and E. B. KACHLER: "Performance of Height-Balanced Trees." Comm. ACM, 19(1): 23–28, Jan. 1976. (7.2) |
| KELLY, A., and I. POHL: A Book on C, Benjamin-Cummings, Redwood City, Calif., 1984. (C. |
| Kelly, A., and I. Pohl: C by Dissection: The Essentials of C Programming, Benjamin-Cummings, Redwood City, Calif., 1987. |
| KERNIGHAN, B., and P. J. Plauger: Software Tools, Addison-Wesley, Reading, Mass., 1976. (6 |
| KERNIGHAN, B. W., and D. M. RITCHIE: <i>The C Programming Language</i> , Prentice Hall, Englewood Cliffs, N.J., 1978. |
| KERNIGHAN, B. W., and D. M. RITCHIE: <i>The C Programming Language</i> , 2nd. ed. (Ansi C). Prentice Hall, Englewood Cliffs, N.J., 1988. |
| KLEINROCK, L.: Queuing Systems, Wiley, New York, 1975. (4.4) |
| KNOTT, G. O.: "Hashing Functions," Comput. J., 18, Aug. 1975. |
| KNUTH, D. E. "Optimum Binary Search Trees," Acta Inform., 1: 14–25, 1971. |
| KNUTH, D. E.: Fundamental Algorithms, 2nd ed., Addison-Wesley, Reading, Mass., 1973. |
| KNUTH, D. E.: Sorting and Searching, Addison-Wesley, Reading, Mass., 1973. (6, 7) |
| KNUTH, D. E.: "Structured Programming with Goto Statements," ACM Comput. Surveys, 6(4) |
| (3.4, 6.2) KORFHAGE, R. R.: Discrete Computational Structures, Academic Press, New York, 1974. (8.1) |
| KORSH, J. F.: "Greedy Binary Search Trees are Nearly Optimal," Inform. Process. Lett., 13(1) |
| Oct. 1981: (7.2 |
| Korsh, J. F.: Data Structures, Algorithms, and Program Style, PWS Publishing, Boston, 1986 (D |
| |

| Kosaraju, S. R.: "Insertions and Deletions in ACM, 21(3), Mar. 1978. | One-Sided Height | Balanced | Trees," | Commun. |
|--|--------------------------------|----------|---------|---------|
| Venne D. I. D. C. | THE PART OF THE REAL PROPERTY. | | | (7.2) |

- KRUSE, R. L.: Data Structures and Program Design, 2nd ed., Prentice Hall, Englewood Cliffs, N.J., 1987. (D)
- LANGSAM, Y., M. J. AUGENSTEIN, and A. M. TENENBAUM: Data Structures for Personal Computers, Prentice Hall, Englewood Cliffs, N.J., 1985. (D)
- LARSON, P. A.: "Dynamic Hashing," BIT, 18: 184-201, 1978. (7.4)
- LARSON, P. A.: "Linear Hashing with Partial Expansions," Proc. 6th Conf. Very Large Databases, Montreal, Canada, ACM, New York, 1980, pp. 224-32. (7.4)
- LARSON, P. A.: "A Single-File Version of Linear Hashing with Partial Expansions," Proc. 8th Conf. Very Large Databases, Mexico City, Mexico, Sept. 1982, pp. 300-309. (7.4)
- LARSON, P. A.: "Performance Analysis of Linear Hashing with Partial Expansions," ACM Trans. Database Systems, 7(4), Dec. 1982. (7.4)
- Larson, P. A.: "Further Analysis of External Hashing with Fixed-Length Separators," Technical Report CS-83-18, Computer Science Department, University of Waterloo, Waterloo, Ontario, Canada, July 1983.
- Larson, P. A.: "Analysis of Uniform Hashing," J. ACM, 30(4): 805-19, Oct. 1983. (7.4)
- LARSON, P. A.: "Performance Analysis of a Single-File Version of Linear Hashing," Technical Report CS-83-28, Computer Science Department, University of Waterloo, Waterloo, Ontario, Canada, Nov. 1983. (7.4)
- Larson, P. A.: "Linear Hashing with Separators: A Dynamic Hashing Scheme Achieving One-Access Retrieval," Technical Report CS-84-23, Computer Science Department, University of Waterloo, Waterloo, Ontario, Canada, Nov. 1984. (7.4)
- LARSON, P. A.: "Linear Hashing with Overflow-Handling by Linear Probing," ACM Trans. Database Systems, 10(1), Mar. 1985. (7.4)
- Larson, P., and A. Kajla: "File Organization: Implementation of a Method Guaranteeing Retrieval in One Access," Comm. ACM, 27(7), July 1984. (7.4)
- LEWIS, G. N., N. J. BOYNTON, and F. W. BURTON: "Expected Complexity of Fast Search with Uniformly Distributed Data," Inform. Process. Lett., 13(1): 4-7, Oct. 1981. (7.1)
- Lewis, T. G., and M. Z. Smith: Applying Data Structures, Houghton Mifflin, Boston, 1976. (D)
- LIPPMAN, S. B.: C++ Primer, 2nd ed., Addison Wesley, Reading, Mass., 1993. (C) LITWIN, W., and D. B. LOMET: "Bounded Disorder Access Method," IBM Research Report RC
- 10992, Thomas J. Watson Research Center, Yorktown Heights, N.Y., Jan. 1985. (7.4)
- LOCKYER, K. G.: An Introduction to Critical Data Analysis, Pitman, London, 1964. (8.3)
- LOCKYER, K. G.: Critical Path Analysis: Problem and Solutions, Pitman, London, 1966. (8.3)
- Lodi, E., and F. Luccio: "Split Sequence Hash Search," Inform. Process. Lett., 20: 131-136, (7.4)
- LOESER, R.: "Some Performance Tests of 'Quicksort' and Descendants," Comm. ACM, 17(3), Mar. 1974. (6.2)
- LOMET, D. B.: "Digital B-Trees," Proc. 7th Conf. Very Large Databases, Cannes, France, 1981, pp. 333-43. (7.3)
- LOMET, D. B.: "Bounded Index Exponential Hashing," IBM Research Report RC 9192. Thomas J. Watson Research Center, Yorktown Heights, N.Y., Jan. 1982; to appear in ACM Trans. Database Systems.

| LOMET, D. B.: "A High Performance, Universal Key Associative Access Method," <i>IBM Res</i> Report RC 9638, Thomas J. Watson Research Center, Yorktown Heights, N.Y., Oct. | 1982. (7.4) |
|---|----------------------------|
| LOMET, D. B.: "DL*-Trees: A File Organization Exploiting Digital Search," <i>IBM Research port RC 10860</i> , Thomas J. Watson Research Center, Yorktown Heights, N.Y., Nov. | ch Re- 1984. (7.3) |
| LORIN, H: Sorting and Sort Systems, Addison-Wesley, Reading, Mass., 1975. | (6) |
| Luccio, F., and L. Pagli: "On the Height of Height-Balanced Trees," <i>IEEE Trans. Co</i> c-25(1), Jan. 1976. | (7.2) |
| Luccio, F., and L. Pagli; "Power Trees," Comm. ACM, 21(11), Nov. 1978. | (7.2) |
| LUM, U. Y.: "General Performance Analysis of Key-to-Address Transformation Methods an Abstract File Concept," Comm. ACM, 16(10): 603, Oct. 1973. | (7.4) |
| LUM, U. Y., and P. S. T. YUEN: "Additional Results on Key-to-Address Transform Technic Fundamental Performance Study on Large Existing Formatted Files," Comm. ACM, 996, Nov. 1972. | (7.4) |
| Lum, U. Y., P. S. T. Yuen, and M. Dodd: "Key-to-Address Transform Techniques: A Funda Performance Study on Large Existing Formatted Files," Comm. ACM, 14: 228, 1971. | (7.4) |
| Lyon, G.: "Packed Scatter Tables," Comm. ACM, 21(10), Oct. 1978. | (7.4) |
| MAIER, D., and S. C. Salveter: "Hysterical B-Trees," Inform. Process. Lett., 12(4), Aug | (1.3) |
| Maly, K.: "Compressed Tries," Comm. ACM, 19(7), July 1976. | (7.3) |
| Manna, Z., and A. Shamir: "The Optimal Approach to Recursive Programs," Comm. 20(11). Nov. 1977. | (3.4) |
| Mannila, H., and E. Ukkonen: "A Simple Linear-Time Algorithm for In Situ Merging," Process. Lett., 18(4), May 1984. | (0.5) |
| MARTIN, J. J.: Data Types and Data Structures, Prentice Hall, Englewood Cliffs, N.J., 1 | 986:(D) |
| MARTIN W: "Sorting," Comput. Surveys, 3(4): 147, 1971. | (1) |
| Martin, W. A., and D. N. Ness: "Optimizing Binary Trees Growth with a Sorting Alg. Comm. ACM, 15(2): 88–93. Feb. 1972. | |
| MAURER, H. A., and T. Ottmann: "Tree Structures for Set Manipulation Problems," in matical Foundations of Computer Science, J. Gruska (ed.), Springer-Verlag, New York | Mathe- rk, 1977. (5) |
| Maurer, H. A., T. Ottmann, and H. W. Six: "Implementing Dictionaries Using Binary Very Small Height." <i>Inform. Process. Lett.</i> , 5: 11–14, 1976. | (1.2) |
| Maurer, H. A., and M. R. Williams: A Collection of Programming Problems and Technology Prentice Hall, Englewood Cliffs, N.J., 1972. | (A) |
| Maurer, W. D.: "An Improved Hash Code for Scatter Storage," Comm. ACM, 11(1), Ja | (7.4) |
| Maurer, W., and T. Lewis: "Hash Table Methods," Comput. Surveys, 7(1): 5-19, M | ar. 1975. (7.4) |
| McCabe, J.: "On Serial Files with Relocatable Records," Oper. Res., 12: 609-18, 1965 | 5. (7.1) |
| McCreight, E. M.: "Pagination of B-Trees with Variable-Length Records," Comm. AC 670-74, Sept. 1977. | M, 20(9): (7.3) |
| Mehlhorn, K.: "Nearly Optimal Binary Search Trees," Acta Inform., 5: 287–95, 1975 | (7.2) |
| | |