

COVID-19 is an emerging, rapidly evolving situation.

х

Get the latest public health information from CDC: https://www.coronavirus.gov Get the latest research information from NIH: https://www.nih.gov/coronavirus

Home → Medical Encyclopedia → Heel pain

URL of this page: //medlineplus.gov/ency/article/003181.htm

Heel pain

Heel pain is most often the result of overuse. However, it may be caused by an injury.

Your heel may become tender or swollen from:

- Shoes with poor support or shock absorption
- Running on hard surfaces, like concrete
- Running too often
- Tightness in your calf muscle or the Achilles tendon
- Sudden inward or outward turning of your heel
- · Landing hard or awkwardly on the heel

Conditions that may cause heel pain include:

- Swelling and pain in the Achilles tendon
- Swelling of the fluid-filled sac (bursa) at the back of the heel bone under the Achilles tendon (bursitis)
- · Bone spurs in the heel
- Swelling of the thick band of tissue on the bottom of your foot (plantar fasciitis)
- Fracture of the heel bone that is related to landing very hard on your heel from a fall (calcaneus fracture)

Home Care

The following steps may help relieve your heel pain:

- Use crutches to take weight off your feet.
- Rest as much as possible for at least a week.
- Apply ice to the painful area. Do this at least twice a day for 10 to 15 minutes. Ice more often in the first couple of days.
- Take acetaminophen or ibuprofen for the pain.
- Wear well-fitted and supportive shoes.

- Use a heel cup, felt pads in the heel area, or shoe insert.
- Wear night splints.

Your health care provider may recommend other treatments, depending on the cause of your heel pain.

Maintaining flexible and strong muscles in your calves, ankles, and feet can help prevent some types of heel pain. Always stretch and warm-up before exercising.

Wear comfortable and well-fitting shoes with good arch support and cushioning. Make sure there is enough room for your toes.

When to Contact a Medical Professional

Call your provider if your heel pain does not get better after 2 to 3 weeks of home treatment. Also call if:

- Your pain is getting worse despite home treatment.
- Your pain is sudden and severe.
- You have redness or swelling of your heel.
- You cannot put weight on your foot, even after resting.

What to Expect at Your Office Visit

Your provider will perform a physical exam and ask questions about your medical history and symptoms, such as:

- Have you had this type of heel pain before?
- When did your pain begin?
- Do you have pain upon your first steps in the morning or after your first steps after rest?
- Is the pain dull and aching or sharp and stabbing?
- Is it worse after exercise?
- Is it worse when standing?
- Did you fall or twist your ankle recently?
- Are you a runner? If so, how far and how often do you run?
- Do you walk or stand for long periods of time?
- What kind of shoes do you wear?
- Do you have any other symptoms?

Your provider may order a foot x-ray. You may need to see a physical therapist to learn exercises to stretch and strengthen your foot. Your provider may recommend a night splint to help stretch your foot. At times, further imaging, like CT scan or MRI may be needed. Surgery may be recommended in some cases.

Alternative Names

Pain - heel

References

Grear BJ. Disorders of tendons and fascia and adolescent and adult pes planus. In: Azar FM, Beaty JH, Canale ST, eds. *Campbell's Operative Orthopaedics*. 13th ed. Philadelphia, PA: Elsevier; 2017:chap 82.

Kadakia AR. Heel pain and plantar fasciitis: hindfoot conditions. In: Miller MD, Thompson SR, eds. *DeLee & Drez's Orthopaedic Sports Medicine*. 4th ed. Philadelphia, PA: Elsevier Saunders; 2015:chap 119.

McGee DL. Podiatric procedures. In: Roberts JR, Custalow CB, Thomsen TW, eds. *Roberts and Hedges' Clinical Procedures in Emergency Medicine and Acute Care*. 7th ed. Philadelphia, PA: Elsevier; 2019:chap 51.

Review Date 3/20/2018

Updated by: C. Benjamin Ma, MD, Professor, Chief, Sports Medicine and Shoulder Service, UCSF Department of Orthopaedic Surgery, San Francisco, CA. Also reviewed by David Zieve, MD, MHA, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

A.D.A.M Quality Logo A.D.A.M., Inc. is accredited by URAC, for Health Content Provider (www.urac.org). URAC's accreditation program is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about A.D.A.M.'s editorial policy editorial process and privacy policy. A.D.A.M. is also a founding member of Hi-Ethics. This site complies with the HONcode standard for trustworthy health information: verify here.

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed physician should be consulted for diagnosis and treatment of any and all medical conditions. Call 911 for all medical emergencies. Links to other sites are provided for information only — they do not constitute endorsements of those other sites. Copyright 1997–2020, A.D.A.M., Inc. Duplication for commercial use must be authorized in writing by ADAM Health Solutions.

®ADAM:

U.S. National Library of Medicine 8600 Rockville Pike, Bethesda, MD 20894 U.S. Department of Health and Human Services

National Institutes of Health

Page last updated: 16 September 2020