












UNIVERSAL HIGH-PRECISION MECHANICAL COMPRESSION JIG (BATTERY R&D)
GENERAL ASSEMBLY - REST POSITION

NOTES:
1. ALL DIMENSIONS IN MM. OVERALL DIMENSIONS ARE FOR REFERENCE.
2. SHEET 2: EXPLODED VIEW AND BILL OF MATERIALS.
3. SHEET 3: STANDARD HARDWARE (BOM ITEMS 34 TO 56).
4. PARTS 01-16: PARTNER A (AVI). PARTS 17-38: PARTNER B (HADAR).

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI / HADAR		03/10/26			Mechanical Compression Jig	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO. CompressionJig_Assembly	A3
				WEIGHT: 179747.99		SCALE:1:6	SHEET 1 OF 3


SOLIDWORKS Educational Product. For Instructional Use Only.

ITEM NO.	PART NUMBER	DESCRIPTION	MATERIAL	QTY.
1	01_Main_Frame_Body	Main C-Frame Body	AISI Type A2 Tool Steel	1
2	02_Heavy_Base_Plate	Heavy Base Plate	1.0045 (S355JR)	1
3	03_Anvil_Pedestal	Anvil Pedestal	AISI Type A2 Tool Steel	1
4	04_LowerRamGuideBlock	Lower Ram Guide Block	AISI 1020	1
5	05_UpperRamGuideBlock	Upper Ram Guide Block	AISI 1020	1
6	06_Left_Safety_Shield	Left Side Safety Shield	Acrylic (Medium-high impact)	1
7	07_RightSafetyShield	Right Side Safety Shield	Acrylic (Medium-high impact)	1
8	08_ShieldMountingBracket	Shield Mounting Bracket	6061-T6 (SS)	4
9	09_WaveSpring	Deflection Wave-Spring	Wrought Stainless Steel	1
10	10_DialBackplate	Dial Indicator Backplate	Chrome Stainless Steel	1
11	11_DialBezel	Dial Indicator Bezel	6061 Alloy	1
12	12_DialNeedle	Dial Indicator Needle	6061-T6 (SS)	1
13	13_PinionGear	Dial Indicator Pinion Gear	Free-Cutting Brass, UNS C36000	1
14	14_DialRack	Dial Indicator Rack	Galvanized Steel	1
15	15_LoadPlate	Load Transfer Plate	AISI Type A2 Tool Steel	1
16	16_BaseFeet	Rubber Base Foot	Natural Rubber	4
17	17_ThreadedLeadScrew	Threaded Lead Screw	1.7225 (42CrMo4)	1
18	18_RatchetingLeverArm	Ratcheting Lever Arm	AISI 1045 Steel, cold drawn	1
19	19_RatchetGearHub	Ratchet Gear Hub	1.7131 (16MnCr5)	1
20	20_SpringLoadedPawl	Spring-Loaded Pawl	AISI Type A2 Tool Steel	1
21	21_PawlSelectionSwitch	Pawl Selection Switch	6061-T6 (SS)	1
22	22_LeverHandleGrip	Lever Handle Grip	Natural Rubber	1
23	23_RamCollar	Ram Collar	AISI 1045 Steel, cold drawn	1
24	24_MainCompressionRam	Main Compression Ram	AISI 1045 Steel, cold drawn	1
25	25_ThrustWasher	Thrust Washer	2.1030 (CuSn8)	1
26	26_UpperPlatenInsulator	Upper Platen Insulator	Polyetheretherketone (PEEK)	1
27	27_UpperCompressionPlaten	Upper Compression Platen	1.4021 (X20Cr13)	1
28	28_LeftGuideBar	Left Adjustable Guide Rail	Polyetheretherketone (PEEK)	1
29	29_RightGuideBar	Right Adjustable Guide Rail	Polyetheretherketone (PEEK)	1
30	30_LowerInsulatingBaseBlock	Lower Insulating Base Block	Polyetheretherketone (PEEK)	1
31	31_LowerCompressionPlaten	Lower Compression Platen	1.4021 (X20Cr13)	1
32	32_TerminalContactBlock	Terminal Contact Block	Polyetheretherketone (PEEK)	1
33	33_MultiLayerBatterySample	Multi-Layer Battery Sample	Laminate (see notes)	1
34	34_ButtonHeadScrew_M5x10_ISO7380	Button Head Screw ISO 7380 M5x10	Alloy Steel	4
35	34_CheeseHeadScrew_DialNeedle	Cheese Head Slotted Screw (Dial Needle)	AISI 304	1
36	34_DowelPin_6x72_ISO2338	Dowel Pin ISO 2338 6x72	Alloy Steel	1
37	34_GreaseFitting_M6_DIN71412	Grease Fitting DIN 71412 M6	Brass	1
38	34_HexNut_DialNeedle	Hex Nut (Dial Needle)	Plain Carbon Steel	1
39	34_Magnet_D10x5_N42	Disc Magnet D10x5 N42	NdFeB N42, Ni-plated	2
40	34_ParallelKey_6x6x20_DIN6885	Parallel Key DIN 6885-A 6x6x20	AISI 1045 Steel, cold drawn	1
41	34_PawlPivotPin_4.5x18.5	Pawl Pivot Pin D4.5x18.5	Alloy Steel	1
42	34_SHCS_M12x45_ISO4762	Socket Head Cap Screw ISO 4762 M12x45	Alloy Steel	4
43	34_SHCS_M3x8_ISO4762	Socket Head Cap Screw ISO 4762 M3x8	Alloy Steel	2
44	34_SHCS_M4x12_ISO4762	Socket Head Cap Screw ISO 4762 M4x12	Alloy Steel	2
45	34_SHCS_M4x20_ISO4762	Socket Head Cap Screw ISO 4762 M4x20	Alloy Steel	2
46	34_SHCS_M4x25_ISO4762	Socket Head Cap Screw ISO 4762 M4x25	Alloy Steel	4
47	34_SHCS_M6x16_ISO4762	Socket Head Cap Screw ISO 4762 M6x16	Alloy Steel	8
48	34_SHCS_M8x16_ISO4762	Socket Head Cap Screw ISO 4762 M8x16	Alloy Steel	1
49	34_SHCS_M8x20_ISO4762	Socket Head Cap Screw ISO 4762 M8x20	Alloy Steel	4
50	34_SHCS_M8x40_ISO4762	Socket Head Cap Screw ISO 4762 M8x40	Alloy Steel	8
51	34_SHCS_M8x80_ISO4762	Socket Head Cap Screw ISO 4762 M8x80	Alloy Steel	8
52	34_SHCS_M8x90_ISO4762	Socket Head Cap Screw ISO 4762 M8x90	Alloy Steel	4
53	34_Washer_8.4x24x2_DIN9021	Flat Washer DIN 9021 8.4x24x2	Plain Carbon Steel	1
54	35_Circlip_40x1.75_DIN471	External Circlip DIN 471 40x1.75	1.8159 (51CrV4)	1
55	35_Circlip_46x1.75_DIN472	Internal Circlip DIN 472 46x1.75	1.8159 (51CrV4)	1
56	35_RetainingRing_8x0.8_DIN471	External Retaining Ring DIN 471 8x0.8	1.8159 (51CrV4)	1
57	36_DialFoot	Dial Indicator Foot	6061-T6 (SS)	2
58	37_DialPin	Dial Indicator Pin	1.4305 (X8CrNiS18-9)	2
59	38_GuideStopPin	Guide Stop Pin	1.7225 (42CrMo4)	2




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION		
	NAME	SIGNATURE	DATE				TITLE:
DRAWN	AVI / HADAR		03/10/26				Mechanical Compression Jig
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
						CompressionJig_Assembly	
				WEIGHT: 179747.99		SCALE:1:12	SHEET 2 OF 3

SOLIDWORKS Educational Product. For Instructional Use Only.




SOCKET HEAD CAP SCREW
ISO 4762 M8x40
SCALE 1:2 QTY 8 ITEM 50




SOCKET HEAD CAP SCREW
ISO 4762 M12x45
SCALE 1:2 QTY 4 ITEM 42



SOCKET HEAD CAP SCREW
ISO 4762 M8x80
SCALE 1:2 QTY 8 ITEM 51




SOCKET HEAD CAP SCREW
ISO 4762 M6x16
SCALE 1:1 QTY 8 ITEM 47




SOCKET HEAD CAP SCREW
ISO 4762 M8x20
SCALE 1:1 QTY 4 ITEM 49




SOCKET HEAD CAP SCREW
ISO 4762 M8x90
SCALE 1:2 QTY 4 ITEM 52




SOCKET HEAD CAP SCREW
ISO 4762 M4x25
SCALE 1:1 QTY 4 ITEM 46




SOCKET HEAD CAP SCREW
ISO 4762 M4x20
SCALE 1:1 QTY 2 ITEM 45




SOCKET HEAD CAP SCREW
ISO 4762 M4x12
SCALE 2:1 QTY 2 ITEM 44




SOCKET HEAD CAP SCREW
ISO 4762 M3x8
SCALE 2:1 QTY 2 ITEM 43




SOCKET HEAD CAP SCREW
ISO 4762 M8x16
SCALE 1:1 QTY 1 ITEM 48




BUTTON HEAD SCREW
ISO 7380 M5x10
SCALE 2:1 QTY 4 ITEM 34




FLAT WASHER
DIN 9021 8.4x24x2
SCALE 1:1 QTY 1 ITEM 53




PARALLEL KEY
DIN 6885-A 6x6X20
SCALE 1:1 QTY 1 ITEM 40



DOWEL PIN
ISO 2338 6x72
SCALE 1:2 QTY 1 ITEM 36




PAWL PIVOT PIN
D4.5x18.5
SCALE 2:1 QTY 1 ITEM 41




GREASE FITTING
DIN 71412 M6
SCALE 2:1 QTY 1 ITEM 37



HEX NUT
(DIAL NEEDLE)
SCALE 10:1 QTY 1 ITEM 38



CHEESE HEAD SLOTTED SCREW
(DIAL NEEDLE)
SCALE 5:1 QTY 1 ITEM 35




DISC MAGNET
D10x5 N42
SCALE 2:1 QTY 2 ITEM 39



EXTERNAL CIRCLIP
DIN 471 40x1.75
SCALE 1:2 QTY 1 ITEM 54



INTERNAL CIRCLIP
DIN 472 46x1.75
SCALE 1:2 QTY 1 ITEM 55





EXTERNAL RETAINING RING
DIN 471 8x0.8
SCALE 2:1 QTY 1 ITEM 56


STANDARD PURCHASED HARDWARE - PART NUMBERS 34_xxx AND 35_xxx
(BOM ITEMS 34 TO 56) - SEE BILL OF MATERIALS ON SHEET 2.
ALL FASTENERS: ALLOY STEEL UNLESS LISTED OTHERWISE IN THE BOM.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:					DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Standard Hardware (Items 34-56)
DRAWN	AVI / HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:			DWG NO. CompressionJig_Assembly / A3
							SCALE:1:1 / SHEET 3 OF 3


SOLIDWORKS Educational Product. For Instructional Use Only.
















ISOMETRIC

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION	
					A3		
	NAME	SIGNATURE	DATE		TITLE:		
DRAWN	AVI				Main C-Frame Body		
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:	DWG NO.		A3
				AISI Type A2 Tool Steel	01_Main_Frame_Body		
				WEIGHT: 110281.37	SCALE:1:20	SHEET 1 OF 1	

SOLIDWORKS Educational Product. For Instructional Use Only.







ISOMETRIC

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Heavy Base Plate	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				1.0045 (S355JR)		02_Heavy_Base_Plate	
				WEIGHT: 35219.20		SCALE:1:8	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.







NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. BODY 140 x 140 SQUARE x 80 HIGH. BOTH HOLE PATTERNS ARE SYMMETRICAL ABOUT THE CENTRE LINES OF THE BODY.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI		03/10/26			Anvil Pedestal	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				AISI Type A2 Tool Steel		03_Anvil_Pedestal	
				WEIGHT: 12140.97		SCALE:1:2	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.







ISOMETRIC




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Lower Ram Guide Block	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				AISI 1020 body CuSn8 bronze bush		04_LowerRamGuideBlock	
				WEIGHT: 4610.69		SCALE:1:2	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.






TOP




ISOMETRIC

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Upper Ram Guide Block	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Body: AISI 1020 Bush: CuSn8 Bronze		DWG NO. 05_UpperRamGuideBlock	A3
				WEIGHT: 3656.78		SCALE:1:2	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.




ISOMETRIC



FRONT




LEFT



RIGHT


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Left Side Safety Shield	
DRAWN	AVI						
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Acrylic (Medium-high impact)		DWG NO. 06_Left_Safety_Shield	A3
				WEIGHT: 413.93		SCALE:1:5	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.




LEFT

FRONT




RIGHT




ISOMETRIC

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Right Side Safety Shield	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Acrylic (Medium-high impact)		07_RightSafetyShield	
				WEIGHT: 418.63		SCALE:1:16	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.




TOP



ISOMETRIC




FRONT



BACK

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Shield Mounting Bracket	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				6061-T6(SS)		08_ShieldMountingBracket	
				WEIGHT: 339.51		SCALE:1:1	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.




Free Height: 31

TOP

Inner Radius: 40
Outer Radius: 52



ISOMETRIC




FRONT


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Deflection Wave-Spring	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Wrought Stainless SteelWrought Stainless Steel		09_WaveSpring	
				WEIGHT: 45.78		SCALE:1:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.


Dial scale 0-5 kN engraved over the 72 deg needle sweep, 2 mm deep
(0 = rest, 5 = overload stop)




TOP



ISOMETRIC




FRONT




BOTTOM

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Dial Indicator Backplate	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Chrome Stainless Steel		DWG NO. 10_DialBackplate	A3
				WEIGHT: 280.08		SCALE:1:1	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.



FRONT




BOTTOM




ISOMETRIC

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Dial Indicator Bezel	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Body- Al 6061 Alloy Face- Clear Acrylic		11_DialBezel	
				WEIGHT: 15.51		SCALE:1:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.




FRONT




ISOMETRIC


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH: BLACK ANODIZED MATT			DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Dial Indicator Needle	
DRAWN	AVI						
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: 6061-T6 (SS)		DWG NO. 12_DialNeedle	A3
				WEIGHT: 0.34		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.






FRONT




ISOMETRIC

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Dial Indicator Pinion Gear	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Free Cutting Brass, UNS C36000		DWG NO. 13_PinionGear	A3
				WEIGHT: 5.49		SCALE:5:1	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.




TOP



FRONT




ISOMETRIC




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Dial Indicator Rack	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Galvanized Steel		14_DialRack	
				WEIGHT: 5.20		SCALE:2:1	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.




TOP



FRONT




ISOMETRIC




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	AVI					Load Transfer Plate	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: AISI Type A2 Tool Steel		DWG NO. 15_LoadPlate	A3
				WEIGHT: 139.21		SCALE:2:1	SHEET 1 OF 1


SOLIDWORKS Educational Product. For Instructional Use Only.




TOP



ISOMETRIC




FRONT





BACK

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION	
	NAME	SIGNATURE	DATE		TITLE:		
DRAWN	AVI				Rubber Base Foot		
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Natural Rubber	DWG NO. 16_BaseFeet		A3
				WEIGHT: 18.35	SCALE:2:1	SHEET 1 OF 1	

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. THREAD Tr24 x 3 - 7e RH, 190 LONG (MINOR ⌀20.5).
4. ⌀6.8 HOLE IN SPIGOT END FACE: TAP M8 x 16 DEEP.
5. JOURNAL ⌀30 h6, FLANGE ⌀44 h9, SPIGOT ⌀22 h6.
6. KEYWAY 6 P9 x 3.5 DEEP x 20 LONG, OPEN AT SPIGOT END.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE		TITLE:	
DRAWN	HADAR		03/10/26		Threaded Lead Screw	
CHK'D						
APPV'D						
MFG						
Q.A				MATERIAL: 1.7225 (42CrMo4)	DWG NO. 17_ThreadedLeadScrew	A3
				WEIGHT: 913.04	SCALE:1:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.







NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. ENGRAVING 'AVI - HADAR': BOLD SANS-SERIF, 11.7 CAP HEIGHT, 0.5 DEEP, CENTRED ON THE ARM CENTRE-LINE, 145 FROM THE HUB AXIS.
4. THE THIRD VIEW SHOWS THE ENGRAVED FACE (TOP FACE AS FITTED).




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:					DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Ratcheting Lever Arm
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: AISI 1045 Steel, cold drawn			DWG NO. 18_RatchetingLeverArm / A3
				WEIGHT: 1430.91			SCALE:1:2 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Ratchet Gear Hub
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: 1.7131 (16MnCr5)			DWG NO. 19_RatchetGearHub / A3
				WEIGHT: 545.87			SCALE:1:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Spring-Loaded Pawl
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: AISI Type A2 Tool Steel			DWG NO. 20_SpringLoadedPawl / A3
				WEIGHT: 17.62			SCALE:5:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Pawl Selection Switch	
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: 6061-T6 (SS)		DWG NO. 21_PawlSelectionSwitch	A3
				WEIGHT: 5.50		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Lever Handle Grip	
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Natural Rubber		DWG NO. 22_LeverHandleGrip	A3
				WEIGHT: 50.77		SCALE:1:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE			TITLE: Ram Collar
DRAWN	HADAR		03/10/26			
CHK'D						
APPV'D						
MFG						
Q.A				MATERIAL: AISI 1045 Steel, cold drawn		DWG NO. 23_RamCollar / A3
				WEIGHT: 1156.21		SCALE:1:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Main Compression Ram
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: AISI 1045 Steel, cold drawn			DWG NO. 24_MainCompressionRam / A3
				WEIGHT: 3433.46			SCALE:1:2 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Thrust Washer	
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: 2.1030 (CuSn8)		DWG NO. 25_ThrustWasher	A3
				WEIGHT: 32.46		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. 4 x ∅4.5 THRU, C'BORE ∅8 x 6 DEEP, ON ∅70 PCD.
4. 2 x ∅10.1 x 5.2 DEEP MAGNET POCKETS, 44 APART.
5. SPIGOT ∅11.9 x 10, CHAMFER 1 x 45°.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:					DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Upper Platen Insulator
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Polyetheretherketone (PEEK)			DWG NO. 26_UpperPlatenInsulator / A3
				WEIGHT: 155.94		SCALE:1:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. 4 x Ø3.3 HOLES ON Ø70 PCD: TAP M4 x 8 DEEP.
4. Ø2.5 RADIAL HOLE IN RIM AT MID-THICKNESS: TAP M3 x 10 DEEP.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE: Upper Compression Platen	
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: 1.4021 (X20Cr13)		DWG NO. 27_UpperCompressionPlaten	A3
				WEIGHT: 473.65		SCALE:1:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.







NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. 2 SLOTS 5.5 WIDE x 16 LONG OVERALL, 45 APART.
4. PARTS 28 AND 29 ARE IDENTICAL; 29 IS FITTED TURNED 180°.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		03/10/26			Left Adjustable Guide Rail	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Polyetheretherketone (PEEK)		28_LeftGuideBar	
				WEIGHT: 9.27		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.







NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. 2 SLOTS 5.5 WIDE x 16 LONG OVERALL, 45 APART.
4. PARTS 28 AND 29 ARE IDENTICAL; 29 IS FITTED TURNED 180°.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		03/10/26			Right Adjustable Guide Rail	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Polyetheretherketone (PEEK)		29_RightGuideBar	
				WEIGHT: 9.27		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.








NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. ∅3.3 HOLES: TAP M4 (TOP FACE 8 DEEP, FRONT FACE 10 DEEP).
4. 2 x ∅6 H7 x 10 DEEP DOWEL HOLES.
5. DATUM B = AXIS OF ∅56 x 4 DEEP SPRING POCKET.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Lower Insulating Base Block
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Polyetheretherketone (PEEK)			DWG NO. 30_LowerInsulatingBaseBlock / A3
				WEIGHT: 534.44			SCALE:1:2 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. 4 x ∅4.2 HOLES IN TOP FACE: TAP M5 x 8 DEEP.
4. ∅2.5 HOLE IN LEFT END FACE: TAP M3 x 10 DEEP.
5. UNDERSIDE POCKET ∅52.4 x 3 DEEP; TAB SLOT 3 DEEP.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION	
	NAME	SIGNATURE	DATE	TITLE: Lower Compression Platen		
DRAWN	HADAR		03/10/26			
CHK'D						
APPV'D						
MFG						
Q.A				MATERIAL: 1.4021 (X20Cr13)	DWG NO. 31_LowerCompressionPlaten	A3
				WEIGHT: 1157.09	SCALE:1:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Terminal Contact Block
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Polyetheretherketone (PEEK)			DWG NO. 32_TerminalContactBlock / A3
				WEIGHT: 30.07			SCALE:2:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. NINE LAYERS 60 x 60, ONE BODY EACH, BOTTOM TO TOP:
   LAYER 1 - Cu C11000 CURRENT COLLECTOR - 1.00
   LAYER 2 - Li METAL ANODE - 1.50
   LAYER 3 - LLZO SOLID ELECTROLYTE - 1.00
   LAYER 4 - NMC811 COMPOSITE CATHODE - 2.00
   LAYER 5 - 316L BIPOLAR COLLECTOR - 1.00
   LAYER 6 - Li METAL ANODE - 1.50
   LAYER 7 - LLZO SOLID ELECTROLYTE - 1.00
   LAYER 8 - NMC811 COMPOSITE CATHODE - 2.00
   LAYER 9 - Al 1050 CURRENT COLLECTOR - 1.00

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		03/10/26			Multi-Layer Battery Sample	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Laminate (see notes)		33_MultiLayerBatterySample	
				WEIGHT: 43.20		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.








NOTES:
1. STANDARD PURCHASED PART:
   HEXAGON SOCKET BUTTON HEAD SCREW ISO 7380 - M5 x 10 - 10.9.
2. THREAD M5 x 0.8 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 3 A/F.
4. ALLOY STEEL, PROPERTY CLASS 10.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. SIMPLIFIED MODEL: THREAD AND HEX SOCKET NOT SHOWN.
7. QUANTITY IN ASSEMBLY: 4.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:					DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Button Head Screw ISO 7380 M5x10
DRAWN	HADAR		06/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Alloy Steel			DWG NO. 34_ButtonHeadScrew_M5x10_ISO7380 / A3
				WEIGHT: 2.89			SCALE:5:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. PURCHASED PART: SLOTTED CHEESE HEAD SCREW M1.2 x 0.25 x 6 (DIN 84 TYPE), SECURES THE DIAL NEEDLE TO THE PINION SHAFT.
2. STAINLESS STEEL A2 (AISI 304).
3. HEAD ∅2.3 x 0.8, SLOT 0.2 WIDE.
4. ALL DIMENSIONS IN MM (REFERENCE, AS MODELLED BY THE SUPPLIER).
5. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION		
	NAME	SIGNATURE	DATE	TITLE:			
DRAWN	HADAR		06/10/26	Cheese Head Slotted Screw (Dial Needle)			
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:	DWG NO.		A3
				AISI 304	34_CheeseHeadScrew_DialNeedle		
				WEIGHT: 0.06	SCALE:20:1	SHEET 1 OF 1	

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. STANDARD PURCHASED PART:
   PARALLEL DOWEL PIN ISO 2338 - 6 m6 x 72 - St.
2. STEEL, GROUND, UNHARDENED.
3. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
4. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Dowel Pin ISO 2338 6x72	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_DowelPin_6x72_ISO2338	
				WEIGHT: 15.68		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.








NOTES:
1. STANDARD PURCHASED PART:
   GREASE NIPPLE DIN 71412 - A M6 x 1 (STRAIGHT TYPE).
2. THREAD M6 x 1, 4 LONG. HEXAGON 7 A/F.
3. BRASS BODY WITH SPRING-LOADED BALL CHECK VALVE.
4. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
5. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Grease Fitting DIN 71412 M6	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Brass		34_GreaseFitting_M6_DIN71412	
				WEIGHT: 2.77		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. PURCHASED PART: HEXAGON NUT M1.2 x 0.25, 2 A/F x 0.5 THICK, LOCKS THE DIAL NEEDLE SCREW.
2. STEEL, ZINC PLATED.
3. ALL DIMENSIONS IN MM (REFERENCE, AS MODELLED BY THE SUPPLIER).
4. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Hex Nut (Dial Needle)	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Plain Carbon Steel		34_HexNut_DialNeedle	
				WEIGHT: 0.01		SCALE:20:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.








NOTES:
1. PURCHASED PART: DISC MAGNET ∅10 x 5.
2. NdFeB GRADE N42, Ni-Cu-Ni PLATED, AXIALLY MAGNETISED.
3. HOLDING FORCE APPROX. 30 N. BONDED IN A ∅10.1 POCKET.
4. ALL DIMENSIONS IN MM (REFERENCE).
5. QUANTITY IN ASSEMBLY: 2.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Disc Magnet D10x5 N42	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				NdFeB N42, Ni-plated		34_Magnet_D10x5_N42	
				WEIGHT: 0.39		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. STANDARD PURCHASED PART:
   PARALLEL KEY DIN 6885 - 6 x 6 x 20.
2. STEEL C45 (AISI 1045), COLD DRAWN, WIDTH 6 h9.
3. KEYS THE RATCHET GEAR HUB TO THE LEAD SCREW SPIGOT.
4. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
5. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Parallel Key DIN 6885-A 6x6x20
DRAWN	HADAR		06/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: AISI 1045 Steel, cold drawn			DWG NO. 34_ParallelKey_6x6x20_DIN6885 / A3
				WEIGHT: 5.65			SCALE:5:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.








NOTES:
1. PURCHASED / TURNED PIN: PAWL PIVOT PIN Ø4.5 x 18.5.
2. ALLOY STEEL, HARDENED AND GROUND, Ø4.5 h6.
3. CHAMFER 0.3 x 45° ON ONE END.
4. ALL DIMENSIONS IN MM.
5. QUANTITY IN ASSEMBLY: 1.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Pawl Pivot Pin D4.5x18.5	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_PawlPivotPin_4.5x18.5	
				WEIGHT: 2.26		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M12 x 45 - 12.9.
2. THREAD M12 x 1.75 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 10 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. QUANTITY IN ASSEMBLY: 4.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M12x45	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M12x45_ISO4762	
				WEIGHT: 57.82		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M3 x 8 - 12.9.
2. THREAD M3 x 0.5 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 2.5 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. SIMPLIFIED MODEL: THREAD AND HEX SOCKET NOT SHOWN.
7. QUANTITY IN ASSEMBLY: 2.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M3x8	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M3x8_ISO4762	
				WEIGHT: 0.98		SCALE:10:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M4 x 12 - 12.9.
2. THREAD M4 x 0.7 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 3 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. SIMPLIFIED MODEL: THREAD AND HEX SOCKET NOT SHOWN.
7. QUANTITY IN ASSEMBLY: 2.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M4x12	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M4x12_ISO4762	
				WEIGHT: 2.35		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M4 x 20 - 12.9.
2. THREAD M4 x 0.7 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 3 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. SIMPLIFIED MODEL: THREAD AND HEX SOCKET NOT SHOWN.
7. QUANTITY IN ASSEMBLY: 2.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M4x20	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M4x20_ISO4762	
				WEIGHT: 3.12		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M4 x 25 - 12.9.
2. THREAD M4 x 0.7 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 3 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. SIMPLIFIED MODEL: THREAD AND HEX SOCKET NOT SHOWN.
7. QUANTITY IN ASSEMBLY: 4.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M4x25	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M4x25_ISO4762	
				WEIGHT: 3.60		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M6 x 16 - 12.9.
2. THREAD M6 x 1 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 5 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. QUANTITY IN ASSEMBLY: 8.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:					DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Socket Head Cap Screw ISO 4762 M6x16
DRAWN	HADAR		06/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Alloy Steel			DWG NO. 34_SHCS_M6x16_ISO4762 / A3
				WEIGHT: 5.49		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M8 x 16 - 12.9.
2. THREAD M8 x 1.25 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 6 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. SIMPLIFIED MODEL: THREAD AND HEX SOCKET NOT SHOWN.
7. QUANTITY IN ASSEMBLY: 1.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M8x16	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M8x16_ISO4762	
				WEIGHT: 14.37		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M8 x 20 - 12.9.
2. THREAD M8 x 1.25 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 6 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. SIMPLIFIED MODEL: THREAD AND HEX SOCKET NOT SHOWN.
7. QUANTITY IN ASSEMBLY: 4.


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M8x20	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M8x20_ISO4762	
				WEIGHT: 15.92		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M8 x 40 - 12.9.
2. THREAD M8 x 1.25 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 6 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. THREAD NOT MODELLED (SIMPLIFIED REPRESENTATION).
7. QUANTITY IN ASSEMBLY: 8.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:					DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Socket Head Cap Screw ISO 4762 M8x40
DRAWN	HADAR		06/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Alloy Steel			DWG NO. 34_SHCS_M8x40_ISO4762 / A3
				WEIGHT: 22.56			SCALE:2:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M8 x 80 - 12.9.
2. THREAD M8 x 1.25 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 6 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. QUANTITY IN ASSEMBLY: 8.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M8x80	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M8x80_ISO4762	
				WEIGHT: 32.20		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.












NOTES:
1. STANDARD PURCHASED PART:
   SOCKET HEAD CAP SCREW ISO 4762 - M8 x 90 - 12.9.
2. THREAD M8 x 1.25 (COARSE), TOLERANCE CLASS 6g.
3. HEXAGON SOCKET 6 A/F.
4. ALLOY STEEL, PROPERTY CLASS 12.9, BLACK OXIDE FINISH.
5. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
6. QUANTITY IN ASSEMBLY: 4.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			Socket Head Cap Screw ISO 4762 M8x90	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				Alloy Steel		34_SHCS_M8x90_ISO4762	
				WEIGHT: 35.34		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. STANDARD PURCHASED PART:
   FLAT WASHER DIN 9021 (ISO 7093) - 8.4 x 24 x 2 - 140 HV.
2. STEEL, ZINC PLATED. FOR M8 SCREW.
3. ALL DIMENSIONS IN MM, NOMINAL PER THE STANDARD (REFERENCE).
4. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Flat Washer DIN 9021 8.4x24x2
DRAWN	HADAR		06/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: Plain Carbon Steel			DWG NO. 34_Washer_8.4x24x2_DIN9021 / A3
				WEIGHT: 6.19			SCALE:2:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. STANDARD PURCHASED PART:
   EXTERNAL RETAINING RING (CIRCLIP) DIN 471 - 40 x 1.75.
2. SPRING STEEL 51CrV4 (1.8159), HARDENED AND PHOSPHATED.
3. NOMINAL SIZE: SHAFT ∅40, RING THICKNESS s = 1.75.
4. SHAFT GROOVE ∅37.5 x 1.85 WIDE.
5. SIMPLIFIED MODEL: PLAIN RING, SHOWN AS FITTED IN ITS GROOVE;
   LUGS AND GAP NOT SHOWN.
6. DIAMETERS IN MM, AS MODELLED (REFERENCE).
7. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:			DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			External Circlip DIN 471 40x1.75	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				1.8159 (51CrV4)		35_Circlip_40x1.75_DIN471	
				WEIGHT: 5.69		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. STANDARD PURCHASED PART:
   INTERNAL RETAINING RING (CIRCLIP) DIN 472 - 46 x 1.75.
2. SPRING STEEL 51CrV4 (1.8159), HARDENED AND PHOSPHATED.
3. NOMINAL SIZE: BORE Ø46, RING THICKNESS s = 1.75.
4. BORE GROOVE Ø48.5 x 1.85 WIDE.
5. SIMPLIFIED MODEL: PLAIN RING, SHOWN AS FITTED IN ITS GROOVE;
   LUGS AND GAP NOT SHOWN.
6. DIAMETERS IN MM, AS MODELLED (REFERENCE).
7. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Internal Circlip DIN 472 46x1.75
DRAWN	HADAR		06/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: 1.8159 (51CrV4)			DWG NO. 35_Circlip_46x1.75_DIN472 / A3
				WEIGHT: 7.76		SCALE:2:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. STANDARD PURCHASED PART:
   EXTERNAL RETAINING RING DIN 471 - 8 x 0.8.
2. SPRING STEEL 51CrV4 (1.8159), HARDENED AND PHOSPHATED.
3. NOMINAL SIZE: SHAFT ∅8, RING THICKNESS s = 0.8.
4. SHAFT GROOVE ∅7.6 x 0.9 WIDE.
5. SIMPLIFIED MODEL: PLAIN RING, SHOWN AS FITTED IN ITS GROOVE;
   LUGS AND GAP NOT SHOWN.
6. DIAMETERS IN MM, AS MODELLED (REFERENCE).
7. QUANTITY IN ASSEMBLY: 1.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING	REVISION
	NAME	SIGNATURE	DATE			TITLE:	
DRAWN	HADAR		06/10/26			External Retaining Ring DIN 471 8x0.8	
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL:		DWG NO.	A3
				1.8159 (51CrV4)		35_RetainingRing_8x0.8_DIN471	
				WEIGHT: 0.32		SCALE:5:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.









NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. ∅3.4 THRU LEG (DIAL PIN), ∅4.5 THRU PLATE (M4 SCREW).
4. ONE REAR CORNER CHAMFERED 4 x 45°. MAKE 2, NOT HANDED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Dial Indicator Foot
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: 6061-T6 (SS)			DWG NO. 36_DialFoot / A3
				WEIGHT: 8.21			SCALE:2:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.










NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. ∅3.4 m6 x 11.8, CHAMFER 0.3 x 45° ONE END. MAKE 2.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE				TITLE: Dial Indicator Pin
DRAWN	HADAR		03/10/26				
CHK'D							
APPV'D							
MFG							
Q.A				MATERIAL: 1.4305 (X8CrNiS18-9)			DWG NO. 37_DialPin / A3
				WEIGHT: 0.84		SCALE:10:1	SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.







NOTES:
1. ALL DIMENSIONS IN MM. TOLERANCES ISO 2768-m.
2. BREAK SHARP EDGES 0.3 x 45° UNLESS NOTED.
3. PRESS END ∅6 m6 x 10, STOP SHOULDER ∅10 x 28.5, GUIDE ∅6 g6 x 19.5.
4. CHAMFER 0.5 x 45° BOTH ENDS AND AT SHOULDER TOP. MAKE 2.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:	FINISH:				DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING / REVISION
	NAME	SIGNATURE	DATE			TITLE: Guide Stop Pin
DRAWN	HADAR		03/10/26			
CHK'D						
APPV'D						
MFG						
Q.A				MATERIAL: 1.7225 (42CrMo4)		DWG NO. 38_GuideStopPin / A3
				WEIGHT: 23.90		SCALE:2:1 / SHEET 1 OF 1

SOLIDWORKS Educational Product. For Instructional Use Only.