GlucoTwin — Team Kryptonite, VESIT

Participant 01 · review summary

Research replay review — not a medical report. A replay of recorded, de-identified data, not a live device; no treatment advice.

Replay cutoff	Day 9 · 20:38 (replay time)
Generated	Oct 21, 10:45 PM (wall clock, this computer)
Data	Recorded-data replay · CGMacros 1.0.0 (CC BY-NC-SA 4.0)
Cohort	Type 2 diabetes
Session	bb1618c81fef · revision 2

Latest glucose

165 mg/dL, observed Day 9 · 20:35 · 3 min old

Forecast

Availability	Available
Issued	Day 9 · 20:35
Model	lightgbm.dyn-prof-v2.gt-primary-2026-10-13-fusion
Evaluation context	Final test period (later recordings from a participant represented in training)
Input quality	Complete

Horizon	For	Population	Patient correction	Forecast	Prediction range
30 min	Day 9 · 21:05	192 mg/dL	−3.0 mg/dL	**189 mg/dL**	172–206 mg/dL · Calibrated, target coverage 80%
60 min	Day 9 · 21:35	195 mg/dL	−6.7 mg/dL	**188 mg/dL**	162–215 mg/dL · Calibrated, target coverage 80%

Prediction ranges, measured on the final test period (gt-primary-2026-10-13-fusion): 74.2% at 30 min, 74.0% at 60 min against an 80% target. Coverage varies by participant; no guarantee.

Patient correction: active (30 min −3.0 mg/dL; 60 min −6.6 mg/dL). Learned only from forecasts whose outcome was observed; capped at ±25 mg/dL.

Research warnings at the cutoff

33 issued since the start of this recording: 15 onset, 17 false alarm, 1 pending, 0 unknown (gap). The 20 most recent are listed below.

Day 9 · 20:30 · Outcome pending · Fired by the 60-min forecast 173 mg/dL ≥ 170 mg/dL trigger
Marked as reviewed Oct 21, 10:45 PM (wall clock) — note: Seen at the cutoff; recheck after dinner. not bold xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx glucose rising after the evening meal, compare with the previous evening and the sensor gap. glucose rising after the evening meal, compare with the previous evening and the sensor gap. glucose rising after the evening meal, compare with the previous evening and the sensor gap. glucose rising after the evening meal, compare with the previous evening and the sensor gap. glucose r

Day 9 · 11:25 · No onset (false alarm) · Fired by the 30-min forecast 171 mg/dL ≥ 170 mg/dL trigger

Day 9 · 09:15 · No onset (false alarm) · Fired by the 30-min forecast 172 mg/dL ≥ 170 mg/dL trigger

Day 8 · 21:50 · No onset (false alarm) · Fired by the 30-min forecast 173 mg/dL ≥ 170 mg/dL trigger

Day 8 · 10:30 · No onset (false alarm) · Fired by the 30-min forecast 173 mg/dL ≥ 170 mg/dL trigger

Day 7 · 23:05 · Onset 23:25 · forecast lead 20 min · Fired by the 60-min forecast 180 mg/dL ≥ 170 mg/dL trigger

Day 7 · 15:55 · Onset 16:40 · forecast lead 45 min · Fired by the 60-min forecast 173 mg/dL ≥ 170 mg/dL trigger

Day 7 · 09:45 · Onset 09:55 · forecast lead 10 min · Fired by the 30-min forecast 177 mg/dL ≥ 170 mg/dL trigger

Day 7 · 01:15 · No onset (false alarm) · Fired by the 30-min forecast 172 mg/dL ≥ 170 mg/dL trigger

Day 6 · 22:30 · No onset (false alarm) · Fired by the 60-min forecast 174 mg/dL ≥ 170 mg/dL trigger

Day 6 · 16:20 · Onset 16:55 · forecast lead 35 min · Fired by the 30-min forecast 172 mg/dL ≥ 170 mg/dL trigger

Day 6 · 10:20 · Onset 10:40 · forecast lead 20 min · Fired by the 30-min forecast 179 mg/dL ≥ 170 mg/dL trigger

Day 6 · 08:05 · No onset (false alarm) · Fired by the 60-min forecast 173 mg/dL ≥ 170 mg/dL trigger

Day 6 · 07:25 · No onset (false alarm) · Fired by the 30-min forecast 174 mg/dL ≥ 170 mg/dL trigger

Day 6 · 00:50 · No onset (false alarm) · Fired by the 60-min forecast 171 mg/dL ≥ 170 mg/dL trigger

Day 5 · 20:55 · Onset 21:25 · forecast lead 30 min · Fired by the 30-min forecast 177 mg/dL ≥ 170 mg/dL trigger

Day 5 · 12:00 · No onset (false alarm) · Fired by the 30-min forecast 176 mg/dL ≥ 170 mg/dL trigger

Day 5 · 09:05 · Onset 09:15 · forecast lead 10 min · Fired by the 30-min forecast 182 mg/dL ≥ 170 mg/dL trigger

Day 4 · 15:05 · Onset 15:45 · forecast lead 40 min · Fired by the 60-min forecast 179 mg/dL ≥ 170 mg/dL trigger

Day 4 · 09:30 · Onset 09:40 · forecast lead 10 min · Fired by the 30-min forecast 193 mg/dL ≥ 170 mg/dL trigger

Guardrails at the cutoff

Data freshness passed
Fresh · 3 min old (limit 15 min)

Forecast inputs passed
Complete 12 readings in the hour before the replay clock (about 12 expected)

Health record (profile) passed
Every value the model reads was known at this time

Patient correction passed

30 min −3.0 · 60 min −6.6 mg/dL Learns only from forecasts whose outcome was observed, needs 6; capped at ±25 mg/dL; resets after a 3-hour gap.

Warnings flagged

33 research warnings since the start of this recording: 15 onsets · 17 false alarms · 1 pending 3 of them in the final test period; the rest fall in the training, validation or calibration periods. Each stays “Outcome pending” until it can be judged, then counts as an onset or a false alarm.

Prediction range flagged

Under target: 74.2% / 74.0% measured vs 80% target Measured on the final test period, 30 / 60 min: the ranges are narrower than they should be. Coverage varies by participant; no guarantee.

Baseline profile (EHR-like) known at the cutoff

Baseline (EHR-like) values as known at the cutoff — not live measurements and not a hospital record.

Age	52 years	Sex (male = 1)	Male
BMI	30.3 kg/m²	Body weight	93 kg
Height	175.3 cm	Self-identified ethnicity	Hispanic/Latino
HbA1c	7.1 %	Fasting glucose	179 mg/dL
Fasting insulin	13.5 µU/mL	Triglycerides	1150 mg/dL
Total cholesterol	213 mg/dL	HDL cholesterol	24 mg/dL
LDL cholesterol (calculated)	Excluded (suspect value)	VLDL cholesterol (calculated)	Excluded (suspect value)

glucotwin-review-snapshot/1 · generated by GlucoTwin, a student research prototype. Not a medical device; no treatment advice; notes are local research-session annotations, not orders or messages to a patient.