GlucoTwin — Team Kryptonite, VESIT

Participant 12 · review summary

Research replay review — not a medical report. A replay of recorded, de-identified data, not a live device; no treatment advice.

Replay cutoff	Day 9 · 11:45 (replay time)
Generated	Oct 21, 10:45 PM (wall clock, this computer)
Data	Recorded-data replay · CGMacros 1.0.0 (CC BY-NC-SA 4.0)
Cohort	Type 2 diabetes
Session	c95245b68555 · revision 2

Latest glucose

195 mg/dL, observed Day 9 · 11:44 · 1 min old

Forecast

Availability	Not available
Issued	Day 9 · 11:44
Model	lightgbm.dyn-prof-v2.gt-primary-2026-10-13-fusion
Evaluation context	Final test period (later recordings from a participant represented in training)
Input quality	Insufficient — abstained

Forecast unavailable — 2 readings in the last hour; more recent history is required. Unavailable is not the same as low risk.

No forecast values: none was usable at the cutoff.

Reasons given by the twin: The twin abstained at the latest origin. Too few glucose observations in the last 60 minutes.

Prediction ranges, measured on the final test period (gt-primary-2026-10-13-fusion): 74.2% at 30 min, 74.0% at 60 min against an 80% target. Coverage varies by participant; no guarantee.

Patient correction: active (30 min +3.6 mg/dL; 60 min +6.5 mg/dL). Learned only from forecasts whose outcome was observed; capped at ±25 mg/dL.

Research warnings at the cutoff

30 issued since the start of this recording: 22 onset, 8 false alarm, 0 pending, 0 unknown (gap). The 20 most recent are listed below.

Day 9 · 07:29 · Onset 08:39 · forecast lead 60 min · Fired by the 60-min forecast 180 mg/dL ≥ 170 mg/dL trigger

Day 8 · 18:54 · Onset 18:59 · forecast lead 5 min · Fired by the 60-min forecast 189 mg/dL ≥ 170 mg/dL trigger

Day 8 · 14:14 · No onset (false alarm) · Fired by the 60-min forecast 184 mg/dL ≥ 170 mg/dL trigger

Day 8 · 04:19 · Onset 08:39 · forecast lead 60 min · Fired by the 60-min forecast 172 mg/dL ≥ 170 mg/dL trigger

Day 7 · 21:04 · Onset 21:09 · forecast lead 5 min · Fired by the 60-min forecast 184 mg/dL ≥ 170 mg/dL trigger

Day 7 · 19:14 · No onset (false alarm) · Fired by the 30-min forecast 176 mg/dL ≥ 170 mg/dL trigger

Day 7 · 12:34 · Onset 17:19 · forecast lead 60 min · Fired by the 30-min forecast 178 mg/dL ≥ 170 mg/dL trigger

Day 7 · 05:39 · Onset 07:59 · forecast lead 60 min · Fired by the 60-min forecast 180 mg/dL ≥ 170 mg/dL trigger

Day 6 · 22:34 · No onset (false alarm) · Fired by the 60-min forecast 171 mg/dL ≥ 170 mg/dL trigger

Day 6 · 13:09 · Onset 18:59 · forecast lead 50 min · Fired by the 60-min forecast 172 mg/dL ≥ 170 mg/dL trigger

Day 6 · 06:54 · Onset 07:54 · forecast lead 60 min · Fired by the 60-min forecast 176 mg/dL ≥ 170 mg/dL trigger

Day 5 · 17:44 · Onset 18:09 · forecast lead 25 min · Fired by the 60-min forecast 183 mg/dL ≥ 170 mg/dL trigger

Day 5 · 15:59 · Onset 16:09 · forecast lead 10 min · Fired by the 60-min forecast 190 mg/dL ≥ 170 mg/dL trigger

Day 5 · 07:29 · Onset 08:34 · forecast lead 60 min · Fired by the 60-min forecast 172 mg/dL ≥ 170 mg/dL trigger

Day 4 · 17:54 · Onset 20:39 · forecast lead 60 min · Fired by the 60-min forecast 175 mg/dL ≥ 170 mg/dL trigger

Day 4 · 13:29 · Onset 13:49 · forecast lead 20 min · Fired by the 60-min forecast 190 mg/dL ≥ 170 mg/dL trigger

Day 4 · 07:29 · Onset 08:14 · forecast lead 45 min · Fired by the 60-min forecast 183 mg/dL ≥ 170 mg/dL trigger

Day 4 · 06:14 · No onset (false alarm) · Fired by the 60-min forecast 173 mg/dL ≥ 170 mg/dL trigger

Day 4 · 03:49 · Onset 04:24 · forecast lead 35 min · Fired by the 60-min forecast 170 mg/dL ≥ 170 mg/dL trigger

Day 3 · 18:14 · Onset 19:14 · forecast lead 60 min · Fired by the 60-min forecast 174 mg/dL ≥ 170 mg/dL trigger

Guardrails at the cutoff

Data freshness passed
Fresh · 1 min old (limit 15 min)

Forecast inputs flagged
Abstained: no forecast is shown Too few glucose observations in the last 60 minutes.

Health record (profile) info
Checked with each forecast; the model abstains if a value is missing

Patient correction passed

30 min +3.6 · 60 min +6.5 mg/dL Learns only from forecasts whose outcome was observed, needs 6; capped at ±25 mg/dL; resets after a 3-hour gap.

Warnings passed

30 research warnings since the start of this recording: 22 onsets · 8 false alarms 0 of them in the final test period; the rest fall in the training, validation or calibration periods. Each stays “Outcome pending” until it can be judged, then counts as an onset or a false alarm.

Baseline profile (EHR-like) known at the cutoff

Baseline (EHR-like) values as known at the cutoff — not live measurements and not a hospital record.

Age	60 years	Sex (male = 1)	Female
BMI	34.0 kg/m²	Body weight	81.6 kg
Height	154.9 cm	Self-identified ethnicity	Hispanic/Latino
HbA1c	7.6 %	Fasting glucose	195 mg/dL
Fasting insulin	10.5 µU/mL	Triglycerides	249 mg/dL
Total cholesterol	226 mg/dL	HDL cholesterol	38 mg/dL
LDL cholesterol (calculated)	143 mg/dL	VLDL cholesterol (calculated)	50 mg/dL

glucotwin-review-snapshot/1 · generated by GlucoTwin, a student research prototype. Not a medical device; no treatment advice; notes are local research-session annotations, not orders or messages to a patient.