

Inconsistent type returned by <class 'pennylane.vqe.vqe.Hamiltonian'> pr

<https://github.com/PennyLaneAI/pennylane/issues/1265>

ROW 83

Inconsistent type returned by <class 'pennylane.vqe.vqe.Hamiltonian'> property ops #1265

New issue

Closed



aemccoy opened on May 1, 2021

Issue description

When `vqe.Hamiltonian` contains terms consisting of a single qubit operator, e.g., `H=2*Z0`, `H.ops` returns a list of operators whose type depends on whether `Hamiltonian` is constructed directly from pennylane pauli operator `2*qml.PauliZ(0)` or if `Hamiltonian` is converted to `vqe.Hamiltonian` from `openfermion QubitOperator` using `qml.qchem.convert_observable`.

- **Expected behavior:** Properties of `Hamiltonian` consistently return same type for the same operator independent of construction
- **Actual behavior:** See below
- **Reproduces how often:** Always

- **System information:** (post the output of `import pennylane as qml; qml.about()`)
Name: PennyLane
Version: 0.16.0.dev0
Summary: PennyLane is a Python quantum machine learning library by Xanadu Inc.
Home-page: <https://github.com/XanaduAI/pennylane>
Author: None
Author-email: None
License: Apache License 2.0
Location: /opt/anaconda3/envs/pennylane/lib/python3.9/site-packages
Requires: toml, semantic-version, networkx, autograd, appdirs, numpy, scipy
Required-by: PennyLane-qiskit, PennyLane-Qchem
Platform info: macOS-10.16-x86_64-i386-64bit
Python version: 3.9.4
Numpy version: 1.20.1
Scipy version: 1.6.1
Installed devices:

- default.gaussian (PennyLane-0.16.0.dev0)
- default.mixed (PennyLane-0.16.0.dev0)
- default.qubit (PennyLane-0.16.0.dev0)
- default.qubit.autograd (PennyLane-0.16.0.dev0)
- default.qubit.jax (PennyLane-0.16.0.dev0)
- default.qubit.tf (PennyLane-0.16.0.dev0)
- default.tensor (PennyLane-0.16.0.dev0)
- default.tensor.tf (PennyLane-0.16.0.dev0)
- qiskit.aer (PennyLane-qiskit-0.15.0)
- qiskit.basicaer (PennyLane-qiskit-0.15.0)
- qiskit.ibmq (PennyLane-qiskit-0.15.0)

Source code and tracebacks

If the `vqe.Hamiltonian` is constructed directly in pennylane

```
A=2*qml.PauliZ(0)
print("A: ", type(A))
print(A)
print("A.ops: ", type(A.ops))
print(A.ops)
print("A.ops[0]: ", type(A.ops[0]))
print(A.ops[0])
print("A.ops[0].name: ", type(A.ops[0].name))
print(A.ops[0].name)
```

Assignees

agran2018

Labels

No labels

Type

No type

Projects

No projects

Milestone

No milestone

Relationships

None yet

Development

No branches or pull requests

Notifications

Customize

Subscribe

You're not receiving notifications from this thread.

Participants



Returns

```
A: <class 'pennylane.vqe.vqe.Hamiltonian'>
(2) [Z0]
A.ops: <class 'list'>
[PauliZ(wires=[0])]
A.ops[0]: <class 'pennylane.ops.qubit.PauliZ'>
PauliZ(wires=[0])
A.ops[0].name: <class 'str'>
PauliZ
```

If equivalent vqe.Hamiltonian is obtained from openfermion QubitOperator

```
qubit_op=QubitOperator("Z0",2)
B=qml.qchem.convert_observable(qubit_op)

print("B: ", type(B))
print(B)
print("B.ops: ",type(B.ops))
print(B.ops)
print("B.ops[0]: ",type(B.ops[0]))
print(B.ops[0])
print("B.ops[0].name: ",type(B.ops[0].name))
print(B.ops[0].name)
```

return

```
B: <class 'pennylane.vqe.vqe.Hamiltonian'>
(2) [Z0]
B.ops: <class 'list'>
[PauliZ(wires=[0])]
B.ops[0]: <class 'pennylane.operation.Tensor'>
PauliZ(wires=[0])
B.ops[0].name: <class 'list'>
['PauliZ']
```



josh146 on May 3, 2021

Member ...

Thanks for noting this @aemccoy! This is definitely something we can fix to make more consistent.



josh146 assigned agran2018 on May 3, 2021



agran2018 mentioned this in 2 pull requests on Aug 13, 2021

Fix github issue #1265 #1523

Fix GitHub issue #1265 #1525



agran2018 added a commit that references this issue on Aug 13, 2021

Fix GitHub issue #1265 (#1525) ...

Verified 6e5cd0e



agran2018 closed this as **completed** on Aug 13, 2021



josh146 added a commit that references this issue on Aug 17, 2021

Merge `v0.17.0-rc0` into `master` (#1540) ...

Verified 62f7c10

Fix GitHub issue #1265 #1525

<> Code

Merged agran2018 merged 4 commits into `v0.17.0-rc0` from `fix-github-issue-1265` on Aug 13, 2021

Conversation 3 Commits 4 Checks 0 Files changed 3

+38 -4



agran2018 commented on Aug 13, 2021

Contributor

Context: Fix github issue #1265. This PR ensures the type consistency of the qubit Hamiltonian terms constructed by the 'convert_observable' function from an OpenFermion QubitOperator with respect to the same observable built directly using PennyLane operations.

Description of the Change:

The fix was implemented in the `_qubit_operator_to_terms` function of the `qchem/structure` module. An extra unit test was added to `test_convert_observable.py`

Benefits:

Properties of Hamiltonian consistently return same type.

Possible Drawbacks:

None

Related GitHub Issues:

#1265



Reviewers

rmoyard
antalszava

Assignees

agran2018
zeyueN

Labels

review-ready

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

Subscribe

You're not receiving notifications from this thread.

3 participants



agran2018 added 3 commits 4 years ago

- Modify '_qubit_operator_to_terms' and '_terms_to_qubit_operator' func...
- Add new testing function to 'test_convert_observable.py'
- Add the bug fix item to CHANGELOG.md

a9b0ba7

a72ddfe

719c14d

agran2018 added the review-ready label on Aug 13, 2021

agran2018 requested review from antalszava and rmoyard 4 years ago

agran2018 assigned agran2018 and zeyueN on Aug 13, 2021



github-actions bot commented on Aug 13, 2021

Contributor

Hello. You may have forgotten to update the changelog!
Please edit `github/CHANGELOG.md` with:

- A one-to-two sentence description of the change. You may include a small working example for new features.
- A link back to this PR.
- Your name (or GitHub username) in the contributors section.



Update CHANGELOG.md

5867e14