

GENERAL**Operational Hours****ATS Hours:** ATC service not AVBL, use CTAF**AD OPS Hours:** Not published**Airport Information****RFF:** Not published**PCN:** RWY 12/30: 27/F/A/1200 (174PSI)/T**Customs:** Not published**Operation****Traffic Notes**

PPR 24HR PN required for all unscheduled ACFT.

Transponder Operation

For details on transponder Mode S Operation see CRAR Australia.

Preferential RWY

DEP ACFT to use RWY 30 in calm wind conditions.

RWY Restriction

ACFT above 5.7t / 12500lbs must use turn pad for 180° turns.

Taxi/Parking

Marshaller AVBL.

Contact AD Manager for parking.

Warnings

Blasting occurs to the SW and SE quadrants outside 5km / 16400ft from ARP.

Dust plumes may occur following blasting.

YCHK is in close proximity and the APCH/DEP tracks cross close to the ground. Due to terrain shielding, VHF contact with ACFT on or close to the ground at YCHK is not possible.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft

Communication**COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedure:** See CRAR Australia.

DEPARTURE**Take-off Minima**

RWY		12/30	
Multi ENG	ft - m/km	0 - 800v	-
Other		c300 - 2.0v	-

Speed

MAX IAS 250KT below 10000ft

Communication**COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.**Departure Note**

DEP RWY 12 left hand tur only as soon as practicable after TKOF. Southbound traffic to intercept track overhead AD.

All ACFT to call airborne on CTAF FREQ 127.050 as soon as practicable after TKOF.

23-FEB-2017

N/A-YFDF

Australia **Fortescue Dave Forrest**


AGC
AFC

AFC

AFC


Fortescue Dave Forrest Australia

AGC
AFC



AWIS	130.300	
Melbourne Center	128.150	Circuit area
CTAF	127.050	ARCAL PAL
UNICOM	127.050	

Landing RWY system:



TRL 110
TA 10000

Changes: FAT, VAR, SUAs, OBST, HLDG

Effective 02-MAR-2017

23-FEB-2017

N/A-YFDF

Australia Fortescue Dave Forrest

AGC


AGC

AGC

Fortescue Dave Forrest Australia

AGC



3-20



Changes: QFU, VAR

7-10

RNAV (GNSS) Z 12



1) Minima may be reduced by 100ft with actual QNH

Changes: MISAP, PROC, HLDG, VAR, QFU

N/A-YFDF

7-20

RNAV (GNSS) Z 30

