

GENERAL**ATS Hours**

HO

Airport Information


RFF: CAT 3
Fuel: Not published
PCN: RWY 18/36: 60.7t / 134000lbs
Customs: HS

DEPARTURE**Take-off Minima**

RWY		18/36	
All ACFT	ft - m/km	0 - 400v	HJ only
		0 - 800v	HN

Mveik Myanmar

AGC
AFC



APP	119.700 H0
TWR	118.700 H0

N

PAP angle not AVL

420

274.3 x 61

60 ML


ML-S

THR 62 (21Pa) / TDZ --- (---%)

-0.3%


60 ML	61 x 2743	TDZ --- (---%) / THR 32 (1MPa)
PAPI angle not AVL		
+0.3%		

36



Changes: QFU, SWY, Declared distances


NDB 18



MGZ-VYME

7-20

NDB 36




60 ML 61 x 2743

PAPI angle not AVBL

+0.3% TDZ --- (---%) / THR 32 (1hPa)

36

2	3	4	5				3.00°
720	1040	1360	1680				RW36 360° RWY 004°



36	NDB					Circling
C	ft - m/km ft	440 - 2.0 470				1210 - 2.4V 1270
D	ft - m/km ft	440 - 2.0 470				1210 - 3.6V 1270