

GENERAL**Airport Hours**

H24

Airport Information**PCN:** RWY 11/29: 53/F/B/1400 (203PSI) /T**Warnings**

Confine OPS to paved surfaces only, unless AD OPR approval.

Birds and animals in vicinity of AD.

ARRIVAL**Speed**

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Australia.**Arrival Procedure****Noise Abatement Procedure:** See CRAR Australia.**DEPARTURE****Take-off Minima**

RWY		11/29	
Multi ENG	ft - m/km	0 - 550V	REDL+RCLM, HJ only
		0 - 800V	-
Other		c300 - 2.0V	-

Speed

MAX IAS 250KT below 10000ft.

Communication**COM Failure:** See CRAR Australia.**Departure Procedure****Noise Abatement Procedure:** See CRAR Australia.

PPP-YBPN


AFC

AFC

AFC

AFC

2-10



AWIS	126.250	
Brisbane Center	135.500	
	134.700	On ground
CTAF	126.700	ARCAL PAL

Landing RWY system:

11

83.0°

2073 x 45

60 L

THR 58 (2hPa) / TDZ --- (---%) -0.2%

60 L 45 x 2073 | 25
..... 3.0°
+0.2% TDZ --- (---%) / THR 47 (2hPa)

Changes: APCH boxes

Effective 02-MAR-2017

23-FEB-2017

PPP-YBPN

Australia Proserpine Whitsunday Coast

AGC


AGC

AGC

Whitsunday Coast Proserpine Australia

AGC

3-20




Changes: Nil

PPP-YBPN

7-10

RNAV (GNSS) Z 11




3.00° BPNWM 122° RWY 106°	10	9	8	6	4	3	11	83.0° 2073 x 45 60 L	THR 58 (2hPa) / TDZ --- (---%) -0.2%
10 BPNWM BPNWI	7	5	2	BPNWM					
3530	2580	1940	980	M					
BPNWM S20 29.1 E148 31.9	3100	2500	1700	760	MDA				
DIST to THR	10	5.8	5	2.8	0.8	0			
11	RNAV GNSS LNAV 1)								Circling 1)
C	ft - m/km ft	610 - 3.4V 660							950 - 4.0V 1030
D	ft - m/km ft	610 - 3.4V 660							1340 - 5.0V 1420

1) Minima may be reduced by 100ft with actual QNH


Changes: MIN

RNAV (GNSS) Z 29

7-20



60 L	45 x 2073	29	3	4	6	8	9	10.5	3.00° RW29
+0.2% TDZ --- (---%) / THR 47 (2hPa)	3.0°		1060	1370	2010	2650	2970	3450	



29		RNAV GNSS VNAV 1) 2)	RNAV GNSS LNAV 3)			Circling 3)
C	ft - m/km ft	390 - 2.1V 430	580 - 3.3V 620			950 - 4.0V 1030
D	ft - m/km ft	390 - 2.1V 430	580 - 3.3V 620			1340 - 5.0V 1420

1) Uncompensated BARO VNAV NA below 0°C (32°F) or above 53°C (127°F) 2) Use with Proserpine (YBPN) QNH only 3) Minima may be reduced by 100ft with actual QNH

Changes: Nil

02-NOV-2017


Australia **Proserpine** Whitsunday Coast

IAC


PPP-YBPN

7-30

VOR 11



3.01°		10	8	7	5	4	11	83.0°	60 L
D PN 114°								2073 x 45	
RWY 106°		3100	2480	2160	1520	1200		THR 58 (2hPa) / TDZ --- (---%)	-0.2%



11		VOR DME 1)				Circling 1)
C	ft - m/km ft	630 - 3.5V 680				950 - 4.0V 1030
D	ft - m/km ft	630 - 3.5V 680				1340 - 5.0V 1420



1) Minima may be reduced by 100ft with actual QNH

Changes: MIN

PPP-YBPN

7-40

VOR 29



1) Minima may be reduced by 100ft with actual QNH

Changes: MIN