

GENERAL**Operational Hours****ATS Hours:** H24**AD OPS Hours / AD ADMIN Hours:** HS or O/R**Airport Information****RFF:** CAT 8**Fuel:** Nr.3 jet fuel, HS or O/R**PCN:** RWY 13/31: 90/F/B/W/T**Customs:** HS or O/R**Operation****TWY Restriction**

TWY Z width 12m / 39ft.

TWY A2 and A3 AVBL for ACFT with MAX wingspan below 65m / 213ft.

TWY A1 MAX wingspan 36m / 118ft.

Engine Run-up Areas

ENG run-ups are subject to GND control CLR and shall be carried out at a designated location. Fast ENG run-up on APN is strictly prohibited.

Warnings


Birds in vicinity of AD.

DEPARTURE**Take-off Minima**

RWY		13/31		
Multi ENG	ft - m/km	0 - 400R/800V	REDL	HJ only
		0 - 500R/800V	wo LGT	
		0 - 800R/800V	HN	
1 ENG		0 - 1.6V	-	

De-Icing

HS or O/R.



TWR	118.150	HO
	118.800	HO

Landing RWY system:

13

720
HM-P1F | **THR 4592** (155hPa) / TDZ --- (---%) -0.1%

60 HL
30 HL

83.0°
3200 x 45

31

3.0°
45 x 3200

+0.1% TDZ --- (---%) / **THR 4578** (155hPa)

HL-P1

TRL 118	(3600m STD)
TA 10830	(3300m if QNH \geq 1031hPa)
TA 9850	(3000m)
TA 8860	(2700m if QNH \leq 979hPa)

07-DEC-2017
DSN-ZBDS

China **Ordos** Ejin Horo


AGC

AGC

AGC

Ejin Horo **Ordos** China

AGC



Changes: new

© Lido 2017


07-DEC-2017
DSN-ZBDS


China **Ordos** Ejin Horo
[SIDS RWYS 13/31]
RNAV SIDS RWYS 13/31

SID
SID

Ejin Horo **Ordos** China
[SIDS RWYS 13/31]
RNAV SIDS RWYS 13/31

4-10





07-DEC-2017

DSN-ZBDS

5-10


RNAV SIDs RWYs 13/31

BAOTOU 09D / BAOTOU 19D / YULIN 09D / YULIN 19D

RWYs 13 (127°) / 31 (307°)


DESIGNATOR	ROUTING	ALTITUDES
	Runway 13	
BAOTOU 09D BAV 09D 118.150	127° [A4990+ ;L] - DCT DS511 - DS601 - BAV	DS601 MNM 8860
YULIN 09D YLX 09D 118.150	127° [A4990+ ;R] - DCT DS703 - DS604 - YLX	DS604 MNM 11820
	Runway 31	
BAOTOU 19D BAV 19D 118.150	307° [A4990+ ;R] - DCT DS511 - DS601 - BAV	DS601 MNM 8860
YULIN 19D YLX 19D 118.150	307° [A4990+ ;L] - DCT DS512 - DS604 - YLX	DS604 MNM 11820





7-10

ILS DME Z 13 RNAV




07-DEC-2017

DSN-ZBDS

7-20

ILS DME Y 13



Changes: new




07-DEC-2017
DSN-ZBDS

China Ordos Ejin Horo

IAF

7-30

ILS DME Z 31 RNAV






31	Cat 1 DME	LOC DME				Circling
C	ft - m/km ft	250 - 550R/800V 4830	440 - 1.7V 5020			890 - 3.8V 5480
D	ft - m/km ft	270 - 600R/800V 4850 ¹⁾	440 - 1.7V 5020			890 - 4.0V 5480

1) With EVS RVR 550m/ VIS 800m

Changes: new

7-40

ILS DME Y 31



31	Cat 1 DME	LOC DME	Circling
C	ft - m/km ft	250 - 550R/800V 4830	440 - 1.7V 5020
D	ft - m/km ft	270 - 600R/800V 4850 ¹⁾	440 - 1.7V 5020



1) With EVS RVR 550m/ VIS 800m

07-DEC-2017

DSN-ZBDS


7-50

VOR DME 13



Changes: new

VOR DME 31




07-DEC-2017

DSN-ZBDS

7-70

NDB 31



Changes: new